

MANAJEMEN LABA

Uji Normalitas Data Belum Normal

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	B2, B1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: TAC_TA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.097 ^a	.009	-.006	.13524555

a. Predictors: (Constant), B2, B1

b. Dependent Variable: TAC_TA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.022	2	.011	.608	.546 ^a
	Residual	2.360	129	.018		
	Total	2.382	131			

a. Predictors: (Constant), B2, B1

b. Dependent Variable: TAC_TA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.042	.019		-2.248	.026
	B1	.003	.019	.012	.137	.892
	B2	.038	.034	.097	1.100	.273

a. Dependent Variable: TAC_TA

Residuals Statistics ^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.0426543	.0700851	-.0260277	.01302858	132
Residual	-.369371	.76546562	.00000000	.13420917	132
Std. Predicted Value	-1.276	7.377	.000	1.000	132
Std. Residual	-2.731	5.660	.000	.992	132

a. Dependent Variable: TAC_TA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	132	100.0%	0	.0%	132	100.0%

Descriptives

		Statistic	Std. Error
Unstandardized Residual	Mean	.0000000	.01168141
	95% Confidence Interval for Mean	Lower Bound -.0231086	
		Upper Bound .0231086	
	5% Trimmed Mean	-.0043469	
	Median	-.0005633	
	Variance	.018	
	Std. Deviation	.13420917	
	Minimum	-.36937	
	Maximum	.76547	
	Range	1.13484	
	Interquartile Range	.11620	
	Skewness	1.341	.211
	Kurtosis	7.942	.419

Extreme Values

			Case Number	Value
Unstandardized Residual	Highest	1	57	.76547
		2	108	.32902
		3	39	.30154
		4	51	.29554
		5	84	.26370
	Lowest	1	29	-.36937
		2	27	-.36774
		3	46	-.25204
		4	34	-.23632
		5	31	-.22601

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.120	132	.000	.898	132	.000

a. Lilliefors Significance Correction

Unstandardized Residual


Unstandardized Residual Stem-and-Leaf Plot

```



Frequency      Stem & Leaf
3.00 Extremes  (<= -.25)
4.00   -2 .  1223
3.00   -1 .  568
13.00   -1 .  0111111233444
19.00   -0 .  5555666666777778999
25.00   -0 .  000000001111222222233444
33.00    0 .  0000000001111112222223333344444
13.00    0 .  5566777788889
7.00    1 .  0222224
4.00    1 .  5579
2.00    2 .  02
6.00 Extremes  (>= .23)
  
```

Stem width: .10000
 Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Data Normal

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	B2, B1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: TAC_TA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.128 ^a	.016	.000	.09040526

a. Predictors: (Constant), B2, B1

b. Dependent Variable: TAC_TA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.016	2	.008	.984	.377 ^a
	Residual	.973	119	.008		
	Total	.989	121			

a. Predictors: (Constant), B2, B1

b. Dependent Variable: TAC_TA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-.043	.013		-3.442	.001
	B1	-.001	.013	-.004	-.042	.966
	B2	.033	.024	.127	1.397	.165

a. Dependent Variable: TAC_TA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.0432582	.0557173	-.0305576	.01152758	122
Residual	-.222290	.23785131	.00000000	.08965499	122
Std. Predicted Value	-1.102	7.484	.000	1.000	122
Std. Residual	-2.459	2.631	.000	.992	122

a. Dependent Variable: TAC_TA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	122	100.0%	0	.0%	122	100.0%

Descriptives

		Statistic	Std. Error
Unstandardized Residual	Mean	.0000000	.00811698
	95% Confidence Interval for Mean	Lower Bound -.0160697	
		Upper Bound .0160697	
	5% Trimmed Mean	-.0013989	
	Median	.0030492	
	Variance	.008	
	Std. Deviation	.08965499	
	Minimum	-.22229	
	Maximum	.23785	
	Range	.46014	
	Interquartile Range	.10476	
	Skewness	.187	.219
	Kurtosis	.265	.435

Extreme Values

			Case Number	Value
Unstandardized Residual	Highest	1	85	.23785
		2	83	.22367
		3	53	.21254
		4	94	.20161
		5	15	.18131
	Lowest	1	43	-.22229
		2	30	-.21021
		3	27	-.17819
		4	48	-.16748
		5	24	-.15428

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.062	122	.200*	.989	122	.419

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot


```

Frequency      Stem & Leaf
1.00 Extremes  (= <-.22)
1.00      -2 . 1
3.00      -1 . 567
13.00      -1 . 0000111223344
17.00       -0 . 55555566667777889
21.00       -0 . 000011111222222334444
37.00        0 . 0000000000011111111112222333334444444
15.00        0 . 555566788888899
 7.00        1 . 1222234
 3.00        1 . 678
4.00 Extremes  (>=.20)
  
```



Stem width: .10000

Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Uji Autokolerasi dan Multikolinieritas

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	B2, B1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: TAC_TA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.128 ^a	.016	.000	.09040526	2.029

a. Predictors: (Constant), B2, B1

b. Dependent Variable: TAC_TA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.016	2	.008	.984	.377 ^a
	Residual	.973	119	.008		
	Total	.989	121			

a. Predictors: (Constant), B2, B1

b. Dependent Variable: TAC_TA

Coefficients^b

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-.043	.013		-3.442	.001		
	B1	-.001	.013	-.004	-.042	.966	.997	1.003
	B2	.033	.024	.127	1.397	.165	.997	1.003

a. Dependent Variable: TAC_TA

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	B1	B2
1	1	1.833	1.000	.11	.05	.11
	2	.924	1.409	.01	.92	.04
	3	.243	2.745	.88	.03	.86

a. Dependent Variable: TAC_TA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.0432582	.0557173	-.0305576	.01152758	122
Residual	-.222290	.23785131	.00000000	.08965499	122
Std. Predicted Value	-1.102	7.484	.000	1.000	122
Std. Residual	-2.459	2.631	.000	.992	122

a. Dependent Variable: TAC_TA

Heterokedastisitas

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	B2, B1 ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: ABS_RES

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.095 ^a	.009	-.008	.05834

a. Predictors: (Constant), B2, B1

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.004	2	.002	.543	.582 ^a
	Residual	.405	119	.003		
	Total	.409	121			


a. Predictors: (Constant), B2, B1

b. Dependent Variable: ABS_RES

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.064	.008		7.845	.000
	B1	.008	.008	.087	.956	.341
	B2	.007	.015	.043	.471	.638

a. Dependent Variable: ABS_RES



Uji Normalitas

Data Belum Normal

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	KA, KM ^a , DKI, KI	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.282 ^a	.080	.048	.056713659

a. Predictors: (Constant), KA, KM, DKI, KI

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.033	4	.008	2.535	.044 ^a
	Residual	.376	117	.003		
	Total	.409	121			

a. Predictors: (Constant), KA, KM, DKI, KI

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.111	.024		4.651	.000
	KM	-.041	.035	-.110	-1.177	.242
	KI	-.053	.021	-.237	-2.523	.013
	DKI	-.035	.041	-.077	-.852	.396
	KA	.016	.010	.137	1.524	.130

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.004794	.11480404	.06794434	.016417248	122
Residual	*****	*****	*****	.055768365	122
Std. Predicted Value	-4.431	2.854	.000	1.000	122
Std. Residual	-1.439	2.649	.000	.983	122

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	122	100.0%	0	.0%	122	100.0%

Descriptives

			Statistic	Std. Error
Unstandardized Residual	Mean		.0000000	.00504903
	95% Confidence Interval for Mean	Lower Bound	-.0099959	
		Upper Bound	.0099959	
	5% Trimmed Mean		-.0034888	
	Median		-.0124238	
	Variance		.003	
	Std. Deviation		.05576836	
	Minimum		-.08162	
	Maximum		.15024	
	Range		.23185	
	Interquartile Range		.08191	
	Skewness		.810	.219
	Kurtosis		.032	.435

Extreme Values

		Case Number	Value	
Unstandardized Residual	Highest	1	94	.15024
		2	43	.14473
		3	53	.14293
		4	83	.13189
		5	30	.13170
	Lowest	1	91	-.08162
		2	62	-.07655
		3	107	-.07603
		4	46	-.07567
		5	86	-.06991

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.114	122	.001	.933	122	.000

a. Lilliefors Significance Correction


Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot



Frequency	Stem &	Leaf
1.00	-0 .	8
15.00	-0 .	666666666666777
21.00	-0 .	444444444444444555555
16.00	-0 .	222222222233333
21.00	-0 .	0000000001111111111
6.00	0 .	000011
13.00	0 .	2222333333333
12.00	0 .	44444455555
7.00	0 .	6666677
1.00	0 .	9
3.00	1 .	001
3.00	1 .	233
3.00	1 .	445

Stem width: .10000
Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Regression

Variables Entered/Removed ^b

Model	Variables Entered	Variables Removed	Method
1	KA, KM, DKI, KI ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary ^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.343 ^a	.118	.086	.051514643

a. Predictors: (Constant), KA, KM, DKI, KI

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.039	4	.010	3.708	.007 ^a
	Residual	.295	111	.003		
	Total	.334	115			

a. Predictors: (Constant), KA, KM, DKI, KI

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.110	.022		5.081	.000
	KM	-.040	.032	-.118	-1.252	.213
	KI	-.061	.019	-.302	-3.201	.002
	DKI	-.025	.037	-.060	-.667	.506
	KA	.017	.010	.155	1.723	.088

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.019190	.11830407	.06585207	.018500996	116
Residual	*****	*****	*****	.050610807	116
Std. Predicted Value	-4.597	2.835	.000	1.000	116
Std. Residual	-1.565	2.598	.000	.982	116

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	116	100.0%	0	.0%	116	100.0%

Descriptives

			Statistic	Std. Error
Unstandardized Residual	Mean		.0000000	.00469910
	95% Confidence Interval for Mean	Lower Bound	-.0093080	
		Upper Bound	.0093080	
	5% Trimmed Mean		-.0027043	
	Median		-.0111708	
	Variance		.003	
	Std. Deviation		.05061081	
	Minimum		-.08061	
	Maximum		.13382	
	Range		.21443	
	Interquartile Range		.08298	
	Skewness		.657	.225
	Kurtosis		-.285	.446

Extreme Values

		Case Number	Value	
Unstandardized Residual	Highest	1	30	.13382
		2	80	.12940
		3	82	.12392
		4	28	.11593
		5	15	.10916
	Lowest	1	87	-.08061
		2	45	-.07419
		3	56	-.07007
		4	98	-.06688
		5	105	-.06598

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.119	116	.000	.946	116	.000

a. Lilliefors Significance Correction


Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot


Frequency	Stem &	Leaf
1.00	-0 .	8
9.00	-0 .	666666677
20.00	-0 .	44444444445555555555
16.00	-0 .	2222222233333333
23.00	-0 .	00000000111111111111
9.00	0 .	000001111
9.00	0 .	223333333
13.00	0 .	44444444445555
8.00	0 .	66666677
2.00	0 .	89
3.00	1 .	001
3.00	1 .	223

Stem width: .10000
Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	KA _a , DKI, KI, KM	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.331 ^a	.109	.074	.043536905

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.024	4	.006	3.100	.019 ^a
	Residual	.191	101	.002		
	Total	.215	105			

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.097	.019		5.019	.000
	KM	-.029	.028	-.103	-1.033	.304
	KI	-.047	.017	-.274	-2.761	.007
	DKI	-.022	.032	-.066	-.693	.490
	KA	.016	.009	.177	1.865	.065

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.003730	.10501405	.06234783	.014962363	106
Residual	*****	*****	*****	.042699579	106
Std. Predicted Value	-4.416	2.852	.000	1.000	106
Std. Residual	-1.404	2.374	.000	.981	106

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	106	100.0%	0	.0%	106	100.0%

Descriptives

		Statistic	Std. Error	
Unstandardized Residual	Mean	.0000000	.00414735	
	95% Confidence Interval for Mean	Lower Bound	-.0082234	
		Upper Bound	.0082234	
	5% Trimmed Mean	-.0015160		
	Median	-.0079948		
	Variance	.002		
	Std. Deviation	.04269958		
	Minimum	-.06112		
	Maximum	.10336		
	Range	.16448		
	Interquartile Range	.07258		
	Skewness	.480	.235	
	Kurtosis	-.847	.465	

Extreme Values

		Case Number	Value
Unstandardized Residual	Highest	1	.10336
		2	.09407
		3	.08264
		4	.08119
		5	.07448
	Lowest	1	-.06112
		2	-.06096
		3	-.05986
		4	-.05770
		5	-.05699

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.113	106	.002	.942	106	.000

a. Lilliefors Significance Correction


Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot



Frequency	Stem	&	Leaf
2.00	-6	.	01
10.00	-5	.	0224445679
10.00	-4	.	1334456799
8.00	-3	.	24466888
10.00	-2	.	0355578899
11.00	-1	.	23334566779
10.00	-0	.	0133446788
9.00	0	.	011112457
1.00	1	.	5
4.00	2	.	1699
8.00	3	.	33666667
5.00	4	.	22889
7.00	5	.	0224688
3.00	6	.	239
4.00	7	.	1334
2.00	8	.	12
1.00	9	.	4
1.00	10	.	3

Stem width: .01000
Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Regression

Variables Entered/Removed

Model	Variables Entered	Variables Removed	Method
1	KA, DKI, KM, KI	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.400 ^a	.160	.123	.038437625

a. Predictors: (Constant), KA, DKI, KM, KI

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.026	4	.006	4.332	.003 ^a
	Residual	.134	91	.001		
	Total	.160	95			

a. Predictors: (Constant), KA, DKI, KM, KI

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.100	.017		5.775	.000
	KM	-.024	.025	-.098	-.965	.337
	KI	-.047	.015	-.314	-3.085	.003
	DKI	-.039	.029	-.130	-1.341	.183
	KA	.018	.008	.217	2.229	.028

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	-.005156	.10475693	.06062219	.016415418	96
Residual	*****	*****	*****	.037619709	96
Std. Predicted Value	-4.007	2.689	.000	1.000	96
Std. Residual	-1.430	1.958	.000	.979	96

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	96	100.0%	0	.0%	96	100.0%

Descriptives

		Statistic	Std. Error
Unstandardized Residual	Mean	.0000000	.00383955
	95% Confidence Interval for Mean		
	Lower Bound	-.0076225	
	Upper Bound	.0076225	
	5% Trimmed Mean	-.0010451	
	Median	-.0061056	
	Variance	.001	
	Std. Deviation	.03761971	
	Minimum	-.05498	
	Maximum	.07526	
	Range	.13025	
	Interquartile Range	.06852	
	Skewness	.414	.246
	Kurtosis	-1.029	.488

Extreme Values

		Case Number	Value	
Unstandardized Residual	Highest	1	17	.07526
		2	23	.07345
		3	72	.07198
		4	38	.07133
		5	15	.06687
	Lowest	1	88	-.05498
		2	35	-.05407
		3	28	-.05381
		4	18	-.05138
		5	73	-.05125

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.105	96	.011	.936	96	.000

a. Lilliefors Significance Correction


Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot


Frequency	Stem &	Leaf
16.00	-0 .	44444444444555555
18.00	-0 .	2222222222333333333
23.00	-0 .	000000000001111111111
9.00	0 .	000000011
11.00	0 .	22223333333
13.00	0 .	4444455555555
6.00	0 .	667777

Stem width: .10000
Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	KA, DKI, KM, KI ^a	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.347 ^a	.120	.077	.033765669

a. Predictors: (Constant), KA, DKI, KM, KI

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.013	4	.003	2.774	.032 ^a
	Residual	.092	81	.001		
	Total	.105	85			

a. Predictors: (Constant), KA, DKI, KM, KI

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.087	.016		5.307	.000
	KM	-.013	.022	-.067	-.606	.546
	KI	-.028	.015	-.215	-1.932	.057
	DKI	-.041	.026	-.168	-1.590	.116
	KA	.016	.007	.227	2.150	.035

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.01823289	.08473470	.05860558	.012199102	86
Residual	*****	*****	*****	.032961609	86
Std. Predicted Value	-3.309	2.142	.000	1.000	86
Std. Residual	-1.414	1.804	.000	.976	86

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	86	100.0%	0	.0%	86	100.0%

Descriptives

		Statistic	Std. Error	
Unstandardized Residual	Mean	.0000000	.00355434	
	95% Confidence Interval for Mean	Lower Bound	-.0070670	
		Upper Bound	.0070670	
	5% Trimmed Mean	-.0008262		
	Median	-.0043786		
	Variance	.001		
	Std. Deviation	.03296161		
	Minimum	-.04775		
	Maximum	.06091		
	Range	.10866		
	Interquartile Range	.05965		
	Skewness	.436	.260	
	Kurtosis	-1.071	.514	

Extreme Values

			Case Number	Value
Unstandardized Residual	Highest	1	14	.06091
		2	70	.06050
		3	63	.05917
		4	73	.05864
		5	9	.05724
	Lowest	1	54	-.04775
		2	77	-.04522
		3	66	-.04340
		4	71	-.04313
		5	56	-.04311

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.108	86	.015	.924	86	.000

a. Lilliefors Significance Correction


Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot


Frequency	Stem &	Leaf
7.00	-0 .	4444444
21.00	-0 .	22222222233333333333
21.00	-0 .	00000000111111111111
13.00	0 .	000000000111
8.00	0 .	22333333
14.00	0 .	44444445555555
2.00	0 .	66

Stem width: .10000
Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual





Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	KA, ^a DKI, KI, KM	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.363 ^a	.132	.083	.029957535

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.010	4	.002	2.691	.038 ^a
	Residual	.064	71	.001		
	Total	.073	75			

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.089	.015		5.947	.000
	KM	-.002	.020	-.013	-.109	.914
	KI	-.029	.013	-.263	-2.224	.029
	DKI	-.042	.023	-.200	-1.788	.078
	KA	.009	.007	.150	1.345	.183

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.01807566	.08065517	.05718211	.011348425	76
Residual	*****	*****	*****	.029147722	76
Std. Predicted Value	-3.446	2.068	.000	1.000	76
Std. Residual	-1.337	1.953	.000	.973	76

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	76	100.0%	0	.0%	76	100.0%

Descriptives

			Statistic	Std. Error
Unstandardized Residual	Mean		.0000000	.00334347
	95% Confidence Interval for Mean	Lower Bound	-.0066605	
		Upper Bound	.0066605	
	5% Trimmed Mean		-.0009288	
	Median		-.0053859	
	Variance		.001	
	Std. Deviation		.02914772	
	Minimum		-.04006	
	Maximum		.05850	
	Range		.09855	
	Interquartile Range		.05052	
	Skewness		.481	.276
	Kurtosis		-1.025	.545

Extreme Values

		Case Number	Value	
Unstandardized Residual	Highest	1	74	.05850
		2	34	.05547
		3	17	.05531
		4	52	.04982
		5	14	.04882
	Lowest	1	75	-.04006
		2	53	-.03876
		3	64	-.03823
		4	68	-.03569
		5	58	-.03560

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.109	76	.026	.922	76	.000


a. Lilliefors Significance Correction

Unstandardized Residual



Unstandardized Residual Stem-and-Leaf Plot

Frequency	Stem &	Leaf
1.00	-0 .	4
23.00	-0 .	222222222333333333333333
18.00	-0 .	000000001111111111
14.00	0 .	0000000011111
8.00	0 .	22233333
12.00	0 .	444444444555

Stem width: .10000
Each leaf: 1 case(s)



Detrended Normal Q-Q Plot of Unstandardized Residual



Data Normal

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	KA _a , DKI, KI, KM	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.430 ^a	.185	.132	.026219098

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.010	4	.002	3.468	.013 ^a
	Residual	.042	61	.001		
	Total	.051	65			

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.086	.014		6.337	.000
	KM	.005	.018	.038	.304	.762
	KI	-.029	.012	-.306	-2.493	.015
	DKI	-.038	.021	-.213	-1.822	.073
	KA	.010	.007	.171	1.473	.146

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.01542857	.07988439	.05618424	.012112251	66
Residual	*****	*****	*****	.025399548	66
Std. Predicted Value	-3.365	1.957	.000	1.000	66
Std. Residual	-1.273	1.805	.000	.969	66

a. Dependent Variable: DA

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	66	100.0%	0	.0%	66	100.0%

Descriptives

		Statistic	Std. Error
Unstandardized Residual	Mean	.0000000	.00312647
	95% Confidence Interval for Mean	Lower Bound Upper Bound	
		-.0062440 .0062440	
	5% Trimmed Mean	-.0007568	
	Median	-.0032855	
	Variance	.001	
	Std. Deviation	.02539955	
	Minimum	-.03339	
	Maximum	.04732	
	Range	.08071	
	Interquartile Range	.04110	
	Skewness	.471	.295
	Kurtosis	-1.014	.582

Extreme Values

		Case Number	Value
Unstandardized Residual	Highest	1	8 .04732
		2	49 .04609
		3	2 .04549
		4	50 .04521
		5	30 .04325
	Lowest	1	31 -.03339
		2	18 -.03243
		3	42 -.03219
		4	37 -.03166
		5	15 -.03117

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.108	66	.052	.917	66	.000

a. Lilliefors Significance Correction


Unstandardized Residual

Unstandardized Residual Stem-and-Leaf Plot



Frequency	Stem &	Leaf
7.00	-3 .	0011223
12.00	-2 .	002556677789
8.00	-1 .	12567899
9.00	-0 .	122346788
9.00	0 .	012445578
5.00	1 .	12266
3.00	2 .	017
6.00	3 .	015889
7.00	4 .	1335567

Stem width: .01000
Each leaf: 1 case(s)

Normal Q-Q Plot of Unstandardized Residual



Detrended Normal Q-Q Plot of Unstandardized Residual



Uji Autokolerasi dan Multikolinieritas Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	KA _a , DKI, KI, KM	.	Enter

a. All requested variables entered.

b. Dependent Variable: DA

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.430 ^a	.185	.132	.026219098	2.087

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.010	4	.002	3.468	.013 ^a
	Residual	.042	61	.001		
	Total	.051	65			

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: DA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.086	.014		6.337	.000		
	KM	.005	.018	.038	.304	.762	.877	1.140
	KI	-.029	.012	-.306	-2.493	.015	.889	1.125
	DKI	-.038	.021	-.213	-1.822	.073	.975	1.026
	KA	.010	.007	.171	1.473	.146	.985	1.015

a. Dependent Variable: DA

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions				
				(Constant)	KM	KI	DKI	KA
1	1	3.571	1.000	.00	.02	.01	.01	.03
	2	.787	2.131	.00	.77	.01	.01	.00
	3	.451	2.815	.00	.05	.02	.02	.92
	4	.152	4.851	.00	.02	.40	.50	.00
	5	.040	9.501	.99	.15	.56	.46	.05

a. Dependent Variable: DA

Residuals Statistics^a

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	.01542857	.07988439	.05618424	.012112251	66
Residual	*****	*****	*****	.025399548	66
Std. Predicted Value	-3.365	1.957	.000	1.000	66
Std. Residual	-1.273	1.805	.000	.969	66

a. Dependent Variable: DA

Uji Heterokedastisitas

Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	KA ^a , DKI, KI, KM	.	Enter

a. All requested variables entered.

b. Dependent Variable: ABS_res

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.170 ^a	.029	-.035	.01370

a. Predictors: (Constant), KA, DKI, KI, KM

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.000	4	.000	.454	.769 ^a
	Residual	.011	61	.000		
	Total	.012	65			

a. Predictors: (Constant), KA, DKI, KI, KM

b. Dependent Variable: ABS_res

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.020	.007		2.775	.007
	KM	.008	.009	.123	.914	.364
	KI	-.002	.006	-.044	-.330	.742
	DKI	.008	.011	.094	.735	.465
	KA	-.002	.003	-.059	-.462	.646

a. Dependent Variable: ABS_res

Statistik Deskriptif

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
DA	66	.011710	.126500	.05618424	.028139717
KM	66	.00003	.85314	.1019186	.19735351
KI	66	.12321	1.99800	.6918024	.29162060
DKI	66	.00200	1.00000	.3769847	.15666119
Valid N (listwise)	66				