

## 6. DAFTAR PUSTAKA

- Ahalya, N., Ramachandra, T.V., Kanamadi, R.D. 2003. Biosorption of Heavy Metal, *Research Journal Of Chemical And Environment*. Vol.7(4), 71-79.
- Ahda, Y. dan Berry, S.H. 2008. Pengolahan Limbah Kulit Pisang Menjadi Pektin Dengan Metode Ekstraksi. *Jurnal Jurusan Teknik Kimia*, Fakultas Teknik, Universitas Diponegoro.
- Arsentina, P. 2008. Logam Berat Pb (Timbal) Pada Jeroan Sapi. Prosiding PPI Standardisasi.
- Ashraf, M.A., Maah, M.J., Yusoff, I. 2010. Study of Banana peel (*Musa sapientum*) as a Cationic Biosorben, *American-Eurasian J.Agric & Environ. Sci* 8(1): 7-17.
- Astawan, M. 2010. Pisang Sebagai Buah Kehidupan. Barangjasa.com.
- Atkins, P. W. 1999. Kimia Fisika, (diterjemahkan oleh : Kartahadiprojo Irma I), edisi ke-2. Erlangga. Jakarta.
- Bertini I, Gray H.B, Lippard S.J., Valentine J.S. 1994. *Bioinorganic Chemistry*. California : University Science Books.
- Bleeker, E. 2007. *Destruction by Means of the Bomb Method*. Standard Operating Procedure. Number W0031.
- Caussiol, L. 2001. Postharvest Quality Conventional and Organically Grown Banana Fruit. *Master of Science by Reasearch in Postharvest Technology*. Institute of Agriculture of Agritechnology. Cranfield University. Silsoe, pp 160.
- Castillo-Israel, K. A. T., Baguio, S. F., Diasanta, M. D. B., Lizardo, R. C. M., Dizon, E. I., Mejico, M. I. F. 2015. Extraction and Characterization of Pectin from Saba Banana Musa 'saba' (*Musa acuminata* x *Musa balbisiana*) peel wastes: A Preliminary Study. *International Food Reasearch Journal* 22 (1): 202-207. Philippines.
- Charlena. 2004. Pencemaran Logam Berat Timbal (Pb) dan Kadmium (Cd) pada Sayur-sayuran. Program Pascasarjana/ S3/ Institut Pertanian Bogor. Bogor.

- Chojnacka, K. 2009. Biosorption And Bioaccumulation In Practice. *Nova Science Publishers, Inc.* New York.
- Coe E.M, Bowen L.H, Speer J.A, Wang Z, Sayers D.E, Bareman R.D. 1995. The Recharacterization of a Polysaccharide Iron Complex (Niferex). *J. of Inorganic Biochem.* 58:269-278.
- Connel, D. W., Miller, G. J. 1995. Kimia dan Otoksikologi Pencemaran. Cetakan Pertama. Jakarta: Universitas Indonesia.
- Csuros, M; Csuros, C. 2002. Sample Collection for Metal Analysis. Dalam buku *Environmental Sampling and Analysis for Metals*. Lewis Publisher. A CRC Press Company. Boca Raton.
- Dadzie, B. K., Orchard, J. E. 1997. Routine Post-Harvest Screening of Banana/ Plantain Hybrids: Criteria and Methods. *International Plant Genetic Resource Institute*. Italy.
- Darmono. 1995. Logam dalam Sistem Biologi Makhluk Hidup. UI-Press. Jakarta.
- Departemen Pertanian. 2005. Prospek dan Arah Pengembangan Agribisnis Pisang. Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian. Jakarta.
- Duruibe, J. O., OgwueGambaru, M. O. C., Egwurugwu, J. N. 2007. Heavy Metal Pollution and Human Biotoxic Effect. *Intenational Journal of Physical Sciences* Vol. 2(5), pp. 112-118, May 07.
- Emaga, H.T., Adrianaivo, R.H., Wathelet, B., Tchango, J.T. and Paquot, M. 2007. Effect of the stage of maturation and varieties on the chemical composition of banana and plantain peels. *Food Chemistry* 103 (2):590-600.
- Endress, H.U. 1991. Nonfood Uses of Pectin. In : *The Chemistry and Technology of Pectin*. (ed. R.H. Walter). Pp.251-268. Academic Press, Inc., London.
- Hanum, F., Kaban, Irza, M.D., Tarigan, M.A. 2012. Ekstraksi Pektin dari Kulit Buah Pisang Raja (*Musa sapientum*). *Jurnal Teknik Kimia USU*. Vol 1, No. 2.
- Hartati, I., dan Kurniasari, L., 2011, Enzymatic Extraction of Low Methoxyl Pectin as a Potential Anti Cancer Agent From Green Cincau (*Premna oblongifolia* Merr).

Prosiding Seminar Nasional Sains dan Teknologi 2 Universitas Wahid Hasyim Semarang Tahun 2011, B.33-B.38.

Hariyati, M.N. 2006. Ekstraksi Dan Karakterisasi Pektin Dari Limbah proses Pengolahan Jeruk Pontianak (*Citrus Nobilis* Var *Microcarpa*). Skripsi. Institute Teknologi Pertanian, Bogor.

Herbstreith, K dan G. Fox. 2005. *Pectin*. [http://www.herbstreithfox.de/pektin/forschung\\_und\\_entwicklung/forschung\\_entwicklung04a.htm](http://www.herbstreithfox.de/pektin/forschung_und_entwicklung/forschung_entwicklung04a.htm).

<http://color.adobe.com/create/color-wheel>

Igwe, J.C and Abia, A.A. 2006. A Bioseparation Process for Removing Heavy Metals from Waste Water Using Biosorbents. *African Journal of Biotechnology* Vol.5 (12), 1167-1179.

Kaewsarn, Pairat, Wanna Saikaew, Suraohai Wongoharee. 2008. Dried Biosorbent Derived From Banana Peel: A Potential Biosorbent for Removal of Cadmium Ions from Aqueous Solution. *Journal Chemical Engineering and Applied Chemistry*.

Kaim W, Schwederski B. 1994. Bioinorganic Chemistry: Inorganic Elements in the *Chemistry of Life*. Chichester : John Wiley & Sons.

Kelly-Vargas, Kevin., Cerro-Lopez, Monica., Reyna-Tellez, Silvia., Bandala, Erick R., Sanchez-Salas, Jose Luis. 2012. Biosorption of Heavy Metals in Polluted Water, Using Different Waste Fruit Cortex. *Physics and Chemistry of the Earth*. 37-39:26-29.

Kertesz, Z.I. 1951. The Pectin Substances. *Interscience Pub. Inc.*, New York.

Kirk, R. E., Othmer, D. F. 1981. *Encyclopedia of Chemical Engineering Technology*. New York: John Wiley and Sons Inc.

Kupchik, L.A., Kartel, N.T., Bogdanov, E.S., Bogdanova, O.V. and Kupchik, M.P. 2005. Chemical modification of pectin to improve its sorption properties. Russian Journal of applied chemistry. *National University of Alimentary Technologies. Kiev. Ukraine. Vol.79. No.3. Hal. 457.*

- Kurniasari., Riwayati., dan Suwardiyono. 2012. Pektin Sebagai Alternatif Bahan Baku Bioabsorben Logam Berat. *Momentum*, Vol.8, No.1, Pg1-5.
- Llobet JM, Falco G, Casas C, Teixido A, Domingo L. 2003. Concentrations of aqueous solution by shea buffer (*Butyrospermum Parkii*) seed husks. *Bull Environ Contam Toxicol* 52:530-537.
- Mata, YN., Blazquez, ML., Ballester, A., Gonzalez, F., Munoz, JA. 2009. Sugar-beet Pulp Pectin Gels as Biosorbent for Heavy Metals: Preparation and Determination of Biosorption and Desorption Characteristics. *Chemical Engineering Journal* 150, 289-301.
- Mohapatra, D., Mishra, S., Sutar, N. 2010. Banana and Its By-Product Utilisation: An Overview. *Journal of Scientific & Industrial Research* Vo. 69, May, pp. 323-329.
- Morton, J. 1987. Banana. In: Julia, F., Morton, Miami, FL (eds). *Fruits of warm climates*. pp. 29-46.
- Mukono, H.J. 2002. Pencemaran Udara dan Pengaruhnya Terhadap Gangguan Saluran Pernapasan. *Penerbitan Airlangga University Press*. Surabaya.
- Palar. H. 2004. Pencemaran dan toksikologi logam berat. *Rineka cipta*. p. 78-86. Jakarta.
- Park, HJ., Kim, M., Shim, SM., Kim, GH. 2005. Adsorption of Cadmium and Lead by Various Cereals from Korea. *Bull. Environ. Contam. Toxicol* 74:470-476.
- Rao, K.S., M. Mohapatra, S. Anandz dan P. Venkateswarlu. 2010. Review on Cadmium Removal from Aqueous Solutions. *International Journal of Engineering, Science and Technology* Vol. 2, No. 7, 2010, pp 81-103.
- Rashed, M. N. 2001. Monitoring of Environmental Heavy Metals in Fish from Nasser Lake. *Environ Int* 27:27-33.
- Rolin, C. 2002. Commercial Pectin Preparations. Pages 222-241 in: *Pectins and their manipulation*. G. B. Seymour and J. P. Knox, eds. CRC Press: Boca Raton, FL.
- Sadeek, S.A., Negm, N.A., Hefni, H.H.H., Abdel Wahab, M.M. 2015. Metal Adsorption by Agricultural Biosorbent: Adsorption Isotherm, Kinetic, and Biosorbent Chemical Structure. *International Journal of Biological Macromolecules*. 81: 400-409.

- Satria, B., dan Ahda, Y. 2008. Pengolahan Limbah Kulit Pisang Menjadi Pektin dengan Metode Ekstraksi. Universitas Diponegoro, Fakultas Teknik, Jurusan Tekni Kimia: Semarang.
- Setiawati, M.D. 2009. Uji Toksisitas Kadmium dan Timbal pada Mikroalga *Chaetoceros gracilis*. Skripsi. Departemen Ilmu dan Teknologi Kelautan Fakultas Perikanan dan Ilmu Kelautan Institut Pertanian Bogor, Bogor.
- Sharma, S.K. 2014. Heavy Metals In Water Presence, Removal, and Safety. *The Royal Society of Chemistry*, Thomas Graham House, Science Park, Milton Road, Cambridge CB4 0WF, UK.
- Srivastava, P and Malviya, R. 2011. Sources of Pectin, Extraction and Its Applications in Pharmaceutical Industry-An Overview. *Indian Journal of Natural Products and Resources Vol. 2(1)*, 10-18.
- Suhartanto, M.R., Harti, H. dan Haryadi, S.S. 2008. Program Pengembangan Pisang. <http://pkht.or.id/> (diakses pada tanggal 2 Mei 2016).
- Sulusi P., Suyanti., Dondy A.S. 2008. Teknologi Pascapanen dan Teknik Pengolahan Buah Pisang. Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian. Badan Penelitian dan Pengembangan Pertanian.
- Tapre, A. R., Jain, R. K. 2012. Studi of Advanced Maturity Stages of Banana. *International Journal of Advanced Engineering Reasearch and Studies. E-ISSN 2249-8974*.
- Tarigan, M., Kaban, I. M., Hanum, Farida. 2012. Ekstraksi Pektin dari Kulit Buah Pisang Kepok (*Musa paradisiaca*). *Jurnal Teknik Kimia USU, Article in Press*. Universitas Sumatra Utara: Medan.
- Tchobanoglous, G.H.T., dan Vigil, S. 2003. Integrated Solid Waste Management: Engineering Principles and Management Issues. *McGraw-Hill, Hal 3-22*. New York.
- Torre M, Rodriguez A.R, Calixto F.S. 1995. Interactions of the Fe (II), Ca (II) and Fe (III) with High Dietary Fiber Materials. *A Physicochemical Approach. Food Chem. 54:23– 31*.

Vina. 2016. Studi *In-Vitro* Efektivitas Pektin Daging Buah Sirsat (*Annona muricata L*) Sebagai Pengikat Logam Beracun Kadmium dan Tembaga. Skripsi. Universitas Katolik Soegijapranata. Semarang.

Winarno, F. G. 1997. Kimia Pangan dan Gizi. *PT Gramedia Utama*. Jakarta.

Wong, W.W., Abbas F.M.A., Liong, M.T., Azhar, M.E. 2008. Modification of Durian Rind Pectin for Improving Biosorbent Ability. *International Food Research Journal* 15 (3), 363-365.

Wong, W.W., Phuah, E.T., Al-Kharkhi, A., Liong, M.T., Nadiah, W.A., Rosma, A., and Easa, A.M., 2008. Biosorbent Ingredients from Durian Rind Waste. *School of Industrial Technology. University Sains Malaysia. Penang. Hal. 92.*

Zhang, H., Huang, C., and Ou, S. 2011. In Vitro Binding Capacities of Three Dietary Fibers and Their Mixture for Four Toxic Element, Cholesterol, and Bile Acid.

Zhao, Zheng Yan; Liang, Li; Fan, Xiaoqing; Yu, Zhonghua; Hotchkiss, Arland T.; Wilk, Barry J.; Eliaz, Isaac. 2008. The Role of Modified Citrus Pectin As An Effective Chelator of Lead In Children Hospitalized With Toxic Lead Levels. *Alternative Therapies, Jul/Aug 2008, Vol. 14, No. 4.*

