

## 6. REFERENCES

- Adema, C.M., Van der Knaap, W.P., Sminia, T. 1991. Molluscan hemocyte-mediated cytotoxicity: the role of reactive oxygen intermediates. *Rev. Aquat. Sci.* 4: 201-233.
- AMAP (1998). Assessment report: Arctic pollution issues. Arctic Monitoring and Assessment Programme, Oslo.
- Auffret, M., Oubella, R. 1994. Cytometric parameters of bivalve molluscs: effect of environmental factors. In J.S. Stolon, T. C. Fletcher (eds) Modulators of fish immune responses. SOS Publications, Fairhaven, NJ, p 23-32.
- Bwanika, G., Murie, D. & Chapman, L. 2007. Comparative Age and Growth of Nile tilapia (*Oreochromis niloticus* L.) in Lakes Nabugabo and Wamala, Uganda. *Hydrobiologia* 589: 287-301.
- Carbonell, G and V Tarazona. 1994. Toxicokinetics of copper in rainbow trout (*Oncorhynchus mykiss*). *Aquatic Toxicology* 29: 213-221.
- Çoğun, H. Y., Yüzereroğlu, T. A., & Kargin, F. (2003). Accumulation of Copper and Cadmium in Small and Large Nile Tilapia *Oreochromis niloticus*. *Bulletin of Environmental Contamination & Toxicology*, 71(6), 1265-1271. doi:10.1007/s00128-003-8523-8.
- Cross, F. A. & Hardy, H. L. (1973). Relation between body weight and concentrations of manganese, iron, copper, zinc and mercury in white muscle of bluefish (*Pomatomus salatrix*) and a bathyl-demersal fish *Antimora rostrata*. *Canada J. Fish Res Board*: 30, 1287-1291.
- Dr. Wahyu Widiowati, Ir., M. S., Dr. Raymond Jusuf R., M. S., & Dr. Astiana Sastiono, Ir., M. S. (2008). Efek Toksik Logam. (R. W. Rosari, Ed.) (1st ed.). Yogyakarta: Penerbit Andi.
- Eisler, R. 1985. Cadmium Hazards To Fish, Wildlife , And Invertebrates: A Synoptic Review. U.S. Fish and Wildlife Service Biological Report 85 (1.2), Contaminant Hazard Reviews Report No. 2. 46 pp.

- Eisler, R. 2000. Handbook of chemical risk assessment: health hazards to humans, plants and animals. Volume 1: Metals. Lewis Publishers, New York.
- El Nemr, A., 2012. Environmental Pollution and its Relation to Climate Change. Nova Science Publishers Inc., Hauppauge, New York, 13: 978-1-61761-794-2, pp. 694.
- FAO 2005-2012. Cultured Aquatic Species Information Programme. *Oreochromis niloticus*. Cultured Aquatic Species Information Programme. Text by Rakocy, J. E. In: FAO Fisheries and Aquaculture Department [online]. Rome. Updated 18 February 2005. [Cited 11 September 2012].
- GISD 2012. Global Invasive Species Database – *Oreochromis niloticus* – Available
- Hall, WS, SJ Bushong, LW Hall, Jr., MS Lenkevich, and AE Pinkey. 1988. Monitoring dissolved copper concentrations in Chesapeake Bay, USA. Environ. Monitoring and Assessment. 11:33-42.
- Jones, D.P., Brown, L.S., Sternberg, P. 1995. Variability in glutathione-dependent detoxication in vivo and its relevance to detoxication of chemical mixtures. Toxicol. 105: 267-274.
- Kapustka, LA, WH Clements, L Ziccardi, PR Paquin, M Sprenger, D Wall. 2004. Issue paper on the ecological effects of metals. USEPA Risk Assessment Forum Report submitted by ERG under Contract #68-C-98148. Washington DC.
- Lowe, D.M., Moore, M.N., Clarke, H.E. 1981. Effects of oil on digestive cells in mussels: Quantitative alteration in cellular and lysosomal structure. Aquat. Toxicol. 1: 213-226.
- Moore, M.N. 1982. Lysosomes and environmental stress. Mar. Poll. Bull. 13: 42-43.
- \_\_\_\_\_1985. Cellular responses to pollutants. Mar. Poll. Bull. 16: 134-139.
- Muhammad, S., Shah, M.T., Khan, S., 2011. Health risk assessment of heavy metals and their source apportionment in drinking water of Kohistan region, northern Pakistan. Microchem. J. 98, 334-343.
- Olsson PE and Hogstrand C (1987). Subcellular distribution and binding of cadmium to metallothionein in tissues of rainbow trout after exposure to 109Cd via the water. Environ. Toxicol. Chem. 6: 867-874.

- Peterson MS, Slack WT, Brown-Peterson NJ, McDonald JL (2004) Reproduction in non-native environments: establishment of Nile tilapia, *Oreochromis niloticus*(Linnaeus) in coastal Mississippi watersheds. *Copeia* 2004: 842-849
- Picker, M.D. & Griffiths, C.L. 2011. Alien and Invasive Animals – A South African Perspective. Randomhouse/Struik, Cape Town, South Africa. 240 pp.
- Peterson MS, Slack WT, Brown-Peterson NJ, McDonald JL (2004) Reproduction in non-native environments: establishment of Nile tilapia, *Oreochromis niloticus*(Linnaeus) in coastal Mississippi watersheds. *Copeia* 2004: 842-849
- Ringwood, A. H., Hoguet, J., Keppler, C. J., Gielazyn, M. L., Ward, B. P., & Rourk, A. R. (2003). Cellular biomarkers (lysosomal destabilization, glutathione and lipid peroxidation) in three common estuarine species: A methods handbook. The Cooperative Institute for Coastal and Estuarine Environmental Technology, 49.
- Sahu, P., Pinkalwar, N., Dubey, R., Paroha, S., Chatterjee, S., & Chatterjee, T. (2011). Biomarkers: An Emerging Tool for Diagnosis of a Disease and Drug Development. *Asian J.Res.*, 1(1), 9–16. Retrieved from [http://www.asianpharmaonline.org/AJPS/3\\_AJPS\\_1\\_1\\_2011.pdf](http://www.asianpharmaonline.org/AJPS/3_AJPS_1_1_2011.pdf)
- Sorensen, EMB. 1991. Copper. In Metal Poisoning in Fish. Sorensen EMB (Ed.). Pp 235-284. CRC, Boca Raton, FL.
- Teichert-Coddington, D.R., Popma, T.J. & Lovshin, L.L. 1997. Attributes of tropical pond-cultured fish, pgs 183-198. In: Enga H.S. & Boyd, C.E.(eds.), Dynamics of Pond Aquaculture. CRC Press, Boca Raton, Florida, USA.
- Widianarko, B., Verweij, R. A., Van Gestel, C. A., & Van Straalen, N. M. (2000). Spatial distribution of trace metals in sediments from urban streams of Semarang, Central Java, Indonesia. *Ecotoxicol Environ Saf*, 46(1), 95-100. doi:10.1006/eesa.1999.1878
- Yi, Y., Yang, Z., Zhang, S., 2011. Ecological risk assessment of heavy metals in sediment and human health risk assessment of heavy metals in fishes in the middle and lower reaches of the Yangtze River basin. *Environ. Pollut.* 159, 2575-2585