

Descriptives

		Statistic	Std. Error
Transparansi	Mean	210.4500	3.17948
	Std. Deviation	34.82944	
	Minimum	96.00	
	Maximum	294.00	
Akuntabilitas	Mean	73.0400	1.36803
	Std. Deviation	14.98607	
	Minimum	23.00	
	Maximum	104.00	

Descriptives

		Statistic	Std. Error
MP	Mean	25.6000	.59296
	Std. Deviation	6.49551	
	Minimum	8.00	
	Maximum	39.00	
PP	Mean	50.0583	1.28274
	Std. Deviation	14.05170	
	Minimum	20.00	
	Maximum	75.00	
PTAP	Mean	12.3667	.32560
	Std. Deviation	3.56673	
	Minimum	4.00	
	Maximum	20.00	
RBP	Mean	14.4500	.34642
	Std. Deviation	3.79484	
	Minimum	5.00	
	Maximum	25.00	
WPP	Mean	13.5500	.30766
	Std. Deviation	3.37029	
	Minimum	4.00	
	Maximum	20.00	
PWTJ	Mean	36.9250	.68896
	Std. Deviation	7.54723	
	Minimum	12.00	
	Maximum	53.00	
LP	Mean	13.4417	.27033
	Std. Deviation	2.96136	
	Minimum	4.00	
	Maximum	20.00	
JP	Mean	17.5000	.33242
	Std. Deviation	3.64150	
	Minimum	5.00	
	Maximum	25.00	
SP	Mean	16.5167	.36801
	Std. Deviation	4.03135	
	Minimum	5.00	
	Maximum	25.00	
IP	Mean	9.6833	.23281
	Std. Deviation	2.55028	
	Minimum	3.00	
	Maximum	15.00	

Correlations

		MP
MP1	Pearson Correlation	.820**
	Sig. (2-tailed)	.000
	N	50
MP2	Pearson Correlation	.736**
	Sig. (2-tailed)	.000
	N	50
MP3	Pearson Correlation	.858**
	Sig. (2-tailed)	.000
	N	50
MP4	Pearson Correlation	.864**
	Sig. (2-tailed)	.000
	N	50
MP5	Pearson Correlation	.780**
	Sig. (2-tailed)	.000
	N	50
MP6	Pearson Correlation	.686**
	Sig. (2-tailed)	.000
	N	50
MP7	Pearson Correlation	.701**
	Sig. (2-tailed)	.000
	N	50
MP8	Pearson Correlation	.735**
	Sig. (2-tailed)	.000
	N	50

** Correlation is significant at the 0.01 level (2-tailed).

Reliability

**** Method 1 (space saver) will be used for this analysis ****_

R E L I A B I L I T Y A N A L Y S I S - S C A L E (A L P H A)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
MP1	23.3400	34.5147	.7580	.8853
MP2	23.7400	35.2167	.6467	.8949
MP3	23.6000	33.3469	.8030	.8806
MP4	23.6600	33.0045	.8103	.8797
MP5	23.3600	34.8882	.7050	.8898
MP6	23.5800	35.7180	.5807	.9011

MP7	23.5200	35.7241	.6019	.8989
MP8	23.7800	35.4812	.6476	.8948

Reliability Coefficients

N of Cases = 50.0

N of Items = 8

Alpha = .9032

Correlations

Correlations		PP
PP1	Pearson Correlation	.744**
	Sig. (2-tailed)	.000
	N	50
PP2	Pearson Correlation	.457**
	Sig. (2-tailed)	.001
	N	50
PP3	Pearson Correlation	.551**
	Sig. (2-tailed)	.000
	N	50
PP4	Pearson Correlation	.587**
	Sig. (2-tailed)	.000
	N	50
PP5	Pearson Correlation	.524**
	Sig. (2-tailed)	.000
	N	50
PP6	Pearson Correlation	.640**
	Sig. (2-tailed)	.000
	N	50
PP7	Pearson Correlation	.608**
	Sig. (2-tailed)	.000
	N	50
PP8	Pearson Correlation	.605**
	Sig. (2-tailed)	.000
	N	50
PP9	Pearson Correlation	.681**
	Sig. (2-tailed)	.000
	N	50
PP10	Pearson Correlation	.691**
	Sig. (2-tailed)	.000
	N	50
PP11	Pearson Correlation	.731**
	Sig. (2-tailed)	.000
	N	50
PP12	Pearson Correlation	.477**
	Sig. (2-tailed)	.000
	N	50
PP13	Pearson Correlation	.547**
	Sig. (2-tailed)	.000
	N	50
PP14	Pearson Correlation	.642**
	Sig. (2-tailed)	.000
	N	50
PP15	Pearson Correlation	.540**
	Sig. (2-tailed)	.000
	N	50
PP16	Pearson Correlation	.488**
	Sig. (2-tailed)	.000
	N	50

**. Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
PP1	55.4000	68.8571	.6934	.8604
PP2	55.4400	74.0065	.3793	.8731
PP3	55.7000	71.2755	.4659	.8701
PP4	55.3400	73.2494	.5329	.8682
PP5	55.5200	72.6220	.4476	.8706
PP6	55.3000	71.4796	.5820	.8656
PP7	55.4000	71.0612	.5379	.8669
PP8	55.5600	70.2922	.5270	.8673
PP9	55.8400	67.9739	.6074	.8635
PP10	55.8000	67.7551	.6190	.8629
PP11	55.8400	67.8514	.6717	.8605
PP12	55.6400	72.2351	.3785	.8744
PP13	55.8000	70.5714	.4530	.8712
PP14	55.5400	71.6820	.5863	.8657
PP15	55.2800	72.8180	.4702	.8697
PP16	55.5000	71.6837	.3862	.8745

Reliability Coefficients

N of Cases = 50.0 N of Items = 16

Alpha = .8751

Correlations

Correlations

		PTAP
PTAP1	Pearson Correlation	.850**
	Sig. (2-tailed)	.000
	N	50
PTAP2	Pearson Correlation	.633**
	Sig. (2-tailed)	.000
	N	50
PTAP3	Pearson Correlation	.877**
	Sig. (2-tailed)	.000
	N	50
PTAP4	Pearson Correlation	.782**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
PTAP1	10.6000	6.2041	.7092	.6787
PTAP2	10.4200	7.6363	.3556	.8582
PTAP3	10.3800	5.9955	.7568	.6523
PTAP4	10.2400	6.9616	.6151	.7305

Reliability Coefficients

N of Cases = 50.0

N of Items = 4

Alpha = .7892

Correlations

Correlations

		RBP
RBP1	Pearson Correlation	.588**
	Sig. (2-tailed)	.000
	N	50
RBP2	Pearson Correlation	.769**
	Sig. (2-tailed)	.000
	N	50
RBP3	Pearson Correlation	.669**
	Sig. (2-tailed)	.000
	N	50
RBP4	Pearson Correlation	.741**
	Sig. (2-tailed)	.000
	N	50
RBP5	Pearson Correlation	.715**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS — SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
RBP1	12.2800	11.1445	.3593	.7322
RBP2	12.5600	10.0065	.6278	.6397
RBP3	12.3000	10.5000	.4684	.6936
RBP4	12.2600	9.3800	.5354	.6673
RBP5	12.4400	9.5984	.4942	.6853

Reliability Coefficients

N of Cases = 50.0

N of Items = 5

Alpha = .7311

Correlations

Correlations

		WPP
WPP1	Pearson Correlation	.757**
	Sig. (2-tailed)	.000
	N	50
WPP2	Pearson Correlation	.752**
	Sig. (2-tailed)	.000
	N	50
WPP3	Pearson Correlation	.774**
	Sig. (2-tailed)	.000
	N	50
WPP4	Pearson Correlation	.623**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

R E L I A B I L I T Y A N A L Y S I S — S C A L E (A L P
H A)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
WPP1	10.3200	6.2629	.5228	.6180
WPP2	10.4200	6.3302	.5196	.6202
WPP3	10.5600	6.2922	.5678	.5906
WPP4	10.4600	7.4371	.3516	.7179

Reliability Coefficients

N of Cases = 50.0

N of Items = 4

Alpha = .7035

Correlations

Correlations

		PWTJ
PWTJ1	Pearson Correlation	.554**
	Sig. (2-tailed)	.000
	N	50
PWTJ2	Pearson Correlation	.503**
	Sig. (2-tailed)	.000
	N	50
PWTJ3	Pearson Correlation	.741**
	Sig. (2-tailed)	.000
	N	50
PWTJ4	Pearson Correlation	.697**
	Sig. (2-tailed)	.000
	N	50
PWTJ5	Pearson Correlation	.715**
	Sig. (2-tailed)	.000
	N	50
PWTJ6	Pearson Correlation	.664**
	Sig. (2-tailed)	.000
	N	50
PWTJ7	Pearson Correlation	.614**
	Sig. (2-tailed)	.000
	N	50
PWTJ8	Pearson Correlation	.688**
	Sig. (2-tailed)	.000
	N	50
PWTJ9	Pearson Correlation	.605**
	Sig. (2-tailed)	.000
	N	50
PWTJ10	Pearson Correlation	.732**
	Sig. (2-tailed)	.000
	N	50
PWTJ11	Pearson Correlation	.783**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
PWTJ1	33.3800	47.7914	.4698	.8682
PWTJ2	33.6200	47.7914	.3999	.8726
PWTJ3	33.8800	44.0669	.6703	.8552
PWTJ4	33.6400	45.3371	.6240	.8588
PWTJ5	33.9800	43.9384	.6335	.8575

PWTJ6	33.9400	45.6086	.5832	.8613
PWTJ7	34.0200	45.2853	.5101	.8664
PWTJ8	34.1000	44.1735	.5996	.8599
PWTJ9	34.0800	44.9322	.4913	.8686
PWTJ10	33.8600	43.1433	.6499	.8561
PWTJ11	33.7000	42.9490	.7186	.8513

Reliability Coefficients

N of Cases = 50.0

N of Items = 11

Alpha = .8726

Correlations

Correlations

		LP
LP1	Pearson Correlation	.653**
	Sig. (2-tailed)	.000
	N	50
LP2	Pearson Correlation	.693**
	Sig. (2-tailed)	.000
	N	50
LP3	Pearson Correlation	.797**
	Sig. (2-tailed)	.000
	N	50
LP4	Pearson Correlation	.636**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
LP1	10.2000	5.1837	.2545	.5211

LP2	10.1200	4.8016	.2413	.5381
LP3	10.4800	3.6016	.2422	.5516
LP4	10.6000	4.5306	.2870	.5016

Reliability Coefficients

N of Cases = 50.0 N of Items = 4

Alpha = .6389

Correlations

Correlations

		JP
JP1	Pearson Correlation	.834**
	Sig. (2-tailed)	.000
	N	50
JP2	Pearson Correlation	.911**
	Sig. (2-tailed)	.000
	N	50
JP3	Pearson Correlation	.864**
	Sig. (2-tailed)	.000
	N	50
JP4	Pearson Correlation	.924**
	Sig. (2-tailed)	.000
	N	50
JP5	Pearson Correlation	.771**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

R E L I A B I L I T Y A N A L Y S I S - S C A L E (A L P H A)

Item-total Statistics

Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Alpha if Item Deleted
----------------------------	--------------------------------	----------------------------------	-----------------------

JP1	13.9400	10.0984	.7264	.9031
JP2	13.9200	9.7078	.8520	.8749
JP3	13.8800	10.7608	.7945	.8896
JP4	13.8400	9.7290	.8742	.8703
JP5	13.9400	10.9555	.6479	.9169

Reliability Coefficients

N of Cases = 50.0

N of Items = 5

Alpha = .9114

Correlations

Correlations

		SP
SP1	Pearson Correlation	.715**
	Sig. (2-tailed)	.000
	N	50
SP2	Pearson Correlation	.761**
	Sig. (2-tailed)	.000
	N	50
SP3	Pearson Correlation	.751**
	Sig. (2-tailed)	.000
	N	50
SP4	Pearson Correlation	.817**
	Sig. (2-tailed)	.000
	N	50
SP5	Pearson Correlation	.795**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item	Scale Variance if Item	Corrected Item- Total	Alpha if Item
--	--------------------------	------------------------------	-----------------------------	------------------

	Deleted	Deleted	Correlation	Deleted
SP1	13.5600	10.9453	.5735	.8050
SP2	13.7600	10.0229	.6062	.7955
SP3	13.7000	10.0918	.5910	.7999
SP4	13.8000	9.6735	.6953	.7693
SP5	13.9000	9.5204	.6464	.7839

Reliability Coefficients

N of Cases = 50.0

N of Items = 5

Alpha = .8257

Correlations

Correlations

		IP
IP1	Pearson Correlation	.805**
	Sig. (2-tailed)	.000
	N	50
IP2	Pearson Correlation	.884**
	Sig. (2-tailed)	.000
	N	50
IP3	Pearson Correlation	.750**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
IP1	6.0000	3.3878	.5653	.6511
IP2	6.0400	2.9780	.7193	.4655
IP3	6.0000	3.5102	.4296	.8144

Reliability Coefficients

N of Cases = 50.0

N of Items = 3

Alpha = .7386

Correlations

Correlations		AKP
AKP1	Pearson Correlation	.530**
	Sig. (2-tailed)	.000
	N	50
AKP2	Pearson Correlation	.641**
	Sig. (2-tailed)	.000
	N	50
AKP3	Pearson Correlation	.747**
	Sig. (2-tailed)	.000
	N	50
AKP4	Pearson Correlation	.720**
	Sig. (2-tailed)	.000
	N	50
AKP5	Pearson Correlation	.689**
	Sig. (2-tailed)	.000
	N	50
AKP6	Pearson Correlation	.756**
	Sig. (2-tailed)	.000
	N	50
AKP7	Pearson Correlation	.817**
	Sig. (2-tailed)	.000
	N	50
AKP8	Pearson Correlation	.794**
	Sig. (2-tailed)	.000
	N	50
AKP9	Pearson Correlation	.743**
	Sig. (2-tailed)	.000
	N	50
AKP10	Pearson Correlation	.761**
	Sig. (2-tailed)	.000
	N	50
AKP11	Pearson Correlation	.793**
	Sig. (2-tailed)	.000
	N	50
AKP12	Pearson Correlation	.790**
	Sig. (2-tailed)	.000
	N	50
AKP13	Pearson Correlation	.744**
	Sig. (2-tailed)	.000
	N	50

** Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
AKP1	38.4600	89.6412	.4495	.9307

AKP2	38.2800	87.5118	.5744	.9264
AKP3	38.4000	84.5306	.6935	.9223
AKP4	38.2600	86.4004	.6677	.9233
AKP5	38.3400	87.3310	.6343	.9244
AKP6	38.4400	84.7004	.7047	.9219
AKP7	38.6600	83.0453	.7758	.9193
AKP8	38.6200	83.8322	.7501	.9203
AKP9	38.6000	84.5714	.6884	.9225
AKP10	38.7000	84.9898	.7125	.9217
AKP11	38.7000	83.8061	.7478	.9204
AKP12	38.6200	83.6690	.7436	.9205
AKP13	38.5600	83.9249	.6862	.9227

Reliability Coefficients

N of Cases = 50.0 N of Items = 13

Alpha = .9284

Correlations

Correlations

		ABP
ABP1	Pearson Correlation	.901**
	Sig. (2-tailed)	.000
	N	50
ABP2	Pearson Correlation	.909**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

RELIABILITY ANALYSIS - SCALE (ALPHA)

Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Alpha if Item Deleted
ABP1	3.1400	1.1433	.6376	.

ABP2 3.3800 1.0567 .6376 .

Reliability Coefficients

N of Cases = 50.0

N of Items = 2

Alpha = .7783

Correlations

Correlations

		APP
APP1	Pearson Correlation	.852**
	Sig. (2-tailed)	.000
	N	50
APP2	Pearson Correlation	.889**
	Sig. (2-tailed)	.000
	N	50
APP3	Pearson Correlation	.847**
	Sig. (2-tailed)	.000
	N	50
APP4	Pearson Correlation	.802**
	Sig. (2-tailed)	.000
	N	50
APP5	Pearson Correlation	.861**
	Sig. (2-tailed)	.000
	N	50
APP6	Pearson Correlation	.820**
	Sig. (2-tailed)	.000
	N	50
APP7	Pearson Correlation	.842**
	Sig. (2-tailed)	.000
	N	50

** . Correlation is significant at the 0.01 level

Reliability

***** Method 1 (space saver) will be used for this analysis

—

R E L I A B I L I T Y A N A L Y S I S - S C A L E (A L P H
A)


Item-total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Alpha if Item Deleted
APP1	21.0800	24.6465	.7933	.9220
APP2	21.1400	23.8780	.8420	.9172
APP3	21.0600	24.7106	.7867	.9226
APP4	21.0400	25.2229	.7277	.9281
APP5	21.0600	24.2208	.8033	.9210
APP6	21.2200	25.1955	.7534	.9257
APP7	21.1200	25.0873	.7831	.9230

Reliability Coefficients

N of Cases = 50.0 N of Items = 7

Alpha = .9331



Frequency Tabel

Kel. MP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	7	5,8	5,8	5,8
	TS	24	20,0	20,0	25,8
	RR	31	25,8	25,8	51,7
	S	50	41,7	41,7	93,3
	SS	8	6,7	6,7	100,0
	Total	120	100,0	100,0	

Kel. PP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	10	8,3	8,3	8,3
	TS	23	19,2	19,2	27,5
	RR	33	27,5	27,5	55,0
	S	43	35,8	35,8	90,8
	SS	11	9,2	9,2	100,0
	Total	120	100,0	100,0	

Kel. PTAP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	14	11,7	11,7	11,7
	TS	31	25,8	25,8	37,5
	RR	18	15,0	15,0	52,5
	S	47	39,2	39,2	91,7
	SS	10	8,3	8,3	100,0
	Total	120	100,0	100,0	

Kel. RBP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	3,3	3,3	3,3
	TS	34	28,3	28,3	31,7
	RR	46	38,3	38,3	70,0
	S	29	24,2	24,2	94,2
	SS	7	5,8	5,8	100,0
	Total	120	100,0	100,0	

Kel. WPP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	3,3	3,3	3,3
	TS	11	9,2	9,2	12,5
	RR	31	25,8	25,8	38,3
	S	60	50,0	50,0	88,3
	SS	14	11,7	11,7	100,0
	Total	120	100,0	100,0	

Kel. PWTJ

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	3,3	3,3	3,3
	TS	12	10,0	10,0	13,3
	RR	29	24,2	24,2	37,5
	S	69	57,5	57,5	95,0
	SS	6	5,0	5,0	100,0
	Total	120	100,0	100,0	

Kel. KLP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	5	4,2	4,2	4,2
	TS	15	12,5	12,5	16,7
	RR	30	25,0	25,0	41,7
	S	61	50,8	50,8	92,5
	SS	9	7,5	7,5	100,0
	Total	120	100,0	100,0	

Kel. KJP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	3,3	3,3	3,3
	TS	6	5,0	5,0	8,3
	RR	29	24,2	24,2	32,5
	S	69	57,5	57,5	90,0
	SS	12	10,0	10,0	100,0
	Total	120	100,0	100,0	

Kel. KSP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	6	5,0	5,0	5,0
	TS	13	10,8	10,8	15,8
	RR	29	24,2	24,2	40,0
	S	62	51,7	51,7	91,7
	SS	10	8,3	8,3	100,0
	Total	120	100,0	100,0	

Kel. KIP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	6	5,0	5,0	5,0
	TS	19	15,8	15,8	20,8
	RR	49	40,8	40,8	61,7
	S	35	29,2	29,2	90,8
	SS	11	9,2	9,2	100,0
	Total	120	100,0	100,0	

Kel. AKP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	5	4,2	4,2	4,2
	TS	16	13,3	13,3	17,5
	RR	39	32,5	32,5	50,0
	S	53	44,2	44,2	94,2
	SS	7	5,8	5,8	100,0
	Total	120	100,0	100,0	

Kel. ABP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	6	5,0	5,0	5,0
	TS	15	12,5	12,5	17,5
	RR	18	15,0	15,0	32,5
	S	71	59,2	59,2	91,7
	SS	10	8,3	8,3	100,0
	Total	120	100,0	100,0	

Kel. APP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	STS	4	3,3	3,3	3,3
	TS	16	13,3	13,3	16,7
	RR	24	20,0	20,0	36,7
	S	71	59,2	59,2	95,8
	SS	5	4,2	4,2	100,0
	Total	120	100,0	100,0	

Masyarakat WP * Transparansi Crosstabulation

		Transparansi					Total
		STS	TS	RR	S	SS	
Masyarakat WP	Count	1	12	60	43	4	120
	% of Total	,8%	10,0%	50,0%	35,8%	3,3%	100,0%
Total	Count	1	12	60	43	4	120
	% of Total	,8%	10,0%	50,0%	35,8%	3,3%	100,0%

Masyarakat WP * Akuntabilitas Crosstabulation

		Akuntabilitas					Total
		STS	TS	RR	S	SS	
Masyarakat WP	Count	4	16	32	61	7	120
	% of Total	3.3%	13.3%	26.7%	50.8%	5.8%	100.0%
Total	Count	4	16	32	61	7	120
	% of Total	3.3%	13.3%	26.7%	50.8%	5.8%	100.0%