

7 LAMPIRAN

Lampiran.1. *K-Related Sample* Produk Campuran Sirup Formula A dengan

Test Statistics^{a,b}

	AROMA
Chi-Square	6,626
df	2
Asymp. Sig.	,036

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	RASA
Chi-Square	33,227
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	OVERALL
Chi-Square	6,626
df	2
Asymp. Sig.	,036

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	AROMA
Chi-Square	9,197
df	2
Asymp. Sig.	,010

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	RASA
Chi-Square	24,426
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	OVERALL
Chi-Square	9,197
df	2
Asymp. Sig.	,010

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	AROMA
Chi-Square	11,166
df	2
Asymp. Sig.	,004

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	RASA
Chi-Square	28,983
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	OVERALL
Chi-Square	11,166
df	2
Asymp. Sig.	,004

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	AROMA
Chi-Square	6,230
df	2
Asymp. Sig.	,044

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	RASA
Chi-Square	20,569
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	OVERALL
Chi-Square	6,230
df	2
Asymp. Sig.	,044

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	AROMA
Chi-Square	28,777
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	RASA
Chi-Square	23,933
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	OVERALL
Chi-Square	28,777
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Lampiran 2. K-Related Sample Produk Campuran Sirup Formula B dengan Berbagai Flavor Formula 1, 2, dan 3.

Test Statistics^{a,b}

	AROMA
Chi-Square	19,086
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	RASA
Chi-Square	24,426
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	OVERALL
Chi-Square	26,997
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	AROMA
Chi-Square	15,280
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	RASA
Chi-Square	22,300
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	OVERALL
Chi-Square	22,300
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	AROMA
Chi-Square	25,612
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	RASA
Chi-Square	19,877
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	OVERALL
Chi-Square	26,502
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	AROMA
Chi-Square	18,097
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	RASA
Chi-Square	19,679
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	OVERALL
Chi-Square	19,679
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	AROMA
Chi-Square	19,382
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	RASA
Chi-Square	26,261
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	OVERALL
Chi-Square	30,885
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Lampiran 3. K-Related Sample Produk Campuran Sirup Formula C dengan Berbagai Flavor Formula 1, 2, dan 3.

Test Statistics^{a,b}

	AROMA
Chi-Square	29,766
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	RASA
Chi-Square	29,766
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	OVERALL
Chi-Square	33,326
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_APEL

Test Statistics^{a,b}

	AROMA
Chi-Square	16,712
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	RASA
Chi-Square	23,832
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	OVERALL
Chi-Square	30,952
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_KELAPA

Test Statistics^{a,b}

	AROMA
Chi-Square	30,062
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	RASA
Chi-Square	32,139
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	OVERALL
Chi-Square	30,062
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_MANGGA

Test Statistics^{a,b}

	AROMA
Chi-Square	32,139
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	RASA
Chi-Square	32,139
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	OVERALL
Chi-Square	35,699
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_PEACH

Test Statistics^{a,b}

	AROMA
Chi-Square	41,560
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	RASA
Chi-Square	41,560
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^{a,b}

	OVERALL
Chi-Square	41,560
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_STRAWBERRY

Lampiran 4. *K-Related Sample* Produk Campuran Sirup Formula A, B, dan C dengan Berbagai *Flavor* Formula 3.

Test Statistics^{a,b}

	AROMA
Chi-Square	22,052
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^{a,b}

	RASA
Chi-Square	28,777
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^{a,b}

	OVERALL
Chi-Square	41,237
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^{a,b}

	AROMA
Chi-Square	27,392
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^{a,b}

	RASA
Chi-Square	27,986
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^{a,b}

	OVERALL
Chi-Square	30,062
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^{a,b}

	AROMA
Chi-Square	39,457
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
FORMULA_SIRUP_MANGGATest Statistics^{a,b}

	RASA
Chi-Square	39,457
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
FORMULA_SIRUP_MANGGATest Statistics^{a,b}

	OVERALL
Chi-Square	39,457
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
FORMULA_SIRUP_MANGGA

Test Statistics^{a,b}

	AROMA
Chi-Square	40,742
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^{a,b}

	RASA
Chi-Square	35,699
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^{a,b}

	OVERALL
Chi-Square	35,699
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^{a,b}

	AROMA
Chi-Square	35,699
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
FORMULA_SIRUP_STRAWBERRYTest Statistics^{a,b}

	RASA
Chi-Square	56,466
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
FORMULA_SIRUP_STRAWBERRYTest Statistics^{a,b}

	OVERALL
Chi-Square	73,079
df	2
Asymp. Sig.	,000

a. Kruskal Wallis Test

b. Grouping Variable:
FORMULA_SIRUP_STRAWBERRY

Lampiran 5. Two-Independent Sample Produk Campuran Sirup Formula A dengan Berbagai Flavor Formula 1, 2, dan 3.

Aroma

Test Statistics^a

	AROMA
Mann-Whitney U	394,500
Wilcoxon W	859,500
Z	-,886
Asymp. Sig. (2-tailed)	,376

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	AROMA
Mann-Whitney U	295,500
Wilcoxon W	760,500
Z	-2,432
Asymp. Sig. (2-tailed)	,015

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	AROMA
Mann-Whitney U	334,500
Wilcoxon W	799,500
Z	-1,822
Asymp. Sig. (2-tailed)	,068

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	AROMA
Mann-Whitney U	272,000
Wilcoxon W	737,000
Z	-2,835
Asymp. Sig. (2-tailed)	,005

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	298,000
Wilcoxon W	763,000
Z	-2,463
Asymp. Sig. (2-tailed)	,014

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	392,000
Wilcoxon W	857,000
Z	-,923
Asymp. Sig. (2-tailed)	,356

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	315,000
Wilcoxon W	750,000
Z	-1,958
Asymp. Sig. (2-tailed)	,050

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	248,500
Wilcoxon W	683,500
Z	-3,040
Asymp. Sig. (2-tailed)	,002

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	318,000
Wilcoxon W	783,000
Z	-2,093
Asymp. Sig. (2-tailed)	,036

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	312,000
Wilcoxon W	777,000
Z	-2,188
Asymp. Sig. (2-tailed)	,029

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	318,000
Wilcoxon W	783,000
Z	-2,109
Asymp. Sig. (2-tailed)	,035

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	402,000
Wilcoxon W	867,000
Z	-,759
Asymp. Sig. (2-tailed)	,448

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	180,500
Wilcoxon W	645,500
Z	-4,302
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^a

	AROMA
Mann-Whitney U	149,500
Wilcoxon W	614,500
Z	-4,775
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^a

	AROMA
Mann-Whitney U	330,500
Wilcoxon W	795,500
Z	-1,929
Asymp. Sig. (2-tailed)	,054

a. Grouping Variable: FORMULA_STRAWBERRY

RasaTest Statistics^a

	RASA
Mann-Whitney U	164,000
Wilcoxon W	629,000
Z	-4,605
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	RASA
Mann-Whitney U	136,000
Wilcoxon W	601,000
Z	-5,041
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	RASA
Mann-Whitney U	284,000
Wilcoxon W	749,000
Z	-2,690
Asymp. Sig. (2-tailed)	,007

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	RASA
Mann-Whitney U	322,500
Wilcoxon W	787,500
Z	-2,053
Asymp. Sig. (2-tailed)	,040

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	157,500
Wilcoxon W	622,500
Z	-4,616
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	232,500
Wilcoxon W	697,500
Z	-3,464
Asymp. Sig. (2-tailed)	,001

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	261,000
Wilcoxon W	696,000
Z	-2,885
Asymp. Sig. (2-tailed)	,004

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	137,000
Wilcoxon W	572,000
Z	-4,877
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	217,000
Wilcoxon W	682,000
Z	-3,728
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	222,000
Wilcoxon W	687,000
Z	-3,626
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	198,000
Wilcoxon W	663,000
Z	-4,014
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	342,000
Wilcoxon W	807,000
Z	-1,732
Asymp. Sig. (2-tailed)	,083

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	232,500
Wilcoxon W	697,500
Z	-3,502
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^a

	RASA
Mann-Whitney U	176,000
Wilcoxon W	641,000
Z	-4,377
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics^a

	RASA
Mann-Whitney U	287,000
Wilcoxon W	752,000
Z	-2,604
Asymp. Sig. (2-tailed)	,009

a. Grouping Variable: FORMULA_STRAWBERRY

Overall

Test Statistics^a

	OVERALL
Mann-Whitney U	394,500
Wilcoxon W	859,500
Z	-,886
Asymp. Sig. (2-tailed)	,376

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	295,500
Wilcoxon W	760,500
Z	-2,432
Asymp. Sig. (2-tailed)	,015

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	334,500
Wilcoxon W	799,500
Z	-1,822
Asymp. Sig. (2-tailed)	,068

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	272,000
Wilcoxon W	737,000
Z	-2,835
Asymp. Sig. (2-tailed)	,005

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	298,000
Wilcoxon W	763,000
Z	-2,463
Asymp. Sig. (2-tailed)	,014

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	392,000
Wilcoxon W	857,000
Z	-,923
Asymp. Sig. (2-tailed)	,356

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	315,000
Wilcoxon W	750,000
Z	-1,958
Asymp. Sig. (2-tailed)	,050

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	248,500
Wilcoxon W	683,500
Z	-3,040
Asymp. Sig. (2-tailed)	,002

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	318,000
Wilcoxon W	783,000
Z	-2,093
Asymp. Sig. (2-tailed)	,036

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	312,000
Wilcoxon W	777,000
Z	-2,188
Asymp. Sig. (2-tailed)	,029

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	318,000
Wilcoxon W	783,000
Z	-2,109
Asymp. Sig. (2-tailed)	,035

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	402,000
Wilcoxon W	867,000
Z	-,759
Asymp. Sig. (2-tailed)	,448

a. Grouping Variable: FORMULA_PEACH

Test Statistics ^a	
	OVERALL
Mann-Whitney U	180,500
Wilcoxon W	645,500
Z	-4,302
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics ^a	
	OVERALL
Mann-Whitney U	149,500
Wilcoxon W	614,500
Z	-4,775
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_STRAWBERRY

Test Statistics ^a	
	OVERALL
Mann-Whitney U	330,500
Wilcoxon W	795,500
Z	-1,929
Asymp. Sig. (2-tailed)	,054

a. Grouping Variable: FORMULA_STRAWBERRY

Lampiran 6. *Two-Independent Sample* Produk Campuran Sirup Formula B dengan Berbagai *Flavor* Formula 1, 2, dan 3.

Aroma

Test Statistics ^a	
	AROMA
Mann-Whitney U	181,000
Wilcoxon W	646,000
Z	-4,242
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics ^a	
	AROMA
Mann-Whitney U	239,000
Wilcoxon W	704,000
Z	-3,370
Asymp. Sig. (2-tailed)	,001

a. Grouping Variable: FORMULA_APEL

□

Test Statistics ^a	
	AROMA
Mann-Whitney U	449,000
Wilcoxon W	914,000
Z	-,016
Asymp. Sig. (2-tailed)	,987

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	AROMA
Mann-Whitney U	231,000
Wilcoxon W	696,000
Z	-3,328
Asymp. Sig. (2-tailed)	.001

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	241,000
Wilcoxon W	706,000
Z	-3,355
Asymp. Sig. (2-tailed)	.001

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	349,000
Wilcoxon W	784,000
Z	-1,407
Asymp. Sig. (2-tailed)	.159

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	196,000
Wilcoxon W	661,000
Z	-4,036
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	164,000
Wilcoxon W	629,000
Z	-4,544
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	346,000
Wilcoxon W	811,000
Z	-1,683
Asymp. Sig. (2-tailed)	.092

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	212,000
Wilcoxon W	677,000
Z	-3,763
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	208,000
Wilcoxon W	673,000
Z	-3,838
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	392,000
Wilcoxon W	857,000
Z	-.930
Asymp. Sig. (2-tailed)	.352

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	314,000
Wilcoxon W	779,000
Z	-2,181
Asymp. Sig. (2-tailed)	.029

a. Grouping Variable:
FORMULA_STRAWBERRYTest Statistics^a

	AROMA
Mann-Whitney U	196,000
Wilcoxon W	661,000
Z	-4,005
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable:
FORMULA_STRAWBERRYTest Statistics^a

	AROMA
Mann-Whitney U	284,000
Wilcoxon W	749,000
Z	-2,639
Asymp. Sig. (2-tailed)	.008

a. Grouping Variable:
FORMULA_STRAWBERRY

Rasa

Test Statistics ^a	
	RASA
Mann-Whitney U	208,500
Wilcoxon W	673,500
Z	-3,855
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics ^a	
	RASA
Mann-Whitney U	181,500
Wilcoxon W	646,500
Z	-4,327
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics ^a	
	RASA
Mann-Whitney U	298,500
Wilcoxon W	763,500
Z	-2,452
Asymp. Sig. (2-tailed)	,014

a. Grouping Variable: FORMULA_APEL

Test Statistics ^a	
	RASA
Mann-Whitney U	278,000
Wilcoxon W	743,000
Z	-2,606
Asymp. Sig. (2-tailed)	,009

a. Grouping Variable: FORMULA_KELAPA

Test Statistics ^a	
	RASA
Mann-Whitney U	194,000
Wilcoxon W	659,000
Z	-4,143
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics ^a	
	RASA
Mann-Whitney U	219,000
Wilcoxon W	654,000
Z	-3,535
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

	RASA
Mann-Whitney U	217,000
Wilcoxon W	682,000
Z	-3,694
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_MANGGA

	RASA
Mann-Whitney U	203,000
Wilcoxon W	668,000
Z	-3,925
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_MANGGA

	RASA
Mann-Whitney U	367,000
Wilcoxon W	832,000
Z	-1,331
Asymp. Sig. (2-tailed)	.183

a. Grouping Variable: FORMULA_MANGGA

	RASA
Mann-Whitney U	222,500
Wilcoxon W	687,500
Z	-3,632
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_PEACH

	RASA
Mann-Whitney U	154,000
Wilcoxon W	619,000
Z	-4,680
Asymp. Sig. (2-tailed)	.000

a. Grouping Variable: FORMULA_PEACH

	RASA
Mann-Whitney U	301,500
Wilcoxon W	766,500
Z	-2,393
Asymp. Sig. (2-tailed)	.017

a. Grouping Variable: FORMULA_PEACH

	RASA
Mann-Whitney U	265,500
Wilcoxon W	730,500
Z	-2,935
Asymp. Sig. (2-tailed)	,003

a. Grouping Variable:
FORMULA_STRAWBERRY

	RASA
Mann-Whitney U	184,500
Wilcoxon W	649,500
Z	-4,179
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRY

	RASA
Mann-Whitney U	325,500
Wilcoxon W	790,500
Z	-1,987
Asymp. Sig. (2-tailed)	,047

a. Grouping Variable:
FORMULA_STRAWBERRY

Overall

	OVERALL
Mann-Whitney U	224,500
Wilcoxon W	689,500
Z	-3,631
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

	OVERALL
Mann-Whitney U	165,500
Wilcoxon W	630,500
Z	-4,581
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

	OVERALL
Mann-Whitney U	254,500
Wilcoxon W	719,500
Z	-3,148
Asymp. Sig. (2-tailed)	,002

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	278,000
Wilcoxon W	743,000
Z	-2,606
Asymp. Sig. (2-tailed)	,009

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	194,000
Wilcoxon W	659,000
Z	-4,143
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	219,000
Wilcoxon W	654,000
Z	-3,535
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	198,000
Wilcoxon W	663,000
Z	-4,023
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	162,000
Wilcoxon W	627,000
Z	-4,587
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	318,000
Wilcoxon W	783,000
Z	-2,127
Asymp. Sig. (2-tailed)	,033

a. Grouping Variable: FORMULA_MANGGA

	OVERALL
Mann-Whitney U	246,000
Wilcoxon W	711,000
Z	-3,302
Asymp. Sig. (2-tailed)	,001

a. Grouping Variable: FORMULA_PEACH

	OVERALL
Mann-Whitney U	130,000
Wilcoxon W	595,000
Z	-5,073
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

□

	OVERALL
Mann-Whitney U	234,000
Wilcoxon W	699,000
Z	-3,475
Asymp. Sig. (2-tailed)	,001

a. Grouping Variable: FORMULA_PEACH

	OVERALL
Mann-Whitney U	265,500
Wilcoxon W	730,500
Z	-2,935
Asymp. Sig. (2-tailed)	,003

a. Grouping Variable:
FORMULA_STRAWBERRY

	OVERALL
Mann-Whitney U	184,500
Wilcoxon W	649,500
Z	-4,179
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRY

	OVERALL
Mann-Whitney U	325,500
Wilcoxon W	790,500
Z	-1,987
Asymp. Sig. (2-tailed)	,047

a. Grouping Variable:
FORMULA_STRAWBERRY

Lampiran 7. Two-Independent Sample Produk Campuran Sirup Formula C dengan Berbagai Flavor Formula 1, 2, dan 3.

Aroma

	AROMA
Mann-Whitney U	134,000
Wilcoxon W	599,000
Z	-5,010
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

	AROMA
Mann-Whitney U	166,000
Wilcoxon W	631,000
Z	-4,536
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

	AROMA
Mann-Whitney U	404,000
Wilcoxon W	869,000
Z	-,745
Asymp. Sig. (2-tailed)	,456

a. Grouping Variable: FORMULA_APEL

	AROMA
Mann-Whitney U	300,500
Wilcoxon W	765,500
Z	-2,387
Asymp. Sig. (2-tailed)	,017

a. Grouping Variable: FORMULA_KELAPA

	AROMA
Mann-Whitney U	209,500
Wilcoxon W	674,500
Z	-3,801
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

	AROMA
Mann-Whitney U	300,500
Wilcoxon W	765,500
Z	-2,375
Asymp. Sig. (2-tailed)	,018

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	AROMA
Mann-Whitney U	148,000
Wilcoxon W	613,000
Z	-4,791
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	152,000
Wilcoxon W	617,000
Z	-4,738
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	388,000
Wilcoxon W	853,000
Z	-1,005
Asymp. Sig. (2-tailed)	,315

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	155,000
Wilcoxon W	620,000
Z	-4,713
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	145,000
Wilcoxon W	610,000
Z	-4,923
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	305,000
Wilcoxon W	770,000
Z	-2,373
Asymp. Sig. (2-tailed)	,018

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	82,000
Wilcoxon W	547,000
Z	-5,900
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRY

Test Statistics^a

	AROMA
Mann-Whitney U	115,000
Wilcoxon W	580,000
Z	-5,425
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRY

Test Statistics^a

	AROMA
Mann-Whitney U	347,000
Wilcoxon W	812,000
Z	-1,686
Asymp. Sig. (2-tailed)	,092

a. Grouping Variable:
FORMULA_STRAWBERRY

Rasa

Test Statistics^a

	RASA
Mann-Whitney U	134,000
Wilcoxon W	599,000
Z	-5,010
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	RASA
Mann-Whitney U	166,000
Wilcoxon W	631,000
Z	-4,536
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	RASA
Mann-Whitney U	404,000
Wilcoxon W	869,000
Z	-,745
Asymp. Sig. (2-tailed)	,456

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	RASA
Mann-Whitney U	283,500
Wilcoxon W	748,500
Z	-2,681
Asymp. Sig. (2-tailed)	,007

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	166,500
Wilcoxon W	631,500
Z	-4,494
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	253,500
Wilcoxon W	718,500
Z	-3,136
Asymp. Sig. (2-tailed)	,002

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	170,000
Wilcoxon W	635,000
Z	-4,473
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	130,000
Wilcoxon W	595,000
Z	-5,084
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	320,000
Wilcoxon W	785,000
Z	-2,107
Asymp. Sig. (2-tailed)	,035

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	155,000
Wilcoxon W	620,000
Z	-4,713
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	145,000
Wilcoxon W	610,000
Z	-4,923
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	305,000
Wilcoxon W	770,000
Z	-2,373
Asymp. Sig. (2-tailed)	,018

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	82,000
Wilcoxon W	547,000
Z	-5,900
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRYTest Statistics^a

	RASA
Mann-Whitney U	115,000
Wilcoxon W	580,000
Z	-5,425
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRYTest Statistics^a

	RASA
Mann-Whitney U	347,000
Wilcoxon W	812,000
Z	-1,686
Asymp. Sig. (2-tailed)	,092

a. Grouping Variable:
FORMULA_STRAWBERRY

Overall

Test Statistics^a

	OVERALL
Mann-Whitney U	124,000
Wilcoxon W	589,000
Z	-5,204
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	146,000
Wilcoxon W	611,000
Z	-4,865
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	364,000
Wilcoxon W	829,000
Z	-1,397
Asymp. Sig. (2-tailed)	,162

a. Grouping Variable: FORMULA_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	300,000
Wilcoxon W	765,000
Z	-2,428
Asymp. Sig. (2-tailed)	,015

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	120,000
Wilcoxon W	585,000
Z	-5,208
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	210,000
Wilcoxon W	675,000
Z	-3,841
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	148,000
Wilcoxon W	613,000
Z	-4,791
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	152,000
Wilcoxon W	617,000
Z	-4,738
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	388,000
Wilcoxon W	853,000
Z	-1,005
Asymp. Sig. (2-tailed)	,315

a. Grouping Variable: FORMULA_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	203,000
Wilcoxon W	668,000
Z	-3,998
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	127,000
Wilcoxon W	592,000
Z	-5,226
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	203,000
Wilcoxon W	668,000
Z	-4,018
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	82,000
Wilcoxon W	547,000
Z	-5,900
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRY

Test Statistics^a

	OVERALL
Mann-Whitney U	115,000
Wilcoxon W	580,000
Z	-5,425
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_STRAWBERRY

Test Statistics^a

	OVERALL
Mann-Whitney U	347,000
Wilcoxon W	812,000
Z	-1,686
Asymp. Sig. (2-tailed)	,092

a. Grouping Variable:
FORMULA_STRAWBERRY

Lampiran 8. *K-Related Sample* Produk Campuran Sirup Formula A, B, dan C dengan Berbagai *Flavor* Formula 3.

Aroma

Test Statistics^a

	AROMA
Mann-Whitney U	202,000
Wilcoxon W	667,000
Z	-3,926
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^a

	AROMA
Mann-Whitney U	188,000
Wilcoxon W	653,000
Z	-4,155
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^a

	AROMA
Mann-Whitney U	382,000
Wilcoxon W	847,000
Z	-1,095
Asymp. Sig. (2-tailed)	,274

a. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics ^a	
	AROMA
Mann-Whitney U	156,000
Wilcoxon W	621,000
Z	-4,676
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics ^a	
	AROMA
Mann-Whitney U	174,000
Wilcoxon W	639,000
Z	-4,427
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics ^a	
	AROMA
Mann-Whitney U	366,000
Wilcoxon W	831,000
Z	-1,360
Asymp. Sig. (2-tailed)	,174

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics ^a	
	AROMA
Mann-Whitney U	129,500
Wilcoxon W	594,500
Z	-5,145
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics ^a	
	AROMA
Mann-Whitney U	110,500
Wilcoxon W	575,500
Z	-5,480
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics ^a	
	AROMA
Mann-Whitney U	279,500
Wilcoxon W	744,500
Z	-2,806
Asymp. Sig. (2-tailed)	,005

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	AROMA
Mann-Whitney U	130,500
Wilcoxon W	595,500
Z	-5,144
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	139,500
Wilcoxon W	604,500
Z	-5,064
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	280,500
Wilcoxon W	745,500
Z	-2,772
Asymp. Sig. (2-tailed)	,006

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	AROMA
Mann-Whitney U	123,000
Wilcoxon W	588,000
Z	-5,269
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRYTest Statistics^a

	AROMA
Mann-Whitney U	117,000
Wilcoxon W	582,000
Z	-5,457
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRYTest Statistics^a

	AROMA
Mann-Whitney U	243,000
Wilcoxon W	708,000
Z	-3,435
Asymp. Sig. (2-tailed)	,001

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRY

Rasa

	RASA
Mann-Whitney U	173,500
Wilcoxon W	638,500
Z	-4,414
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_APEL

	RASA
Mann-Whitney U	156,500
Wilcoxon W	621,500
Z	-4,696
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_APEL

	RASA
Mann-Whitney U	323,500
Wilcoxon W	788,500
Z	-2,047
Asymp. Sig. (2-tailed)	,041

a. Grouping Variable: FORMULA_SIRUP_APEL

	RASA
Mann-Whitney U	160,000
Wilcoxon W	625,000
Z	-4,629
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_KELAPA

	RASA
Mann-Whitney U	170,000
Wilcoxon W	635,000
Z	-4,504
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_KELAPA

	RASA
Mann-Whitney U	340,000
Wilcoxon W	805,000
Z	-1,780
Asymp. Sig. (2-tailed)	,075

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^a

	RASA
Mann-Whitney U	129,500
Wilcoxon W	594,500
Z	-5,145
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	110,500
Wilcoxon W	575,500
Z	-5,480
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	279,500
Wilcoxon W	744,500
Z	-2,806
Asymp. Sig. (2-tailed)	,005

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	RASA
Mann-Whitney U	130,500
Wilcoxon W	595,500
Z	-5,144
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	139,500
Wilcoxon W	604,500
Z	-5,064
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	280,500
Wilcoxon W	745,500
Z	-2,772
Asymp. Sig. (2-tailed)	,006

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	RASA
Mann-Whitney U	68,000
Wilcoxon W	533,000
Z	-6,204
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRY

Test Statistics^a

	RASA
Mann-Whitney U	52,000
Wilcoxon W	517,000
Z	-6,491
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRY

Test Statistics^a

	RASA
Mann-Whitney U	218,000
Wilcoxon W	683,000
Z	-3,900
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRY

Overall

Test Statistics^a

	OVERALL
Mann-Whitney U	95,500
Wilcoxon W	560,500
Z	-5,708
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	114,500
Wilcoxon W	579,500
Z	-5,429
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	305,500
Wilcoxon W	770,500
Z	-2,368
Asymp. Sig. (2-tailed)	,018

a. Grouping Variable: FORMULA_SIRUP_APEL

Test Statistics^a

	OVERALL
Mann-Whitney U	132,000
Wilcoxon W	597,000
Z	-5,057
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	168,000
Wilcoxon W	633,000
Z	-4,549
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	372,000
Wilcoxon W	837,000
Z	-1,269
Asymp. Sig. (2-tailed)	,205

a. Grouping Variable: FORMULA_SIRUP_KELAPA

Test Statistics^a

	OVERALL
Mann-Whitney U	129,500
Wilcoxon W	594,500
Z	-5,145
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	110,500
Wilcoxon W	575,500
Z	-5,480
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	279,500
Wilcoxon W	744,500
Z	-2,806
Asymp. Sig. (2-tailed)	,005

a. Grouping Variable: FORMULA_SIRUP_MANGGA

Test Statistics^a

	OVERALL
Mann-Whitney U	130,500
Wilcoxon W	595,500
Z	-5,144
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	139,500
Wilcoxon W	604,500
Z	-5,064
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	280,500
Wilcoxon W	745,500
Z	-2,772
Asymp. Sig. (2-tailed)	,006

a. Grouping Variable: FORMULA_SIRUP_PEACH

Test Statistics^a

	OVERALL
Mann-Whitney U	,000
Wilcoxon W	465,000
Z	-7,359
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRYTest Statistics^a


	OVERALL
Mann-Whitney U	,000
Wilcoxon W	465,000
Z	-7,359
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRYTest Statistics^a

	OVERALL
Mann-Whitney U	210,000
Wilcoxon W	675,000
Z	-4,097
Asymp. Sig. (2-tailed)	,000

a. Grouping Variable:
FORMULA_SIRUP_STRAWBERRY

Lampiran 9. Foto Sirup**Lampiran 10. Foto Sensori Sirup**

Lampiran 11. Foto Minuman Capucino Ber*flavor* Buah-Buahan**Lampiran 12. Foto Sensori Minuman Capucino Ber*flavor* Buah-Buahan**