



LAMPIRAN 1

KUESIONER



KUESIONER PENELITIAN MENGENAI FAKTOR-FAKTOR YANG MEMPENGARUHI GOALS MAHASISWA UNTUK MENGAMBIL GELAR CPA

Kuesioner ini merupakan kuesioner penelitian tentang faktor-faktor yang mempengaruhi keputusan seseorang dalam menetapkan tujuan untuk mengambil sertifikasi CPA. Penelitian ini dilakukan dalam rangka untuk memenuhi syarat kelulusan sarjana ekonomi Universitas Katolik Soegijapranata. Anda dimohon untuk mengisi kuesioner ini sesuai dengan pertanyaan dan petunjuk yang ada. Tidak ada jawaban yang salah, semua jawaban adalah benar. Terima kasih atas bantuan dan kesediaan Anda dalam mengisi kuesioner ini, Tuhan memberkati.

Nama Anda : *

Teks jawaban singkat

Nomor Induk Mahasiswa (NIM) *

Teks jawaban singkat

Jenis Kelamin *

- Pria
- Wanita

Usia *

Teks jawaban singkat

Menurut Anda, profesi apakah yang membutuhkan sertifikasi CPA? *

(pilih salah satu opsi dengan klik lingkaran di sebelah kiri opsi)

- Akuntan Internal Perusahaan
- Akuntan Publik
- Akuntan Manajemen
- Akuntan Sistem

Pernyataan keyakinan diri (self efficacy) *

(pilih salah satu opsi tiap baris dengan klik lingkaran sesuai dengan opsi yang anda pilih)

	Sangat tidak setuju	Tidak setuju	Netral	Setuju	Sangat setuju
Saya akan dapat mencapai sebagian besar tujuan yang saya tetapkan untuk diri sendiri	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saya yakin dapat menyelesaikannya ketika menghadapi tugas yang sulit	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Secara umum, saya berpikir bahwa saya dapat memperoleh hasil yang penting bagi saya	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saya percaya saya dapat berhasil dalam beberapa hal yang ingin saya capai	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saya dapat mengatasi banyak tantangan yang menghadang	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saya yakin bahwa saya dapat bekerja efektif pada tugas - tugas yang berbeda	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Saya dapat menyelesaikan tugas dengan baik dibandingkan orang lain	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ketika menghadapi hal-hal yang penuh tantangan, saya bisa menyelesaikannya dengan baik	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Seberapa penting ketujuh hasil yang diharapkan dibawah ini (outcome expectations) dibawah ini ketika anda menetapkan tujuan mengambil sertifikasi CPA?

(pilih salah satu opsi tiap baris dengan klik lingkaran sesuai dengan opsi yang anda pilih)

	Tidak penting sama sekali	Tidak penting	Netral	Penting	Sangat penting
Pendapatan yang lebih tinggi	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Keamanan kerja	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Potensi promosi	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Status dan kehormatan	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hasil kerja yang menarik	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Independensi pekerjaan	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tantangan kerja	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Berapa persentase kemungkinan bahwa anda akan mengambil sertifikasi CPA? *

(pilih salah satu opsi dengan memberikan tanda √ pada kotak di bawah opsi)

	0% - 20%	21% - 40%	41% - 60%	61% - 80%	81% - 100%
Persentase Kemungkinan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

L/P	USIA	K U	SE1	SE2	SE3	SE4	SE5	SE6	SE7	SE8	OE1	OE2	OE3	OE4	OE5	OE6	OE7	G
1	21	2	4	4	4	4	4	5	4	5	5	5	4	3	3	3	3	2
1	21	2	4	4	4	4	4	5	5	4	5	5	5	4	4	5	3	3
2	19	1	1	1	1	1	1	1	1	2	5	3	3	4	4	4	4	3
1	19	1	4	4	4	4	4	4	4	4	2	5	5	5	5	5	5	5
1	20	1	4	4	5	4	4	4	4	5	3	4	4	4	5	4	4	2
1	20	1	5	5	5	5	5	5	5	5	5	5	5	1	5	5	5	3
1	23	2	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	3
2	19	1	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
2	21	2	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4
2	19	1	5	5	5	5	5	4	4	4	5	5	5	5	5	5	5	4
1	20	1	4	4	4	4	4	4	4	4	5	4	4	4	4	5	4	3
1	20	1	4	4	4	4	4	4	3	4	5	4	4	4	4	5	5	5
1	20	1	4	4	4	5	4	4	4	4	3	4	3	3	5	5	4	4
2	22	2	4	4	4	4	4	2	3	4	4	4	4	2	4	4	4	2
2	19	1	5	5	5	4	5	5	5	5	4	5	4	4	4	4	4	4
2	20	1	4	4	4	4	4	3	4	3	4	4	4	4	4	4	3	2
2	20	1	4	4	4	4	4	4	3	3	4	4	4	4	5	5	5	4
2	19	1	4	4	4	4	3	3	3	3	4	4	4	4	4	4	4	4
2	19	1	4	4	4	4	4	4	4	4	4	4	5	4	5	4	4	4
2	21	2	4	4	4	4	4	4	3	3	3	4	4	4	3	4	3	2
1	21	2	4	4	5	5	4	5	4	4	5	5	5	5	5	5	5	5
2	22	2	4	4	4	4	3	4	3	3	5	4	4	4	4	4	4	3
2	20	1	5	4	5	5	2	4	2	2	5	5	5	4	4	5	2	3
1	21	2	4	4	4	5	3	4	4	4	5	5	5	5	5	4	4	2
2	19	1	5	5	5	5	5	5	5	5	4	5	5	5	5	5	5	5
1	19	1	4	4	4	4	4	4	4	4	5	5	5	5	5	5	4	4
2	21	2	4	4	4	4	4	4	3	3	4	4	4	4	4	4	4	1
1	22	2	4	4	4	4	3	4	3	3	5	4	3	4	4	4	4	1
2	21	2	4	4	4	4	4	3	4	4	4	2	4	4	4	4	4	1
2	20	1	4	4	4	4	4	4	3	4	4	4	4	4	4	4	4	4
2	21	2	4	4	5	5	4	4	4	4	4	4	4	4	5	5	4	2
2	20	1	4	4	4	4	4	4	3	3	4	4	4	3	4	4	4	2

2	22	2	4	4	3	4	3	4	4	4	4	4	4	4	4	5	4	1
2	18	1	5	5	5	5	5	5	5	5	5	5	5	3	4	5	4	3
2	22	2	4	4	4	4	4	4	3	3	4	3	4	3	4	5	4	2
2	21	2	4	3	4	4	3	3	3	3	4	4	4	4	4	4	4	3
2	21	2	4	4	4	4	4	4	5	4	4	5	4	4	5	5	3	1
2	19	1	4	4	4	5	4	4	4	4	4	5	3	3	5	3	4	3
2	19	1	4	3	3	4	3	3	3	3	5	5	5	4	5	5	4	5
1	21	2	4	4	4	5	4	3	3	4	4	4	4	4	4	4	3	2
1	21	2	5	4	4	4	4	3	4	4	5	5	5	3	5	5	4	1
2	21	2	4	4	4	4	4	3	3	4	4	4	4	4	4	4	4	3
2	19	1	4	4	3	4	3	4	3	4	2	4	4	4	4	4	4	3
2	20	1	3	4	4	4	4	3	3	4	4	4	4	4	4	4	4	3
2	20	1	4	4	4	4	4	4	4	4	5	5	5	4	4	4	5	3
2	18	1	3	4	4	4	4	4	4	4	5	5	4	4	5	5	4	2
1	21	2	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1	18	1	4	4	5	4	4	3	2	3	4	4	5	4	5	4	3	4
2	20	2	4	4	5	4	4	4	3	4	4	4	4	3	4	4	4	3
2	20	2	4	4	4	4	4	4	4	4	5	5	5	4	5	5	4	4
2	21	2	4	4	5	5	4	4	2	4	4	5	5	4	5	5	4	2
1	21	2	4	4	5	5	4	4	2	2	4	4	2	4	4	4	5	3
1	21	2	4	4	4	4	4	4	3	4	5	4	4	4	4	5	4	2
2	21	2	1	1	2	1	1	1	3	1	4	4	4	4	4	4	4	4
1	22	2	5	5	4	4	2	4	5	4	5	4	5	2	4	5	5	3
2	19	1	4	3	4	4	3	3	4	3	5	5	5	5	5	5	4	5
1	21	2	3	4	4	3	3	4	3	3	4	4	4	4	4	4	4	1
2	17	1	4	4	3	4	3	4	3	4	4	5	5	5	5	5	4	4
1	22	2	1	1	1	1	2	2	1	1	4	4	2	2	5	4	5	1
1	21	2	5	5	5	5	5	5	4	5	5	5	4	4	4	5	2	3
1	18	1	5	4	4	5	4	4	4	4	4	3	4	4	4	4	4	2
1	20	1	4	5	3	4	4	3	3	4	4	4	3	3	5	5	4	5
2	20	1	4	4	4	4	4	4	4	4	5	5	5	5	5	5	4	2
1	20	1	5	5	5	5	5	5	5	5	3	3	3	3	3	2	3	2
1	20	1	4	4	4	5	5	4	3	4	5	5	4	4	5	5	3	2

1	20	1	3	3	2	2	2	3	2	3	2	3	3	1	3	3	3	3
1	21	2	4	5	4	4	5	5	3	4	4	5	4	4	5	5	4	5
2	21	2	3	3	4	4	4	4	3	3	5	4	4	4	4	4	4	1
2	21	2	4	4	4	4	4	4	4	4	4	4	4	2	5	5	4	2
2	21	2	4	4	4	4	3	5	4	4	5	4	4	4	4	4	2	1
1	21	2	4	4	4	4	4	4	4	4	3	3	3	3	3	4	4	4
1	20	1	5	5	4	5	4	4	4	4	4	4	4	5	5	5	4	4
1	21	2	5	4	4	5	4	4	4	4	4	5	5	4	5	5	5	4
2	20	1	4	4	4	4	4	3	4	4	4	4	4	3	4	4	4	4
2	18	1	5	4	5	4	3	4	3	4	5	5	5	5	5	4	4	2
2	21	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	3
1	20	1	4	4	5	5	4	4	3	4	3	4	4	4	4	4	4	2
2	20	1	4	3	4	4	3	3	3	3	4	4	4	3	4	4	4	1
1	21	2	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4	3
2	18	1	5	4	4	5	4	4	3	3	4	5	4	4	4	4	4	3
1	17	1	4	4	4	4	4	3	3	3	4	3	4	4	4	4	3	3
2	20	1	4	2	2	2	2	2	2	2	5	4	4	5	5	4	2	1
2	21	2	4	4	4	4	3	3	3	4	5	3	4	2	4	4	3	4
2	21	2	4	4	4	4	2	2	4	2	4	4	3	5	4	5	5	1
2	21	2	4	4	4	5	4	4	5	4	4	4	4	4	4	4	4	3
2	21	2	5	4	5	4	4	4	4	4	5	4	5	4	5	5	4	2
2	19	1	4	3	4	4	3	3	4	3	4	5	4	4	4	4	4	3
2	18	1	4	4	4	4	4	4	4	4	5	5	5	5	5	5	5	5
2	21	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	2
2	19	1	3	3	3	4	4	4	4	4	4	5	4	4	4	4	3	2
2	20	1	5	4	4	5	4	4	3	4	4	3	3	4	4	4	3	1
1	23	2	5	5	5	5	5	5	4	4	4	5	4	5	4	4	4	3
2	21	2	4	3	4	4	4	2	4	4	5	4	5	3	2	4	5	1
1	21	2	4	4	5	4	4	3	3	4	4	4	5	2	5	4	3	4
2	22	2	4	4	4	4	4	3	3	3	3	3	4	3	4	3	4	2
2	21	2	4	4	4	4	3	3	4	4	4	4	4	4	5	4	4	3
1	18	1	3	3	3	3	3	3	3	3	4	4	4	3	4	4	4	3
2	22	2	5	5	5	5	4	4	4	4	5	5	5	3	4	4	4	2

1	18	1	5	4	5	4	4	4	2	4	4	5	4	5	4	4	4	3
2	19	1	4	4	4	5	4	4	4	4	5	4	5	5	4	4	4	3
2	20	1	5	5	3	4	3	4	3	3	3	4	4	4	5	5	3	5
1	23	2	4	4	4	3	3	3	3	4	4	4	4	4	4	5	4	3
2	20	1	4	3	3	4	4	4	3	4	4	4	4	4	4	3	4	3
1	20	1	4	4	5	5	4	4	2	4	4	5	3	1	5	5	5	3



LAMPIRAN 2

UJI VALIDITAS DAN RELIABILITAS



Validitas SE

Correlations

		SE_1	SE_2	SE_3	SE_4	SE_5	SE_6	SE_7	SE_8	TOTALSE
SE_1	Pearson Correlation	1	,790**	,706**	,772**	,549**	,631**	,449**	,610**	,827**
	Sig. (2-tailed)		,000	,000	,000	,000	,000	,000	,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_2	Pearson Correlation	,790**	1	,735**	,755**	,665**	,720**	,542**	,695**	,889**
	Sig. (2-tailed)	,000		,000	,000	,000	,000	,000	,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_3	Pearson Correlation	,706**	,735**	1	,777**	,679**	,632**	,468**	,590**	,840**
	Sig. (2-tailed)	,000	,000		,000	,000	,000	,000	,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_4	Pearson Correlation	,772**	,755**	,777**	1	,644**	,630**	,473**	,589**	,848**
	Sig. (2-tailed)	,000	,000	,000		,000	,000	,000	,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_5	Pearson Correlation	,549**	,665**	,679**	,644**	1	,673**	,537**	,721**	,829**
	Sig. (2-tailed)	,000	,000	,000	,000		,000	,000	,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_6	Pearson Correlation	,631**	,720**	,632**	,630**	,673**	1	,512**	,670**	,830**
	Sig. (2-tailed)	,000	,000	,000	,000	,000		,000	,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_7	Pearson Correlation	,449**	,542**	,468**	,473**	,537**	,512**	1	,674**	,711**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000		,000	,000
	N	147	147	147	147	147	147	147	147	147
SE_8	Pearson Correlation	,610**	,695**	,590**	,589**	,721**	,670**	,674**	1	,841**
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000		,000
	N	147	147	147	147	147	147	147	147	147
TOTALSE	Pearson Correlation	,827**	,889**	,840**	,848**	,829**	,830**	,711**	,841**	1

Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	,000	
N	147	147	147	147	147	147	147	147	147

** Correlation is significant at the 0.01 level (2-tailed).

Validitas OE

		Correlations							
		OE_1	OE_2	OE_3	OE_4	OE_5	OE_6	OE_7	TOTALOE
OE_1	Pearson Correlation	1	,396**	,479**	,259**	,211*	,379**	,111	,613**
	Sig. (2-tailed)		,000	,000	,002	,010	,000	,181	,000
	N	147	147	147	147	147	147	147	147
OE_2	Pearson Correlation	,396**	1	,503**	,347**	,507**	,474**	,250**	,740**
	Sig. (2-tailed)	,000		,000	,000	,000	,000	,002	,000
	N	147	147	147	147	147	147	147	147
OE_3	Pearson Correlation	,479**	,503**	1	,386**	,356**	,455**	,210*	,726**
	Sig. (2-tailed)	,000	,000		,000	,000	,000	,011	,000
	N	147	147	147	147	147	147	147	147
OE_4	Pearson Correlation	,259**	,347**	,386**	1	,283**	,307**	,144	,634**
	Sig. (2-tailed)	,002	,000	,000		,001	,000	,082	,000
	N	147	147	147	147	147	147	147	147
OE_5	Pearson Correlation	,211*	,507**	,356**	,283**	1	,581**	,291**	,673**
	Sig. (2-tailed)	,010	,000	,000	,001		,000	,000	,000
	N	147	147	147	147	147	147	147	147
OE_6	Pearson Correlation	,379**	,474**	,455**	,307**	,581**	1	,385**	,750**
	Sig. (2-tailed)	,000	,000	,000	,000	,000		,000	,000
	N	147	147	147	147	147	147	147	147
OE_7	Pearson Correlation	,111	,250**	,210*	,144	,291**	,385**	1	,506**
	Sig. (2-tailed)	,181	,002	,011	,082	,000	,000		,000
	N	147	147	147	147	147	147	147	147
TOTALOE	Pearson Correlation	,613**	,740**	,726**	,634**	,673**	,750**	,506**	1
	Sig. (2-tailed)	,000	,000	,000	,000	,000	,000	,000	
	N	147	147	147	147	147	147	147	147

** Correlation is significant at the 0.01 level (2-tailed).

* Correlation is significant at the 0.05 level (2-tailed).

Reliabilitas SE

Case Processing Summary

		N	%
Cases	Valid	147	100,0
	Excluded ^a	0	,0
	Total	147	100,0

- a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,933	8

Item Statistics

	Mean	Std. Deviation	N
SE_1	4,10	,774	147
SE_2	3,93	,773	147
SE_3	4,06	,778	147
SE_4	4,14	,791	147
SE_5	3,76	,832	147
SE_6	3,75	,867	147
SE_7	3,52	,871	147
SE_8	3,75	,810	147

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
SE_1	26,90	22,484	,772	,923
SE_2	27,07	21,974	,852	,918
SE_3	26,95	22,339	,788	,922
SE_4	26,87	22,182	,797	,922
SE_5	27,25	22,039	,769	,924
SE_6	27,26	21,782	,768	,924
SE_7	27,48	22,868	,615	,936
SE_8	27,26	22,097	,788	,922

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
31,01	28,747	5,362	8

Reliabilitas OE

Case Processing Summary

		N	%
Cases	Valid	147	100,0
	Excluded ^a	0	,0
	Total	147	100,0

- a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	N of Items
,777	,789	7

Item Statistics

	Mean	Std. Deviation	N
OE_1	4,22	,720	147
OE_2	4,24	,676	147
OE_3	4,23	,663	147
OE_4	3,86	,907	147
OE_5	4,31	,626	147
OE_6	4,31	,626	147
OE_7	3,97	,697	147

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Squared Multiple Correlation	Cronbach's Alpha if Item Deleted
OE_1	24,90	8,155	,444	,293	,761
OE_2	24,89	7,714	,620	,418	,726
OE_3	24,90	7,818	,604	,405	,730
OE_4	25,27	7,597	,416	,194	,776
OE_5	24,82	8,160	,544	,419	,742
OE_6	24,82	7,845	,644	,478	,724
OE_7	25,16	8,699	,319	,162	,783

Scale Statistics

Mean	Variance	Std. Deviation	N of Items
29,13	10,497	3,240	7

LAMPIRAN 3
DEMOGRAFI RESPONDEN



Demografi Jenis Kelamin

Group Statistics

Jenis Kelamin		N	Mean	Std. Deviation	Std. Error Mean
SE	PRIA	59	3,9449	,78347	,10200
	WANITA	88	3,8295	,58236	,06208
OE	PRIA	59	4,1598	,53589	,06977
	WANITA	88	4,1623	,40993	,04370
GOALS	PRIA	59	3,03	1,174	,153
	WANITA	88	2,75	1,177	,125

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	T	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
SE	Equal variances assumed	2,022	,157	1,023	145	,308	,11537	,11275	-,10748	,33822
	Equal variances not assumed			,966	99,799	,336	,11537	,11941	-,12153	,35227
OE	Equal variances assumed	2,861	,093	-,032	145	,974	-,00253	,07815	-,15699	,15192
	Equal variances not assumed			-,031	101,972	,976	-,00253	,08232	-,16582	,16076

GOALS	Equal variances assumed	,601	,439	1,435	145	,153	,284	,198	-,107	,675
	Equal variances not assumed			1,436	124,740	,154	,284	,198	-,107	,675

Demografi Kelompok Usia


Group Statistics

	KEL_USIA	N	Mean	Std. Deviation	Std. Error Mean
SE	17-20	73	3,8425	,64719	,07575
	21-23	74	3,9088	,69498	,08079
OE	17-20	73	4,1918	,46120	,05398
	21-23	74	4,1313	,46562	,05413
GOALS	17-20	73	3,12	1,154	,135
	21-23	74	2,61	1,156	,134

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
SE	Equal variances assumed	,004	,950	-,599	145	,550	-,06632	,11080	-,28531	,15267
	Equal variances not assumed			-,599	144,523	,550	-,06632	,11075	-,28521	,15257

OE	Equal variances assumed	,00 0	,98 8	,791	145	,430	,06051	,07645	- ,0905 9	,2116 0
	Equal variances not assumed			,792	144,99 7	,430	,06051	,07644	- ,0905 8	,2115 9
GOALS	Equal variances assumed	,02 8	,86 7	2,70 3	145	,008	,515	,191	,139	,892
	Equal variances not assumed			2,70 3	144,98 1	,008	,515	,191	,139	,892



LAMPIRAN 4
UJI HIPOTESIS 1



Hipotesis 1

Uji Beda

Group Statistics

Jenis Kelamin		N	Mean	Std. Deviation	Std. Error Mean
SE	Pria	54	4,0579	,63073	,08583
	Wanita	83	3,8012	,57945	,06360

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means					95% Confidence Interval of the Difference	
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	Lower	Upper
SE	Equal variances assumed	,366	,546	2,446	135	,016	,25667	,10492	,04917	,46416
	Equal variances not assumed			2,403	106,442	,018	,25667	,10683	,04488	,46845

LAMPIRAN 5
UJI HIPOTESIS 2



Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		147
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	1,16209815
Most Extreme Differences	Absolute	,125
	Positive	,125
	Negative	-,078
Kolmogorov-Smirnov Z		1,517
Asymp. Sig. (2-tailed)		,020

a. Test distribution is Normal.

b. Calculated from data.

Uji Normalitas Setelah Pembuangan Data Outlier

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		137
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	1,15224805
Most Extreme Differences	Absolute	,112
	Positive	,112
	Negative	-,079
Kolmogorov-Smirnov Z		1,306
Asymp. Sig. (2-tailed)		,066

a. Test distribution is Normal.

b. Calculated from data.

Uji Heteroskedastisitas

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1,679	1	1,679	3,879	,051 ^a
	Residual	58,450	135	,433		
	Total	60,129	136			

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1,679	1	1,679	3,879	,051 ^a
	Residual	58,450	135	,433		
	Total	60,129	136			

a. Predictors: (Constant), SE

b. Dependent Variable: absreshipo2

Uji Regresi Sederhana

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	1,591	,641		2,482	,014
	SE	,331	,162	,173	2,040	,043

a. Dependent Variable: GOALS

LAMPIRAN 6
UJI HIPOTESIS 3



Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		137
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	,41756628
Most Extreme Differences	Absolute	,083
	Positive	,058
	Negative	-,083
Kolmogorov-Smirnov Z		,966
Asymp. Sig. (2-tailed)		,308

a. Test distribution is Normal.

b. Calculated from data.

Uji Heteroskedastisitas

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,036	1	,036	,531	,468 ^a
	Residual	9,121	135	,068		
	Total	9,156	136			

a. Predictors: (Constant), SE

b. Dependent Variable: absreshipo3

Uji Regresi Sederhana

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	3,290	,232		14,162	,000
	SE	,224	,059	,311	3,802	,000

a. Dependent Variable: OE

LAMPIRAN 7
UJI HIPOTESIS 4



Uji Normalitas

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		137
Normal Parameters ^{a,b}	Mean	,0000000
	Std. Deviation	1,10455592
Most Extreme Differences	Absolute	,085
	Positive	,052
	Negative	-,085
Kolmogorov-Smirnov Z		,990
Asymp. Sig. (2-tailed)		,281

a. Test distribution is Normal.

b. Calculated from data.

Uji Heteroskedastisitas

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	,248	1	,248	,636	,427 ^a
	Residual	52,708	135	,390		
	Total	52,956	136			

a. Predictors: (Constant), OE

b. Dependent Variable: absreshipo4

Uji Regresi Sederhana

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	-,769	,906		-,849	,398
	OE	,877	,216	,329	4,055	,000

a. Dependent Variable: GOALS

LAMPIRAN 8
UJI HIPOTESIS 5



Group Statistics

Jenis Kelamin		N	Mean	Std. Deviation	Std. Error Mean
GOALS	Pria	54	3,13	1,166	,159
	Wanita	83	2,72	1,151	,126

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
GOALS	Equal variances assumed	,232	,631	2,011	135	,046	,407	,202	,007	,807
	Equal variances not assumed			2,005	112,300	,047	,407	,203	,005	,809