

6. DAFTAR PUSTAKA

- Abubakar, A., & Arpah, M. (2015). Pengaruh Suhu Produksi Terhadap Aktivitas Ekstrak Kasar Bakteriosin dari Berbagai Galur *Lactobacillus Sp.* dalam Menghambat *Escherichia Coli* dan *Staphylococcus aureus*. Buletin Peternakan, 39(3), 189. <https://doi.org/10.21059/buletinpeternak.v39i3.7987>
- Bhowmik, D., Kumar, S., Paswan, S., & Srivastava, S. (2012). *Tomato-A Natural Medicine and Its Health Benefits. Journal of Pharmacognosy and Phytochemistry Tomato-A*, 1(1), 33–43. <http://www.phytojournal.com/archives/2012/vol1issue1/PartA/3.pdf>
- Chaniago, N., Safruddin, & Kurniawan, D. (2017). Respon Pertumbuhan Dan Produksi Tanaman Tomat (*Lycopersicum Esculentum Mill*) Terhadap Pemberian Pupuk Kandang Sapi Dan Fermentasi Urin Sapi. Jurnal Penelitian Pertanian BERNAS Vol 13(1). <http://jurnal.una.ac.id/index.php/jb/article/view/85/80>
- Delvia, F., Fridayanti, A., & Ibrahim, A. (2015). Isolasi dan Identifikasi Bakteri Asam Laktat (BAL) dari Buah Mangga (*Mangifera indica L.*). 1(2), 114–120. <https://doi.org/10.25026/mpc.v1i1.16>
- Food and Agricultural Organization/World Health Organization, 2002. *Report of a Joint FAO/WHO. Expert Consultation on Guidelines for the Evaluation of Probiotics in Food*. FAO/WHO of the United Nations, London, Canada.
- Fessard, A., Kapoor, A., Patche, J., Assemat, S., Hoarau, M., Bourdon, E., Remize, F. (2017). *Lactic Fermentation as an Efficient Tool to Enhance the Antioxidant Activity of Tropical Fruit Juices and Teas*. Microorganisms, 5(2), 23. <https://doi.org/10.3390/microorganisms5020023>
- Guevarra, RB., & Barraquio, V. L. (2015). *Viable Counts of Lactic Acid Bacteria in Philippine Commercial Yogurts*. International Journal of Dairy Science & Processing, 24–28. <https://doi.org/10.19070/2379-1578-150008>
- Handrian, R.G., Haryati, Meiriani (2013). Peningkatan Kadar Vitamin C Buah Tomat (*Lycopersicum esculentum MILL.*) Dataran Rendah Dengan Pemberian Hormon GA₃. Jurnal Online Agroteknologi, ISSN 1314-2704), pp. 1–39. <https://jurnal.usu.ac.id/index.php/agroekoteknologi/article/view/5833/2573>

- Harahap, N. O., Johan, V. S., & Pato, U. (2018). Pembuatan Minuman Fermentasi Sari Tomat dengan Menggunakan *Lactobacillus casei* subsp. *casei* R-68. JOM UR Vol 5 Edisi 2.
http://epublikasi.setjen.pertanian.go.id/epublikasi/outlook/2014/outlook_horti/06_Tomat2014/files/assets/downloads/publication.pdf
- Hawa, La Choviya. (2011). Pengawetan Sari Tomat Menggunakan *Pulsed Electric Field* (Pef) (Kajian Karakteristik Mutu Dan Kinetika Kematian *Staphylococcus Aureus*). Seminar Nasional Program Magister dan Doktor Fakultas Teknik UB (SN-PMD FTUB) ke-1. <http://tp.ub.ac.id/wp-content/uploads/2012/02/Prosiding-Seminar-Nasional-PMDFTUB-La-Choviya-Hawa.pdf>
- Hur, S. J., Lee, S. Y., Kim, Y. C., Choi, I., and Kim, G. B. (2014). *Effect of fermentation on the antioxidant activity in plant-based foods*. *Food Chemistry*, 160, 346–356. <https://doi.org/10.1016/j.foodchem.2014.03.112>
- Huynh, N. T., Van Camp, J., Smagghe, G., & Raes, K. (2014). *Improved release and metabolism of flavonoids by steered fermentation processes: A review*. *International Journal of Molecular Sciences*, Vol 15(11): 19369–19388. <https://doi.org/10.3390/ijms151119369>
- Jagannathan, S., and Vijayakumar, R. (2010). *Analysis of Carbohydrates in Newly Developed Liquid State Rabies Vaccine*. *Journal of Microbial & Biochemical Technology*, 02(06). <https://doi.org/10.4172/1948-5948.1000040>
- Judianti, O. W. D., Ansyori K. M., Fiqri M. M., Trimulyono G. (2014). Aktivitas Antibakteri Isolat Bakteri yang Berasosiasi dengan Spons Demospongiae dari Pantai Paciran Lamongan', 2(2), pp. 49–53.
<https://journal.unesa.ac.id/index.php/sainsmatematika/article/view/44>
- Khezri, S., Dehghan, P., Mahmoudi, R., & Jafarlou, M. (2016). *Fig Juice Fermented with Lactic Acid Bacteria as a Nutraceutical Product*. *Pharmaceutical Sciences*, 22(4), 260–266. <https://doi.org/10.15171/ps.2016.40>
- Kusmiati, & Malik, A. (2002). Aktivitas bakteriosin dari bakteri *leuconostoc mesenteroides* pbac1 pada berbagai media. *Makara Kesehatan*, 6(1), 1–7. <http://journal.ui.ac.id/index.php/health/article/download/10/6>
- Lindayani, L., Hartajanie, L., & Murniati, M. P. (2018). *Probiotic Potential of Lactic Acid Bacteria from Yellow Bamboo Shoot Fermentation using 2.5% and 5% Brine at Room Temperature*. *Microbiology Indonesia*, 12(1), 30–34. <https://doi.org/10.5454/mi.12.1.5>

- Magala, M., Kohajdová, Z., Karovičová, J., Greifová, M., & Hojerová, J. (2015). *Application of lactic acid bacteria for production of fermented beverages based on rice flour*. *Czech Journal of Food Sciences*, 33(5), 458–563. <https://doi.org/10.17221/74/2015-CJFS>
- Mu'nisa, A. (2012). Analisis Kadar Likopen dan Uji Aktivitas Antioksidan Pada Tomat Asal Sulawesi Selatan. *Jurnal Bionature*, Vol 13(1):62-66. <https://ojs.unm.ac.id/bionature/article/view/1428>
- Novita, M., Satriana, S., & Hasmarita, E. (2015). Kandungan Likopen Dan Karotenoid Buah Tomat (*Lycopersicum Pyriforme*) Pada Berbagai Tingkat Kematangan: Pengaruh Pelapisan Dengan Kitosan Dan Penyimpanan. *Jurnal Teknologi Dan Industri Pertanian Indonesia*, 7(1), 35. <https://doi.org/10.17969/jtipi.v7i1.2832>
- Olsen, R. A., and Bakken, L. R. (1987). *Viability of soil bacteria: Optimization of plate-counting technique and comparison between total counts and plate counts within different size groups*. *Microbial Ecology*, 13(1), 59–74. <https://doi.org/10.1007/BF02014963>
- Omar, J. M., Chan, Y. M., Jones, M. L., Prakash, S., & Jones, P. J. H. (2013). *Lactobacillus fermentum and Lactobacillus amylovorus as probiotics alter body adiposity and gut microflora in healthy persons*. *Journal of Functional Foods*, 5(1), 116–123. <https://doi.org/10.1016/j.jff.2012.09.001>
- Prihandani, S. S. (2015). Uji Daya Antibakteri Bawang Putih (*Allium sativum L.*) Terhadap Bakteri *Staphylococcus aureus*, *Escherichia coli*, *Salmonella typhimurium* dan *Pseudomonas aeruginosa* dalam Meningkatkan Keamanan Pangan. *Informatika Pertanian*, 24(1), 53. <https://doi.org/10.21082/ip.v24n1.2015.p53-58>
- Pundir, R. K., Rana, S., Kashyap, N., & Kaur, A. (2013). *Probiotic potential of lactic acid bacteria isolated from food samples: An in vitro study*. *Journal of Applied Pharmaceutical Science*, 3(3), 85–93. <https://doi.org/10.7324/JAPS.2013.30317>
- Rachman, S. D., Djajasoeopena, S., Kamara, D. S., Idar, I., Sutrisna, R., Safari, A., Ishmayana, S. (2015). Kualitas Yoghurt yang Dibuat dengan Kultur Dua (*Lactobacillus bulgaricus* dan *Streptococcus thermophilus*) dan Tiga Bakteri (*Lactobacillus Bulgaricus*, *Streptococcus Thermophilus* dan *Lactobacillus acidophilus*). *Chimica et Natura Acta*, 3(2), 76–79. <https://doi.org/10.24198/cna.v3.n2.9192>
- Ranadheera, C., Vidanarachchi, J., Rocha, R., Cruz, A., and Ajlouni, S. (2017). Probiotic Delivery through Fermentation: Dairy vs. Non-Dairy Beverages. *Fermentation*, 3(4), 67. <https://doi.org/10.3390/fermentation3040067>

- Reque, E. D. F., Pandey, A., Franco, S. G., & Soccol, C. R. (2000). *Isolation, identification and physiological study of Lactobacillus fermentum LPB for use as probiotic in chickens*. *Brazilian Journal of Microbiology*, 31(4), 303–307. <https://doi.org/10.1590/S1517-83822000000400012>
- Rizal, S., Erna, M., Nurainy, F., & Tambunan, A. R. (2016). Karakteristik Probiotik Minuman Fermentasi Laktat Sari Buah Nanas dengan Variasi Jenis Bakteri Asam Laktat. *Jurnal Kimia Terapan Indonesia*, 18(01), 63–71. <http://webcache.googleusercontent.com/search?q=cache:FGAidAHOrEQJ:inajac.lipi.go.id/index.php/InaJAC/article/view/41+&cd=1&hl=id&ct=clnk&gl=id>
- Sandes, S., Alvim, L., Silva, B., Acurcio, L., Santos, C., Campos, M., and Nunes, Á. (2017). *Selection of new lactic acid bacteria strains bearing probiotic features from mucosal microbiota of healthy calves: Looking for immunobiotics through in vitro and in vivo approaches for immunoprophylaxis applications*. *Microbiological Research*, 200, 1–13. <https://doi.org/10.1016/j.micres.2017.03.008>
- Saputra Jaya, R. & Ginting, S. (2016) ‘Pengaruh suhu pemanasan dan lama peyimpanan terhadap perubahan kualitas nira aren (*Arenga pinnata*)’, *J. Rekayasa Pangan dan Pert.*, 4(1), pp. 49–57. <https://jurnal.usu.ac.id/index.php/jrpp/article/download/Riko%20Saputra%20Jaya.pdf>
- Savitry, N. I., Nurwantoro, N., & Setiani, B. E. (2017). Total Bakteri Asam Laktat, Total Asam, Nilai pH, Viskositas, dan Sifat Organoleptik Yoghurt dengan Penambahan Jus Buah Tomat. *Jurnal Aplikasi Teknologi Pangan*, 6(4), 184–187. <http://www.jatp.ift.or.id/index.php/jatp/article/view/272/222>
- Sayuti, K., & Yenrina, R. (2015). *Antioksidan, Alami Dan Sintetik* (Vol. 1). Asosiasi Penerbit Perguruan Tinggi Indonesia (APPTI). Padang. <http://docplayer.info/29877157-Antioksidan-alami-dan-sintetik.html>
- Setioningsih, E. T. I., Setyaningsih, R., & Susilowati, A. R. I. (2016). Pembuatan Minuman Probiotik dari Susu Kedelai dengan Inokulum *Lactobacillus casei*, *Lactobacillus plantarum*, dan *Lactobacillus acidophilus*. *Bioteknologi*, 1(1), 1–6. <https://doi.org/10.13057/biotek/c010101>
- Sivudu, S. N., Umamahesh, K., & Reddy, O. V. S. (2014). *A Comparative study on Probiotication of mixed Watermelon and Tomato juice by using Probiotic strains of Lactobacilli*. *Int.J.Curr.Microbiol.App.Sci*, 3(11), 977–984. <https://www.ijcmas.com/vol-3-11/S.Naga%20Sivudu,%20et%20al.pdf>

- Suja, K. P., Jayalekshmy, A., and Arumugha, C. (2005). Antioxidant activity of sesame cake extract. *Food Chemistry*, 91, 213–219.
<https://doi.org/10.1016/j.foodchem.2003.09.001>
- Sunaryanto, R., & Tarwadi, T. (2015). Isolasi dan Karakterisasi Bakteriosin yang Dihasilkan oleh *Lactobacillus lactis* dari Sedimen Laut. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, Vol 10(1): 11.
<https://doi.org/10.15578/jpbkp.v10i1.240>
- Suseno, P., Surjoseputro, S., Indarto Suseno, T. P., & Anita, dan K. (1982). Minurnan Probiotik Niia Siwalan (Thomas Indarto *Lactobacillus casei* Pada Beberapa Bakteri Patogen. <https://doi.org/10.1038/sj.cr.7290311>
- Tallapragada, P., Bhargavi, R., Priyanka, P. R., Niranjan, N. R., & Pavitra, P. V. (2018). *Screening of potential probiotic lactic acid bacteria and production of amylase and its partial purification. Journal of Genetic Engineering and Biotechnology*, 16(2), 357–362. <https://doi.org/10.1016/j.jgeb.2018.03.005>
- Thirumurugan, A., Ramachandran, S., and Gobikrishnan, S. (2015). *Optimization of medium components for maximizing the bacteriocin production by Lactobacillus plantarum ATM11 using statistical design. International Food Research Journal*, 22(3), 1272–1279. <https://www.researchgate.net/publication/281698438>
- Todorov, S. D., & Dicks, L. M. T. (2006). *Effect of medium components on bacteriocin production by Lactobacillus plantarum strains ST23LD and ST341LD, isolated from spoiled olive brine. Microbiological Research*, 161(2), 102–108.
<https://doi.org/10.1016/j.micres.2005.06.006>
- Tomaro-Duchesneau, C., Saha, S., Malhotra, M., Coussa-Charley, M., Kahouli, I., Jones, M. L., Prakash, S. (2012). *Probiotic ferulic acid esterase active Lactobacillus fermentum NCIMB 5221 APA microcapsules for oral delivery: Preparation and in vitro characterization. Pharmaceuticals*, 5(2), 236–248.
<https://doi.org/10.3390/ph5020236>
- Trias, R., Bañeras, L., Montesinos, E., & Badosa, E. (2008). *Lactic acid bacteria from fresh fruit and vegetables as biocontrol agents of phytopathogenic bacteria and fungi. International Microbiology*, Vol 11(4): 231–236.
<https://doi.org/10.2436/20.1501.01.66>
- Usmiati, S., and Marwati, T. (2009). Selection and Optimization Process of Bacteriocin Production from *Lactobacillus* sp. *Indonesian Journal of Agriculture*, 2(2), 82–92. <https://www.researchgate.net/publication/266487855>

- Utama, C. S., Sulistiyanto, B., Setiani, B.E. (2013). Profil Mikrobiologis Pollard yang Difermentasi dengan Ekstrak Limbah Pasar Sayur pada Lama Peram yang Berbeda. Volume 12 (2): 26 -30.
<http://jurnal.unsyiah.ac.id/agripet/article/download/816/754>
- Wahdaningsih, S., Prawita Setyowati, E., & Wahyuono, S. (2011). Aktivitas Penangkap Radikal Bebas Dari Batang Pakis (*Alsophila Glauca J. Sm*) *Free Radical Scavenging Activity of* (*Alsophila glauca J. Sm*). Majalah Obat Tradisional, Vol 16(3): 156–160. <https://jurnal.ugm.ac.id/TradMedJ/article/view/8053>
- Wardani, H. S., & Rustanti, N. (2013). Daya Hambat Pertumbuhan *Escherichia Coli* dan Uji Hedonik *Yoghurt* dengan Substitusi Tepung Mocaf. *Journal of Nutrition College*, Vol 2(2): 293-301.
<https://ejournal3.undip.ac.id/index.php/jnc/article/view/2754>
- Wibowo, R. A., Nurainy, F., Sugiharto, R. (2014). Pengaruh Penambahan Sari Buah Tertentu Terhadap Karakteristik Fisik, Kimia, Dan Sensori Sari Tomat. *Jurnal Teknologi Industri dan Hasil Pertanian* Vol 19(1).
<http://jurnal.fp.unila.ac.id/index.php/JTHP/article/view/405>
- Wignyanto, Nurika, I., & Vida, I. (2007). *Production Plan of Home Scale Tomato Kefir*. *Jurnal Teknologi Pertanian*, Vol 8(3): 198–206.
<https://jtp.ub.ac.id/index.php/jtp/article/viewFile/249/643>
- Yerlikaya, O. (2014). *Starter cultures used in probiotic dairy product preparation and popular probiotic dairy drinks*. *Food Science and Technology (Campinas)*, 34(2), 221–229. <https://doi.org/10.1590/fst.2014.0050>
- Yusuf, M. A. & Hamid, T. H. A.T. A. (2013). *Lactic Acid Bacteria:Bacteriocin Producer: A Mini Review*. *IOSR Journal of Pharmacy (IOSRPHR)*, Vol 3(4): 44–50.
<https://doi.org/10.9790/3013-034104450>
- Zoumpopoulou, G., Foligne, B., Christodoulou, K., Granette, C., Pot, B., & Tsakalidou, E. (2008). *Lactobacillus fermentum ACA-DC 179 displays probiotic potential in vitro and protects against trinitrobenzene sulfonic acid (TNBS)-induced colitis and Salmonella infection in murine models*. *International Journal of Food Microbiology*, 121(1), 18–26. <https://doi.org/10.1016/j.ijfoodmicro.2007.10.013>