

## 6 DAFTAR PUSTAKA

- Adams, J. B. (1973). Thermal Degradation of Anthocyanins with Particular Reference to the 3-Glycosides of Cyanidin I. In Acidified Aqueous Solution at 100 °C. *Journal of the Science of Food and Agriculture*, 24, 747-762. <https://doi.org/10.1002/jsfa.2740240702>
- Ahmadiani, N., Robbins, R. J., Collins, T. M., & Giusti, M. M. (2014). Anthocyanins contents, profiles, and color characteristics of red cabbage extracts from different cultivars and maturity stages. *Journal of Agricultural and Food Chemistry*, 62(30), 7524–7531. <https://doi.org/10.1021/jf501991q>
- AOAC. (2005). *Official Methods of Analysis of the Association of Official Analytical and Chemist. Total Monomeric Anthocyanin Pigment Content of Fruit Juices, Beverages, Natural Colorants, and Wines. pH Differential Method.* [https://www.researchgate.net/publication/260264533\\_AOAC\\_200502\\_Total\\_Monomeric\\_Anthocyanin\\_Pigment\\_Content\\_of\\_Fruit\\_Juices\\_Beverages\\_Natural\\_Colorants\\_and\\_Wines-pH\\_Differential\\_Method](https://www.researchgate.net/publication/260264533_AOAC_200502_Total_Monomeric_Anthocyanin_Pigment_Content_of_Fruit_Juices_Beverages_Natural_Colorants_and_Wines-pH_Differential_Method)
- AOAC 981.12. (1981). *Official Methods of Analysis of the Association of Official Analytical and Chemist. pH of Acidified Foods.* <http://down.foodmate.net/standard/sort/10/26819.html>
- Ashurt, P. R. (2016). *Chemistry and Technology of Soft Drinks and Fruit Juices* (3 ed.). West Sussex, United Kingdom: John Wiley & Sons, Ltd. <http://www.siirt.edu.tr/dosya/personel/mesrubat-ve-mesrubat-teknolojisi-ders-kitabi-siirt-2018221143430322.pdf>
- Audu, Abdulrahman A., & Garba, Ibrahim. (2010). Thermal Degradation and Estimation of Dietary, *Chemsearch Journal*, 1(1): 24 - 27. <https://www.ajol.info/index.php/csj/article/view/115886/105437>
- Barczak, A. B. (2005). Acylated Anthocyanins as Stabel, *Natural Food Colorants – a Review, Polish Journal of Food and Nutrition Sciences*, 14/55(2), 107–115. <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.471.6401&rep=rep1&type=pdf>
- Brouillard, R. (1982). *Anthocyanins as Food Colors*. (P. Markakis, Ed.). London: Academic Press, Inc. <https://www.elsevier.com/books/anthocyanins-as-food-colors/markakis/978-0-12-472550-8>
- Butnariu, M., & Grozea, I. (2012). Antioxidant (Antiradical) Compounds. *Journal of Bioequivalence & Bioavailability*, 4, 4–6. <https://doi.org/10.4172/jbb.10000e18>

- Carocho, M., Barreiro, M. F., Morales, P., & Ferreira, I. C. F. R. (2014). Adding Molecules to Food, Pros and Cons: A Review on Synthetic and Natural Food Additives. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 377–399. <https://doi.org/10.1111/1541-4337.12065>
- Civille, G. V., & Oftedal, K. N. (2012). Physiology & Behavior Sensory Evaluation Techniques — Make “ Good for You ” Taste “ Good .” *Physiology & Behavior*, 107(4), 598–605. <https://doi.org/10.1016/j.physbeh.2012.04.015>
- Clemens, R. A., Jones, J. M., Kern, M., Lee, S., Mayhew, E. J., Slavin, J. L., & Zivanovic, S. (2016). Functionality of Sugars in Foods and Health. *Comprehensive Reviews in Food Science and Food Safety*, 15. <https://doi.org/10.1111/1541-4337.12194>
- CODEX. (1964). FAO/WHO Program on Food Standards Soft Drinks. [www.fao.org/input/download/report/560/al64\\_24e.pdf](http://www.fao.org/input/download/report/560/al64_24e.pdf)
- Cortez, R., Luna-Vital, D. A., Margulis, D., & Gonzalez de Mejia, E. (2017). Natural Pigments: Stabilization Methods of Anthocyanins for Food Applications. *Comprehensive Reviews in Food Science and Food Safety*, 16(1), 180–198. <https://doi.org/10.1111/1541-4337.12244>
- Dase, H., Nazim G., Heidi, R., Divine, N. A., Nay, M., & Iryna, S. (2013) Improvement of Antioxidant Activities in Red Cabbage Sprouts by Lactic Acid Bacterial Fermentation, *Food Biotechnology*, 27(4), 279-302, <http://dx.doi.org/10.1080/08905436.2013.836709>
- Dyrby, M., Westergaard, N., & Stapelfeldt, H. (2001). Light and Heat Sensitivity of Red Cabbage Extract in Soft Drink Model Systems, 72, 431–437. [https://plu.mx/plum/a/?doi=10.1016/S0308-8146\(00\)00251-X](https://plu.mx/plum/a/?doi=10.1016/S0308-8146(00)00251-X)
- Ginting, E. (2011). Potensi Ekstrak Ubijalar Ungu Sebagai Bahan Pewarna Alami Sirup. In *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi 2011* (hal. 755–767). Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian. [http://balitkabi.litbang.pertanian.go.id/wp-content/uploads/2012/09/79\\_SET\\_ErliG-1.pdf](http://balitkabi.litbang.pertanian.go.id/wp-content/uploads/2012/09/79_SET_ErliG-1.pdf)
- Hendry, G. A. F. ., & Houghton, J. D. (1997). Natural Food Colorants (2 ed.). Springer Science+Business Media Dordrecht. [https://www.researchgate.net/publication/321618541\\_Natural\\_Food\\_Colorants](https://www.researchgate.net/publication/321618541_Natural_Food_Colorants)
- Henk, M. (1991). Volatile Compounds in Foods and Beverages. New York, N.Y. : Marcel Dekker, Inc. <https://doi.org/10.1002/food.19910351027>

- Huayin Wang, Ping Li, & Wenlong Zhou, Dyeing of Silk with Anthocyanins Dyes Extract from *Liriope platyphylla* Fruits, *Journal of Textiles*, vol. 2014, 1-9. <https://doi.org/10.1155/2014/587497>
- Hutasoit, M., Julianti, E., & Lubis, Z. (2018). Effect of Pretreatment on Purple-Fleshed Sweet Potato Flour for Cake Making. Faculty of Agriculture, Universitas Sumatera Utara. <https://doi.org/10.1088/1755-1315/122/1/012086>
- Jarrett, T. N., & Nash, T. (2012). Acids in Confections, *The Manufacturing Confectioner* 58–63. <https://pdfs.semanticscholar.org/d43a/1e9273d851703f6f42cc253329355e21d45a.pdf>
- Jenshi, J., Saravanakumar, M., Aravindhan, K. M., & Suganya, P. (2011). The Effect of Light , Temperature , pH on Stability of Anthocyanin Pigments in *Musa Acuminata* Bract, *I(5)*, 5–12. <https://updatepublishing.com/journal/index.php/ripb/article/view/2597>
- Kara, S., Ercelebi, E. A. (2013). Thermal Degradation Kinetics of Anthocyanins and Visual Colour of Urmu Mulberry (*Morus nigra* L.). *Journal of Food Engineering*, 116, 541–547. <http://dx.doi.org/10.1016/j.jfoodeng.2012.12.030>
- Khaltum, I. (2011). - The Effect of pH on Anthocyanin of Red Cabbage. *Applied Sciences*, 11(13). <https://doi.org/10.3923/jas.2011.2406.2410>
- Khoo, H. E. (2017). Anthocyanidins and Anthocyanins : Colored Pigments as Food , Pharmaceutical Ingredients , and The Potential Health Benefits. *Food & Nutrition Research*, 61(1). <https://doi.org/10.1080/16546628.2017.1361779>
- Koswara, S. (2009). *Pewarna Alami: Produksi dan Penggunaanya*. eBookPangan.com. <http://tekpan.unimus.ac.id/wp-content/uploads/2013/07/PEWARNAALAMI.pdf>
- Lamia, A. M., Al-Mashhedy, Fijer A. N. (2016). Acute Toxicity of Food Additives Tartrazine and Carmoisine on White Male Mice. *International Journal of PharmTech Research*, Vol 9 (4), 364-367. [https://www.researchgate.net/publication/303574369\\_Acute\\_toxicity\\_of\\_food\\_additives\\_tartrazine\\_and\\_carmoisine\\_on\\_white\\_male\\_mice](https://www.researchgate.net/publication/303574369_Acute_toxicity_of_food_additives_tartrazine_and_carmoisine_on_white_male_mice)
- MacDougall, D. B. (2002). *Colour in Food* (1 ed.). North America: Woodhead Publishing Limited. <https://doi.org/10.1016/B978-1-85573-590-3.50003-9>
- Mahdavi, S. A., Jafari, S. M., Ghorbani, M., & Assadpoor, E. (2014). Spray-Drying Microencapsulation of Anthocyanins By Natural Biopolymers: A Review. *Drying Technology*, 32(5), 509–518. <https://doi.org/10.1080/07373937.2013.839562>

- Martín, J., & Kuskoski, E. M. (2017). Antioxidant Capacity of Anthocyanin Pigments. From Biosynthesis to Human Health, IntechOpen <https://doi.org/10.5772/67718>
- Maruyama, F. T. (1970). Identification of Dimethyl Trisulfide as A Major Aroma Component of Cooked Vegetables. *Journal of Food Science*, 35: 540-543. <https://doi.org/10.1111/j.1365-2621.1970.tb04803.x>
- Mathlouthi, M. (1995). *Sucrose Properties and Applications* (1 ed.). Paris: Springer Science+Business Media Dordrecht. <https://doi.org/10.1007/978-1-4615-2676-6>
- Parisa, S. (2007). Effect of Heating, UV Irradiation and pH on Stability of the Anthocyanin Copigment Complex. *Pakistan Journal of Biological Sciences*, 10: 267-272. <https://doi.org/10.3923/pjbs.2007.267.272>
- Park, S., Valan, M., Lee, M., Chun, J., Min, J., Lee, S., Kim, S. (2014). Quantification of Glucosinolates, Anthocyanins, Free Amino Acids, and Vitamin C in Inbred Lines of Cabbage (*Brassica oleracea* L.). *Food Chemistry*, 145, 77–85. <https://doi.org/10.1016/j.foodchem.2013.08.010>
- Pliszka, B., & Czaplicki, S. (2009). Stability and Antioxidative Properties of Acylated Anthocyanins in Three Cultivars of Red Cabbage (*Brassica oleracea* L. var. *capitata* L. f. *rubra*), *Journal Science Food Agriculture*, 89: 1154–1158. <https://doi.org/10.1002/jsfa.3565>
- Putri, A. S., Bekti, E., & Haryati, S. (2018). Kandungan Antioksidan pada Kubis Merah (*Brassica oleracea* L.) dan Aplikasinya pada Pembuatan Kerupuk, *Metana* 14(1), 1–6. <https://ejournal.undip.ac.id/index.php/metana/article/view/19162>
- Rahardjo, P. (2018). Karakteristik Fisikokimia Serbuk Pewarna Alami dari Kubis Merah (*Brassica oleracea* L.) Hasil Cabinet Drying dan Freeze Drying dengan Variasi Konsentrasi Maltodekstrin dan Isolat Protein Kedelai. *Skripsi*. Universitas Katolik Soegijapranata Semarang. <http://repository.unika.ac.id/17394/1/14.II.0007%20PRISKA%20ADINA%20C%20HANDRA%20RAHARDJO%20%285.33%29.COVER.pdf>
- Reddy, A., Norris, D. F., Momeni, S., Waldo, B., & Ruby, J. D. (2016). The pH of Beverages in The United States, *Journal of American Dental Association* 1–9. <https://doi.org/10.1016/j.adaj.2015.10.019>
- Schab, D. W., & Trinh, N. H. T. (2004). Do Artificial Food Colors Promote Hyperactivity in Children With Hyperactive Syndromes? A Meta-Analysis of Double-Blind Placebo-Controlled Trials. *Journal of Developmental and Behavioral Pediatrics*, 25(6), 423–434. <https://doi.org/10.1097/00004703-200412000-00007>

SNI 01-3544-2013. SNI 01-3544-2013, Pub. L. No. SNI 3544:2013 (2013). Indonesia: Badan Standarisasi Nasional. [https://kupdf.net/download/sni-sirup\\_58ec4250dc0d608178da9810\\_pdf](https://kupdf.net/download/sni-sirup_58ec4250dc0d608178da9810_pdf)

Tensiska, Sumanti, D. M., Pratamawati, A. (2010). Stabilitas Pigmen Antosianin Kubis Merah (*Brassica Oleraceae Var Capitata L. F. Rubra (L) Thell*) Terenkapsulasi pada Minuman Ringan yang Dipasteurisasi. *Jurnal Ilmu-ilmu Hayati dan Fisik* 12(1), 41–49. <http://jurnal.unpad.ac.id/bionatura/article/view/7673>

Trissanthi, C. M., & Susanto, W. H. (2016). Pengaruh Konsentrasi Asam Sitrat dan Lama Pemanasan Terhadap Karakteristik Kimia dan Organoleptik Sirup Alang-Alang (*Imperata cylindrica*). *Jurnal Pangan dan Agroindustri* Vol., 4(1), 180–189. <https://jpa.ub.ac.id/index.php/jpa/article/view/318/329>

USDA, NRCS. (2018). The PLANTS Database (<http://plants.usda.gov>, 20 Maret 2019). National Plant Data Team, Greensboro, NC 27401-4901 USA. <https://ndb.nal.usda.gov/ndb/foods/show/11112?format=Full>

Wilberforce, J. O. (2016). Using Refractometer to Determine the Sugar Content in Soft Drinks Commonly Consumed In Abakaliki, Nigeria. *Journal of Applied Chemistry (IOSR-JAC)* Vol., 9 (7), 89-91. <http://www.iosrjournals.org/iosr-jac/papers/vol9-issue7/Version-1/N0907018991.pdf>

