th October 21, 2009
National Student Conference
on Food Science and Technology

Celebrating Food Diversity:

From Ideas to Innovation


PROCEEDINGS

Editor: Haniel Yudiar, Inneke Hantoro, Kartika Puspa Dwiana, Laksmi Hartayanie, and Sumardi






I.B.b.3.2









Jalan Pawiyatan Luhur IV/1 Bendan Duwur Semarang 50234 Telepon 024-8441555 (hunting) Faksimile 024-8445265, 8415429 e-mail: unika@unika.ac.id http://www.unika.ac.id

Proceedings The 9th National Student Conference "Celebrating Food Diversity: From Ideas to Innovation"

Copyright © Lembaga Penelitian, UNIKA Soegijapranata 2008

Penerbit Universitas Katolik Soegijapranata Jl. Pawiyatan Luhur IV/I Bendan Duwur Semarang Telp. 024-8316142 – 441555 (hunting), Fax. 024-8415429, 8445265 e-mail:penerbitan@unika.ac.id

ISBN 978-979-1268-67-7

PREFACE

Food diversity nowadays is not only associated with the abundant varieties of food resources but also become an important factor in food product development. One of the main challenge in food science and technology is how to generate creative ideas which in turn will be developed into innovative products. Realizing the importance of food diversity in food product innovation, Department of Food Technology, Faculty of Agricultural Technology, Soegijapranata Catholic University organized the 9th National Student Conference on Food Science and Technology, held on October 21st, 2009, with the main theme "Celebrating Food Diversity: From Ideas to Innovation".

The 9th NSC set a platform for idea exchanges in the field of innovation for food diversity. The conference also becomes a medium for students, especially of food science and technology and other related fields to share their research findings, experiences and knowledge in a scientific setting. This proceeding brings together papers of plenary presentation and platform presentations which covered following topics: Food Innovation and Diversity; Food Quality and Safety; Functional Food; Food for Lifestyle; and Food Marketing and Business.

The Committee of 9th National Student Conference in Food Science and Technology is grateful to all honorable speakers, participants and sponsors, for joining this conference and for their valuable contribution on the conference.

Semarang, October 2009

PLENARY SESSION

TITLE / AUTHOR	PAGE
Diversity & Quality Improvement Of Food Ingredients	1
Edoardus Barlian Indratama	,

FOOD INNOVATION AND DIVERSITY

TITLE/AUTHOR	PAGE
Utilization of Adzuki Bean and Rice Flour as the Raw Materials for	9
Highly Nutritive and Gluten Free Flakes	
Melody Angela Mary Gani and Jovian Bunawan	
Slam-a-jam: Renaissance and Modern Concept of Healthy Single	19
Rosella Jam	
Mikhael Dominico and Jovian Bunawan	
The Effect of Cowpea Flour Addition on the Protein Contents and	28
Physical Properties of Rice Cake	
Agustina Pusparini and Ch. Yayuk Trisnawati	
Burial Method for Cassava (Manihot utilissima) Preservation in Small-	39
Scale Farm	
Natalia Gunawan, Elvira Marcellina, Dea Nathania Puteri,	
Christina Sigit, and Sumardi	
The Development of Cassava Noodle in Order to Increase	43
Consumption of Cassava Based Food Product	
Yoas Masadi Wibowo, Wong Wan Yung, Benyamin Tejo, Deon	
Abhiyoga Pramono and Sumardi	
From Old Fashioned to Fancy and Instant Tempeh	50
Fenny Meliawati and Fenny Irawan	

FOOD FOR LIFESTYLE

TITLE/AUTHOR	PAGE
Possibility of Replacing White Rice with Brown Rice for Daily	52
Consumption	
Christina Natalya, Rosaline Surya Dewi, Deasy Noviani, Diana	
Christy, and Sumardi	
The Javanese Coffee Mascot, Will We Still Have It?	66
Vincen Kurniawan, Novia Natalie, Heny Ratih, Emanuel Jeffry	
Senjaya, and Sumardi	

FOOD QUALITY AND SAFETY

TOCAL CITY TO A COLOR OF THE TOTAL A SHAPE	PAGE
Effect of Taro Tuber Starch (Colocasia esculenta L. Schoot) and Isomalt Addition to Physical and Sensory Properties on Low Calorie	71
Yoghurt M. I Sabrina Sutandeo, Edwina Pariwono, Verawati Nyoto, and Notto Kusumawati	
Netty Kusumawati	79
Pangium Edule, Natural Food Preservative As an Alternative Formalin	19
Bening Wiji	0.4
Evaluation of Freeze-Dried Kefir Grain in Hard Type Cheese	84
Production	
Putri Anggunsari, A.M Legowo, and Ma Meihu	0.6
Nisin production in Whey Media Using Mixed Culture of Lactococcus	96
Lactis subs. lactis and Saccharomyces Cerevisiae	
Kania Kurniawan and Christin Tri Tantomo	100
Effect Of Drying Methods And Types Of Hydrocolloid On The	102
Product Quality Of Brown Rice (Oryza Sativa Linn) Karak Chips	
Meta Dewinta S., Dhesy Arum Findarany, Lindayani, and Fifi	
Sutanto Darmadi	110
Heatless Oxygen Removal Process Of Coconut Water For Isotonic	112
Drink B. T. Time I and Testing Normalis	
Brian Fu Tjong, Irvan Kartawiria, and Tutun Nugraha	122
Evaluation Of Traditional Essential Oils As Preservative In Bakery	122
Product New Produc	
Nani Pasaribu, Filiana Santoso, and Astari Widya Dharma	132
Purification Of High Grade Bromelain From Pineapple	132
Pandjaitan M, Venni C, and Narita V	142
Dilemma of Using Artificial Sugar in Food's Product Maria Elda A.A.P., Y.AA Widia Primastika, Maya Mahayani,	144
Yosephine Agustina N.Y., and Sumardi Storage and Distribution Method of Fresh Milkfish in Tugurejo,	149
	177
Semarang Tommy Setia Hardika, Gregorius. A. Gilang, Vincentia Prota,	
Claudena Rachelina, and Sumardi	
Extending the Shelf Life of "Arem-Arem" Using Vacuum Packaging	158
and Stream Pasteurization	150
Johan Wibowo, Teddy, Edwin Sugiharto Widjaya, Laksmie	
Hartayanie, and Sumardi	
The Wax Coating Technology of Euphoria longan	163
Tabitha Yani, Imelda Sudibyo, Amelia Kosasih, Gladys Delarosa,	* 25
and Sumardi	
Maximizing the Shelf Life of Soybean and Its Products to Decrease	171
Post Harvest Looses	1/1
Novita Ika Putri, Nicholas B.J., Fifilia Rahardjo, Citra Dewi	
Hartanti, and Sumardi	

The Effect of Pasteurization and the Addition of Lactoperoxydase on	184
the Goat Milk's Shelf Life	
Erni Yanti, Laksmi Hartayanie, and Inneke Hantoro	
Analysis Comparison of Different Storage Methods at Red Dragon	190
Fruit Quality	
Yohana Amelia Wibisono, Dewi Kumalasari, Elisabeth Ria Noventa,	
Devina Setiadi, and Sumardi	

FUNCTIONAL FOOD

TITLE/AUTHOR	PAGE
Renal Protection Activities and Hypocholesteromic Effects of Black	199
Soyghurt in Acute Renal Failure Rats Model Due to Potassium	
Bromate Injection	
Rio Jati Kusuma, Sri Lestari, Fadhila Pratamasari, and Susetyowati	
Physicochemical and Sensory Analysis of Marsmallow With Red Beet	208
(Beta vulgaris) Extract	
Dwi Utami Widyastuti, V. Raina Basilia Prasatya, Fenny	
Kristinawati, and Kartika Puspa Dwiana	
Corncobs As Natural Antioxidant For Palm Frying Oil	218
Yulianus, Viska M., Nani Indraswati, and Aning Ayucitra	
The Effect Of Protein Based Fat Replacer On The Sensory And	227
Physicochemical Properties Of Low Fat Curcuma Ice Cream	
Eunike Nissi S.H, Laksmi Hartayanie, and Inneke Hantoro	
Antiproliferative Activity of Indonesian Herbal Extracts on Human	238
Promyelcytic Leukemia Cells (HL-60)	
Tri Hapsari Kusumowardani and De-Xing Hou	
YO-C-FI: All Nature's Good In A Bottle	246
Hendry Christian Rusady and Wirawan Cuanda	

FOOD MARKETING AND BUSSINESS

TITLE/AUTHOR	PAGE
A Business Opportunity and Marketing Strategy of Papaya 'Sunrise'	248
(Carica papaya L.) as a Diversification of Food for Small Farmers	
Novika and Kusnaman	
The Challenge of Cacao Processing Technology in Indonesia	257
Njoo jan Christian, Vincentius Vincent, Yusup Nico, and Sumardi	
Post Harvest Handling of Chicken Egg in Gunung Pati	264
Donny Setiadi, R. Sunu Prayoga, Hengky Saputra, Mario Febrianto,	
and Sumardi	
Some Weaknesses in Post Harvest Management of Broiler Chicken	271
Handling	
Elke Novionalita H., Melita Widodo, Jessica Ratna Dewi, Grace	
Kristiani and Sumardi	
The Comparison Between Traditional Market and Modern Market in	279
Post Harvest Handling of Arum Manis Mangoes and Effects in	
Physical Appearance to Quality of Product	
Leonita Cattleya, Ranu Merry Cristie Br. Gultom, Martha Intan	
Budiati, Theodora Dyah Ayu, and Sumardi	

EXTENDING THE SHELF LIFE OF "AREM-AREM" USING VACUUM PACKAGING AND STEAM PASTEURIZATION

Johan Wibowo¹⁾; Teddy¹⁾; Edwin Sugiharto Widjaja¹⁾; Laksmi Hartayanie²⁾; and Sumardi²⁾

Students; Department of Food Technology; Faculty of Agricultural Technology; Soegijapranata Catholic University, Semarang

²⁾Lecturers; Department of Food Technology; Faculty of Agricultural Technology; Soegijapranata Catholic University, Semarang

ABSTRACT

One of the disadvantages of traditional food is having short shelf life because the food is made in traditional manner that poor in sanitation. Locally called "Arem-arem", is a traditional rice cake, made from rice, cooked with coconut milk and salt, filled with cooked chicken meat and wrapped with banana leaf then is steamed for about 1 hour. Field observation found that the shelf life of "arem-arem" is less then 24 hours. Some factors that influencing the spoilage are microbial growth and chemical reactions. A study was carried out to extend the shelf life of the "arem-arem" by vacuum packaged using nylon LLDPE plastic, combined with steam pasteurization (\pm 97°C) for 9 minutes. The evaluation of the shelf life was run in two ways; physical (sensory) and microbiology evaluations (TPC). Microbial growth was observed every 12 hours for 5 days. The result shows that the spoilage characteristic of the "arem-arem" showed in the 5th day of the storage, compared to the control which was 1 day; means that the treatment extended the shelf life for 4 days. The vacuum packaged was likely effective to decrease the number of initial microorganism.

Keywords: "arem-arem", shelf-life, vacuum packaged, steam pasteurization

INTRODUCTION

"Arem-arem" is a rice cake traditional snack, made from rice, cooked with coconut milk and salt, filled with cooked chicken meat and wrapped with banana leaf then is steamed for about 1 hours (Ekawatiningsih et al., 2008). One of the disadvantages of traditional food is having short shelf life, because, the food is made in traditional manner that poor spoilage caused by sanitation. The contamination of microorganism. Microorganism can live in everywhere and condition (even in extreme temperature, pressure, pH, and water activity) (Winarno, 1994).

According to Winarno (1994) there are 2 factors that influence microbial growth that is internal and external factors. The internal factors are pH, water activity, oxygen pressure, nutritional content, and inhibitor substance. The external factors are temperature, growth phase of microorganism, gas availability, and radiation. Microorganism has its

National Student Conference on Food Science & Technology
"Celebrating Food Diversity: From Ideas to Innovation"

Department of Food Technology, Soegijapranata Catholic University, October 21, 2009

minimum, maximum, and optimum pH for their growth. Most of microorganism can growth well in food that has pH about 4,6-7,5.

Chemical reaction and spoilage under storage on food is influenced by water content (Sun *et al*, 2002). The growth of microorganism and chemical reaction can inhibited by lower water content except for fat oxidation, Maillard reaction, and enzyme reaction. Most of microorganisms need oxygen for growth. If the exposure of oxygen on food is high, microorganism can growth well (Winarno, 1994).

Some treatment can be applied to inhibit microbial growth, such as: modified atmosphere packaging and high temperature. According to Welt (2003), there are 2 advantages for using Reducing Oxygen Packaging, those are improve production, handling, and distribution efficiency and extension of the shelf life. For the example of Reducing Oxygen Packaging is vacuum packaging. The inhibitory effect of vacuum packaging is influenced by initial amount microorganism. If the initial amount of microorganism is high, the inhibitory effect will be low (Kadoya, 1990).

Heat treatment can be used to decrease the initial amount of microorganism.

Sterilization, pasteurization, and blanching are the examples of heat treatment. One of the most applicable is pasteurization. There are 2 purpose of using pasteurization, the first is to kill pathogenic microorganism in dairy products and the second is to extend the shelf life of food from microbiology and enzymatic factor (Potter & Hotchkiss, 1996).

The purpose of this preliminary study is to investigate the effect of combination between vacuum packaging and pasteurization to *arem-arem*'s shelf life in sensory and microbiological aspect.

MATERIALS AND METHODS

Preparation of "arem-arem"

First all spices are grinded, then "sambal goreng" from chicken meat is made. After that, coconut milk, pandan leaf, and salt is cooked with rice until all the coconut milk is absorbed by the rice. Then banana leafs are prepared, after that the rice and "sambal goreng" is placed on the banana leaf, and then the leaf is rolled. Finally, the leaf containing rice and "sambal goreng" is steamed until it well cooked. After that, some of the "arem-arem" is vacuum packaged and then steam pasteurized for 9 minutes, and the rest of the "arem-arem" were used as a control.




Figure 1. Flow Chart of making "arem-arem"

Microbiology test

In this study, the microbiology test using TPC (Total Plate Count) method. First, the sample is homogenized, pick 1 gram of the sample and dilute with 9 ml sterilized aquades (10⁻¹ dilution) then series of tenfold dilution is made until certain dilution (in this observation 10⁻⁶). After that dilution series 10⁻², 10⁻⁴², and 10⁻⁶ is taken as much as 0,1 to be spread on pre-poured plates using media Nutrient Agar. Then it is incubated at 37 °C for 24 hours (Handayani et al., 2004).

RESULT AND DISCUSSION

The control "arem-arem" was spoiled after 24 hours. Some factor that caused

the spoilage is "arem-arem" is made from rice and meat chicken so it can be classified as low acid food beside that "arem-arem" has high water content. This condition can promote microbial growth very well. The smell become acidic and the texture become softer and there was some sticky liquid in the surfaces of "arem-arem", it shows that "arem-arem" has been spoilage.

In this pre-observation, "arem-arem" was treated with vacuum packaging and pasteurization. The sensory characteristic of the products which is vacuum packaged and pasteurized were not change until 92 hours. It means that vacuum packaged and pasteurization can extend the shelf life. The vacuum packaging will cause

National Student Conference on Food Science & Technology "Celebrating Food Diversity: From Ideas to Innovation" Department of Food Technology, Soegijapranata Catholic University, October 21, 2009 reduction of gas residue (oxygen) and increase amount of CO₂ which can inhibit microbial growth (Kadoya, 1990). In the microbial analysis from the vacuum packaged "arem-arem", the TPC data can be seen in the table below:

Table 1. Total colony of "arem-arem" storaging in room temperature.

Storage Period (30°C)	Total Colony
4 hours	-
8 hours	-
20 hours	$5x10^{2}$
32 hours	5.2×10^3
44 hours	$2x10^{2}$
56 hours	1.3×10^4
68 hours	4.6×10^3
80 hours	$1.3x10^4$
92 hours	4.6×10^5
104 hours	2.4×10^5




Figure 1. Growth of microorganism in "arem-arem"

Using SNI 01-6366-2000 of as the reference, the maximum TPC that can be tolerance is 10⁵. According result of this observation, it can be said that the spoilage of "arem-arem" start at 92 hours of storage.

This spoilage is caused by microorganism activity that produce enzyme such as lipase and protease. These enzymes will break lipid and protein substance and produce organic compound which is volatile or not. The volatile compound will cause off odor that can be linked to food spoilage. Beside the off odor, the

microorganism will also produce extracellular polysaccharides and it will look like sticky liquid in the food surfaces where the microorganism is (Peter & Bogh, 2003).

CONCLUSION

Combination of vacuum packaging and pasteurization can extend the shelf life of "arem-arem" about 62 hours. For further observation, correlation about vacuum packaging only and combination between vacuum packaging and pasteurization will be observed.

National Student Conference on Food Science & Technology "Celebrating Food Diversity: From Ideas to Innovation" Department of Food Technology, Soegijapranata Catholic University, October 21, 2009

REFERENCES

Ekawatiningsih, P.; Komariah, K.; & Purwanti S. (2008). Restoran Jilid 2 untuk SMK.

http://modul.tedcbandung.com/bse/smk/smk11%20Restoran%20Prihastuti.pdf.

Handayani, N.M.S.; Dewi, A.A.S; Riti, N.; dan Ardana, I.G.P.S.. (2004). Cemaran Mikroba dan Residu Antibiotika Pada Produk Asal Hewan di Propinsi Bali, NTB, dan NTT Tahun 2003-2004. www.bppw-dps.info.com.

Kadoya, T. (1990). Food Packaging. Academic Press Inc. San Diego, California.

Potter, N.N. & Hotchkiss, H.J. (1996) Food Science 5th edition. CBS Publisher. New Delhi.

Sun, Q; Senegal, A.; Chinachoti, P.; & C. Faustman. (2002). Effect of Water Activity on Lipid Oxidation and Protein Solubility in Freeze-Dried Beef during Storage. Journal of Food Science Vol 67, No.7.

Welt, B.A.; Sage, D.S.1 & Berger; K.L. (2003). Performance Specification of Time-temprature Intregators Designed to Protect Against Botulism in Refrigerated Fresh Foods. Journal of Food Science Vol 68, No.1.

Winarno, F.G. (1994). Sterilisasi Komersial Produk Pangan. Gramedia. Jakarta.

Zeuthen, Peter & Sorensen, Leif Bogh. (2003). Food Preservation Techniques. CRC Press, New York.