

## DAFTAR PUSTAKA

- [1] A. P. Khedkar and P. S. Swami, "Comparative study of asymmetric bridge and split AC supply converter for switched reluctance motor," *6th Int. Conf. Comput. Power, Energy, Inf. Commun. ICCPEIC 2017*, vol. 2018–Janua, pp. 522–526, 2018, doi: 10.1109/ICCPEIC.2017.8290421.
- [2] S. Kannan, "Novel rotor and stator swapped switched reluctance motor," *PEDES 2012 - IEEE Int. Conf. Power Electron. Drives Energy Syst.*, pp. 8–11, 2012, doi: 10.1109/PEDES.2012.6484477.
- [3] A. Siadatan, N. Fatahi, and M. Sedaghat, "Optimum Designed Multilayer Switched Reluctance Motors for use in Electric Vehicles to Increase Efficiency," *SPEEDAM 2018 - Proc. Int. Symp. Power Electron. Electr. Drives, Autom. Motion*, pp. 304–308, 2018, doi: 10.1109/SPEEDAM.2018.8445215.
- [4] J. A. Dominguez-Navarro, J. S. Artal-Sevil, H. A. Pascual, and J. L. Bernal-Agustin, "Fuzzy-logic strategy control for switched reluctance machine," *2018 13th Int. Conf. Ecol. Veh. Renew. Energies, EVER 2018*, pp. 1–5, 2018, doi: 10.1109/EVER.2018.8362403.
- [5] V. Wijaya and S. Riyadi, "Implementation of Input Capture Method on Switched Reluctance Motor to Obtain Precise Commutation Signals," *CENCON 2019 - 2019 IEEE Conf. Energy Convers.*, vol. 2019–Janua, pp. 110–114, 2019, doi: 10.1109/CENCON47160.2019.8974776.
- [6] J. Cai, L. Lu, Z. Liu, H. Jia, X. Zhao, and F. Xu, "An inductive position

- sensor with switched reluctance motor structure,” *2017 20th Int. Conf. Electr. Mach. Syst. ICEMS 2017*, pp. 12–15, 2017, doi: 10.1109/ICEMS.2017.8056495.
- [7] J. Cai and Z. Deng, “SwiTChed-reluctance position sensor,” *IEEE Trans. Magn.*, vol. 50, no. 11, pp. 3–6, 2014, doi: 10.1109/TMAG.2014.2329957.
- [8] L. Zhang and C. Liu, “A Sensorless Techniques for Switched Reluctance Motor Considering Mutual Inductances,” no. Itoec, pp. 1425–1428, 2020, doi: 10.1109/itoec49072.2020.9141636.
- [9] S. Kuai, V. Rallabandi, and D. M. Ionel, “Sensorless control of three phase switched reluctance motor drives using an approximate inductance model,” *2017 IEEE Int. Electr. Mach. Drives Conf. IEMDC 2017*, pp. 0–5, 2017, doi: 10.1109/IEMDC.2017.8002369.
- [10] E. Ofori, T. Husain, Y. Sozer, and I. Husain, “A Pulse-Injection-Based Sensorless Position Estimation Method for a Switched Reluctance Machine Over a Wide Speed Range,” *IEEE Trans. Ind. Appl.*, vol. 51, no. 5, pp. 3867–3876, 2015, doi: 10.1109/TIA.2015.2420618.
- [11] S. Pratapgiri, “Hysteresis current control of switched reluctance motor using three term inductance model,” *2016 IEEE 7th Power India Int. Conf. PIICON 2016*, no. 2, pp. 0–5, 2017, doi: 10.1109/POWERI.2016.8077220.
- [12] S. Riyadi, *Konverter Statis untuk Penggerak Motor Switched Reluctance*. Semarang: Universitas Katolik Soegijapranta, 2019.
- [13] S. Riyadi, “Control Strategy for Switched Reluctance Motor With Rotary Encoder Based Rotor Position,” pp. 261–270, 2018, doi:

10.15598/aeee.v16i3.

