

5. DAFTAR PUSTAKA

- Ahmed, T., Shahid, M., Azeem, F., Rasul, I., Shah, A. A., Noman, M., Hameed, A., Manzoor, N., Manzoor, I., & Muhammad, S. (2018). Biodegradation of plastics: current scenario and future prospects for environmental safety. *Environmental Science and Pollution Research*, 25(8), 7287–7298. <https://doi.org/10.1007/s11356-018-1234-9>
- Arena, M., Abbate, C., Fukushima, K., & Gennari, M. (2011). Degradation of poly (lactic acid) and nanocomposites by *Bacillus licheniformis*. *Environmental Science and Pollution Research*, 18(6), 865–870. <https://doi.org/10.1007/s11356-011-0443-2>
- Barros, F. F. C., Simiqueli, A. P. R., de Andrade, C. J., & Pastore, G. M. (2013). Production of Enzymes from Agroindustrial Wastes by Biosurfactant-Producing Strains of *Bacillus subtilis*. *Biotechnology Research International*, 2013, 1–9. <https://doi.org/10.1155/2013/103960>
- Bhatia, A., Gupta, R. K., & Choi, H. J. (2007). *Compatibility of biodegradable poly (lactic acid) (PLA) and poly (butylene succinate) (PBS) blends for packaging application*. 19(3), 125–131.
- Chaisu, K., Charles, A. L., Guu, Y., & Chiu, C. (2012). Optimization of Poly Lactic Acid (PLA) Plastic Degradation by *Aneurinibacillus Migulanus* Using Response Surface Methodology. *International Proceedings of Chemical, Biological & Environmenta*, 40, 22–27.
- Ebnesajjad, S. (2014). Surface and Material Characterization Techniques. In *Surface Treatment of Materials for Adhesive Bonding*. <https://doi.org/10.1016/b978-0-323-26435-8.00004-6>
- Fukushima, K., Abbate, C., Tabuani, D., Gennari, M., & Camino, G. (2009). Biodegradation of poly(lactic acid) and its nanocomposites. *Polymer Degradation and Stability*, 94(10), 1646–1655. <https://doi.org/10.1016/j.polymdegradstab.2009.07.001>
- Gaud, Dr R. S., Dr. G. D. Gupta, & S. B. Gokhale. 2008. *Practical Biotechnology*. Nirali Prakashan. India
- Gill, P., Moghadam, T. T., & Ranjbar, B. (2010). Differential Scanning Calorimetry Techniques: Applications in Biology and Nanoscience. *J Biomol Tech*, 21(4), 167–193.
- Goyal, K. A. 2003. *Animal Physiology*. Rastogi Publications. India
- Ikura, Y., & Kudo, T. (1999). Isolation of a microorganism capable of degrading poly-(L-lactide). *Journal of General and Applied Microbiology*, 45(5), 247–251. <https://doi.org/10.2323/jgam.45.247>
- Jambeck, J. R., Geyer, R., Wilcox, C., Siegler, T. R., Perryman, M., Andrady, A., Narayan, R., & Law, K. L. (2015). *the ocean*. September 2014.
- Jarerat, A., Pranamuda, H., & Tokiwa, Y. (2002). Poly(L-lactide)-degrading activity in various actinomycetes. *Macromolecular Bioscience*, 2(9), 420–428.

<https://doi.org/10.1002/mabi.200290001>

- Jararat, A., & Tokiwa, Y. (2001). Degradation of Poly(L-lactide) by a Fungus. *Macromolecular Bioscience*, 1(4), 136–140. [https://doi.org/10.1002/1616-5195\(20010601\)1:4<136::AID-MABI136>3.0.CO;2-3](https://doi.org/10.1002/1616-5195(20010601)1:4<136::AID-MABI136>3.0.CO;2-3)
- Jararat, A., & Tokiwa, Y. (2003). *Poly (L -lactide) degradation by Saccharothrix waywayandensis*. 1012, 401–404.
- Jararat, A., Tokiwa, Y., & Tanaka, H. (2003). Poly(L-lactide) degradation by *Kibdelosporangium aridum*. *Biotechnology Letters*, 25(23), 2035–2038. <https://doi.org/10.1023/B:BILE.0000004398.38799.29>
- Jararat, A., Tokiwa, Y., & Tanaka, H. (2004). *Microbial Poly (L -lactide) -Degrading Enzyme Induced by Amino Acids , Peptides , and Poly (L -amino Acids)*. 12(3).
- Jayasekara, R., Harding, I., Bowater, I., & Lonergan, G. (2005). Biodegradability of a selected range of polymers and polymer blends and standard methods for assessment of biodegradation. *Journal of Polymers and the Environment*, 13(3), 231–251. <https://doi.org/10.1007/s10924-005-4758-2>
- Jeon, H. J., & Kim, M. N. (2013). Biodegradation of poly(l-lactide) (PLA) exposed to UV irradiation by a mesophilic bacterium. *International Biodeterioration and Biodegradation*, 85, 289–293. <https://doi.org/10.1016/j.ibiod.2013.08.013>
- John, R. P., Gangadharan, D., & Madhavan Nampoothiri, K. (2008). Genome shuffling of *Lactobacillus delbrueckii* mutant and *Bacillus amyloliquefaciens* through protoplasmic fusion for l-lactic acid production from starchy wastes. *Bioresource Technology*, 99(17), 8008–8015. <https://doi.org/10.1016/j.biortech.2008.03.058>
- Karamanlioglu, M., Preziosi, R., & Robson, G. D. (2017). Abiotic and biotic environmental degradation of the bioplastic polymer poly(lactic acid): A review. *Polymer Degradation and Stability*, 137, 122–130. <https://doi.org/10.1016/j.polymdegradstab.2017.01.009>
- Konkit, M., Jararat, A., Kamongnuch, C., Lumyong, S., & Pathom-aree, W. (2012). *Poly (lactide) Degradation By Pseudonocardia alni*. 39(1), 128–132. <https://doi.org/10.2/2555,9:06>
- Lee, S. H., Kim, I. Y., & Song, W. S. (2014). Biodegradation of polylactic acid (PLA) fibers using different enzymes. *Macromolecular Research*, 22(6), 657–663. <https://doi.org/10.1007/s13233-014-2107-9>
- Li, F. J., Tan, L. C., Zhang, S. D., & Zhu, B. (2016). Compatibility, steady and dynamic rheological behaviors of polylactide/poly(ethylene glycol) blends. *Journal of Applied Polymer Science*, 133(4), 1–10. <https://doi.org/10.1002/app.42919>
- Li, F., Wang, S., Liu, W., & Chen, G. (2008). Purification and characterization of poly(l-lactic acid)-degrading enzymes from *Amycolatopsis orientalis* ssp. *orientalis*. *FEMS Microbiology Letters*, 282(1), 52–58. <https://doi.org/10.1111/j.1574-6968.2008.01109.x>
- Liang, T. W., Jen, S. N., Nguyen, A. D., & Wang, S. L. (2016). Application of Chitinous materials in production and purification of a poly(L-lactic acid) depolymerase from

- Pseudomonas tamsuii* TKU015. *Polymers*, 8(3), 1–11. <https://doi.org/10.3390/polym8030098>
- Lipsa, R., Tudorachi, N., Darie-Nita, R. N., Oprică, L., Vasile, C., & Chiriac, A. (2016). Biodegradation of poly(lactic acid) and some of its based systems with *Trichoderma viride*. *International Journal of Biological Macromolecules*, 88, 515–526. <https://doi.org/10.1016/j.ijbiomac.2016.04.017>
- Lomthong, T., Hanphakphoom, S., & Yoksan, R. (2015). International Biodeterioration & Biodegradation Co-production of poly (L -lactide) -degrading enzyme and raw starch-degrading enzyme by *Laceyella sacchari* LP175 using agricultural products as substrate , and their ef fi ciency on biodegradation of poly . *International Biodeterioration & Biodegradation*, 104, 401–410. <https://doi.org/10.1016/j.ibiod.2015.07.011>
- Martucci, J. F., & Ruseckaite, R. A. (2015). Biodegradation behavior of three-layer sheets based on gelatin and poly (lactic acid) buried under indoor soil conditions. *Polymer Degradation and Stability*, 116, 36–44. <https://doi.org/10.1016/j.polymdegradstab.2015.03.005>
- Masaki, K., Kamini, N. R., & Iefuji, H. (2005). Cutinase-Like Enzyme from the Yeast. *Society*, 71(11), 7548–7550. <https://doi.org/10.1128/AEM.71.11.7548>
- Mohamed, M. A., Jaafar, J., Ismail, A. F., Othman, M. H. D., & Rahman, M. A. (2017). Four Transform Infrared (FTIR) Spectroscopy. In *Membrane Characterization*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63776-5.00001-2>
- Murariu, M., & Dubois, P. (2016). PLA composites: From production to properties. *Advanced Drug Delivery Reviews*, 107, 17–46. <https://doi.org/10.1016/j.addr.2016.04.003>
- Nair, N. R., Sekhar, V. C., & Nampoothiri, K. M. (2015). Augmentation of a Microbial Consortium for Enhanced Polylactide (PLA) Degradation. *Indian Journal of Microbiology*, 56(1), 59–63. <https://doi.org/10.1007/s12088-015-0559-z>
- Nakamura, K., Tomita, T., Abe, N., & Kamio, Y. (2001). Purification and characterization of an extracellular poly(L-lactic acid) depolymerase from a soil isolate, *amycolatopsis* sp. strain K104-1. *Applied and Environmental Microbiology*, 67(1), 345–353. <https://doi.org/10.1128/AEM.67.1.345-353.2001>
- Nampoothiri, K. M., Nair, N. R., & John, R. P. (2010). Bioresource Technology An overview of the recent developments in polylactide (PLA) research. *Bioresource Technology*, 101(22), 8493–8501. <https://doi.org/10.1016/j.biortech.2010.05.092>
- Ohkita, T., & Lee, S. H. (2006). Thermal degradation and biodegradability of poly (lactic acid)/corn starch biocomposites. *Journal of Applied Polymer Science*, 100(4), 3009–3017. <https://doi.org/10.1002/app.23425>
- Ouchi, T., & Ohya, Y. (2003). *Design of Lactide Copolymers as Biomaterials*. January, 453–462.
- Oyewole, O. ., Oyeleke, S. B., Dauda, B. E. ., & Emiade, S. (2011). *Production of Amylase and Protease Enzymes by Aspergillus niger and Penicillium frequestantans*

Isolated from Abattoir Effluent (pp. 174–180). *Microbiology Journal* 1 (5).

- Panda, A. K., Bisht, S. S., De Mandal, S., & Kumar, N. S. (2019). Microbial Diversity of Thermophiles Through the Lens of Next Generation Sequencing. In *Microbial Diversity in the Genomic Era*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-814849-5.00013-7>
- Perego, G., Cella, G. D., & Bastloll, C. (1996). *Effect of Molecular Weight and Crystallinity on Poly (lactic acid) Mechanical Properties*. 37–43.
- Pranamuda, H., Tokiwa, Y., & Tanaka, H. (1997). Polylactide degradation by an Amycolatopsis sp. *Applied and Environmental Microbiology*, 63(4), 1637–1640. <https://doi.org/10.1128/aem.63.4.1637-1640.1997>
- Premraj, R., & Doble, M. (2005). Biodegradation of polymers. *Indian Journal of Biotechnology*, 4(2), 186–193. <https://doi.org/10.17516/1997-1389-2015-8-2-113-130>
- Qi, X., Ren, Y., & Wang, X. (2017). New advances in the biodegradation of Poly(lactic) acid. *International Biodeterioration and Biodegradation*, 117, 215–223. <https://doi.org/10.1016/j.ibiod.2017.01.010>
- Rogosic, M., Mencer, H. J., & Gomzi, Z. (1996). *POLYDISPERSITY INDEX AND MOLECULAR*. 32(Ii), 1337–1344.
- Saini, R. D. (1998). BIODEGRADABLE POLYMERS Review. *Polymer Science*, 13(2), 179–196. https://www.ripublication.com/ijac17/ijacv13n2_02.pdf
- Seymour, R. B. (1899). *Journal of Macromolecular Science : Part A - Chemistry Polymer Science Before and After 1899 : Notable Developments During the Lifetime of Maurits Dekker*. September 2013, 37–41. <https://doi.org/10.1080/00222338908052032>
- Shah, A. A., Hasan, F., Hameed, A., & Ahmed, S. (2008). Biological degradation of plastics: A comprehensive review. *Biotechnology Advances*, 26(3), 246–265. <https://doi.org/10.1016/j.biotechadv.2007.12.005>
- Shimao, M. (2001). Biodegradation of plastics Masayuki Shimao. *Current Opinion in Biotechnology*, 12, 242–247.
- Singh, A. K. (2016). Experimental Methodologies for the Characterization of Nanoparticles. In *Engineered Nanoparticles*. <https://doi.org/10.1016/b978-0-12-801406-6.00004-2>
- Sinha Ray, S. (2013). Techniques for characterizing the structure and properties of polymer nanocomposites. *Environmentally Friendly Polymer Nanocomposites*, 74–88. <https://doi.org/10.1533/9780857097828.1.74>
- Stoleru, E., Hitruc, E. G., Vasile, C., & Oprică, L. (2017). Biodegradation of poly(lactic acid)/chitosan stratified composites in presence of the Phanerochaete chrysosporium fungus. *Polymer Degradation and Stability*, 143, 118–129. <https://doi.org/10.1016/j.polymdegradstab.2017.06.023>
- Süfer, Ö. (2017). Poly (Lactic Acid) Films in Food Packaging Systems. *Food Science &*

- Nutrition Technology*, 2(4). <https://doi.org/10.23880/fsnt-16000131>
- Tokiwa, Y., & Calabia, B. P. (2006). *Biodegradability and biodegradation of poly (lactide)*. 244–251. <https://doi.org/10.1007/s00253-006-0488-1>
- Tokiwa, Y., & Jarerat, A. (2004). Biodegradation of poly(L-lactide). *Biotechnology Letters*, 26(10), 771–777. <https://doi.org/10.1023/B:BILE.0000025927.31028.e3>
- Tomita, K., Kuroki, Y., & Nagai, K. (1999). Isolation of thermophiles degrading poly(L-lactic acid). *Journal of Bioscience and Bioengineering*, 87(6), 752–755. [https://doi.org/10.1016/S1389-1723\(99\)80148-0](https://doi.org/10.1016/S1389-1723(99)80148-0)
- Tomita, K., Nakajima, T., Kikuchi, Y., & Miwa, N. (2004). Degradation of poly(L-lactic acid) by a newly isolated thermophile. *Polymer Degradation and Stability*, 84(3), 433–438. <https://doi.org/10.1016/j.polymdegradstab.2003.12.006>
- Viéville, J., Tanty, M., & Delsuc, M. (2011). *Polydispersity index of polymers revealed by DOSY NMR*. 212, 169–173. <https://doi.org/10.1016/j.jmr.2011.06.020>
- Wang, R., Wang, S., Zhang, Y., Wan, C., & Ma, P. (2009). Toughening Modification of PLLA/PBS Blends via In Situ Compatibilization. *Polymer Engineering and Science*, 26–33. <https://doi.org/10.1002/pen.21210>
- Wang, Z., Wang, Y., Guo, Z., Li, F., & Chen, S. (2011). Purification and Characterization of Poly(L-lactic acid) Depolymerase From *Pseudomonas* sp. Strain DS04-T. *Polymer Engineering and Science*. [https://doi.org/DOI 10.1002/pen.21857](https://doi.org/DOI%2010.1002/pen.21857)
- Weng, Y. X., Jin, Y. J., Meng, Q. Y., Wang, L., Zhang, M., & Wang, Y. Z. (2013a). Biodegradation behavior of poly(butylene adipate-co-terephthalate) (PBAT), poly(lactic acid) (PLA), and their blend under soil conditions. *Polymer Testing*, 32(5), 918–926. <https://doi.org/10.1016/j.polymertesting.2013.05.001>
- Weng, Y. X., Wang, L., Zhang, M., Wang, X. L., & Wang, Y. Z. (2013b). Biodegradation behavior of P(3HB,4HB)/PLA blends in real soil environments. *Polymer Testing*, 32(1), 60–70. <https://doi.org/10.1016/j.polymertesting.2012.09.014>
- Zhou, L., Zhao, G., & Jiang, W. (2016). Mechanical Properties of Biodegradable Polylactide/Poly(ether-block- amide)/Thermoplastic Starch Blends: Effect of the Crosslinking of Starch. *Journal of Applied Polymer Science*, 133(2), 1–7. <https://doi.org/10.1002/app.42297>