

7. DAFTAR PUSTAKA

- Afifah, N., & Ratnawati, L. (2017). Quality assessment of dry noodles made from blend of mocafl flour, rice flour and corn flour. *IOP Conference Series: Earth and Environmental Science*, 101(1). <https://doi.org/10.1088/1755-1315/101/1/012021>
- Arik Kibar, E. A., Gönenç, I., & Us, F. (2014). Effects of fatty acid addition on the physicochemical properties of corn starch. *International Journal of Food Properties*, 17(1), 204–218. <https://doi.org/10.1080/10942912.2011.619289>
- Bai, J. C., Fried, M., Corazza, G. R., Schuppan, D., Farthing, M., Catassi, C., ... Lemair, A. (2013). World gastroenterology organisation global guidelines on celiac disease. *Journal of Clinical Gastroenterology*, 47(2), 121–126. <https://doi.org/10.1097/MCG.0b013e31827a6f83>
- Batt, C. A. (2014). Alcaligenes. *Encyclopedia of Food Microbiology: Second Edition*, 1, 38–41. <https://doi.org/10.1016/B978-0-12-384730-0.00006-9>
- Bhattacharya, M., Zee, S. Y., & Corke, H. (1999). Physicochemical properties related to quality of rice noodles. *Cereal Chemistry*, 76(6), 861–867. <https://doi.org/10.1094/CCHEM.1999.76.6.861>
- Biesiekierski, J. R. (2017). What is gluten? *Journal of Gastroenterology and Hepatology (Australia)*, 32, 78–81. <https://doi.org/10.1111/jgh.13703>
- Birch, P. R. J., Bryan, G., Fenton, B., Gilroy, E. M., Hein, I., Jones, J. T., ... Toth, I. K. (2012). Crops that feed the world 8: Potato: Are the trends of increased global production sustainable? *Food Security*, 4(4), 477–508. <https://doi.org/10.1007/s12571-012-0220-1>
- Bouasla, A., & Wójtowicz, A. (2019). Rice-buckwheat gluten-free pasta: Effect of processing parameters on quality characteristics and optimization of extrusion-cooking process. *Foods*, 8(10). <https://doi.org/10.3390/foods8100496>

- Cai, J., Chiang, J. H., Tan, M. Y. P., Saw, L. K., Xu, Y., & Ngan-Loong, M. N. (2016). Physicochemical properties of hydrothermally treated glutinous rice flour and xanthan gum mixture and its application in gluten-free noodles. *Journal of Food Engineering*, 186, 1–9. <https://doi.org/10.1016/j.jfoodeng.2016.03.033>
- Cai, X., Hong, Y., Gu, Z., & Zhang, Y. (2011). The effect of electrostatic interactions on pasting properties of potato starch/xanthan gum combinations. *Food Research International*, 44(9), 3079–3086. <https://doi.org/10.1016/j.foodres.2011.07.036>
- Cai, Z., & Zhang, H. (2017). Recent progress on curdlan provided by functionalization strategies. *Food Hydrocolloids*, 68, 128–135. <https://doi.org/10.1016/j.foodhyd.2016.09.014>
- Carlson, T. L. -., Larsson, K., Dinh- Nguyen, N., & Krog, N. (1979). A Study of the Amylose- Monoglyceride Complex by Raman Spectroscopy. *Starch - Stärke*, 31(7), 222–224. <https://doi.org/10.1002/star.19790310703>
- Catassi, C., Gatti, S., & Lionetti, E. (2015). World perspective and celiac disease epidemiology. *Digestive Diseases*, 33(2), 141–146. <https://doi.org/10.1159/000369518>
- Cauvain, S. P. (2003). CAKES | Nature of Cakes. *Encyclopedia of Food Sciences and Nutrition*, 751–756. <https://doi.org/10.1016/b0-12-227055-x/00145-0>
- Chandrasekara, A., & Josheph Kumar, T. (2016). Roots and tuber crops as functional foods: A review on phytochemical constituents and their potential health benefits. *International Journal of Food Science*, Vol. 2016. <https://doi.org/10.1155/2016/3631647>
- Chen, Z., Schols, H. A., & Voragen, A. G. J. (2003). Starch granule size strongly determines starch noodle processing and noodle quality. *Journal of Food Science*, 68(5), 1584–1589. <https://doi.org/10.1111/j.1365-2621.2003.tb12295.x>

Citra Agustia, F., Subardjo, Y. P., & Sitasari, A. (2016). FORMULASI DAN KARAKTERISASI MI BEBAS GLUTEN TINGGI PROTEIN BERBAHAN PATI SAGU YANG DISUBSTITUSI TEPUNG KACANG-KACANGAN (Formulation and characterization of free gluten high protein sago starch noodle substituted with beans flour). *J. Gizi Pangan*, 11(3), 183–190.
<https://journal.ipb.ac.id/index.php/jgizipangan/article/view/16453>

Coccia, M. (2017). The Fishbone diagram to identify, systematize and analyze the sources of general purpose technologies. *Journal of Social and Administrative Sciences*, 4(4), 291–303.
<https://doi.org/10.1453/jsas.v4i4.1518>

Codex Alimentarius Commission. Codex Standard for Instant Noodles (CODEX STAN 249-2006). , Food and Agriculture Organization (FAO).
http://www.fao.org/input/download/standards/10658/CXS_249e.pdf

Conde-Petit, B. (2003). The structure and texture of starch-based foods. In *Texture in Food* (Vol. 1, pp. 86–108).
<https://doi.org/10.1533/9781855737082.1.86>

Crosbie, G. B., & Ross, A. S. (2016). Noodles, Asian Wheat Flour Noodles. In *Reference Module in Food Science* (pp. 1–7).
<https://doi.org/10.1016/B978-0-12-394437-5.00122-4>

FAOSTAT. (2018). Retrieved August 7, 2020, from
<http://www.fao.org/faostat/en/#data/QC/visualize>

Fatimah, E. (2008). *KUALITAS DAGING SAPI YANG DIPOTONG MENGGUNAKAN RESTRAINING BOX: DRIP LOSS DAN COOKING LOSS.* Retrieved from
<https://www.semanticscholar.org/paper/Kualitas-Daging-Sapi-yang-Dipotong-Menggunakan-Box%3A-Fatimah/ff74981192d3abba2c4c60a473a2eb60f789b842>

Fonseca-santos, B., Daflon, M. P., Gremião, & Chorilli, M. (2015). Nanotechnology-based drug delivery systems for the treatment of Alzheimer ' s disease. *International Journal of Nanomedicine*, 4981–5003. <https://doi.org/10.2147/IJN.S87148>

Fukuzawa, S., Ogawa, T., Nakagawa, K., & Adachi, S. (2016). Water sorption kinetics of gluten-added wheat noodle. *Food Science and Technology Research*, 22(4), 491–495. <https://doi.org/10.3136/fstr.22.491>

Funami, T., Funami, M., Tawada, T., & Nakao, Y. (1999). Decreasing oil uptake of doughnuts during deep-fat frying using curdlan. *Journal of Food Science*, 64(5), 883–888. <https://doi.org/10.1111/j.1365-2621.1999.tb15933.x>

Galvez, F. C. F., Resurreccion, A. V. A., & Ware, G. O. (1994). Process Variables, Gelatinized Starch and Moisture Effects on Physical Properties of Mungbean Noodles. *Journal of Food Science*, 59(2), 378–381. <https://doi.org/10.1111/j.1365-2621.1994.tb06971.x>

Gao, Y., Janes, M. E., Chaiya, B., Brennan, M. A., Brennan, C. S., & Prinyawiwatkul, W. (2018). Gluten-free bakery and pasta products: prevalence and quality improvement. *International Journal of Food Science and Technology*, 53(1), 19–32. <https://doi.org/10.1111/ijfs.13505>

Garcia-Alonso, A., Jimenez-Escriv, A., Martin-Carron, N., Bravo, L., & Saura-Calixto, F. (1999). Assessment of some parameters Involved in the gelatinization and retrogradation of starch. *Food Chemistry*, 66, 181–187. [https://doi.org/https://doi.org/10.1016/S0308-8146\(98\)00261-1](https://doi.org/https://doi.org/10.1016/S0308-8146(98)00261-1)

Gasparre, N., & Rosell, C. M. (2019). Role of hydrocolloids in gluten free noodles made with tiger nut flour as non-conventional powder. *Food Hydrocolloids*, 97(May), 105194. <https://doi.org/10.1016/j.foodhyd.2019.105194>

Goesaert, H., Brijs, K., Veraverbeke, W. S., Courtin, C. M., Gebruers, K., & Delcour, J. A. (2005). Wheat flour constituents: How they impact bread quality, and how to impact their functionality. *Trends in Food Science and Technology*, 16(1–3), 12–30. <https://doi.org/10.1016/j.tifs.2004.02.011>

Gonçalves, L., Garcia, C., Souza E Silva, A. H., De Castro Cunha, P., Damiani, C., De, P., & Cunha, C. (2016). Preparation of Gluten-free Noodles

Incorporated of Jabuticaba Peel Flour. *Journal of Food and Nutrition Research*, 4(2), 82–87. <https://doi.org/10.12691/jfnr-4-2-3>

Guo, G., Jackson, D. S., Graybosch, R. A., & Parkhurst, A. M. (2003). Wheat tortilla quality: Impact of amylose content adjustments using waxy wheat flour. *Cereal Chemistry*, 80(4), 427–436. <https://doi.org/10.1094/CCHEM.2003.80.4.427>

Han, J. A., Seo, T. R., Lim, S. T., & Park, D. J. (2011). Utilization of rice starch with gums in Asian starch noodle preparation as substitute for sweet potato starch. *Food Science and Biotechnology*, 20(5), 1173–1178. <https://doi.org/10.1007/s10068-011-0162-y>

Hou, G., & Kruk, M. (1998). Asian Noodle Technology. *Technical Bulletin*, 20(12), 1–10. Retrieved from <https://secure.aibonline.org/catalog/example/v20iss12.pdf>

Jatmiko, G. P., & Estiasih, T. (2014). MIE DARI UMBI KIMPUL (Xanthosoma Sagittifolium): KAJIAN PUSTAKA. *Jurnal Pangan Dan Agroindustri*, 2(2), 127–134. Retrieved from <https://jpa.ub.ac.id/index.php/jpa/article/view/45>

Jay Lin Jane, & Jen Fang Chen. (1992). Effect of Amylose Molecular Size and Amylopectin Branch Chain Length on Paste Properties of Starch. *Cereal Chemistry*, 69(1), 60–65. Retrieved from https://www.researchgate.net/profile/Kit_Sum_Wong/publication/228690341_Effects_of_Amylopectin_Branch_Chain_Length_and_Amylose_Content_on_the_Gelatinization_and_Pasting_Properties_of_Starch_1/links/544ebf7e0cf26dda08901ad6/Effects-of-Amylopectin-Branch-Ch

Kaur, A., Shevkani, K., Singh, N., Sharma, P., & Kaur, S. (2015). Effect of guar gum and xanthan gum on pasting and noodle-making properties of potato, corn and mung bean starches. *Journal of Food Science and Technology*, 52, 8113–8121. <https://doi.org/10.1007/s13197-015-1954-5>

Kaur, A., Singh, N., Ezekiel, R., & Guraya, H. S. (2007). Physicochemical, thermal and pasting properties of starches separated from different

- potato cultivars grown at different locations. *Food Chemistry*, 101(2), 643–651. <https://doi.org/10.1016/j.foodchem.2006.01.054>
- Kaur, L., Singh, J., & Singh, N. (2005). Effect of glycerol monostearate on the physico-chemical, thermal, rheological and noodle making properties of corn and potato starches. *Food Hydrocolloids*, 19(5), 839–849. <https://doi.org/10.1016/j.foodhyd.2004.10.036>
- Kaur, M., Oberoi, D. P. S., Sogi, D. S., & Gill, B. S. (2011). Physicochemical, morphological and pasting properties of acid treated starches from different botanical sources. *Journal of Food Science and Technology*, 48(4), 460–465. <https://doi.org/10.1007/s13197-010-0126-x>
- Kim, Y. S., & Wiesenborn, D. P. (1996). Starch noodle quality as related to potato genotypes. *Journal of Food Science*, 61(1), 248–252. <https://doi.org/10.1111/j.1365-2621.1996.tb14771.x>
- King, J. A., Jeong, J., Underwood, F. E., Quan, J., Panaccione, N., Windsor, J. W., ... Kaplan, G. G. (2020). Incidence of Celiac Disease Is Increasing Over Time. *The American Journal of Gastroenterology*, 115(4), 507–525. <https://doi.org/10.14309/ajg.0000000000000523>
- Kumalasari, R., Desnilasari, D., & Pratama Wadhesnoeriba, S. (2018). Evaluation of Chemical and Organoleptic Qualities of Gluten-Free Dry Noodle Made from Maize and Cassava Flours during Storage. *Jurnal Ilmu Pertanian Indonesia*, 23(3), 173–182. <https://doi.org/10.18343/jipi.23.3.173>
- Kurniawati, I. T., & Estiasih, T. (2015). EFEK ANTIHIPERTENSI SENYAWA BIOAKTIF DIOSCORIN PADA UMBI- UMBIAN KELUARGA DIOSCOREA : KAJIAN PUSTAKA. *Jurnal Pangan Dan Agroindustri*, 3(2), 402–406. Retrieved from <https://jpa.ub.ac.id/index.php/jpa/article/view/156>
- Lee, S. Y., Woo, K. S., Lim, J. K., Kim, H. Il, & Lim, S. T. (2005). Effect of processing variables on texture of sweet potato starch noodles prepared in a nonfreezing process. *Cereal Chemistry*, 82(4), 475–478. <https://doi.org/10.1094/CC-82-0475>

Liu, W., & Shen, Q. (2007). Studies on the physicochemical properties of mung bean starch from sour liquid processing and centrifugation. *Journal of Food Engineering*, 79(1), 358–363. <https://doi.org/10.1016/j.jfoodeng.2006.01.065>

Lucisano, M., Cappa, C., Fongaro, L., & Mariotti, M. (2012). Characterisation of gluten-free pasta through conventional and innovative methods: Evaluation of the cooking behaviour. *Journal of Cereal Science*, 56(3), 667–675. <https://doi.org/10.1016/j.jcs.2012.08.014>

Marta, H., & Tensiska, T. (2017). Functional and Amylographic Properties of Physically-Modified Sweet Potato Starch. *KnE Life Sciences*, 2(6), 689. <https://doi.org/10.18502/klv.v2i6.1091>

Marti, A., & Pagani, M. A. (2013). What can play the role of gluten in gluten free pasta? *Trends in Food Science and Technology*, 31(1), 63–71. <https://doi.org/10.1016/j.tifs.2013.03.001>

Menon, R., Padmaja, G., Jyothi, A. N., Asha, V., & Sajeev, M. S. (2016). Gluten-free starch noodles from sweet potato with reduced starch digestibility and enhanced protein content. *Journal of Food Science and Technology*, 53(9), 3532–3542. <https://doi.org/10.1007/s13197-016-2330-9>

Meulleneti, J. (1998). Relationship between sensory and instrumental texture profile attributes. *Journal of Sensory Studies*, 13(1998), 77–93. <https://doi.org/10.1111/j.1745-459X.1998.tb00076.x>

Miles, M. J., Morris, V. J., Orford, P. D., & Ring, S. G. (1985). THE ROLES OF AMYLOSE AND AMYLOPECTIN IN THE GELATION AND RETROGRADATION OF STARCH. In *Carbohydrate Research* (Vol. 135). [https://doi.org/10.1016/S0008-6215\(00\)90778-X](https://doi.org/10.1016/S0008-6215(00)90778-X)

Mojiono, M., Nurtama, B., & Budijanto, S. (2016). Development of Gluten-Free Noodles Using Extrusion Technology. *Jurnal Pangan*, 25(5), 125–136. <https://doi.org/10.33964/jp.v25i2.328>

- Muhammad, K., Kusnandar, F., Mat Hashim, D., & Abd Rahman, R. (1999). Application of native and phosphorylated tapioca starches in potato starch noodle. *Journal of Food Science and Technology*, 34, 275–280. <https://doi.org/10.1046/j.1365-2621.1999.00262.x>
- Muhandri, T. (2012). Mekanisme proses pembuatan mi berbahan baku jagung. *Buletin Teknologi Pascapanen Pertanian*, 8(2), 71–79. Retrieved from http://pascapanen.litbang.pertanian.go.id/assets/media/publikasi/bulletin/2012_2_2.pdf
- Muhandri, T., Ahza, A. B., & Syarief, R. (2011). Optimasi Proses Ekstrusi Mi Jagung dengan Metode Permukaan Respon. *Jurnal Teknologi Dan Industri Pangan*, XXII(2), 97–104. Retrieved from <https://journal.ipb.ac.id/index.php/jtip/article/view/4239>
- Nolan, D. P. (2015). Specialized Reviews—CHAZOP, EHAZOP, Bow-Tie Analysis, Layers of Protection Analysis, Safety Integrity Level, Fishbone Diagram, and Cyber Security Vulnerability Analysis. In *Safety and Security Review for the Process Industries* (pp. 17–27). <https://doi.org/10.1016/b978-0-323-32295-9.00005-7>
- Padalino, L., Conte, A., & Del Nobile, M. (2016). Overview on the General Approaches to Improve Gluten-Free Pasta and Bread. *Foods*, 5(4), 87. <https://doi.org/10.3390/foods5040087>
- Pascua, Y., Koç, H., & Foegeding, E. A. (2013). Food structure: Roles of mechanical properties and oral processing in determining sensory texture of soft materials. *Current Opinion in Colloid and Interface Science*, 18(4), 324–333. <https://doi.org/10.1016/j.cocis.2013.03.009>
- Purwandari, U., Hidayati, D., Tamam, B., & Arifin, S. (2014). Gluten-free noodle made from gathotan (an Indonesian fungal fermented cassava) flour: Cooking quality, textural, and sensory properties. *International Food Research Journal*, 21(4), 1615–1621. Retrieved from https://www.researchgate.net/publication/286138739_Gluten-free_noodle_made_from_gathotan_an_Indonesian_fungal_fermented_cassava_flour_Cooking_quality_textural_and_sensory_properties

- Purwani, E. . Y., Widaningrum, W., Thahir, R., & Muslich, M. (2016). Effect of Heat Moisture Treatment of Sago Starch on Its Noodle Quality. *Indonesian Journal of Agricultural Science*, 7(1), 8. <https://doi.org/10.21082/ijas.v7n1.2006.p8-14>
- Rao, P. H., & Manohar, R. S. (2015). Chapatis and Related Products. *Encyclopedia of Food and Health*, 724–734. <https://doi.org/10.1016/B978-0-12-384947-2.00131-8>
- Richana, N., & Sunarti, T. C. (2004). Karakterisasi Sifat Fisikokimiatepung Umbi Dan Tepung Pati Dari Umbi Ganyong, Suweg, Ubikelapa Dan Gembili. *J.Pascapanen*, 1(1), 29–37. Retrieved from http://pascapanen.litbang.pertanian.go.id/assets/media/publikasi/jurnal/J.Pascapanen.2004_1_4.pdf
- Risti, Y., & Rahayuni, A. (2013). Pengaruh Penambahan Telur terhadap Kadar Protein, Serat, Tingkat Kekentalan, dan Penerimaan Mie Basah Bebas Gluten Berbahan Baku Tepung Komposit (Tepung Komposit : Tepung Mocaf, Tapioka, dan Maizena). *Journal of Nutrition College*, 2(4), 696–703. Retrieved from <https://ejournal3.undip.ac.id/index.php/jnc/article/view/3833>
- Rizvi, S., Mulvaney, S., & Sokhey, A. (1995). The Combined Application of Supercritical Fluid and Extrusion Technology. *Trends in Food Science & Technology*, 6, 232–240. [https://doi.org/https://doi.org/10.1016/S0924-2244\(00\)89084-6](https://doi.org/https://doi.org/10.1016/S0924-2244(00)89084-6)
- Rosenthal, A. (1999). Relation between instrumental and sensory measures of food texture. In *Food Texture: Measurement and Perception* (pp. 1–29). Retrieved from https://www.researchgate.net/publication/277767132_Relation_Between_Instrumental_and_Sensory_Measures_of_Food_Texture
- Sandhu, K. S., Kaur, M., & Mukesh. (2010). Studies on noodle quality of potato and rice starches and their blends in relation to their physicochemical, pasting and gel textural properties. *LWT - Food Science and Technology*, 43(8), 1289–1293. <https://doi.org/10.1016/j.lwt.2010.03.003>

- Senanayake, S., Gunaratne, A., Ranaweera, K. K. D. S., & Bamunuarachchi, A. (2013). Physico - Chemical properties of five cultivars of sweet potato (*Ipomea batatas* Lam (L)) root tubers grown in Sri Lanka. *Tropical Agriculture*, 90(2), 96–105. Retrieved from https://www.researchgate.net/publication/256477521_Physico - Chemical_properties_of_five_cultivars_of_sweet_potato_Ipomea_batatas_Lam_L_root_tubers_grown_in_Sri_Lanka
- Silva, E., Birkenhake, M., Scholten, E., Sagis, L. M. C., & van der Linden, E. (2013). Controlling rheology and structure of sweet potato starch noodles with high broccoli powder content by hydrocolloids. *Food Hydrocolloids*, 30(1), 42–52. <https://doi.org/10.1016/j.foodhyd.2012.05.002>
- Singh, N., Singh, J., & Sodhi, N. S. (2002). Morphological, thermal, rheological and noodle-making properties of potato and corn starch. *Journal of the Science of Food and Agriculture*, 82(12), 1376–1383. <https://doi.org/10.1002/jsfa.1194>
- Slameto. (2016). The Application of Fishbone Diagram The Application of Fishbone Diagram Analisis to Improve School Quality. *DINAMIKA ILMU*, 16(1). <https://doi.org/10.21093/di.v16i1.262>
- Srichuwong, S., Sunarti, T. C., Mishima, T., Isono, N., & Hisamatsu, M. (2005). Starches from different botanical sources I: Contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers*, 60(4), 529–538. <https://doi.org/10.1016/j.carbpol.2005.03.004>
- Tam, L. M., Corke, H., Tan, W. T., Li, J., & Collado, L. S. (2004). Production of bihon-type noodles from maize starch differing in amylose content. *Cereal Chemistry*, 81(4), 475–480. <https://doi.org/10.1094/CCHEM.2004.81.4.475>
- Tan, H. Z., Li, Z. G., & Tan, B. (2009). Starch noodles: History, classification, materials, processing, structure, nutrition, quality evaluating and improving. *Food Research International*, 42, 551–576. <https://doi.org/10.1016/j.foodres.2009.02.015>

Trinh, K. T., & Glasgow, S. (2012). ON THE TEXTURE PROFILE ANALYSIS TEST. *Chemeca*. Retrieved from https://www.researchgate.net/publication/316093466_On_the_texture_profile_analysis_test

Wandee, Y., Uttapap, D., Puncha-Arnon, S., Puttanlek, C., Rungsardthong, V., & Wetprasit, N. (2015). Quality assessment of noodles made from blends of rice flour and canna starch. *Food Chemistry*, 179, 85–93. <https://doi.org/10.1016/j.foodchem.2015.01.119>

Wang, L., Guo, J., Wang, R., Shen, C., Li, Y., Luo, X., ... Chen, Z. (2016). Studies on quality of potato flour blends with rice flour for making extruded noodles. *Cereal Chemistry*, 93(6), 593–598. <https://doi.org/10.1094/CHEM-05-16-0147-R>

Wang, M., Chen, C., Sun, G., Wang, W., & Fang, H. (2010). Effects of curdlan on the color, syneresis, cooking qualities, and textural properties of potato starch noodles. *Starch/Staerke*, 62, 429–434. <https://doi.org/10.1002/star.201000007>

Wang, N., Bhirud, P. R., Sosulski, F. W., & Tyler, R. T. (1999). Pasta-like product from pea flour by twin-screw extrusion. *Journal of Food Science*, 64(4), 671–678. <https://doi.org/10.1111/j.1365-2621.1999.tb15108.x>

Wang, S., Li, C., Copeland, L., Niu, Q., & Wang, S. (2015). Starch Retrogradation: A Comprehensive Review. *Comprehensive Reviews in Food Science and Food Safety*, 14(5), 568–585. <https://doi.org/10.1111/1541-4337.12143>

Wieser, H. (2007). Chemistry of gluten proteins. *Food Microbiology*, 24(2), 115–119. <https://doi.org/10.1016/j.fm.2006.07.004>

Winarti, S., Murtiningsih, & Listyawati, F. D. (2019). KARAKTERISTIK MIE MERAH GLUTEN FREE DARI TEPUNG GADUNG (*Dioscorea hispida* Dennst) DAN TEPUNG MOCAF DENGAN PENAMBAHAN GLISEROL. *Jurnal Teknologi Dan Industri Pangan*, 3(2), 135–143. <https://doi.org/10.33061/jitipari.v3i2.2696>

World Instant Noodles Association. (2018). Global Demand. Retrieved August 19, 2020, from <https://www.instantnoodles.org/en/noodles/market.html>

Xiang, Z., Ye, F., Zhou, Y., Wang, L., & Zhao, G. (2018). Performance and mechanism of an innovative humidity-controlled hot-air drying method for concentrated starch gels: A case of sweet potato starch noodles. *Food Chemistry*, 269, 193–201. <https://doi.org/10.1016/j.foodchem.2018.06.153>

Yazdani, A. A., & Tavakkoli-Moghaddam, R. (2012). Integration of the fish bone diagram, brainstorming, and AHP method for problem solving and decision making-a case study. *International Journal of Advanced Manufacturing Technology*, 63(5–8), 651–657. <https://doi.org/10.1007/s00170-012-3916-7>

Yoenyongbuddhagal, S., & Noomhorm, A. (2002). Effect of physicochemical properties of high-amylase Thai rice flours on vermicelli quality. *Cereal Chemistry*, 79(4), 481–485. <https://doi.org/10.1094/CCHEM.2002.79.4.481>

Zhang, H., Zhang, F., & Yuan, R. (2020). Applications of natural polymer-based hydrogels in the food industry. In *Hydrogels Based on Natural Polymers* (pp. 357–410). <https://doi.org/10.1016/B978-0-12-816421-1.00015-X>

Zhang, L., Nishizu, T., Hayakawa, S., Nakashima, R., & Goto, K. (2013). Effects of Different Drying Conditions on Water Absorption and Gelatinization Properties of Pasta. *Food and Bioprocess Technology*, 6(8), 2000–2009. <https://doi.org/10.1007/s11947-012-0976-5>