

DAFTAR PUSTAKA

- Afifah, N., Sholichah E., and Indrianti N. (2018) Pengaruh Kombinasi Plasticizer Terhadap Karakteristik Edible Film Dari Karagenan Dan Lilin Lebah, *Biopropal Industry*, 9(1), pp. 49–60. doi: <http://dx.doi.org/10.36974/jbi.v9i1.3765>.
- Ahmadi, R., Kalbasi-Ashtari A., Oromiehie A., Yarmand M.S., and Jahandideh F. (2012) Development and Characterization of A Novel Biodegradable Edible Film Obtained From Psyllium Seed (*Plantago Ovata* Forsk), *Journal of Food Engineering* Elsevier Ltd, 109(4), pp. 745–751. doi: 10.1016/j.jfoodeng.2011.11.010.
- Amiludin, Wahyuni S., and Asyik N. (2018) Pengembangan Vegetable Leather Daun Tawa ' Oloho (*Spondias Pinnata*) Dan Rumput Laut (*Eucheuma Cottonii*), *Jurnal Sains dan Teknologi Pangan*, 3(2), pp. 1140–1151. Available at: <http://docplayer.info/122470143-Pengembangan-vegetable-leather-daun-tawa-oloho-spondias-pinnata-dan-rumput-laut-eucheuma-cottonii-abstract-abstrak-pendahuluan.html>.
- Andrade, R. (2016) Development and Characterization of Edible Films Based on Fruit and Vegetable Residues, *Journal of Food Science*, (January). doi: 10.1111/1750-3841.13192.
- Arham, R., Mulyati M. T., Metusalach M., and Salengke S. (2016) Physical and Mechanical Properties of Agar Based Edible Film With Glycerol Plasticizer, *International Food Research Journal*, 23(4), pp. 1669–1675. doi: 10.1145/1863543.1863553.
- Ariesta, M. (2016) Variasi Jenis Bahan Pengikat dan Konsentrasi Gliserol Sebagai Plasticizer Pada Pembuatan Vegetable Leather Daun Katuk (*Sauropus androgynous*). Available at: <http://repository.unpas.ac.id/15789/>.
- Ariska, R. E. and Suyatno. (2015) Pengaruh Konsentrasi Karagenan Terhadap Sifat Fisik Dan Mekanik Edible Film Dari Pati Bonggol Pisang Dan Karagenan Dengan Plasticizer Gliserol, in *Prosiding Seminar Nasional Kimia Surabaya: Jurusan Kimia FMIPA Universitas Negeri Surabaya*, pp. 3–4. Available at: <https://docplayer.info/38320059-Pengaruh-konsentrasi-karagenan-terhadap-sifat-fisik-dan-mekanik-edible-film-dari-pati-bonggol-pisang-dan-karagenan-dengan-plasticizer-gliserol.html>.
- Ashadevi, D. and Gotmare S.R. (2015) The Health Benefits and Risks of Antioxidants, *Pharmacophore An International Research Journal*, 6(1), pp. 25–30. Available at: https://www.researchgate.net/publication/334193398_The_health_Benefits_and_Risk_s_of_Antioxidants/link/5d1c5988458515c11c0cc612/download.
- ASTM. (2002) Standard Test Method for Tensile Properties of Thin Plastic Sheeting, *ASTM International*, 14, pp. 1–10. Available at:

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&cad=rja&uact=8&ved=2ahUKEwis67rI3L_oAhWJf30KHZoLAuoQFjABegQIBRAB&url=http://mahshahr.aut.ac.ir/lib/exe/flash.php?media=lab:astm_d882.pdf&usq=A0vVaw0p2Am3jk-A9Dr7VijgcRsf.

- Atanassova, V., Reich F., and Klein G. (2016) Microbiological Quality of Sushi from Sushi Bars and Retailers, *Journal of Food Protection*, 71(4), pp. 860–864. doi: 10.4315/0362-028x-71.4.860.
- Baldwin, E. A., Hagenmaier R., and Bai J. (2012) Edible Coatings and Films to Improve Food Quality, *Carbohydrate Polymers*. doi: 10.1016/S0144-8617(97)89995-X.
- Basiak, E., Lenart A., and Debeaufort F. (2018) How Glycerol and Water Contents Affect the Structural and Functional Properties of Starch-Based, *Polymers*, pp. 1–18. doi: 10.3390/polym10040412.
- Bhatia, S., Namdeo A.G., and Nanda S. (2010) Factors Effecting the Gelling and Emulsifying Properties of a Natural Polymer, *Systematic Reviews in Pharmacy*, 1(1), p. 86. doi: 10.4103/0975-8453.59517.
- Bito, T., Teng F., and Watanabe F. (2017) Bioactive Compounds of Edible Purple Laver *Porphyra* Sp. (Nori), *Journal of Agricultural and Food Chemistry*, 65(49), pp. 10685–10692. doi: 10.1021/acs.jafc.7b04688.
- Blahovec, J. (2007) Role of Water Content in Food and Product Texture, *International Agrophysics*, 3(21), pp. 209–215. Available at: https://www.researchgate.net/publication/26551661_Role_of_water_content_in_food_and_product_texture/link/0f31752dcf66d9ac7e000000/download.
- Caroline, C. and Pratiwi A.R. (2017) Biopreservatif Alami Dalam Pembuatan Edible Film Karagenan, *Jurnal Agroteknologi*, 11(02), pp. 1–8. doi: <https://doi.org/10.1021/acs.jafc.7b04688>.
- Choi, W. S., Singh S., and Lee Y.S. (2017) Characterization of Edible Film Containing Essential Oils in Hydroxypropyl Methylcellulose and Its Effect on Quality Attributes of Formosa Plum (*Prunus Salicina* L .) *LWT - Food Science and Technology* Characterization of Edible Film Containing Essent, *LWT - Food Science and Technology* Elsevier Ltd, 70(November), pp. 213–222. doi: 10.1016/j.lwt.2016.02.036.
- Chron. (2018) How Long Does It Take to Become an Executive Chef? Available at: <https://work.chron.com/long-become-executive-chef-8728.html> (Accessed: 20 November 2018).
- Cofelice, M., Cuomo F., and Chiralt A. (2019) Alginate Films Encapsulating Lemongrass Essential Oil as Affected by Spray Calcium Application, *Colloids and Interfaces*, pp. 1–15. Available at: <https://www.mdpi.com/2504-5377/3/3/58/pdf>.
- CPKelco. (2001) GENU[®] Carrageenan Book. Available at: [http://www.bisi.cz/cmsres.axd/get/cms\\$7CVwRhc3USVqgzxkKF96gI\\$2BChNrXcTq\\$2BOUdiEtz5TfYA\\$2Fg1ADRHMfXfdEjUsYQagqUs9N6byPOkok\\$3D](http://www.bisi.cz/cmsres.axd/get/cms$7CVwRhc3USVqgzxkKF96gI$2BChNrXcTq$2BOUdiEtz5TfYA$2Fg1ADRHMfXfdEjUsYQagqUs9N6byPOkok$3D).

- Darni, Y., Utami H., Septiana R., and Aidila R. (2017) Comparative Studies of the Edible Film Based on Low Pectin Methoxyl with Glycerol and Sorbitol Plasticizers, *Jurnal Bahan Alam Terbarukan*, 6(2), pp. 158 – 167. doi: 10.15294/jbat.v6i2.9707.
- Dashipour, A., Khaksar R., Hosseini H., Shoaee-Allaabadi S., and Ghanati K. (2014) Physical, Antioxidant and Antimicrobial Characteristics of Carboxymethyl Cellulose Edible Film Cooperated with Clove Essential Oil, *Zahedan Journal of Research in Medical Sciences Journal*, (August). Available at: https://www.researchgate.net/publication/262565194_Physical_Antioxidant_and_Antimicrobial_Characteristics_of_Carboxymethyl_Cellulose_Edible_Film_Cooperated_with_Clove_Essential_Oil/link/59788b78aca27203ecc43077/download.
- Deanti, H., JM Hulu, A. Setyaji, and RN Eliyanti. (2018) The Quality of Edible Film Made from Nile Tilapia (*Oreochromis Niloticus*) Skin Gelatin with Addition of Different Type Seaweed Hydrocolloid The Quality of Edible Film Made from Nile Tilapia (*Oreochromis Niloticus*) Skin Gelatin with Addition of Differe, in *IOP Conf. Series: Earth and Environmental Science*, pp. 1–8. doi: :10.1088/1755-1315/116/1/012062.
- DGFA. (2005) Carbohydrates, *Dietary Guidelines for Americans*. Available at: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=2ahUKEwibjLKRgbXoAhUimuYKHclPCOAQFjAAegQIARAB&url=https://health.gov/sites/default/files/2019-09/2015-2020_Dietary_Guidelines.pdf&usq=A0vVaw2ODZBy8yYlHpnl-i5MPR4h.
- Dick, M., Costa T.M., Gomaa A., Subirade M., Rios A.D., and Flôres S.H. (2015) Edible Film Production from Chia Seed Mucilage: Effect of Glycerol Concentration on Its Physicochemical and Mechanical Properties, *Carbohydrate Polymers* Elsevier Ltd., 130, pp. 198–205. doi: 10.1016/j.carbpol.2015.05.040.
- Diova, D., Darmanto Y., and Rianingsih L. (2013) Karakteristik Edible Film Komposit Semirefined Karaginan Dari Rumput Laut *Eucaema Cottonii* Dan Beeswax, *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 2(4), pp. 1–10. Available at: <https://ejournal3.undip.ac.id/index.php/jpbhp/article/view/3759/3681>.
- Dwimayasanti, R. (2016) Pemanfaatan Karagenan Sebagai Edible Film, *Oseana*, pp. 8–13. Available at: <http://kbltual.lipi.go.id/wp-content/uploads/2017/08/Pemanfaatan-Karagenan-Sebagai-Edible-Film.pdf>.
- Edyson, N. M. (2015) Karakteristik Edible Film Berbahan Dasar Whey Dangke dan Agar dengan Penambahan Konsentrasi Sorbitol Universitas Hasanuddin. Available at: <https://core.ac.uk/download/pdf/77620878.pdf>.
- Ekapaksi, D. P. (2016) Karakterisasi Vegetable Leather Berbasis Pare Gajih (*Momordica charantia* L.) dengan Variasi Konsentrasi Karaginan: Sensori, Fisik, Beta-Karoten serta Kalsium Universitas Sebelas Maret. Available at: <https://docplayer.info/60730117-Skripsi-untuk-memenuhi-sebagian-persyaratan-guna-memperoleh-gelar-sarjana-teknologi-pangan-di-fakultas-pertanian-universitas-sebelas-maret-surakarta.html>.
- Erge, H. S., Karadinez F., Koca N., and Soyer Y. (2008) Effect OF Heat Treatment on Chlorophyll Degradation and Color Loss in Green Peas, *Gida The Journal of Food*,

- 33, pp. 225–233. Available at: https://pdfs.semanticscholar.org/9b5d/9382dd8c3fdd7748c587d5e74ac5fb37d226.pdf?_ga=2.254472072.1829519817.1585119174-840272596.1585119174.
- Erniati, Zakaria F.R., Prangdimurti E., and Adawiyah D.R. (2016) Potensi Rumput Laut: Kajian Komponen Bioaktif Dan Pemanfaatannya Sebagai Pangan Fungsional, *Acta Aquatica*, 3(1), pp. 12–17. doi: 10.29103/aa.v3i1.332.
- Estevez, J. M., Ciancia M., and Cerezo A.S. (2004) The System of Galactans of the Red Seaweed, *Kappaphycus Alvarezii*, with Emphasis on Its Minor Constituents, *Carbohydrate Research*, 339(15), pp. 2575–2592. doi: 10.1016/j.carres.2004.08.010.
- Fajriana, M. (2015) Lezatnya Sushi Sambal Bajak dengan Cita Rasa Khas Indonesia. Available at: <https://www.liputan6.com/lifestyle/read/2334345/lezatnya-sushi-sambal-bajak-dengan-cita-rasa-khas-indonesia> (Accessed: 31 October 2018).
- FAO. (2018) The Global Status Of Seaweed Production, Trade and Utilization Rome: FAO. Available at: <http://www.fao.org/3/CA1121EN/ca1121en.pdf>.
- Farahnaky, A., Saberi B., and Majzoobi M. (2013) Effect of Glycerol on Physical and Mechanical Properties of Wheat Starch Edible Films, *Journal of Texture Studies*, 44, pp. 176–186. doi: 10.1111/jtxs.12007.
- Gu, F., Huang F., Wu G., and Zhu H. (2018) Contribution of Polyphenol Oxidation, Chlorophyll and Vitamin C Degradation to the Blackening of *Piper Nigrum L.*, *Molecules*, 23(2), pp. 1–12. doi: 10.3390/molecules23020370.
- Guidara, M., Yaich H., Richel A., Blecker C., Bou S., Attia H., and Garna H. (2019) Effects of Extraction Procedures and Plasticizer Concentration on the Optical , Thermal , Structural and Antioxidant Properties of Novel Ulvan Films, *International Journal of Macrobiological Molecules*, 135(2019), pp. 647–658. doi: 10.1016/j.ijbiomac.2019.05.196.
- Gutiérrez-salmeán, G., Fabila-castillo L., and Chamorro-cevallos G. (2015) Nutritional and Toxicological Aspects of *Spirulina (Arthrospira)*, *Nutricion Hospitalaria*, 32(1), pp. 34–40. doi: 10.3305/nh.2015.32.1.9001.
- Handayani, L. and Ayustaningwarno F. (2015) Indeks Glikemik Dan Beban Glikemik Vegetable Leather Brokoli (*Brasica Oleracea Var Italica*) Dengan Substitusi Inulin, *Journal of Nutrition College*, 3(4), pp. 783–790. doi: <https://doi.org/10.14710/jnc.v3i4.6881>.
- Handito, D. (2011) Pengaruh Konsentrasi Karagenan Terhadap Sifat Fisik Dan Mekanik Edible Film, *Agroteksos*, 21(December 2011), pp. 151–157. Available at: https://www.researchgate.net/publication/281345154_PENGARUH_KONSENTRASI_KARAGENAN_TERHADAP_SIFAT_FISIK_DAN_MEKANIK_EDIBLE_FILM_THE_EFFECT_OF_CARRAGEENAN_CONCENTRATIONS_ON_MECHANICAL_AND_PHYSICAL_PROPERTIES_OF_EDIBLE_FILMS/link/5754317608ae17e65ecc6cfc/download.
- Hanif, M. A., Aladawi S., Lupton D., and Al-Yahyal R.A. (2016) Basil: A Natural Source

- of Antioxidants and Nutraceuticals, in Ambros, D. C. P., Manickavasagari, A., and Naik, R. (eds) *Leafy Medicinal Herbs: Botany, Chemistry, Postharvest Technology and Uses* United Kingdom: Center for Agriculture and Bioscience International (CABI). Available at: https://www.researchgate.net/publication/267031488_Basil_A_natural_source_of_antioxidants_and_nutraceuticals.
- Hui, Y. H. (2006) *Handbook of Food Science, Technology, and Engineering, Volume 2* USA: CRC Press. doi: 10.1002/9781119285229.
- Indrarti, L. and Indriyati. (2017) Incorporation of Citrus Essential Oils into Bacterial Cellulose-Based Edible Films and Assessment of Their Physical Properties Incorporation of Citrus Essential Oils into Bacterial Cellulose- Based Edible Films and Assessment of Their Physical Properties, in *1st International Symposium on Green Technology for Value Chains*, pp. 0–6. doi: 10.1088/1742-6596/755/1/011001.
- Inibaru. (2018) *Sushi Seger , Sushi Rasa Grobogan*. Available at: <https://www.inibaru.id/kulinary/sushi-seger-inovasi-sushi-cita-rasa-lokal> (Accessed: 10 September 2018).
- Iskandar, M. A. (2018) The Effects Of Pectin , Sugar And Drying Methods On The Physical Properties and Sensory Characteristics Of Various Fruit Leathers – A Review Universitas Katolik Soegijapranata.
- Jantrawut, P., Chaiwarit T., and Jantanasakulwong K. (2017) Effect of Plasticizer Type on Tensile Property and In Vitro Indomethacin Release of Thin Films Based on Low-Methoxyl Pectin, *Polymers*. doi: 10.3390/polym9070289.
- JIS (1975) dalam Ariska & Suyatno. (2015) Pengaruh Konsentrasi Karagenan Terhadap Sifat Fisik Dan Mekanik Edible Film Dari Pati Bonggol Pisang Dan Karagenan Dengan Plasticizer Gliserol, *Prosiding Seminar Nasional Kimia Surabaya: Jurusan Kimia FMIPA Universitas Negeri Surabaya*, pp. 1–4. Available at: <https://docplayer.info/38320059-Pengaruh-konsentrasi-karagenan-terhadap-sifat-fisik-dan-mekanik-edible-film-dari-pati-bonggol-pisang-dan-karagenan-dengan-plasticizer-gliserol.html>.
- JIS. (2019) General Rules of Plastic Films for Food Packaging. Available at: <https://translate.google.com/translate?sl=auto&tl=en&u=https%3A%2F%2Fwww.kikakurui.com%2Fz1%2FZ1707-2019-01.html>.
- Jongjareonrak, A., Benjakul S., Visessanguan W., and Tanaka M. (2006) Effects of Plasticizers on the Properties of Edible Films from Skin Gelatin of Bigeye Snapper and Brownstripe Red Snapper, *European Food Research and Technology*, 222(3-4), pp. 229–235. doi: 10.1007/s00217-005-0004-3.
- Jouki, M., Yazdi F.T., Mortazavi S.A., and Koocheki A. (2014) Quince Seed Mucilage Films Incorporated with Oregano Essential Oil: Physical, Thermal Barrier, Antioxidant and Antibacterial Properties, *Food Hydrocolloids* Elsevier Ltd, pp. 1–38. doi: 10.1016/j.foodhyd.2013.08.030.
- Kadhim, M. M. and Shakheer A.I. (2018) Effect of Type and Concentration of Plasticizer

- on Mechanical Effect of Type and Concentration of Plasticizer on Mechanical Properties, *International Journal of Mechanical Engineering and Technology (IJMET)*, (October). Available at: https://www.researchgate.net/publication/329504001_EFFECT_OF_TYPE_AND_CONCENTRATION_OF_PLASTICIZER_ON_MECHANICAL_PROPERTIES_OF_PROTEIN_EDIBLE_FILMS/link/5c0b3c01a6fdcc494fe1e894/download.
- Karminto, Windy, Rudy, Kaka, and Edy. (2019) Komunikasi Individu 21 November 2019.
- Khairunnisa, S., Rostini I., Junianto, and Zahidah. (2018) The Effect of Glycerol Concentration as a Plasticizer on Edible Films Made From Alginate Towards Its Physical Characteristic, *World Scientific News*, 112(October), pp. 130–141. Available at: <http://www.worldscientificnews.com/wp-content/uploads/2018/09/WSN-112-2018-130-141-2.pdf>.
- Kopsell, D. A., Kopsell D.E., and Curran-Celentano J. (2005) Carotenoid and Chlorophyll Pigments in Sweet Basil Grown in the Field and Greenhouse, *Horticultural Science*, 40(June 2003), pp. 1230–1233.
- Kusumaningtyas, R. D., R. D. A. Putri, N. Badriah, and F. Faizah. (2018) Preparation and Characterization of Edible Film from Sorghum Starch with Glycerol and Sorbitol as Plasticizers, *Journal of Engineering Science and Technology*, 13(Special Issue), pp. 47–55. Available at: http://jestec.taylors.edu.my/Special_Issue_on_ICETVESS_2017/ICETVESS_06.pdf.
- Kusumawati, D. H., Dwi W., and Putri R. (2013) Karakteristik Fisik Dan Kimia Edible Film Pati Jagung Yang Diinkorporasi Dengan Perasan Temu Hitam, *Jurnal Pangan dan*, 1(1), pp. 90–100. Available at: <https://jpa.ub.ac.id/index.php/jpa/article/view/9/13>.
- Leone, A., A. Spada, A. Battezzati, A. Schiraldi, J. Aristil, and S. Bertoli. (2015) Cultivation, Genetic, Ethnopharmacology, Phytochemistry and Pharmacology of Moringa Oleifera Leaves: An Overview, *International Journal of Molecular Sciences*, 16(6), pp. 12791–12835. doi: 10.3390/ijms160612791.
- Levine, H. and Slade L. (1988) Water As A Plasticizer: Physico-Chemical Aspects Of Low-Moisture Polymeric Systems, *Water Science Reviews* 3. doi: 10.1017/cbo9780511552083.002.
- Limbong, J. J. (2018) Pengaruh Konsentrasi Bunga Telang (*Ciltoria ternatea*) sebagai Tambahan Bahan Makanan terhadap Karakteristik Sensori dan Aktivitas Antioksidan pada Produk Kuliner Blue Sushi Universitas Katolik Soegijapranata.
- Limiarti, L. (2017) Karakteristik Fisikokimia Dan Sensori Vegetable Leather Dengan Bahan Daun Kelor (*Moringa Oleifera*) Dan Rumput Laut (*Eucheuma Cottonii*) Universitas Katolik Soegijapranata. Available at: http://repository.unika.ac.id/20650/1/13.70.0127_Lia_Limiarti_-_COVER.pdf.
- Lin, R. and Stekoll M.S. (2011) Phycobilin Content Of The Conchocelis Phase Of Alaskan *Porphyra* (*Bangiales*, *Rhodophyta*) Species : Responses To Environmental Variables 1, *Journal Phycology*, 214, pp. 208–214. doi: 10.1111/j.1529-8817.2010.00933.x.

- Loughrin, J. H. and Kasperbauer M.J. (2003) Aroma Content of Fresh Basil (*Ocimum Basilicum* L.) Leaves Is Affected by Light Reflected from Colored Mulches, *Journal of Agricultural and Food Chemistry*, 51(8), pp. 2272–2276. doi: 10.1021/jf021076c.
- Loupatty, V. D. (2014) Nori Nutrient Analysis from Seaweed of *Porphyra Marcosi* in Maluku Ocean, *Eksakta, Journal of Sciences and Data Analysis*, 14(2), pp. 34–48. doi: <https://doi.org/10.20885/eksakta.vol14.iss2.art4>.
- Majkowska-Gadomska, J., E. Mikulewicz, A. Dobrowolski, and A. Dziedzic. (2015) Ecotype and Foliar Fertilization with Florovit Affect Herbage Yield and Quality of Greenhouse-Grown Basil (*Ocimum Basilicum* L.), *Journal of Agricultural Science*, 7(4), pp. 195–200. doi: 10.5539/jas.v7n4p195.
- Manuhara, G. J., Praseptiangga D., Muhammad D.R., and Maimuni B.H. (2016) Preparation and Characterization of Semi-Refined Kappa Carrageenan-Based Edible Film For Nano Coating Application on Minimally Processed Food, in *AIP Conference Proceedings*. doi: 10.1063/1.4941509.
- Marrudin, F., Ratmawati, Fahrullah, and Taufik M. (2018) Karakteristik Edible Film Berbahan Whey Dangke Dengan Penambahan Karagenan, *Jurnal Veteriner*, 19(2), pp. 291–297. doi: 10.19087/jveteriner.2018.19.2.291.
- Marsin, A. M. and Muhamad I.I. (2016) Effects Of Kappa Carrageenan And Glycerol In Purple Sweet Potato, *Jurnal Teknologi*, 6, pp. 163–168. Available at: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwiZu63Q5L_oAhXbf0KHUvPAbMQFjABegQIBhAB&url=https://jurnalteknologi.utm.my/index.php/jurnalteknologi/article/view/4507&usg=AOvVaw1AbhJvdGBzd9r93i1v7gbf.
- Mazzucchelli, R. and Guniard J. (1998) Comparison of Monadic and Simultaneous Sample Presentation Modes in a Descriptive Milk Chocolate, *Journal of Sensory Studies*, 14(530), pp. 235–248. Available at: <https://doi.org/10.1111/j.1745-459X.1999.tb00114.x>.
- Mcgee, H. (2004) *Food and Cooking : The Science Lore of The Kitchen*. 2nd edition New York: Scribner. Available at: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=2ahUKEwjEvbjskrXoAhUOTcAKHTpyDAQFjAAegQIBxAB&url=http://wtf.tw/ref/mcgee.pdf&usg=AOvVaw1An0BlafR07Yali_MPU2ei.
- Mehdizadeh, T., Tajik H., Mehdi S., Rohani R., and Oromiehie A.R. (2012) Antibacterial , Antioxidant and Optical Properties of Edible Starch-Chitosan Composite Film Containing *Thymus Kotschyanus* Essential Oil, 3(3), pp. 167–173. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4299978/pdf/vrf-3-167.pdf>.
- Melanie, S., Fransiska D., Darmawan M., and Irianto H.E. (2017) Barrier and Physical Properties of Arrowroot Starch, *Journal of Bioscience*, 25(Rhim 2012), pp. 45–56. doi: <https://doi.org/10.3329/jbs.v25i0.37498>.
- Moey, S. W., Abdullah A., and Ahmad I. (2018) Effect of *Cinnamomum Zeylanicum* Essential Oil on the Physical and Mechanical Properties of Edible Films from

- Kappaphycus Alvarezii, *Malaysian Applied Biology Journal*, 47(5), pp. 197–203. Available at: https://www.researchgate.net/publication/330132240_Effect_of_Cinnamomum_zeylanicum_essential_oil_on_the_physical_and_mechanical_properties_of_edible_films_from_Kappaphycus_alvarezii/link/5c2ec8e7299bf12be3ab3f59/download.
- Moharram, H. A. and Youssef M.M. (2015) Methods for Determining the Antioxidant Activity : A Review, *Alexandria Journal of Food Science and Technology*, 11(April), pp. 31–42. Available at: https://www.researchgate.net/profile/Mohammed_Youssef2/publication/274669600_Methods_for_Determining_the_Antioxidant_Activity_A_Review/links/552508040cf2caf11bfcf712/Methods-for-Determining-the-Antioxidant-Activity-A-Review.pdf.
- Mouritsen, O. G. (2009) *Sushi: Food for The Eye, The Body, or The Soul* United States: Springer. doi: 10.1007/978-1-4419-0618-2.
- Mouritsen, O. G. (2013) *Seaweeds Edible, Available and Sustainable* London: The University of Chicago Press. doi: 10.15713/ins.mmj.3.
- Mutinda, L. (2017) Sambal Hingga Gudeg, Bisa Lho Jadi Paduan Sushi dengan Rasa Lokal!, *Detikfood*. Available at: <https://food.detik.com/info-kuliner/d-3632980/sambal-hingga-gudeg-bisa-lho-jadi-paduan-sushi-dengan-rasa-lokal> (Accessed: 10 September 2018).
- Nahreani, W., Rahayu A., Yoesdiarti A., and Kulsum I.A. (2018) Struktur Pasar Sayuran Kemangi Di Pasar Tradisional, *Jurnal Agribisains*, 4(2), pp. 21–29. Available at: https://www.researchgate.net/publication/332460498_STRUKTUR_PASAR_SAYURAN_KEMANGI_DI_PASAR_TRADISIONAL/link/5cb694b3a6fdcc1d499a37a3/download.
- Natalia, M. and Y. Ristianingsih. (2019) Pembuatan Edible Film Pati Jagung Dengan Penambahan Kitosan Sisik Ikan Papuyu (Anabas Testudienus), *Jurnal Teknologi Agro-Industri*, 6(1), pp. 72–80. Available at: https://www.researchgate.net/publication/334189439_Pembuatan_Edible_film_Pati_Jagung_dengan_Penambahan_Kitosan_Sisik_Ikan_Papuyu_Anabas_testudienus/link/5d1c1f24458515c11c0cb702/download.
- Necas, J. and Bartosikova L. (2013) Carrageenan: A Review, *Veterinarni Medicina*. Available at: <http://vri.cz/docs/vetmed/58-4-187.pdf> (Accessed: 5 October 2018).
- Nouri, L. and Nafchi A.M. (2014) Antibacterial, Mechanical, and Barrier Properties of Sago Starch Film Incorporated With Betel Leaves Extract, *International Journal of Biological Macromolecules* Elsevier B.V., 66, pp. 254–259. doi: 10.1016/j.ijbiomac.2014.02.044.
- Nuansa, M. F., Agustini T.W., and Susanto E. (2017) Karakteristik Dan Aktivitas Antioksidan Edible Film Dari Refined Karaginan Dengan Penambahan Minyak Atsiri, *Jurnal Pengolahan dan Biotek Hasil Perikanan*, 6(1), pp. 54–62. Available at: <https://www.neliti.com/publications/190156/karakteristik-dan-aktivitas-antioksidan-edible-film-dari-refined-karaginan-denga>.

- Otoni, C. G., Avena-Bustillos R.J., Azeredo H.M., Lorevice M.V., Moura M.R., Mattoso L.H., and McHugh T.H. (2017) Recent Advances on Edible Films Based on Fruits and Vegetables—A Review, *Comprehensive Reviews in Food Science and Food Safety*, 16(5), pp. 1151–1169. doi: 10.1111/1541-4337.12281.
- Pareek, S., Sagar N.A., Sharma S., Kumar V., and Agarwal T. (2017) Chlorophylls : Chemistry and Biological Functions, in *Fruit and Vegetable Phytochemicals: Chemistry and Human Health, Volume 1, Second Edition*. 2nd ednUSA: John Wiley & Sons, Inc., pp. 1–17.
- Parmar, M. R., V. B. Bhalodiya, and S. S. Kapdi. (2018) Temperature Effect on Drying and Phytochemicals of Basil Leaves, *International Journal of Engineering Science Invention*, 7(1), pp. 34–44. Available at: [http://www.ijesi.org/papers/Vol\(7\)i1/Version-4/F0701043444.pdf](http://www.ijesi.org/papers/Vol(7)i1/Version-4/F0701043444.pdf).
- Pathare, P. B., Opara U.L., and Al-Said F.A. (2013) Colour Measurement and Analysis in Fresh and Processed Foods: A Review, *Food and Bioprocess Technology*, 6(1), pp. 36–60. doi: 10.1007/s11947-012-0867-9.
- Permatasari, P. D., Parnanto N.H., and Ishartani D. (2017) Karakteristik Fisik , Kimia Dan Organoleptik Vegetable Leather Cabai Hijau (Capsicum Annuum Var. Annuum) Dengan Penambahan Berbagai Konsentrasi Pektin, *Jurnal Teknologi Hasil Pertanian*, X(1), pp. 21–31. Available at: <https://pdfs.semanticscholar.org/f571/aef1f721e688ff4ca6899a4666e1a30d57bf.pdf>.
- Pinasti, L., Darni J., Setyorini I.Y., and Naufalina M.D. (2018) Penambahan Pemanis Alami Stevia Terhadap Kadar Serat Pangan Dan Total Energi Vegetable Leather Selada Air, *Journal of Islamic Nutrition*, 1(1), pp. 41–48. Available at: <https://ejournal.unida.gontor.ac.id/index.php/JoIN/article/view/2172>.
- Prasetyaningrum, A., Rokhati N., Kinasih D.N., and Wardhani F.D. (2010) Karakterisasi Bioactive Edible Film Dari Komposit Makanan Biodegradable, in *Seminar Rekayasa Kimia dan Proses Semarang: Jurusan Teknik Kimia Universitas Diponegoro*, pp. 1–6. Available at: <http://eprints.undip.ac.id/28051/1/E-02.pdf>.
- Ranjbar, M., Azizi M.H., and Hashtjin A.M. (2017) Evaluation of Physico-Mechanical and Antimicrobial Properties of Gelatin- Carboxymethyl Cellulose Film Containing Essential Oil of Bane (Pistacia Atlantica), *Nutrition and Food Sciences Research*, 4(3), pp. 11–17. Available at: <https://pdfs.semanticscholar.org/aa10/00288aeca4990735c4814f416b967b614931.pdf>.
- Restrepo, A. E., Rojas J.D., and Garcia O.R. (2018) Mechanical , Barrier , and Color Properties Of Banana Starch Edible Films Incorporated With Nanoemulsions Of Lemongrass (Cymbopogon Citratus) and Rosemary (Rosmarinus Officinalis) Essential Oils, *Food Science and Technology International*, pp. 1–8. doi: 10.1177/1082013218792133.
- Rhein-Knudsen, N., Ale M.T., and Meyer A.S. (2015) Seaweed Hydrocolloid Production: An Update on Enzyme Assisted Extraction and Modification Technologies, *Marine Drugs*, 13(6), pp. 3340–3359. doi: 10.3390/md13063340.

- Rianse, M. I. (2017) Pengaruh Konsentrasi K-Karagenan terhadap Fisikokimia dan Organoleptik Produk Vegetable Leather Daun Kelor (*Moringa oleifera* L.) Universitas Haluo Oleo. Available at: <http://ojs.uho.ac.id/index.php/jstp/article/view/2638>.
- Riyadi, N. H., Ishartani D., and Yosia K. (2016) Vegetable Leather of Red Chili (*Capsicum Annuum* Var . Longum) with Addition of Various Carrageenan Concentration (Physical , Chemical , and Sensory Characteristics), in *Agricultural Engineering for Sustainable Agricultural Production*, pp. 1–10. Available at: <https://docplayer.info/55631719-.html>.
- Riyanto, B., Trilaksani W., and Susyiana L.E. (2015) Nori Sheet Imitation in Form Edible Film With Materials of Protein Myofibrillar Tilapia, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 17(3), p. 262. doi: 10.17844/jphpi.v17i3.8915.
- Rodiyanti, Ginting S., and Yuraini E. (2017) Pengaruh Perbandingan Bubur Mentimun Dengan Bubur Brokoli Dan Presentase Gum Arab Terhadap Mutu Vegetable Leather, *Jurnal Rekayasa Pangan dan Pertanian*, 5(4), pp. 660–664. Available at: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=2ahUKEwiX7s3voLXoAhVafSsKHT34D3wQFjABegQIBBAB&url=https://jurnal.usu.ac.id/index.php/jrpp/article/download/Rodiyanti/pdf&usg=AOvVaw3kDux9RbmWMXFcWYeJy3f>.
- Rossi, M. and Pagliaro M. (2010) Glycerol: Properties and Production, *Future of Glycerol: New Usages for a Versatile Raw Material*, pp. 1–28. Available at: <https://pdfs.semanticscholar.org/0da6/db9a3624770d11a90c8ac6e1b57ed36dd807.pdf>.
- Ruiz-Espinoza, F. H., Murillo-Amador B., Garcia-Hernandez J.L., Fenech-Larios L., Rueda-Puente E.O., Troyo-Dieguez E., Kaya C., and Beltran-Morales A. (2010) Field Evaluation Of The Relationship Between Chlorophyll Content In Basil Leaves and A Portable Chlorophyll Meter (Spad-502) Readings, *Journal of Plant Nutrition*, 33(3), pp. 423–438. doi: 10.1080/01904160903470463.
- Rusli, A., Metusalach, Salengke, and Tahir M.M. (2017) Karakterisasi Edible Film Karagenan Dengan Pemplastis Gliserol, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20, pp. 219–229. doi: <http://dx.doi.org/10.17844/jphpi.v20i2.17499>.
- Saiful, Saleha S., and Salman. (2013) Preparation and Characterization Edible Film Packaging from Carrageenan, in *Proceedings of The 3rd Annual International Conference Syiah Kuala University (AIC Unsyiah)*, pp. 44–50. Available at: https://www.researchgate.net/publication/304649221_Preparation_and_Characterization_of_Edible_Film_Packaging_From_Carrageenan/link/59e62af1a6fdcc3dcd33ea74/download.
- Sajida. (2016) Karakterisasi Produk Inori dari Rumput Laut Campuran *Ulva lactuca* dan *Eucheuma cottoni* Institut Pertanian Bogor. Available at: <https://repository.ipb.ac.id/handle/123456789/86626>.
- Santana, R. F., Renata S., Ferreira C., Reinert O., Gandolfi R., Brito L., and Ilhe C. (2018) Characterization Of Starch-Based Bioplastics From Jackfruit Seed Plasticized With Glycerol, *Journal Food Science Technology*, 55(January), pp. 278–286. doi:

10.1007/s13197-017-2936-6.

- Sanyang, M. L., Sapuan S.M., Jawaid M., Ishak M.R., and Sahari J. (2016) Effect Of Plasticizer Type And Concentration On Physical Properties Of Biodegradable Films Based On Sugar Palm (*Arenga Pinnata*) Starch For Food Packaging, *Journal of Food Science and Technology*, 53(1), pp. 326–336. doi: 10.1007/s13197-015-2009-7.
- Saputri, A. E., Praseptianga D., Rochima E., and Joni I.M. (2018) Mechanical and Solubility Properties Of Bio Nanocomposite Film Of Semi Refined Kappa Carrageenan / Zno Nanoparticles., in *AIP Conference Proceedings*, pp. 1–6. doi: <https://doi.org/10.1063/1.5021233>.
- SDA. (1990) Glycerine : an overview New York. Available at: http://www.aciscience.org/docs/glycerine_-_an_overview.pdf.
- Setiawan, W., O. L. Tobing, and A. Rahayu. (2018) Pertumbuhan Dan Produksi Aksesori Kemangi (*Ocimum Basilicum L.*) Pada Berbagai Komposisi Pupuk KCl Dan Urine Sapi, *Jurnal Agronida*, 4(2), pp. 72–79. Available at: <https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&cad=rja&act=8&ved=2ahUKEwj51a7u7PjpAhWV63MBHYTRA-oQFjAAegQIARAB&url=https://ojs.unida.ac.id/JAG/article/download/1569/1230&usg=AOvVaw3CTV7UGqHNrYRUUDUL1QsO>.
- Setyaji, A. and Wijayanti I. (2018) Pengaruh Penambahan Karagenan Terhadap Karakteristik Edible Film Gelatin Kulit Ikan Nila (*Oreochromis Niloticus*), *Jurnal Ilmu Pangan dan Hasil Pertanian*, 2(2), pp. 134–145. Available at: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=2ahUKEwjz5nrxLXoAhXXAnIKHUfcCIUQFjAAegQIBRAB&url=http://journal.upgris.ac.id/index.php/jiphp/article/download/3133/pdf&usg=AOvVaw176_OP4W0mq7sa9TnymRcp.
- Setyaningrum, A. and Hardi J. (2017) Sifat Fisiko-Kimia Edible Film Agar – Agar Rumput Laut (*Gracilaria Sp.*) Tersubstitusi Glycerol, *Natural Science: Journal of Science and Technology*, (August 2017). doi: 10.22487/25411969.2017.v6.i2.8661.
- Setyorini, D., Aanisah R., Machmudah S., Winardi S., and Kanda H. (2018) Extraction of Phytochemical Compounds from *Eucheuma Cottonii* and *Gracilaria Sp* Using Supercritical CO₂ Followed by Subcritical Water, *MATEC Web of Conferences*, 03051, pp. 4–9. Available at: https://www.matec-conferences.org/articles/mateconf/abs/2018/15/mateconf_rsce2018_03051/mateconf_rsce2018_03051.html.
- Shehata, Mohamed G. (2018) What is relationship between IC 50 value and antioxidant activity? Available at: https://www.researchgate.net/post/What_is_relationship_between_IC_50_value_and_antioxidant_activity (Accessed: 1 June 2020).
- Siah, W. M., Aminah A., and Ishak A. (2015) Edible Films from Seaweed, *International Food Research Journal*, 22(6), pp. 2230–2236. Available at: [http://www.ifrj.upm.edu.my/22\(06\)2015/\(8\).pdf](http://www.ifrj.upm.edu.my/22(06)2015/(8).pdf).

- Simon, J. E., Morales M.R., Phippen W.B., Vieira R.F., and Hao Z. (1999) Basil : A Source of Aroma Compounds and A Popular Culinary and Ornamental Herb, *Perspective on New Crops and New Uses*, (January), pp. 1–7. Available at: https://www.researchgate.net/publication/245581551_Basil_A_Source_of_Aroma_Compounds_and_a_Popular_Culinary_and_Ornamental_Herb/link/0a85e53bd472a632ba000000/download.
- Sinurat, J. H. (2017) Pengaruh Perbandingan Sari Wortel Dengan Bubur Labu Siam Dan Jumlah Pektin Terhadap Mutu Vegetable Leather Universitas Sumatera Utara. Available at: <http://repository.usu.ac.id/handle/123456789/67381>.
- Song, X., Cheng L., and Tan L. (2018) Edible Iron Yam and Maize Starch Convenient Food Flavoring Packaging Films With Lemon Essential Oil As Plasticization, *Food Science and Technology*, 2061. doi: 10.1590/fst.13118.
- Sulistyo, F. T., Rulianto A., and Setijawati E. (2018) Pengaruh Konsentrasi Karagenan terhadap Karakteristik Fisikokimia Edible Film Berbasis Gelatin, *Universitas Katolik Widyamandala Surabaya*. doi: <https://doi.org/10.33508/jtpg.v17i2.1888>.
- Supardan, M. D., Aniisa Y., Arpi N., Aida W., and Mustapha W. (2016) Cassava Starch Edible Film Incorporated with Lemongrass Oil : Characteristics and Application, *International Journal on Advanced Science Engineering Information Technology*, 6(2), pp. 216–220. Available at: https://www.researchgate.net/publication/303755529_Cassava_Starch_Edible_Film_Incorporated_with_Lemongrass_Oil_Characteristics_and_Application/link/57e2836a08ae427e2959dc98/download.
- Tanaka, M., Ishizaki S., Suzuki T., and Takai R. (2001) Water Vapor Permeability Of Edible Films Prepared From Fish Water Soluble Proteins As Affected By Lipid Type, *Journal of the Tokyo University of Fisheries*, 87, pp. 31–37. Available at: <http://www2.kaiyodai.ac.jp/~mwat/websuzuki/images/lab/115.lab.pdf>.
- Tecante, A., Santiago M.D., and Nunez. (2012) Solution Properties of κ -Carrageenan and Its Interaction with Other Polysaccharides in Aqueous Media, in *Rheology Croatia: Intech Open*. Available at: <https://www.intechopen.com/books/rheology/solution-properties-of-k-carrageenan-and-its-interaction-with-other-polysaccharides-in-aqueous-media>.
- Tempo. (2016) Namanya Sushi, Isinya Asli Makanan Indonesia. Available at: <https://cantik.tempo.co/read/795810/namanya-sushi-isinya-asli-makanan-indonesia/full&view=ok> (Accessed: 10 September 2018).
- Togas, C., Berhimpon S., Montolalu R.I., Adeleida H., and Mentang F. (2017) Karakteristik Fisik Edible Film Komposit Karaginan Dan Lilin Lebah Menggunakan Proses Nanoemulsi, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20, pp. 468–477. Available at: http://repo.unsrat.ac.id/2248/2/Karakteristik_Fisik_Edible_Film_Komposit_Karaginan_dan_Lilin_Lebah_Menggunakan_Proses_Nanoemulsi.pdf.
- Tongnuanchan, P. (2015) Gelatin Film Incorporated with Essential Oil and Palm Oil: Properties, Characteristics and Application as Edible Pouch Prince of Songkla

- University. Available at: <https://www.semanticscholar.org/paper/Gelatin-film-incorporated-with-essential-oil-and-Tongnuanchan/4395306237856bc496fa6fd76d803b415ba1624c>.
- Turek, C. and Stitntzing F.C. (2013) Stability of Essential Oils : A Review, *Comprehensive Reviews in Food Science and Food Safety*, 12, pp. 40–53. doi: 10.1111/1541-4337.12006.
- Ulfah, M., Salsabila A., and Rohmawati I. (2018) Characteristics Of Water Solubility and Color On Edible Film From Bioselulosa Nata Nira Siwalan With The Additional Of Glycerol, in *International Conference on Mathematics, Science and EducationsIOP*, pp. 0–5. Available at: <https://iopscience.iop.org/article/10.1088/1742-6596/983/1/012191>.
- USDA. (2015) Food Data Central- Raw Basil. Available at: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/787787/nutrients> (Accessed: 5 July 2020).
- Warkoyo, B. Rahardjo, and Djagal Wiseso Marseno. (2014) Sifat Fisik, Mekanik, Dan Barrier Edible Film Berbasis Pati Umbi Kimpul (*Xanthosoma Sagittifolium*) Yang Diinkorporasi Dengan Kalium Sorbat, *Agritech*, 34(01), pp. 72–81. doi: 10.22146/agritech.9525.
- Widhiasih, P. L., Fariyanti A., and Tinaprilla N. (2018) Produksi Kemangi di Desa Ciaruteun Ilir, Kecamatan Cibungbulang, Bogor, *Forum Agribisnis*. doi: <https://doi.org/10.29244/fagb.3.2.161-172>.
- Yabuta, Y., Fujimura H., Kwak C.S., Enomoto T., and Watanabe F. (2010) Antioxidant Activity of the Phycoerythrobilin Compound Formed from a Dried Korean Purple Laver (*Porphyra* Sp.) during in Vitro Digestion, *Food Science and Technology Research*, 16(4), pp. 347–352. doi: 10.3136/fstr.16.347.
- Yanuarti, R., E. Anwar, and H. T. Profil. (2017) Profil Fenolik Dan Aktivitas Antioksidan Dari Ekstrak Rumput Turbinaria Conoides Dan Eucheuma Cottonii, *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20, pp. 230–237. Available at: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=2ahUKEwinr6ff4r_oAhVTSX0KHVEeAtgQFjAAegQIBBAB&url=https://journal.ipb.ac.id/index.php/jphpi/article/view/17503/12560&usg=AOvVaw0IhiVeXGvbDd8uCIMEHBfp.
- Yanwong, S. and Threepopnatkul P. (2015) Effect Of Peppermint and Citronella Essential Oils On Properties Of Fish Skin Gelatin Edible Films, *IOP Conference Series: Materials Science and Engineering*, 87. doi: 10.1088/1757-899X/87/1/012064.
- Yao, Y., Ding D., Shao H., Peng Q., and Huang Y. (2017) Antibacterial Activity and Physical Properties of Fish Gelatin-Chitosan Edible Films Supplemented with D-Limonene, *Hindawi International Journal of Polymer Science*, 2017, pp. 1–9. doi: <https://doi.org/10.1155/2017/1837171>.
- Yenrina, R., Sayuti K., Maharani R.T., and Rasjmida D. (2015) Acceptability and Antioxidant Activity of Vegetable Leather of Soursop Leaves (*Annona Muricata* L) and Seaweed (*Eucheuma Cottonii*) with Addition of Strawberries (*Fragaria Vesca*l),

Pakistan Journal of Nutrition, 14(8), pp. 498–502. doi: <http://dx.doi.org/10.3923/pjn.2015.498.502>.

Yenrina, R., Sayuti K., and Maharani R.T. (2016) Antioxidant Activity of Vegetable Leather Composed of Gotu Kola (*Centella Asiatica* L. Urban) and Seaweed (*Eucheuma Cottonii*) with Addition of Strawberries (*Fragaria Vesca* L.), *Pakistan Journal of Nutrition*, 15(4), pp. 498–502. Available at: <https://scialert.net/abstract/?doi=pjn.2016.337.341>.

Young, M. (2018) *Sushi Magic Sushi Handbook*. doi: 10.15713/ins.mmj.3.

