

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Kompleksitas Operasi	407	0	44	3.64	6.192
Profitabilitas	407	-1.440	.936	.01523	.144242
Ukuran Perusahaan	407	26000000	6.4E+13	1.8E+12	6.606E+12
DER	407	-218.439	2544.660	13.69171	138.903555
Valid N (listwise)	407				

Frequencies

Statistics

		Insider	Outsider	Opini	Ketepatan Waktu
N	Valid	407	407	407	407
	Missing	0	0	0	0

Frequency Table

Insider

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak ada insider	291	71.5	71.5	71.5
	ada insider	116	28.5	28.5	100.0
	Total	407	100.0	100.0	

Outsider

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak ada outsider	15	3.7	3.7	3.7
	ada outsider	392	96.3	96.3	100.0
	Total	407	100.0	100.0	

Opini

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Selain Unqualified	235	57.7	57.7	57.7
	Unqualified	172	42.3	42.3	100.0
	Total	407	100.0	100.0	

Ketepatan Waktu

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak tepat waktu	163	40.0	40.0	40.0
tepat waktu	244	60.0	60.0	100.0
Total	407	100.0	100.0	



Logistic Regression

Case Processing Summary

Unweighted Cases ^a		N	Percent
Selected Cases	Included in Analysis	407	100.0
	Missing Cases	0	.0
	Total	407	100.0
Unselected Cases		0	.0
Total		407	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
tidak tepat waktu	0
tepat waktu	1

Block 0: Beginning Block

Iteration History^{a,b,c}

Iteration		-2 Log likelihood	Coefficients
			Constant
Step	1	547.996	.398
0	2	547.993	.403
	3	547.993	.403

a. Constant is included in the model.

b. Initial -2 Log Likelihood: 547.993

c. Estimation terminated at iteration number 3 because parameter estimates changed by less than .001.

Classification Table^{a,b}

Observed			Predicted		
			Ketepatan Waktu		Percentage Correct
			tidak tepat waktu	tepat waktu	
Step 0	Ketepatan Waktu	tidak tepat waktu tepat waktu	0 0	163 244	.0 100.0
Overall Percentage					60.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.403	.101	15.904	1	.000	1.497

Variables not in the Equation^a

Step	Variables	Score	df	Sig.
0	ko	7.487	1	.006
	prof	17.095	1	.000
	up	3.662	1	.056
	der	1.163	1	.281
	insider	5.491	1	.019
	out	.000	1	.997
	opini	20.086	1	.000

a. Residual Chi-Squares are not computed because of redundancies.

Block 1: Method = Enter

Iteration History^{a,b,c,d}

Iteration	-2 Log likelihood	Coefficients								
		Constant	ko	prof	up	der	insider	out	opini	
Step 1	1	496.934	-.358	-.059	2.144	.000	-.001	.376	.504	.674
	2	494.404	-.439	-.075	2.910	.000	-.001	.445	.611	.728
	3	494.336	-.443	-.078	3.005	.000	-.001	.451	.619	.725
	4	494.336	-.443	-.078	3.006	.000	-.001	.452	.619	.725

a. Method: Enter

b. Constant is included in the model.

c. Initial -2 Log Likelihood: 547.993

d. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	53.657	7	.000
	Block	53.657	7	.000
	Model	53.657	7	.000

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	494.336 ^a	.124	.167

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	2.723	8	.951

Contingency Table for Hosmer and Lemeshow Test

		Ketepatan Waktu = tidak tepat waktu		Ketepatan Waktu = tepat waktu		Total
		Observed	Expected	Observed	Expected	
Step 1	1	31	30.029	10	10.971	41
	2	23	23.892	18	17.108	41
	3	21	20.861	20	20.139	41
	4	19	18.791	22	22.209	41
	5	18	16.879	23	24.121	41
	6	15	14.686	26	26.314	41
	7	10	12.622	31	28.378	41
	8	14	11.037	27	29.963	41
	9	8	8.833	33	32.167	41
	10	4	5.370	34	32.630	38

Classification Table^a

Observed			Predicted		
			Ketepatan Waktu		Percentage Correct
			tidak tepat waktu	tepat waktu	
Step 1	Ketepatan Waktu	tidak tepat waktu	66	97	40.5
		tepat waktu	41	203	83.2
Overall Percentage					66.1

a. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95.0% C.I. for EXP(B)		
							Lower	Upper	
Step 1	ko	-.078	.022	12.441	1	.000	.925	.886	.966
	prof	3.006	1.062	8.014	1	.005	20.201	2.521	161.853
	up	-.000	.000	4.723	1	.030	1.000	1.000	1.000
	der	-.001	.001	.583	1	.445	.999	.998	1.001
	insider	.452	.248	3.316	1	.069	1.571	.966	2.554
	out	.619	.563	1.208	1	.272	1.857	.616	5.600
	opini	.725	.234	9.576	1	.002	2.065	1.305	3.269
	Constant	-.443	.583	.577	1	.448	.642		

a. Variable(s) entered on step 1: ko, prof, up, der, insider, out, opini.

Correlation Matrix

Step 1	Constant	ko	prof	up	der	insider	out	opini
Constant	1.000	-.085	-.011	.015	-.019	-.218	-.957	-.285
ko	-.085	1.000	-.078	-.459	.000	.028	-.029	.030
prof	-.011	-.078	1.000	-.147	-.042	-.029	.055	-.244
up	.015	-.459	-.147	1.000	.025	.075	-.015	-.028
der	-.019	.000	-.042	.025	1.000	.036	-.011	.043
insider	-.218	.028	-.029	.075	.036	1.000	.109	-.027
out	-.957	-.029	.055	-.015	-.011	.109	1.000	.149
opini	-.285	.030	-.244	-.028	.043	-.027	.149	1.000

Casewise List^b

Case	Selected Status ^a	Observed	Predicted	Predicted Group	Temporary Variable	
		Ketepatan Waktu			Resid	ZResid
21	S	0**	.909	1	-.909	-3.163
152	S	1**	.064	0	.936	3.809
157	S	0**	.958	1	-.958	-4.782

a. S = Selected, U = Unselected cases, and ** = Misclassified cases.

b. Cases with studentized residuals greater than 2.000 are listed.

