

## 6. DAFTAR PUSTAKA

- Anggraini, D. I., & Septira, S. (2016). Nutrisi bagi Bayi Berat Badan Lahir Rendah ( BBLR ) untuk Mengoptimalkan Tumbuh Kembang Nutrition for Low Birth Weight Infant to Optimize Infant Growth and Development. *Majority*, 5(3), 151–155.
- Ari, Y., & Daniella, D. (2018). *OPINI ASI Donor untuk Bayi Prematur*. 45(5), 386–389.
- Baldassarre, M. E., Di Mauro, A., Fanelli, M., Capozza, M., Wampler, J. L., Cooper, T., & Laforgia, N. (2019). Shorter time to full preterm feeding using intact protein formula: A randomized controlled trial. *International Journal of Environmental Research and Public Health*, 16(16). <https://doi.org/10.3390/ijerph16162911>
- Beker, F., Opie, G., Noble, E., Jiang, Y., & Bloomfield, F. H. (2017). Smell and Taste to Improve Nutrition in Very Preterm Infants: A Randomized Controlled Pilot Trial. *Neonatology*, 111(3), 260–266. <https://doi.org/10.1159/000450883>
- Belfort, M. B., Edwards, E. M., Greenberg, L. T., Parker, M. G., Ehret, D. Y., & Horbar, J. D. (2019). Diet, weight gain, and head growth in hospitalized US very preterm infants: A 10-year observational study. *American Journal of Clinical Nutrition*, 109(5), 1373–1379. <https://doi.org/10.1093/ajcn/nqz008>
- Brumbaugh, J. E., Colaizy, T. T., Saha, S., Van Meurs, K. P., Das, A., Walsh, M. C., & Bell, E. F. (2018). Oral feeding practices and discharge timing for moderately preterm infants. *Early Human Development*, 120(March), 46–52. <https://doi.org/10.1016/j.earlhumdev.2018.04.001>
- Choirul Anam, Eko Sulistijono, H. C. K. (2019). *KADAR INTERLEUKIN-4 DAN INTERLEUKIN-8 FESES NEONATUS PREMATUR YANG Mendapat ASI, PREDOMINAN ASI, PREDOMINAN SUSU FORMULA, DAN SUSU FORMULA*. 6, 1–10.
- Chu, E., Freck, S., Zhang, L., Bhakta, K. Y., & Mikhael, M. (2019). Three-hourly feeding intervals are associated with faster advancement in very preterm infants. *Early Human Development*, 131(December 2018), 1–5. <https://doi.org/10.1016/j.earlhumdev.2019.01.021>
- Darmaun, D., Lapillonne, A., Simeoni, U., Picaud, J. C., Rozé, J. C., Saliba, E., Bocquet, A., Chouraqui, J. P., Dupont, C., Feillet, F., Frelut, M. L., Girardet, J. P., Turck, D., & Briend, A. (2018). Parenteral nutrition for preterm infants: Issues and strategy. *Archives de Pediatrie*, 25(4), 286–294. <https://doi.org/10.1016/j.arcped.2018.02.005>
- De Boo, H. A., & Harding, J. E. (2007). Protein metabolism in preterm infants with particular

- reference to intrauterine growth restriction. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 92(4). <https://doi.org/10.1136/adc.2006.099697>
- de Halleux, V., Pieltain, C., Senterre, T., & Rigo, J. (2017). Use of donor milk in the neonatal intensive care unit. *Seminars in Fetal and Neonatal Medicine*, 22(1), 23–29. <https://doi.org/10.1016/j.siny.2016.08.003>
- De Halleux, V., Pieltain, C., Senterre, T., Studzinski, F., Kessen, C., Rigo, V., & Rigo, J. (2019). Growth benefits of own mother's milk in preterm infants fed daily individualized fortified human milk. *Nutrients*, 11(4). <https://doi.org/10.3390/NU11040772>
- Dumm, M., Hamms, M., Sutton, J., & Ryan-Wenger, N. (2013). NICU breast milk warming practices and the physiological effects of breast milk feeding temperatures on preterm infants. *Advances in Neonatal Care*, 13(4), 279–287. <https://doi.org/10.1097/ANC.0b013e31829d8c3a>
- Efendi, D., & Rustina, Y. (2013). Newborn Individualized Developmental Care and Assessment Program (Nidcap) Terhadap Hasil Jangka Panjang Perkembangan Bayi Prematur: Suatu Telaah. *Jurnal Keperawatan Indonesia*, 16(3), 161–167. <https://doi.org/10.7454/jki.v16i3.326>
- Enamberea, R. R., Kurniasari, M. D., Dary, D., & Putra, K. P. (2020). Pemberian Asi Eksklusif, Susu Formula Dan Kombinasi Keduanya Terhadap Pertumbuhan Dan Perkembangan Anak Usia 6-11 Bulan Di Puskesmas Cebongan Salatiga. *Jurnal Ilmu Keperawatan Dan Kebidanan*, 11(1), 13. <https://doi.org/10.26751/jikk.v11i1.723>
- Ernawan, P. B. (2021). Identifikasi Faktor-Faktor Terkait Kejadian Preeklamsia pada Ibu Hamil di Kabupaten Semarang. *Jurnal Sains Dan Informatika*, 3(2), 269–277.
- Galderisi, A., Facchinetti, A., Steil, G. M., Ortiz-Rubio, P., Cavallin, F., Tamborlane, W. V., Baraldi, E., Cobelli, C., & Trevisanuto, D. (2017). Continuous glucose monitoring in very preterm infants: A randomized controlled trial. *Pediatrics*, 140(4). <https://doi.org/10.1542/peds.2017-1162>
- Garg, M., & Devaskar, S. U. (2006). Glucose Metabolism in the Late Preterm Infant. *Clinics in Perinatology*, 33(4), 853–870. <https://doi.org/10.1016/j.clp.2006.10.001>
- Ghomi, H., Yadegari, F., Soleimani, F., Knoll, B. L., Noroozi, M., & Mazouri, A. (2019). The effects of premature infant oral motor intervention (PIOMI) on oral feeding of preterm infants: A randomized clinical trial. *International Journal of Pediatric Otorhinolaryngology*, 120(February), 202–209. <https://doi.org/10.1016/j.ijporl.2019.02.005>

- Gidrewicz, D. A., & Fenton, T. R. (2014). A systematic review and meta-analysis of the nutrient content of preterm and term breast milk. *BMC Pediatrics*, *14*(1), 1–14.  
<https://doi.org/10.1186/1471-2431-14-216>.
- Gonzales, I., Duryea, E. J., Vasquez, E., & Geraghty, N. (1995). Effect of enteral feeding temperature on feeding tolerance in preterm infants. *Neonatal Network : NN*, *14*(3), 39–43.
- Guellec, I., Charkaluk, M. L., Fresson, J., Kaminski, M., Ancel, P. Y., Lapillonne, A., Marret, S., Picaud, J. C., Mitanchez, D., Fresson, J., Arnaud, C., Flamand, C., Roze, J. C., Cambonie, G., Larroque, B., Ancel, P. Y., Blondel, B., Bréart, G., Dehan, M., ... Voyer, M. (2016). Effect of Intra- and Extrauterine Growth on Long-Term Neurologic Outcomes of Very Preterm Infants. *Journal of Pediatrics*, *175*, 93-99.e1.  
<https://doi.org/10.1016/j.jpeds.2016.05.027>
- Harding, J. E., Cormack, B. E., Alexander, T., Alswailer, J. M., & Bloomfield, F. H. (2017). Advances in nutrition of the newborn infant. *The Lancet*, *389*(10079), 1660–1668.  
[https://doi.org/10.1016/S0140-6736\(17\)30552-4](https://doi.org/10.1016/S0140-6736(17)30552-4)
- Hariati, S., Rustina, Y., & Handiyani, H. (2007). *Peningkatan berat badan dan suhu tubuh bayi prematur melalui terapi musik*.
- <https://www.infantnutritioncouncil.com/>. (2003). Breastmilk. Diakses pada 12 Juli 2021 dari <https://www.infantnutritioncouncil.com/breastmilk-information/>
- Kleverbro, S., Westin, V., Stoltz Sjöström, E., Norman, M., Domellöf, M., Edstedt Bonamy, A. K., & Hallberg, B. (2019). Early energy and protein intakes and associations with growth, BPD, and ROP in extremely preterm infants. *Clinical Nutrition*, *38*(3), 1289–1295.  
<https://doi.org/10.1016/j.clnu.2018.05.012>
- Kusmiyati, K. (2012). Nutrisi Di Awal Perkembangan. *Jurnal Pijar Mipa*, *7*(1).  
<https://doi.org/10.29303/jpm.v7i1.86>
- Lessen, B. S. (2011). Effect of the premature infant oral motor intervention on feeding progression and length of stay in preterm infants. *Advances in Neonatal Care*, *11*(2), 129–141. <https://doi.org/10.1097/ANC.0b013e3182115a2a>
- Lessen, B. S., & Bottorff, T. (2016). *Premature Infant Oral Motor Intervention : Comparing International Evidence*. *2016*(April), 10–11.
- Lessen, B. S., Morello, C. A., & Williams, L. J. (2015). Establishing intervention fidelity of an oral motor intervention for preterm infants. *Neonatal Network*, *34*(2), 72–82.

<https://doi.org/10.1891/0730-0832.34.2.72>

- Li, X. L., Liu, Y., Liu, M., Yang, C. Y., & Yang, Q. Z. (2020). Early Premature Infant Oral Motor Intervention Improved Oral Feeding and Prognosis by Promoting Neurodevelopment. *American Journal of Perinatology*, 37(6), 626–632. <https://doi.org/10.1055/s-0039-1685448>
- Maas, C., Franz, A. R., von Krogh, S., Arand, J., & Poets, C. F. (2018). Growth and morbidity of extremely preterm infants after early full enteral nutrition. *Archives of Disease in Childhood. Fetal and Neonatal Edition*, 103(1), F79–F81. <https://doi.org/10.1136/archdischild-2017-312917>
- Maas, C., Mathes, M., Bleeker, C., Vek, J., Bernhard, W., Wiechers, C., Peter, A., Poets, C. F., & Franz, A. R. (2017). Effect of increased enteral protein intake on growth in human milk-fed preterm infants a randomized clinical trial. *JAMA Pediatrics*, 171(1), 16–22. <https://doi.org/10.1001/jamapediatrics.2016.2681>
- Madore, L. S., Bora, S., Erdei, C., Jumani, T., Dengos, A. R., & Sen, S. (2017). Effects of Donor Breastmilk Feeding on Growth and Early Neurodevelopmental Outcomes in Preterm Infants: An Observational Study. *Clinical Therapeutics*, 39(6), 1210–1220. <https://doi.org/10.1016/j.clinthera.2017.05.341>
- Mangili, G., & Garzoli, E. (2017). Feeding of preterm infants and fortification of breast milk. *La Pediatria Medica e Chirurgica : Medical and Surgical Pediatrics*, 39(2), 158. <https://doi.org/10.4081/pmc.2017.158>
- Mcgowan, J. E. (2015). Neonatal Hypoglycemia The online version of this article , along with updated information and services , is located on the World Wide Web at : *Pediatrics in Review*, 20(July 1999), e6–e15. <https://doi.org/10.1542/pir.20-7-e6>
- Miller, J., Makrides, M., Gibson, R. A., McPhee, A. J., Stanford, T. E., Morris, S., Ryan, P., & Collins, C. T. (2012). Effect of increasing protein content of human milk fortifier on growth in preterm infants born at <31 wk gestation: A randomized controlled trial. *American Journal of Clinical Nutrition*, 95(3), 648–655. <https://doi.org/10.3945/ajcn.111.026351>
- Mitanchez, D. (2007). Glucose regulation in preterm newborn infants. *Hormone Research*, 68(6), 265–271. <https://doi.org/10.1159/000104174>
- Palu, P. K. (2013). *PENGARUH PERAWATAN METODE KANGURU TERHADAP FUNGSI FISILOGIS BAYI PREMATUR DAN KEPERCAYAAN DIRI IBU DALAM MERAJAT BAYI* Andi Fatmawati Syamsu Politeknik Kesehatan Palu. 8(3), 163–175.

- Park, J., Knafel, G., Thoyre, S., & Brandon, D. (2015). Factors associated with feeding progression in extremely preterm infants. *Nursing Research*, *64*(3), 159–167. <https://doi.org/10.1097/NNR.0000000000000093>
- piomi.com. (2020). What is PIOMI?. Diakses pada 21 April 2021, dari <https://www.piomi.com/>
- Rana, R., McGrath, M., Gupta, P., Thakur, E., & Kerac, M. (2020). Feeding interventions for infants with growth failure in the first six months of life: A systematic review. *Nutrients*, *12*(7), 1–30. <https://doi.org/10.3390/nu12072044>
- Reid, J., Makrides, M., McPhee, A. J., Stark, M. J., Miller, J., & Collins, C. T. (2018). The effect of increasing the protein content of human milk fortifier to 1.8 g/100 ml on growth in preterm infants: A randomised controlled trial. *Nutrients*, *10*(5), 1–12. <https://doi.org/10.3390/nu10050634>
- Ribas, S. A., Cunha, D. B., Paravidino, V. B., de Rodrigues, M. C. C., & Pereira, R. A. (2020). Protein and energy intake and nutritional evolution of preterm infants after hospital discharge: A longitudinal study. *Early Human Development*, *149*(March), 105136. <https://doi.org/10.1016/j.earlhumdev.2020.105136>
- Rohsiswatmo, R., & Amandito, R. (2020). Optimalisasi Pertumbuhan Bayi Prematur dan Pasca Prematur di Indonesia; Mengacu pada Pedoman Nutrisi Bayi Prematur di RSCM. *Sari Pediatri*, *21*(4), 262. <https://doi.org/10.14238/sp21.4.2019.262-71>
- Salas, A. A., Li, P., Parks, K., Lal, C. V., Martin, C. R., & Carlo, W. A. (2018). Early progressive feeding in extremely preterm infants: A randomized trial. *American Journal of Clinical Nutrition*, *107*(3), 365–370. <https://doi.org/10.1093/ajcn/nqy012>
- Sandesh, M. (1991). ORIGINAL RESEARCH PAPER PREFEEDING OROMOTOR STIMULATION FOR IMPROVING OROMOTOR FUNCTION IN Dr . Anushree M. 2250, 1–2.
- sardjito.co.id/. (2019, 24 Mei).Peningkatan Kemampuan Menghisap & Menelan Pada Bayi Dengan Berat Badan Lahir Rendah (BBLR) Menggunakan Oral Sensomotor Terapi. Diakses pada 3 Juli 2021 dari, <https://penerbitdeepublish.com/cara-menulis-daftar-pustaka-dari-website/>
- Sumarni, S.-, Sutini, T., & Hariyanto, R. (2021). Differences Effectiveness Premature Infant Oralmotor Intervention (PIOMI) And Oromotor Stimulation (OMS) To Readiness Oral Feeding. *Jurnal Ilmiah Ilmu Keperawatan Indonesia*, *11*(01), 29–34. <https://doi.org/10.33221/jiiki.v11i01.943>

- Suradi, R. (2016). Spesifitas Biologis Air Susu Ibu. *Sari Pediatri*, 3(3), 134. <https://doi.org/10.14238/sp3.3.2001.134-40>
- Thakkar, P. A., Rohit, H. R., Ranjan Das, R., Thakkar, U. P., & Singh, A. (2018). Effect of oral stimulation on feeding performance and weight gain in preterm neonates: a randomised controlled trial. *Paediatrics and International Child Health*, 38(3), 181–186. <https://doi.org/10.1080/20469047.2018.1435172>
- Thoene, M., Lyden, E., Weishaar, K., Elliott, E., Wu, R., White, K., Timm, H., & Anderson-Berry, A. (2016). Comparison of a powdered, acidified liquid, and non-acidified liquid human milk fortifier on clinical outcomes in premature infants. *Nutrients*, 8(8), 1–10. <https://doi.org/10.3390/nu8080451>
- Toftlund, L. H., Halken, S., Agertoft, L., & Zachariassen, G. (2018). Catch-Up Growth, Rapid Weight Growth, and Continuous Growth from Birth to 6 Years of Age in Very-Preterm-Born Children. *Neonatology*, 114(4), 285–293. <https://doi.org/10.1159/000489675>
- Tonkin, E., Miller, J., Makrides, M., McPhee, A. J., Morris, S. A., Gibson, R. A., & Collins, C. T. (2018). Dietary protein intake, breast feeding and growth in human milk fed preterm infants. *International Journal of Environmental Research and Public Health*, 15(6). <https://doi.org/10.3390/ijerph15061196>
- Travers, C. P., Wang, T., Salas, A. A., Schofield, E., Dills, M., Laney, D., Yee, A., Bhatia, A., Winter, L., Ambalavanan, N., & Carlo, W. A. (2020). Higher- or Usual-Volume Feedings in Infants Born Very Preterm: A Randomized Clinical Trial. *Journal of Pediatrics*, 224, 66–71.e1. <https://doi.org/10.1016/j.jpeds.2020.05.033>
- Uygur, O., Yalaz, M., Can, N., Koroglu, O. A., & Kultursay, N. (2019). Preterm Infants May Better Tolerate Feeds at Temperatures Closer to Freshly Expressed Breast Milk: A Randomized Controlled Trial. *Breastfeeding Medicine*, 14(3), 154–158. <https://doi.org/10.1089/bfm.2018.0142>
- Wandita, S. (2016). Nutrisi pada Bayi Prematur. *Kumpulan Makalah Pertemuan Ilmiah Tahunan Ilmu Kesehatan Anak VIII*, 180–186.
- who.int/. (2021). Breastfeeding. Diakses pada 3 April 2021 dari, [https://www.who.int/health-topics/breastfeeding#tab=tab\\_1](https://www.who.int/health-topics/breastfeeding#tab=tab_1)
- who.int/. (2021). Prewterm Birth. Diakses pada 27 Mei 2021, dari [https://www.who.int/news-room/fact-sheets/detail/preterm-birth#:~:text=Preterm%20is%20defined%20as%20babies,\(32%20to%2037%20weeks\)](https://www.who.int/news-room/fact-sheets/detail/preterm-birth#:~:text=Preterm%20is%20defined%20as%20babies,(32%20to%2037%20weeks))