

6. DAFTAR PUSTAKA

- Acevedo, B. A., Avanza, M. V., Cháves, M. G., & Ronda, F. (2013). Gelation, thermal and pasting properties of pigeon pea (*Cajanus cajan* L.), dolichos bean (*Dolichos lablab* L.) and jack bean (*Canavalia ensiformis*) flours. *Journal of Food Engineering*, 119(2013), 65–71. <https://doi.org/10.1016/j.jfoodeng.2013.05.014>
- Akrapunam, M. A., & Darbe, J. W. (1994). Chemical composition and functional properties of blends of maize and bambara groundnut flours for cookie production. *Plant Foods for Human Nutrition*, 46, 147–155. <https://link.springer.com/article/10.1007%2FBF01088767>
- Akubor, P. I., Flora, Adamolekun, O., Oba, C. A., Obari, H., & Abudu, I. O. (2003). Chemical Composition and Functional Properties of Cowpea and Plantain Flour Blends for Cookie Production. *Plant Foods for Human Nutrition*, 58, 1–9. <https://link.springer.com/article/10.1023/B%3AQUAL.0000041160.25384.f6>
- Almekinder, E. (2020). 20 Healthy Flours from Lowest to Highest Carbohydrates. [thediabetescouncil.com](https://www.thediabetescouncil.com/20-healthy-flours/). <https://www.thediabetescouncil.com/20-healthy-flours/>
- Ariyantoro, A. R., Rachmawanti, D., & Ikarini, I. (2016). Karakteristik Fisikokimia Tepung Koro Pedang (*Canavalia ensiformis*) termodifikasi dengan Variasi Konsentrasi Asam Laktat dan Lama Perendaman. *Agritech*, 36(1), 1–6. <https://doi.org/10.22146/agritech.10675>
- Babiker, E. E., Özcan, M. M., Ghafoor, K., Juhaimi, F. Al, Ahmed, I. A. M., & Almusallam, I. A. (2020). Physicochemical and bioactive properties, fatty acids, phenolic compounds, mineral contents and sensory properties of cookies enriched with carob flour. *Journal of food processing and preservation*, 44(10). <https://doi.org/10.1111/jfpp.14745>
- Becerra-tomás, N., Díaz-lópez, A., Rosique-esteban, N., Ros, E., Buil-cosiales, P., Corella, D., Estruch, R., Fitó, M., Serra-majem, L., Arós, F., Lamuela-Raventós, R. M., Fiol, M., Santos-Lozano, J. M., Diez-Espino, J., Portoles, O., & Salas-Salvadó, J. (2017). Legume consumption is inversely associated with type 2 diabetes incidence in adults: a prospective assessment from the PREDIMED study. *Clinical Nutrition*, 1–25. <https://doi.org/10.1016/j.clnu.2017.03.015>
- Birt, D. F., Boylston, T., Hendrich, S., Jane, J. L., Hollis, J., Li, L., McClelland, J., Moore, S., Phillips, G. J., Rowling, M., Schalinske, K., Scott, M. P., & Whitley, E. M. (2013). Resistant starch: Promise for Improving Human Health. *Advances in Nutrition*, 4, 587–601. <https://doi.org/10.3945/an.113.004325>
- Cappa, C., Kelly, J. D., & Ng, P. K. W. (2020). Baking performance of 25 edible dry bean powders: Correlation between cookie quality and rapid test indices. *Food Chemistry*, 302. <https://doi.org/10.1016/j.foodchem.2019.125338>

- Cappelli, A., Oliva, N., & Cini, E. (2020). Stone Milling versus Roller Milling : A Systematic Review of The Effects on Wheat Flour Quality, Dough Rheology , and Bread Characteristics. *Trends in Food Science & Technology*, 97, 147–155. <https://doi.org/10.1016/j.tifs.2020.01.008>
- Cauvain, S., & Young, L. (2001). *Baking Problems Solved*. Woodhead Publishing Limited.
<https://books.google.co.id/books?id=TxOkAgAAQBAJ&pg=PA27&dq=flour+water+absorption+is&hl=id&sa=X&ved=2ahUKEwjo2a2mmNDtAhV863MBHWtvBAQQ6AEwA3oECAAYQAg#v=onepage&q=flour water absorption is&f=false>
- Champ, M. M. J. (2004). Physiological Aspects of Resistant Starch and in vivo Measurements. *Journal of AOAC International*, 87(3), 749–755. <https://doi.org/10.1093/jaoac/87.3.749>
- Chatterjee, S., Khunti, K., & Davies, M. J. (2017). Type 2 Diabetes. *The Lancet*, 1–13. [https://doi.org/10.1016/S0140-6736\(17\)30058-2](https://doi.org/10.1016/S0140-6736(17)30058-2)
- Chávez-Mendoza, C., & Sánchez, E. (2017). Bioactive Compounds from Mexican Varieties of the Common Bean (*Phaseolus vulgaris*): Implications for Health. *Molecules*, 22(1360), 1–32. <https://doi.org/10.3390/molecules22081360>
- Cheng, Y. F., & Bhat, R. (2016). Functional, Physicochemical and Sensory Properties of Novel Cookies Produced by Utilizing Underutilized Jering (*Pithecellobium jiringa* Jack.) Legume Flour. *Food Bioscience*, 1–23. <https://doi.org/10.1016/j.fbio.2016.03.002>
- Chung, H., & Liu, Q. (2012). Physicochemical properties and in vitro digestibility of flour and starch from pea (*Pisum sativum* L.) cultivars. *International Journal of Biological Macromolecules*, 50(2012), 131–137. <https://doi.org/10.1016/j.ijbiomac.2011.10.004>
- Chung, H., Liu, Q., Pauls, K. P., Fan, M. Z., & Yada, R. (2008^a). In vitro starch digestibility , expected glycemic index and some physicochemical properties of starch and flour from common bean (*Phaseolus vulgaris* L .) varieties grown in Canada. *Food Research International*, 41(9), 869–875. <https://doi.org/10.1016/j.foodres.2008.03.013>
- Chung, Lim, H. S., & Lim, S. T. (2006). Effect of Partial Gelatinization and Retrogradation on the Enzymatic Digestion of Waxy Rice Starch. *Journal of Cereal Science*, 43, 353–359. <https://doi.org/10.1016/j.jcs.2005.12.001>
- Chung, Liu, Q., Hoover, R., Warkentin, T. D., & Vandenberg, B. (2008^b). In vitro starch digestibility, expected glycemic index, and thermal and pasting properties of flours from pea, lentil and chickpea cultivars. *Food Chemistry*, 111(2008), 316–321. <https://doi.org/10.1016/j.foodchem.2008.03.062>

- de Barros, H. E. A., Natarelli, C. V. L., Tavares, I. M. de C., de Oliveira, A. L. M., Araújo, A. B. S., Pereira, J., Carvalho, E. E. N., Boas, E. V. de B. V., & Franco, M. (2020). Nutritional Clustering of Cookies Developed with Cocoa Shell, Soy, and Green Banana Flours Using Exploratory Methods. *Food and Bioprocess Technology*. <https://doi.org/10.1007/s11947-020-02495-w>
- Di Cairano, M., Condelli, N., Caruso, M. C., Marti, A., Cela, N., & Galgano, F. (2020). Functional properties and predicted glycemic index of gluten free cereal, pseudocereal and legume flours. *LWT - Food Science and Technology*, *133*, 1–7. <https://doi.org/10.1016/j.lwt.2020.109860>
- Di Paola, R. D., Asis, R., & Aldao, M. A. J. (2003). Evaluation of the Degree of Starch Gelatinization by a New Enzymatic Method. *Starch/Staerke*, *55*, 403–409. <https://doi.org/10.1002/star.200300167>
- DiMeglio, L. A., Evans-Molina, C., & Oram, R. A. (2018). Type 1 Diabetes. *The Lancet*, *391*, 2449–2462. [https://doi.org/10.1016/S0140-6736\(18\)31320-5](https://doi.org/10.1016/S0140-6736(18)31320-5)
- Ding, M., Pan, A., Manson, J. E., Willett, W. C., Malik, V., Rosner, B., Giovannucci, E., Hu, F. B., & Sun, Q. (2016). Consumption of Soy Foods and Isoflavones and Risk of Type 2 Diabetes : A Pooled Analysis of Three US Cohorts. *European Journal of Clinical Nutrition*, *70*, 1381–1387. <https://doi.org/10.1038/ejen.2016.117>
- Egea, M. B., Bolanho, B. C., Lemes, A. C., Bragatto, M. M., Silva, M. R., Carvalho, J. C. M., & Danesi, E. D. G. (2018). Low Cost Cassava, Peach Palm and Soy by-products for the Nutritional Enrichment of Cookies: Physical, Chemical and Sensorial Characteristics. *International Food Research Journal*, *25*(3), 1204–1212. https://www.researchgate.net/publication/326800580_Low_cost_cassava_peach_palm_and_soy_by-products_for_the_nutritional_enrichment_of_cookies_Physical_chemical_and_sensorial_characteristics
- El-Adawy, T. A., Rahma, E. H., El-Bedawey, A. A., & El-Beltagy, A. E. (2003). Nutritional potential and functional properties of germinated mung bean, pea and lentil seeds. *Plant Foods for Human Nutrition*, *58*, 1–13. <https://link.springer.com/article/10.1023/B:QUAL.0000040339.48521.75>
- Elvers, B. (Ed.). (2017). *Ullmann's Food and Feed*. Wiley-VCH. <https://books.google.co.id/books?id=L1O9DQAAQBAJ&pg=PA496&dq=water+content+in+cookie&hl=id&sa=X&ved=2ahUKEwjnyv7t8dftAhWUYysKHanhBB4Q6AEwA3oECAIQAg#v=onepage&q=water+content+in+cookie&f=false>
- Englyst, K., Vinoy, S., Englyst, H., & Lang, V. (2003). Glycaemic Index of Cereal Products Explained by Their Content of Rapidly and Slowly Available Glucose. *British Journal of Nutrition*, *89*, 329–339. <https://doi.org/10.1079/bjn2002786>

- Englyst, Kingman, S. M., & Cummings, J. H. (1992). Classification and Measurement of Nutritionally Important Starch Fractions. *European Journal of Clinical Nutrition*, 46, s33–s50. <https://pubmed.ncbi.nlm.nih.gov/1330528/>
- FDC. (2019^a). *Wheat Flour, whole-grain, soft wheat*. USDA. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/168944/nutrients>
- FDC. (2019^b). *Wheat Flour Cookie*. USDA. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/544004/nutrients>
- Felker, F. C., Kenar, J. A., Byars, J. A., Singh, M., & Liu, S. X. (2018). Comparison of properties of raw pulse flours with those of jet-cooked, drum-dried flours ☆. *LWT - Food Science and Technology*, 96(2018), 648–656. <https://doi.org/10.1016/j.lwt.2018.06.022>
- Foster-Powell, K., Holt, S. H. A., & Brand-miller, J. C. (2002). International Table of Glycemic Index and Glycemic Load Values: 2002. *American Journal of Clinical Nutrition*, 76, 5–56. <https://doi.org/10.1093/ajcn/76.1.5>
- Fujiwara, N., Hall, C., & Jenkins, A. L. (2017). Development of Low Glycemic Index (GI) Foods by Incorporating Pulse Ingredients into Cereal-Based Products: Use of In Vitro Screening and In Vivo Methodologies. *Cereal Chemistry Journal*, 94(1), 110–116. <https://doi.org/10.1094/CCHEM-04-16-0119-FI>
- Gianibelli, M. C., Larroque, O. R., MacRitchie, F., & Wrigley, C. W. (2001). Biochemical, Genetic, and Molecular Characterization of Wheat Endosperm Proteins. *Cereal Chemistry*, 78, 1–20. https://www.researchgate.net/publication/265455778_Biochemical_Genetic_and_Molecular_Characterization_of_Wheat_Endosperm_Proteins
- Giuberti, G., Rocchetti, G., Sigolo, S., Fortunati, P., Lucini, L., & Gallo, A. (2017). Exploitation of alfalfa seed (*Medicago sativa* L.) flour into gluten-free rice cookies: nutritional, antioxidant and quality characteristics. *Food Chemistry*, 227, 1–29. <https://doi.org/10.1016/j.foodchem.2017.07.004>
- Grumezescu, A. M., & Holban, A. M. (Ed.). (2018). *Therapeutic, Probiotic, and Unconventional Foods*. Elsevier Inc. https://www.google.co.id/books/edition/Therapeutic_Probiotic_and_Unconventional/Qm89DwAAQBAJ?hl=id&gbpv=1&dq=therapeutic+probiotic+and+unconventional+foods+trough+viscosity&pg=PA356&printsec=frontcover
- Hallstrom, E., Sestili, F., Lafiandra, D., Bjorck, I., & Ostman, E. (2011). A Novel Wheat Variety with Elevated Content of Amylose Increases Resistant Starch Formation and May Beneficially Influence Glycaemia in Healthy Subjects. *Food & Nutrition Research*, 55(7074), 1–8. <https://doi.org/10.3402/fnr.v55i0.7074>

- Hamdani, A. M., Wani, I. A., & Bhat, N. A. (2020). Gluten free cookies from rice-chickpea composite flour using exudate gums from acacia, apricot and karaya. *Food Bioscience*, 35, 1–9. <https://doi.org/10.1016/j.fbio.2020.100541>
- Hartajanie, L., Fatimah-Muis, S., Heri-Nugroho Hs, K., Riwanto, I., & Sulchan, M. (2020). Probiotics Fermented Bitter Melon Juice as Promising Complementary Agent for Diabetes Type 2: Study on Animal Model. *Journal of Nutrition and Metabolism*, 2020, 1–7. <https://doi.org/10.1155/2020/6369873>
- Haub, M. D., Hubach, K. L., Al-tamimi, E. K., Ornelas, S., & Seib, P. A. (2010). Different Types of Resistant Starch Elicit Different Glucose Responses in Humans. *Journal of Nutrition and Metabolism*, 1–4. <https://doi.org/10.1155/2010/230501>
- Haupt-Jorgensen, M., Holm, L. J., Josefsen, K., & Buschard, K. (2018). Possible Prevention of Diabetes with a Gluten-Free Diet. *Nutrients*, 10(1746), 1–20. <https://doi.org/10.3390/nu10111746>
- Hoojjat, P., & Zabik, M. E. (1984). Sugar-Snap Cookies Prepared with Wheat-Navy Bean-Sesame Seed Flour Blends. *Cereal Chemistry*, 61(1), 41–44. https://www.cerealsgrains.org/publications/cc/backissues/1984/Documents/chem61_41.pdf
- Hosseinpour-Niazi, S., Mirmiran, P., Hedayati, M., & Azizi, F. (2015^a). Substitution of red meat with legumes in the therapeutic lifestyle change diet based on dietary advice improves cardiometabolic risk factors in overweight type 2 diabetes patients: a cross-over randomized clinical trial. *European Journal of Clinical Nutrition*, 69, 592–597. <https://doi.org/10.1038/ejcn.2014.228>
- Hosseinpour-Niazi, Somayeh, Mirmiran, P., Fallah-Ghohroudi, A., & Azizi, F. (2015^b). Non-soya legume-based therapeutic lifestyle change diet reduces inflammatory status in diabetic patients: a randomised cross-over clinical trial. *British Journal of Nutrition*, 213–219. <https://doi.org/10.1017/S0007114515001725>
- Hui, Y. H. (Ed.). (2006). *Handbook of Food Science, Technology, and Engineering*. Taylor & Francis Group, LLC. [https://books.google.co.id/books?id=rTjysvUxB8wC&pg=PA5&dq=good+moisture+content+for+cookie&hl=id&sa=X&ved=2ahUKEwiAh_z86tftAhUd7XMBHVTaCSIQ6AEwAXoECAUQA#v=onepage&q=good moisture content for cookie&f=false](https://books.google.co.id/books?id=rTjysvUxB8wC&pg=PA5&dq=good+moisture+content+for+cookie&hl=id&sa=X&ved=2ahUKEwiAh_z86tftAhUd7XMBHVTaCSIQ6AEwAXoECAUQA#v=onepage&q=good%20moisture%20content%20for%20cookie&f=false)
- Jenkins, D. J. A., Kendall, C. W. C., McKeown-Eyssen, G., Josse, R. G., Silverberg, J., Booth, G. L., Vidgen, E., Josse, A. R., Nguyen, T. H., Corrigan, S., Banach, M. S., Ares, S., Mitchell, S., Emam, A., Augustin, L. S. A., Parker, T. L., & Leiter, L. A. (2008). Effect of a Low-Glycemic Index or a High-Cereal Fiber Diet on Type 2 Diabetes: A randomized Trial. *JAMA - Journal of the American Medical Association*, 300(23), 2742–2753. <https://doi.org/10.1001/jama.2008.808>

- Karuranga, S., Malanda, B., Saeedi, P., & Salpea, P. (Ed.). (2019). *Diabetes* (9th ed.). International Diabetes Federation. https://www.diabetesatlas.org/upload/resources/material/20200302_133351_IDFA_TLAS9e-final-web.pdf
- Kaur, M., Sandhu, K. S., Ahlawat, R., & Sharma, S. (2013). In vitro starch digestibility, pasting and textural properties of mung bean: effect of different processing methods. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-013-1136-2>
- Kaur, M., Sandhu, K. S., & Singh, N. (2006). Comparative study of the functional, thermal and pasting properties of flours from different field pea (*Pisum sativum* L.) and pigeon pea (*Cajanus cajan* L.) cultivars. *Food Chemistry*, 104(2007), 259–267. <https://doi.org/10.1016/j.foodchem.2006.11.037>
- Kulthe, A. A., Pawar, V. D., Kotecha, P. M., Chavan, U. D., & Bansode, V. V. (2011). Development of High Protein and Low Calorie Cookies. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-011-0465-2>
- Kumar, S. B., & Prabhasankar, P. (2014). Low Glycemic Index Ingredients and Modified Starches in Wheat Based Food Processing: A review. *Trends in Food Science & Technology*, 35, 32–41. <https://doi.org/10.1016/j.tifs.2013.10.007>
- Kweon, M., Slade, L., Levine, H., & Gannon, D. (2014). Cookie- Versus Cracker-Baking- What's the Difference? Flour Functionality Requirements Explored by SRC and Alveography. *Critical Reviews in Food Science and Nutrition*, 54, 115–138. <https://doi.org/10.1080/10408398.2011.578469>
- Lestari, L. A., Huriyati, E., & Marsono, Y. (2017). The Development of Low Glycemic Index Cookie Bars from Foxtail Millet (*Setaria italica*), Arrowroot (*Maranta arundinacea*) Flour, and Kidney Beans (*Phaseolus vulgaris*). *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-017-2552-5>
- Liu, Y., Xu, M., Wu, H., Jing, L., Gong, B., Gou, M., Zhao, K., & Li, W. (2018). The compositional, physicochemical and functional properties of germinated mung bean flour and its addition on quality of wheat flour noodle. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-018-3460-z>
- Maningat, C. C., & Seib, P. A. (2010). Understanding The Physicochemical and Functional Properties of Wheat Starch in Various Foods. *Cereal chemistry*, 87(4), 305–314. <https://doi.org/10.1094 /CCHEM-87-4-0305>
- Mann, J., Cummings, J. H., Englyst, H. N., Key, T., Liu, S., Riccardi, G., Summerbell, C., Uauy, R., van Dam, R. M., Venn, B., Vorster, H. H., & Wiseman, M. (2007). FAO/WHO Scientific Update on Carbohydrates in Human Nutrition: Conclusions. *European Journal of Clinical Nutrition*, 61, S132–S137. <https://doi.org/10.1038/sj.ejcn.1602943>

- Mcwatters, K. H., Ouedraogo, J. B., Resurreccion, A. V. A., Hung, Y., & Phillips, R. D. (2003). Physical and sensory characteristics of sugar cookies containing mixtures of wheat, fonio (*Digitaria exilis*) and cowpea (*Vigna unguiculata*) flours. *International Journal of Food Science and Technology*, 38, 403–410. <https://doi.org/10.1046/j.1365-2621.2003.00716.x>
- Miller, V., Mente, A., Dehghan, M., Rangarajan, S., Zhang, X., Bangdiwala, S. I., Teo, K., Anand, S., Yusuf, S., Swaminathan, S., Dagenais, G., Gupta, R., Mohan, V., Lear, S., Schutte, A. E., Wentzel-Viljoen, E., Avezum, A., Altuntas, Y., & Yusoff, K. (2017). Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. *The Lancet*, 390, 2037–2049. [https://doi.org/10.1016/S0140-6736\(17\)32253-5](https://doi.org/10.1016/S0140-6736(17)32253-5)
- Mirmiran, P., Hosseinpour-Niazi, S., & Azizi, F. (2017). Therapeutic lifestyle change diet enriched in legumes reduces oxidative stress in overweight type 2 diabetic patients : a crossover randomised clinical trial. *European Journal of Clinical Nutrition*, 1–3. <https://doi.org/10.1038/ejcn.2017.113>
- Mota, J., Lima, A., Ferreira, R. B., & Raymundo, A. (2020). Lupin Seed Protein Extract Can Efficiently Enrich the Physical Properties of Cookies Prepared with Alternative Flours. *Foods*, 9(1064), 1–14. <https://doi.org/10.3390/foods9081064>
- Noor Aziah, A. A., Mohamad Noor, A. Y., & Ho, L.-H. (2012). Physicochemical and organoleptic properties of cookies incorporated with legume flour. *International Food Research Journal*, 19(4), 1539–1543. https://www.researchgate.net/publication/264235712_Physicochemical_and_organoleptic_properties_of_cookies_incorporated_with_legume_flour
- NutritionData. (2018^a). Alfalfa Seeds, Sprouted, Raw. Nutrition Data. <https://nutritiondata.self.com/facts/vegetables-and-vegetable-products/2302/2>
- NutritionData. (2018^b). Lentils, Raw Nutrition Fact & Calories. Nutrition Data. <https://nutritiondata.self.com/facts/legumes-and-legume-products/4337/2>
- NutritionData. (2018^c). Mothbeans, Mature Seeds, Raw Nutrition Facts & Calories. Nutrition Data. <https://nutritiondata.self.com/facts/legumes-and-legume-products/4346/2>
- NutritionData. (2018^d). Peas, Green, Raw Nutrition Facts & Calories. Nutrition Data. <https://nutritiondata.self.com/facts/vegetables-and-vegetable-products/2520/2>
- NutritionData. (2018^e). Pigeon Peas (Red Gram), Mature Seeds, Raw Nutrition Facts & Calories. Nutrition Data. <https://nutritiondata.self.com/facts/legumes-and-legume-products/4369/2>
- NutritionData. (2018^f). Soybeans, mature seeds, raw nutrition facts & calories. Nutrition Data. <https://nutritiondata.self.com/facts/legumes-and-legume-products/4375/2>

- NutritionValue.org. (2020^a). Hyacinth Beans, Raw, Mature Seeds. NutritionValue.org. https://www.nutritionvalue.org/Hyacinth_beans%2C_raw%2C_mature_seeds_nutritional_value.html
- NutritionValue.org. (2020^b). Lupins, Raw, Mature Seeds. NutritionValue.org. https://www.nutritionvalue.org/Lupins%2C_raw%2C_mature_seeds_nutritional_value.html
- NutritionValue.org. (2020^c). Mung beans, raw, mature seeds. NutritionValue.org. https://www.nutritionvalue.org/Mung_beans%2C_raw%2C_mature_seeds_nutritional_value.html
- Obeidat, B. A., Abdul-hussain, S. S., & Omari, D. Z. A. L. (2012). Effect of Addition of Germinated Lupin Flour on The Physiochemical and Organoleptic Properties of Cookies. *Journal of Food Processing and Preservation*, 1–7. <https://doi.org/10.1111/j.1745-4549.2012.00688.x>
- Okafor, E. N., Erukainure, O. L., Ozumba, A. U., Adewale, C. O., Kayode, F. O., Asieba, G. O., Adesegha, O. I., & Elemo, G. N. (2017). Cassava Flour Substitution Modulates Glycemic Responses and Glycemic Index of Wheat Breads in Apparent Healthy Volunteers. *Journal of Dietary Supplements*, 1–7. <https://doi.org/10.1080/19390211.2016.1267061>
- Ozcan, M. M., Arslan, D., & Gokcalik, H. (2007). Some compositional properties and mineral contents of carob (*Ceratonia siliqua*) fruit , flour and syrup. *International Journal of Food Sciences and Nutrition*, 58(8), 652–658. <https://doi.org/10.1080/09637480701395549>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hrobjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-wilson, E., McDonald, S., ... Moher, D. (2021). The PRISMA 2020 statement : An updated guideline for reporting systematic reviews. *Plos Medicine*, 1–15. <https://doi.org/10.1371/journal.pmed.1003583>
- Pareyt, B., & Delcour, J. A. (2008). The Role of Wheat Flour Constituents, Sugar, and Fat in Low Moisture Cereal Based Products: A review on Sugar-Snap Cookies. *Critical Reviews in Food Science and Nutrition*, 48, 824–839. <https://doi.org/10.1080/10408390701719223>
- Park, J., Choi, I., & Kim, Y. (2015). Cookies Formulated from Fresh Okara using Starch, Soy Flour and Hydroxypropyl Methylcellulose have High Quality and Nutritional Value. *LWT - Food Science and Technology*, 63, 660–666. <https://doi.org/10.1016/j.lwt.2015.03.110>
- Pasha, I., Hussain, S., Khan, M. I., & Akram, N. (2015). Utilization of processed Vigna mungo L. flour in cookies. *Nutrition & Food Science*, 45(6), 883–894. <https://doi.org/10.1108/NFS-05-2015-0064>

- Portman, D., Maharjan, P., McDonald, L., Laskovska, S., Walker, C., Irvin, H., Blanchard, C., Naiker, M., & Panozzo, J. F. (2019). Nutritional and functional properties of cookies made using down-graded lentil – A candidate for novel food production and crop utilization. *Cereal chemistry*, 97, 95–103. <https://doi.org/10.1002/cche.10232>
- Rajiv, J., Lobo, S., Lakshmi, A. J., & Rao, G. V. (2012). Influence of Green Gram Flour (*Phaseolus aureus*) on the Rheology, Microstructure and Quality of Cookies. *Journal of Texture Studies*, 1–11. <https://doi.org/10.1111/j.1745-4603.2012.00346.x>
- Recchia, L., Cappelli, A., Cini, E., Pegna, F. G., & Boncinelli, P. (2019). Environmental Sustainability of Pasta Production Chains: An Integrated Approach for Comparing Local and Global Chains. *Resources*, 8(56), 1–16. <https://doi.org/10.3390/resources8010056>
- Romań, L., González, A., Espina, T., & Gómez, M. (2017). Degree of roasting of carob flour affecting the properties of gluten-free cakes and cookies. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-017-2649-x>
- Saraf-Bank, S., Esmailzadeh, A., Elham, F., & Azadbakht, L. (2015). Effect of non-soy legume consumption on inflammation and serum adiponectin levels among first-degree relatives of patients with diabetes: A randomized , crossover study. *Nutrition*, 31, 459–465. <https://doi.org/10.1016/j.nut.2014.09.015>
- Schuchardt, J. P., Wonik, J., Bindrich, U., Heinemann, M., Kohrs, H., Schneider, I., Möller, K., & Hahn, A. (2016). Glycemic Index and Microstructure Analysis of A Newly Developed Fiber Enriched Cookie. *Food & Function*, 7, 464–474. <https://doi.org/10.1039/c5fo01137j>
- Seremesic, M. M., Dokic, L., Nikolic, I., Radosavljevic, M., & Simovic, D. S. (2013). Rheological and Textural Properties of Short (Cookie) Dough Made with Two Types of Resistant Starch. *Journal of Texture Studies*, 44(123), 115–123. <https://doi.org/10.1111/jtxs.12003>
- Sharma, A., Yadav, B. S., & Ritika. (2008). Resistant starch: Physiological Roles and Food Applications. *Food Reviews International*, 24, 193–234. <https://doi.org/10.1080/87559120801926237>
- Simons, C. W., & Hall III, C. (2018). Consumer Acceptability of Gluten-Free Cookies Containing Raw Cooked and Germinated Pinto Bean Flours. *Food Science and Nutrition*, 6, 77–84. <https://doi.org/10.1002/fsn3.531>
- Sjöö, M., & Nilsson, L. (Ed.). (2018). *Starch in Food: Structure, Function and Applications*. Elsevier Ltd. [https://books.google.co.id/books?id=gyxHDgAAQBAJ&pg=PA305&dq=pasting+viscosity&hl=id&sa=X&ved=2ahUKewifpI2Kha3tAhX66XMBHRg9A38Q6AEwAXoECAYQA#v=onepage&q=pasting viscosity&f=false](https://books.google.co.id/books?id=gyxHDgAAQBAJ&pg=PA305&dq=pasting+viscosity&hl=id&sa=X&ved=2ahUKewifpI2Kha3tAhX66XMBHRg9A38Q6AEwAXoECAYQA#v=onepage&q=pasting%20viscosity&f=false)

- Solomon, S. G., Okomoda, V. T., & Oguiche, O. (2018). Nutritional value of raw *Canavalia ensiformis* and its utilization as partial replacement for soybean meal in the diet of *Clarias gariepinus* (Burchell, 1822) fingerlings. *Food Science and Nutrition*, 6, 207–213. <https://doi.org/10.1002/fsn3.548>
- Song, Y., Li, X., & Zhong, Y. (2019). Optimization of Butter, Xylitol, and High-Amylose Maize Flour on Developing a Low-Sugar Cookie. *Food Science and Nutrition*, 7, 3414–3424. <https://doi.org/10.1002/fsn3.1160>
- Stewart, M. L., & Zimmer, J. P. (2017). A High Fiber Cookie Made with Resistant Starch Type 4 Reduces Post-Prandial Glucose and Insulin Responses in Healthy Adults. *Nutrients*, 9(237), 1–8. <https://doi.org/10.3390/nu9030237>
- Taghdir, M., Mazloomi, S. M., Honar, N., Sepandi, M., Ashourpour, M., & Salehi, M. (2016). Effect of Soy Flour on Nutritional, Physicochemical, and Sensory Characteristics of Gluten-Free Bread. *Food Science and Nutrition*, 1–7. <https://doi.org/10.1002/fsn3.411>
- Tharanathan, M., & Tharanathan, R. N. (2001). Resistant Starch in Wheat-based Products : Isolation and Characterisation. *Journal of Cereal Science*, 34, 73–84. <https://doi.org/10.1006/jcrs.2000.0383>
- Tulse, S. B., V., R., Rajiv, J., & Sakhare, S. D. (2014). Effect of co-milled wheat, green gram and barley on the rheological and quality characteristics of cookies. *Food Science and Technology International*, 0(0), 1–11. <https://doi.org/10.1177/1082013214550112>
- VeganPeace. (2015). Legumes. Vegan Peace. http://www.veganpeace.com/nutrient_information/nutrient_content_tables/display_tables/legumes/100g_legumes.htm
- Villarino, Jayasena, Coorey, Bell, & Johnson. (2015). Nutritional, Health, and Technological Functionality of Lupin Flour Addition to Bread and Other Baked Products: Benefits and Challenges. *Critical Reviews in Food Science and Nutrition*, 1–85. <https://doi.org/10.1080/10408398.2013.814044>
- Webber, S. (2015). Diabetes. In D. Cavan, J. da R. F. Fernandes, L. Makaroff, K. Ogurtsova, & S. Webber (Ed.), *Diabetes Research and Clinical Practice* (7th ed.). International Diabetes Federation. <https://doi.org/10.1016/j.diabres.2013.10.013>
- WHO. (2016). *Global Report on Diabetes*. World Health Organization. http://apps.who.int/iris/bitstream/handle/10665/204871/9789241565257_eng.pdf.;jsessionid=D7BBDAB13DF36686D11647EFEC56DA9A?sequence=1
- WHO. (2018). *World Health Statistics 2018: Monitoring Health for The SDGs*. World Health Organization. <https://apps.who.int/iris/bitstream/handle/10665/272596/9789241565585-eng.pdf?sequence=1&isAllowed=y>

- Winham, D. M., Hutchins, A. M., & Thompson, S. V. (2017). Glycemic Response to Black Beans and Chickpeas as Part of a Rice Meal: A Randomized Cross-Over Trial. *Nutrients*, 9(1095), 1–12. <https://doi.org/10.3390/nu9101095>
- Wolever, T. M. S., Jenkins, D. J. A., Kalmusky, J., Giordano, C., Giudici, S., Jenkins, A. L., Thompson, L. U., Wong, G. S., & Josse, R. G. (1986). Glycemic Response to Pasta: Effect of Surface Area, Degree of Cooking, and Protein Enrichment. *Diabetes Care*, 9(4), 401–404. <https://doi.org/10.2337/diacare.9.4.401>
- Xu, M., Jin, Z., Simsek, S., Hall, C., Rao, J., & Chen, B. (2019). Effect of germination on the chemical composition, thermal, pasting, and moisture sorption properties of flours from chickpea, lentil, and yellow pea. *Food Chemistry*, 295(2019), 579–587. <https://doi.org/10.1016/j.foodchem.2019.05.167>
- Yeo, L. L., & Seib, P. A. (2009). White Pan Bread and Sugar-Snap Cookies Containing Wheat Starch Phosphate, A Cross-Linked Resistant Starch. *Cereal Chemistry*, 86(2), 210–220. <https://doi.org/10.1094/CCHEM-86-2-0210>
- Yildiz, E., & Gocmen, D. (2020). Use of Almond Flour and Stevia in Rice-based Gluten-free Cookie Production. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-020-04608-x>
- Yousaf, A. A., Ahmed, A., Ahmad, A., Hameed, T., Randhawa, M. A., Hayat, I., & Khalid, N. (2013). Nutritional and functional evaluation of wheat flour cookies supplemented with gram flour. *International Journal of Food Sciences and Nutrition*, 64(1), 63–68. <https://doi.org/10.3109/09637486.2012.694851>
- Zafar, T. A., & Kabir, Y. (2017). Chickpeas suppress postprandial blood glucose concentration, and appetite and reduce energy intake at the next meal. *Journal of Food Science and Technology*, 54(4), 987–994. <https://doi.org/10.1007/s13197-016-2422-6>
- Zielinski, F., Los, F. G. B., Wojeicchowski, P., & Nogueira, A. (2018). Beans (*Phaseolus vulgaris* L.): Whole Seeds with Complex Chemical Composition. *Current Opinion in Food Science*, 19, 63–71. <https://doi.org/10.1016/j.cofs.2018.01.010>
- Zucco, F., Borsuk, Y., & Arntfield, S. D. (2011). Physical and nutritional evaluation of wheat cookies supplemented with pulse flours of different particle sizes. *LWT - Food Science and Technology*, 44, 2070–2076. <https://doi.org/10.1016/j.lwt.2011.06.007>