

6. DAFTAR PUSTAKA

1. Ardyanto, T. D. (2004). MSG dan Kesehatan : Sejarah, Efek, dan Kontroversinya. *Inovasi*, 1(XVI), 52–56. <https://core.ac.uk/download/pdf/12345629.pdf>
2. Asmida, I., Akmal, A. B. ., Ahmad, I., & Diyana, M. S. (2017). Biodiversity of Macroalgae in Blue Lagoon , the Straits of Malacca , Malaysia and Some Aspects of Changes in Species Composition. *Sains Malaysiana*, 46(1), 1–7. <https://doi.org/http://dx.doi.org/10.17576/jsm-2017-4601-01>
3. Behrens, M., Meyerhof, W., Hellfritsch, C., & Hofmann, T. (2011). Chemistry of Taste Sweet and Umami Taste : Natural Products , Their Chemosensory Targets , and Beyond *Angewandte Chemie International Edition*, 50, 2220–2242. <https://doi.org/10.1002/anie.201002094>
4. Biancarosa, I., Espe, M., Bruckner, C. G., Heesch, S., & Liland, N. (2016). Amino acid composition , protein content , and nitrogen-to-protein conversion factors of 21 seaweed species from Norwegian waters. *Journal of Applied Phycology*. <https://doi.org/10.1007/s10811-016-0984-3>
5. Catarino, M. D., Silva, A. M. S., & Cardoso, S. M. (2017). Fucaceae : A Source of Bioactive Phlorotannins. *International Journal of Molecular Sciences*, 18(1327). <https://doi.org/10.3390/ijms18061327>
6. Chan, J. C. C., Cheung, P. C. K., & Ang, P. O. J. (1997). Comparative Studies on the Effect of Three Drying Methods on the Nutritional Composition of Seaweed *Sargassum hemiphyllum* (Turn .) C . Ag . †. *Journal of Agricultural and Food Chemistry*, 45(8), 3056–3059. <https://pubs.acs.org/doi/abs/10.1021/jf9701749>
7. Charles, A. L., Sridhar, K., & Alamsjah, M. A. (2019). Effect of drying techniques on color and bioactive potential of two commercial edible Indonesian seaweed cultivars. *Journal of Applied Phycology*. <https://doi.org/https://doi.org/10.1007/s10811-019-01916-4>
8. Chaudhari, N., Pereira, E., & Roper, S. D. (2009). Taste receptors for umami : the case for multiple receptors. *American Journal of Clinical Nutrition*, 90, 738–742. <https://doi.org/10.3945/ajcn.2009.27462H>
9. Chiang, P., Yen, C., & Mau, J. (2007). Food Chemistry Non-volatile taste components of various broth cubes. *Food Chemistry*, 101, 932–937. <https://doi.org/10.1016/j.foodchem.2006.02.041>
10. Dawczynski, C., Schubert, R., & Jahreis, G. (2007). Food Chemistry Amino acids , fatty acids , and dietary fibre in edible seaweed products. *Food Chemistry*, 103, 891–899. <https://doi.org/10.1016/j.foodchem.2006.09.041>

11. Fleurence, J. (1999). Seaweed proteins : biochemical , nutritional aspects and potential uses. *Trends in Food Science & Technology*, 10, 25–28. <https://www.sciencedirect.com/science/article/pii/S0924224499000151>
12. Fleurence, J., Coeur, C. Le, Mabeau, S., Maurice, M., & Landrein, A. (1995). Comparison of different extractive procedures for proteins from the edible seaweeds *Ulva rigida* and *Ulva rotundata*, (March 1993), 577–582. <https://link.springer.com/article/10.1007/BF00003945>
13. Fuke, S., & Shimizu, T. (1993). Sensory and Preference Aspects of Umami. *Trends in Food Science & Technology*, 4, 246–251. <https://www.sciencedirect.com/science/article/abs/pii/0924224493901392>
14. Ganesan, A. R., Subramani, K., Shanmugam, M., Seedeivi, P., Park, S., Alfarhan, A. H., ... Balasubramanian, B. (2019). Journal of King Saud University – Science Original article A comparison of nutritional value of underexploited edible seaweeds with recommended dietary allowances. *Journal of King Saud University - Science*. <https://doi.org/10.1016/j.jksus.2019.11.009>
15. Gupta, S., Cox, S., & Abu-ghannam, N. (2011). LWT - Food Science and Technology Effect of different drying temperatures on the moisture and phytochemical constituents of edible Irish brown seaweed. *LWT - Food Science and Technology*, 44(5), 1266–1272. <https://doi.org/10.1016/j.lwt.2010.12.022>
16. Hamid, S. S., Wakayama, M., Soga, T., & Tomita, M. (2018). Drying and extraction effects on three edible brown seaweeds for metabolomics. *Journal of Applied Phycology*. <https://doi.org/https://doi.org/10.1007/s10811-018-1614-z>
17. Handayani, T. (2017). Potensi Makroalga di Paparan Terumbu Karang Perairan Teluk Lampung. *Oseanologi Dan Limnologi Di Indonesia*, 2(1), 55–67. <https://oldi.lipi.go.id/index.php/oldi/article/view/15>
18. Hwang, Y.-H., Ismail, I., & Joo, S.-T. (2020). Identification of Umami Taste in Sous-Vide Beef by Chemical Analyses, Equivalent Umami Concentration, and Electronic Tongue System. *Foods*, 9, 251. <https://doi.org/doi:10.3390/foods9030251>
19. Ismail, A., & Hong, T. S. (2002). Antioxidant Activity of Selected Commercial Seaweeds. *Malaysian Journal of Nutrition*, 8(2), 167–177. <https://pubmed.ncbi.nlm.nih.gov/22692475/>
20. Istinii, S., Ohno, M., & Kusunose, H. (1994). Methods of Analysis for Agar , Carrageenan and Alginate in Seaweed. *Bull. Mar. Sci. Fish*, (14), 49–55. <https://core.ac.uk/download/pdf/70355275.pdf>
21. Kasim, M. S. H., Harisanti, B. M., & Imran, A. (2020). IDENTIFIKASI RUMPUT LAUT (Seaweed) DI PERAIRAN PANTAI CEMARA KABUPATEN LOMBOK TIMUR SEBAGAI DASAR PENYUSUNAN

- BROSUR BAGI MASYARAKAT. *Bioscientist : Jurnal Ilmiah Biologi*, 8(1), 106–114.
<http://jurnal.ikipmataram.ac.id/index.php/bioscientist/article/view/2669>
22. Kawashima, T., Shirai, T., Matsuda, H., Osako, K., & Okazaki, E. (2018). Identification and Roles of the Taste-active Components of Dried Nori. *Japan Journal of Food Engineering*, 19(2), 121–127.
<https://doi.org/10.11301/jsfe.18515>
 23. Kepel, R. C., Lumingas, L. J. L., Tombokan, J. L., & Mantiri, D. M. H. (2019). Biodiversity and community structure of seaweeds in Minahasa Peninsula , North Sulawesi , Indonesia. *AAFL Bioflux*, 12(3), 880–892.
<http://bioflux.com.ro/docs/2019.880-892.pdf>
 24. Kharismawati, W., Sukiman, & Astuti, S. P. (2019). Keanekaragaman jenis makroalga di pantai tawun, kecamatan sekotong. *BioWallacea (Jurnal Ilmiah Ilmu Biologi)*, 5(2), 98–105.
<http://www.jurnal.biologiwallacea.web.id/index.php/biowal/article/download/17/15>
 25. Kumar, V. V., & Kaladharan, P. (2007). Amino acids in the seaweeds as an alternate source of protein for animal feed. *Journal of the Marine Biological Association of India*, 49(1), 35–40. <http://eprints.cmfri.org.in/2111/>
 26. Kurihara, K. (2015). Umami the Fifth Basic Taste : History of Studies on Receptor Mechanisms and Role as a Food Flavor. *Biomed Research International*, 2015. <https://doi.org/http://dx.doi.org/10.1155/2015/189402>
 27. Leandro, A., Pacheco, D., & Gonçalves, A. M. M. (2020). A Comprehensive Review of the Nutraceutical and Therapeutic Applications of Red Seaweeds (Rhodophyta). *Life*, 10(19).
<https://doi.org/https://dx.doi.org/10.3390/life10030019>
 28. Lindemann, B., Ogiwara, Y., Ninomiya, Y., Saarlandes, U., Faculty, M., & Homburg, D.-. (2002). The Discovery of Umami. *Chemical Senses*, 843–844.
<https://academic.oup.com/chemse/article-abstract/27/9/843/305859>
 29. Lorenzo, J. M., Agregan, R., Munekata, P. E. ., Franco, D., Carballo, J., Sahin, S., ... Barba, F. J. (2017). Proximate Composition and Nutritional Value of Three Macroalgae: *Ascophyllum nodosum*, *Fucus vesiculosus* and *Bifurcaria bifurcata*. *Journal Marine Drugs*, 15, 1–11. <https://doi.org/10.3390/md15110360>
 30. Lourenço, S. O., Barbarino, E., De-paula, J. C., Otávio, L., Pereira, S., & Marquez, U. M. L. (2002). Amino acid composition , protein content and calculation of nitrogen-to-protein conversion factors for 19 tropical seaweeds. *Journal Phycological Research*, 50, 233–241.
<https://onlinelibrary.wiley.com/doi/abs/10.1046/j.1440-1835.2002.00278.x>

31. Makkar, H. P. S., Tran, G., Heuzé V., & Ankers, P. (2015). Seaweeds for livestock diets : A review of *Journal Animal Feed Science and Technology*, 1–17. <https://doi.org/https://dx.doi.org/10.1016/j.anifeedsci.2015.09.018>
32. Matanjun, P., & Mohamed, S. (2009). Nutrient content of tropical edible seaweeds , *Eucheuma cottonii* , *Caulerpa lentillifera* and *Sargassum polycystum*. *Journal of Applied Phycology*, 21, 75–80. <https://doi.org/10.1007/s10811-008-9326-4>
33. Mau, J. (2005). The Umami Taste of Edible and Medicinal Mushrooms. *International Journal of Medicinal Mushrooms*, 7(1&2), 119–125. <https://doi.org/10.1615/IntJMedMushr.v7.i12.120>
34. Milinovic, J., Campos, B., Mata, P., Diniz, M., & Noronha, J. P. (2020). Umami Free Amino Acids in Edible Green , Red , and Brown seaweeds from the Portuguese seashore. *Journal of Applied Phycology*. <https://doi.org/https://doi.org/10.1007/s10811-020-02169-2>
35. Mišurcová, L., Bunka, F., Ambrozova, J. V., Machu, L., Samek, D., & Kracmar, S. (2014). Amino acid composition of algal products and its contribution to RDI. *Food Chemistry*, 151, 120–125. <https://doi.org/10.1016/j.foodchem.2013.11.040>
36. Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2010). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *International Journal of Surgery*, 8(5), 336–341. <https://doi.org/10.1016/j.ijssu.2010.02.007>
37. Moreira, R., Sineiro, J., Chenlo, F., Arufe, S., & D áz-varela, D. (2017). Aqueous extracts of *Ascophyllum nodosum* obtained by ultrasound-assisted extraction : effects of drying temperature of seaweed on the properties of extracts. *Journal of Applied Phycology*. <https://doi.org/10.1007/s10811-017-1159-6>
38. Mouritsen, O. G. (2012). Umami flavour as a means of regulating food intake and improving nutrition and health. *Nutrition and Health*, 21(1), 56–75. <https://doi.org/10.1177/0260106012445537>
39. Mouritsen, O. G., Duelund, L., Petersen, M. A., Hartmann, A. L., Frøst, M. B., & Hartmann, A. L. (2018). Umami taste , free amino acid composition , and volatile compounds of brown seaweeds. *Journal of Applied Phycology*. <https://doi.org/https://doi.org/10.1007/s10811-018-1632-x>
40. Nakamura, E. (2011). One Hundred Years since the Discovery of the “ Umami ” Taste from Seaweed Broth by Kikunae Ikeda , who Transcended his Time. *Chemistry Asian Journal*, 6, 1659–1663. <https://doi.org/10.1002/asia.201000899>
41. Neoh, Y. Y., Matanjun, P., & Lee, J. S. (2016). Comparative Study of Drying Methods on Chemical Constituents of Malaysian Red Seaweed. *Drying*

- Technology*, 3937. <https://doi.org/10.1080/07373937.2016.1212207>
42. Niemeck, R. A., & Mathieson, A. C. (1976). An Ecological Study of *Fucus spiralis* L. *J. Exp. Mar. Biol. Ecol.*, 24(806), 33–48. <https://www.sciencedirect.com/science/article/pii/0022098176900411>
 43. Ninomiya, K. (2002). Umami : a universal taste. *Food Reviews International*, 18(1), 23–38. <https://doi.org/http://dx.doi.org/10.1081/FRI-120003415>
 44. Obluchinskaya, E. (2020). Effect of different post-harvest treatments on free amino acid content in *Fucus vesiculosus*. *International Applied Research Conference, 2020*, 386–395. <https://doi.org/10.18502/cls.v5i1.6093>
 45. Obluchinskaya, E., & Daurtseva, A. (2020). Effects of air drying and freezing and long-term storage on phytochemical composition of brown seaweeds. *Journal of Applied Phycology*. <https://doi.org/https://doi.org/10.1007/s10811-020-02225-x>
 46. Ode, I., & Wasahua, J. (2014). Jenis-Jenis Alga Coklat Potensial di Perairan Pantai Desa Hutumuri Pulau Ambon. *Jurnal Ilmiah Agribisnis Dan Perikanan*, 7(2), 39–45. <https://ejournal.stipwunaraha.ac.id/index.php/AGRIKAN/article/view/83/76>
 47. Peinado, I., Giron, J., Koutsidis, G., & Ames, J. M. (2014). Chemical Composition, Antioxidant Activity, and Sensory Evaluation of Five Different Species of Brown Edible Seaweeds. *Food Research International*. <https://doi.org/http://dx.doi.org/10.1016/j.foodres.2014.08.035>
 48. Poojary, M. M., Orlien, V., & Olsen, K. (2019). Conventional and enzyme-assisted green extraction of umami free amino acids from Nordic seaweeds. *Journal of Applied Phycology*, (McHugh 2003). <https://doi.org/10.1007/s10811-019-01857-y>
 49. Pramesti, R., Susanto, A. B., Wilis, A. S., Ridlo, A., & Oktaviaris, Y. (2016). Struktur Komunitas dan Anatomi Rumpun Laut di Perairan Teluk Awur, Jepara dan Pantai Krakal, Yogyakarta. *Jurnal Kelautan Tropis*, 19(2), 81–94. <https://ejournal2.undip.ac.id/index.php/jkt/article/view/822>
 50. Ramos, M. V., Monteiro, A. C. ., Moreira, R. A., & Carvalho, A. D. F. F. . (1999). AMINO ACID COMPOSITION OF SOME BRAZILIAN SEAWEED SPECIES. *Journal of Food Biochemistry*, 24, 33–39. <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1745-4514.2000.tb00041.x>
 51. Ratana-arporn, P., & Chirapart, A. (2006). Nutritional Evaluation of Tropical Green Seaweeds *Caulerpa lentillifera* and *Ulva reticulata*. *Journal National Science*, 40, 75–83. <https://li01.tci-thaijo.org/index.php/anres/article/view/244017>

52. Sarbatly, R., Wong, T., Sarbatly, R., Wong, T., Bono, A., & Krishnaiah, D. (2010). Kinetic and Thermodynamic Characteristics of Seaweed Dried in the Convective Air Drier Kinetic and Thermodynamic Characteristics of Seaweed Dried in the Convective Air Drier. *International Journal of Food Engineering*, 6(5), 1–16. <https://doi.org/10.2202/1556-3758.1600>
53. St évant, P., Inderg ård, E., Ólafsdóttir, A., Marfaing, H., & Larssen, W. E. (2018). Effects of drying on the nutrient content and physico-chemical and sensory characteristics of the edible kelp *Saccharina latissima*. *Journal of Applied Phycology*. <https://doi.org/https://doi.org/10.1007/s10811-018-1451-0>
54. St évant, P., Ólafsdóttir, A., D ð éris, P., Dumay, J., & Fleurence, J. (2020). Semi-dry storage as a maturation process for improving the sensory characteristics of the edible red seaweed dulse (*Palmaria palmata*). *Algal Research*, 51, 1–11. <https://doi.org/10.1016/j.algal.2020.102048>
55. Sun, L., Zhang, Z., Xin, G., Sun, B., Bao, X., Wei, Y., ... Xu, H. (2020). Trends in Food Science & Technology Advances in umami taste and aroma of edible mushrooms. *Trends in Food Science & Technology*, 96(October 2019), 176–187. <https://doi.org/10.1016/j.tifs.2019.12.018>
56. Suparmi, & Sahri, A. (2009). MENGENAL POTENSI RUMPUT LAUT : KAJIAN PEMANFAATAN SUMBER DAYA RUMPUT LAUT DARI ASPEK INDUSTRI DAN KESEHATAN. *Sultan Agung*, XLIV(118), 95–116. <https://www.neliti.com/publications/220086/mengenal-potensi-rumput-laut-kajian-pemanfaatan-sumber-daya-rumput-laut-dari-asp>
57. Uribe, E., Vega-g ávez, A., Garc ía, V., Past én, A., López, J., & Go ñi, G. (2018). Effect of different drying methods on phytochemical content and amino acid and fatty acid profiles of the green seaweed , *Ulva* spp. *Journal of Applied Phycology*, (December). <https://doi.org/10.1007/s10811-018-1686-9>
58. Vieira, E. F., Soares, C., Machado, S., Correia, M., Jo ão, M., Oliva-teles, M. T., ... Delerue-matos, C. (2018). Seaweeds from the Portuguese coast as a source of proteinaceous material : Total and free amino acid composition pro fi le. *Food Chemistry*, 269(April), 264–275. <https://doi.org/10.1016/j.foodchem.2018.06.145>
59. Widyastuti, S. (2009). Alginate Content of the Seaweeds Grown in Coastal Zone of of Lombok Extracted by Two Extraction Methods. *Jurnal Teknologi Pertanian*, 10(3), 144–152. <https://jtp.ub.ac.id/index.php/jtp/article/view/293>
60. Wong, K., & Cheung, P. C. (2001). Influence of drying treatment on three *Sargassum* species. *Journal of Applied Phycology*, 13, 43–50. <https://link.springer.com/article/10.1023/A:1008149215156>
61. Wong, K. H., & Cheung, P. C. K. (2000). Nutritional evaluation of some subtropical red and green seaweeds Part I - proximate composition , amino acid

- profiles and some physico-chemical properties. *Food Chemistry*, 71, 475–482. <https://www.sciencedirect.com/science/article/pii/S0308814600001758>
62. Wong, K. H., & Cheung, P. C. K. (2001). Nutritional evaluation of some subtropical red and green seaweeds Part II . In vitro protein digestibility and amino acid profiles of protein concentrates. *Food Chemistry*, 72, 11–17. <https://www.sciencedirect.com/science/article/pii/S030881460000176X>
63. Yalçın, S., Karakaş, Ö., Okudan, E. Ş., Başkan, K. S., Çekiç, S. D., & Apak, R. (2020). HPLC Detection and Antioxidant Capacity Determination of Brown, Red and Green Algal Pigments in Seaweed Extracts. *Journal of Chromatographic Science*, 00(00), 1–13. <https://doi.org/10.1093/chromsci/bmaa107>
64. Yamaguchi, S., Yoshikawa, T., Ikeda, S., & Ninomiya, T. (1971). Measurement of the relative taste intensity of some L-a-amino acids and 5'-nucleorides. *J. Food Sci.*, 36, 846–849. <https://doi.org/10.1111/j.1365-2621.1971.tb15541.x>
65. Yuasa, M., Koe, M., Maeda, A., Eguchi, A., Abe, H., & Tominaga, M. (2017). Characterization of fl avor component in Japanese instant soup stocks ‘ dashi .’ *International Journal of Gastronomy and Food Science*, 9(January), 55–61. <https://doi.org/10.1016/j.ijgfs.2017.06.002>

