

7. DAFTAR PUSTAKA

- Adebanjo, L. A., Olatunde, G. O., Adegunwa, M. O., Dada, O. C., & Alamu, E. O. (2020). Extruded *flakes* from pearl millet (*Pennisetum glaucum*) - carrot (*Daucus carota*) blended flours- Production, nutritional and sensory attributes. *Cogent Food & Agriculture*, 6(1), 1–16. <https://doi.org/10.1080/23311932.2020.1733332>
- Agustia, F. C., Subardjo, Y. P., Ramadhan, G. R., & Betaditya, D. (2019). Formulasi Flake Mohiro dari Mocaf-Beras Hitam dengan Penambahan Kacang Koro Pedang sebagai Alternatif Sarapan Tinggi Protein dan Serat. *Jurnal Aplikasi Teknologi Pangan*, 8(4), 130. <https://doi.org/10.17728/jatp.3009>
- Akbar, I. I., Christiyanto, M., & Utama, C. S. (2019). Pengaruh Lama Pemanasan Dan Kadar Air Yang Berbeda Terhadap Nilai Glukosa Dan Total Karbohidrat Pada Pollard. *Jurnal Litbang Provinsi Jawa Tengah*, 17(1), 69–75. <https://doi.org/10.36762/litbangjateng.v17i1.773>
- Amalia, F., & Kusharto, C. M. (2014). Formulasi *Flakes* Pati Garut Dan Tepung Ikan Lele Dumbo (*Clarias gariepinus*) Sebagai Pangan Kaya Energi Protein Dan Mineral Untuk Lansia. *Jurnal Gizi Dan Pangan*, 8(2), 137. <https://doi.org/10.25182/jgp.2013.8.2.137-144>
- Arief, R. W., Asnawi, R., & Utomo, J. S. (2012). Pengembangan Pemanfaatan Ubikayu Di Provinsi Lampung Melalui Pengolahan Tepung Ubikayu Dan Tepung Ubikayu Modifikasi. *Buletin Palawija*, 91(24), 82–91. https://balitkabi.litbang.pertanian.go.id/wp-content/uploads/2017/02/bp_no-24_2012_4.pdf
- Astuti, S., S., S. A., & Anayuka, S. A. (2019). Sifat Fisik dan Sensori *Flakes* Pati Garut dan Kacang Merah dengan Penambahan Tiwul Singkong. *Jurnal Penelitian Pertanian Terapan*, 19(3), 232. <https://doi.org/10.25181/jppt.v19i3.1440>
- Bui, L., Ngoc, B., Thanh, P., Trung, B., Hoa, P. N., Hung, P. Van, Street, K., City, H., District, T. D., & City, H. (2017). Physicochemical properties and resistant starch contents of sweet potato starches from different varieties grown in Vietnam. *International Journal of Food Science and Nutrition*, 2(1), 53–57. <http://www.foodsciencejournal.com/archives/2017/vol2/issue1/1-6-40>
- Carvalho, A. V., Mattietto, R. de A., Bassinello, P. Z., Koakuzu, S. N., Rios, A. de O., Maciel, R. de A., & Carvalho, R. N. (2012). Processing and characterization of extruded breakfast meal formulated with broken rice and bean flour. *Food Science and Technology*, 32(3), 515–524. <https://doi.org/10.1590/s0101-20612012005000073>
- Chandrasekara, A., & Josheph Kumar, T. (2016). Roots and tuber crops as functional foods: A review on phytochemical constituents and their potential health benefits. *International Journal of Food Science*, 2016. <https://doi.org/10.1155/2016/3631647>

- Choton, S., Gupta, N., Bandral, J. D., Anjum, N., & Choudary, A. (2020). Extrusion technology and its application in food processing: A review. *The Pharma Innovation Journal*, 9(2), 162–168. https://www.researchgate.net/publication/342493408_Extrusion_technology_and_its_application_in_food_processing_A_review
- Culbertson, J. D. (2004). *Food processing: principles and applications* (J. S. Smith & Y. H. Hui (eds.); 1st ed.). Blackwell Publishing. <https://doi.org/10.1590/s1516-93322006000200017>
- Dansby, M. A., & Bovell-Benjamin, A. C. (2003). Sensory characterization of a ready-to-eat sweetpotato breakfast cereal by descriptive analysis. *Journal of Food Science*, 68(2), 706–709. <https://doi.org/10.1111/j.1365-2621.2003.tb05736.x>
- Dansby, M. Y., & Bovell-Benkamin, A. . (1997). Physical properties and sixth graders' acceptance of an extruded ready-to-eat. *Journal of Food Science*, 68(8), 2003. <https://doi.org/10.1111/j.1365-2621.2003.tb07069.x>
- Dhani, A. U. (2020). Pembuatan Tepung Ubi Ungu Dalam Upaya Diversifikasi Pangan Pada Industri Rumah Tangga Ukm Griya Ketelaqu Di Kelurahan Plalangan Kecamatan Gunungpati Kota Semarang. *Jurnal Agribisnis Dan Sosial Ekonomi Pertanian UNPAD*, 5(1), 70–78. <http://jurnal.unpad.ac.id/agricore/article/view/27701/pdf>
- Egal, A., & Oldewage-Theron, W. (2020). Extruded food products and their potential impact on food and nutrition security. *South African Journal of Clinical Nutrition*, 33(4), 142–143. <https://doi.org/10.1080/16070658.2019.1583043>
- Fan, Y., & Picchioni, F. (2020). Modification of starch: A review on the application of “green” solvents and controlled functionalization. *Carbohydrate Polymers*, 241, 116350. <https://doi.org/10.1016/j.carbpol.2020.116350>
- FAOSTAT. (2018). *Production share of Roots and tubers nes by region*. <http://www.fao.org/faostat/en/#data/QC/visualize>
- Faridah, D. N., Fardiaz, D., Andarwulan, N., & Sunarti, T. C. (2014). Karakteristik Sifat Fisikokimia Pati Garut (*Maranta arundinaceae*). *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*, 34(1), 14–21. <https://jurnal.ugm.ac.id/agritech/article/view/9517/7092>
- Ferdiansyah, M. K. (2017). Pengaruh Penstabil Terhadap Karakteristik Fisikokimia Cookies. *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 1(1), 22. <https://doi.org/10.26877/jiphp.v1i1.1355>
- FDUS 979: 2013. (2013). Breakfast cereals — Specification. Uganda National Bureau of Standards. Uganda. Retrieved from http://www.inmetro.gov.br/barreirastecnicas/pontofocal/..%5Cpontofocal%5Ctextos%5Cregulamentos%5CUGA_331.pdf

Ginting, E., Yulifianti, R., & Jusuf, M. (2014). Ubijalar Sebagai Bahan Diversifikasi Pangan Lokal. *Jurnal Pangan*, 23 (2) : 194-206. <https://jurnalpangan.com/index.php/pangan/article/view/63/57>

Hasbullah, U. H. A., & Umiyati, R. (2017). Perbedaan Sifat Fisik, Kimia dan Sensoris Tepung Umbi Suweg (*Amorphophallus campamulatus* BI) pada Fase Dorman dan Vegetatif. *Planta Tropika: Journal of Agro Science*, 5(2), 70–78. <https://media.neliti.com/media/publications/230822-perbedaan-sifat-fisik-kimia-dan-sensoris-a19a7692.pdf>

Hidayat, B., Ahza, A. B., & Sugiyono. (2007). Characterization of Sweet Potato Flour (*Ipomea batatas* L.) var. Shiroyutaka and Assesment of the potential as Alternative Carbohydrate Source For Food Product. *Jurnal Teknologi Dan Industri Pangan*, 18(1), 32–39. <https://journal.ipb.ac.id/index.php/jtip/article/view/373>

Indika, S. M., Ramadhan, W., Budiyantoi, R., Shintya, I., & Sari, A. (2017). Formulasi *Flakes* Berbasis Suweg Dengan Komposit Kacang Merah Dan Wortel Untuk Sarapan Pagi Tinggi Protein. *Prosiding SNST Ke-8*, 78–82. https://publikasiilmiah.unwahas.ac.id/index.php/PROSIDING_SNST_FT/article/download/1912/1965

Jatmiko, G. P., & Estiasih, T. (2014). Mie Dari Umbi Kimpul (*Xanthosoma sagittifolium*): Kajian Pustaka. *Jurnal Pangan Dan Agroindustri*, 2(2), 127134. <https://jpa.ub.ac.id/index.php/jpa/article/view/45/54>

Kasim, R., Liputo, S. A., Limonu, M., & Mohamad, F. P. (2018). Pengaruh Suhu Dan Lama Pemanggangan Terhadap Tingkat Kesukaan Dan Kandungan Gizi Snack Food Bars Berbahan Dasar Tepung Pisang Gorocho Dan Tepung Ampas Tahu. *Jurnal Technopreneur (JTech)*, 6(2), 41–48. <https://doi.org/10.30869/jtech.v6i2.188>

Kiosseoglou, V., & Paraskevopoulou, A. (2014). Chapter 13 - Eggs. *Bakery Products Science and Technology: Second Edition*, 243–258. <https://doi.org/10.1002/9781118792001.ch13>

Kristiawan, M., Chaunier, L., Sandoval, A. J., & Valle, G. Della. (2020). *Extrusion d Cooking and expansion* 7. <https://doi.org/10.1016/B978-0-12-812043-9.00007-2>

Krochmal-marczak, B., Sawicka, B., Supski, J., Cebulak, T., Paradowska, K., & Pigionia, S. (2014). Nutrition value of the sweet potato (*Ipomoea batatas* (L.) Lam) cultivated in south – eastern Polish conditions. *International Journal of Agricultural Research*, 4(4), 169–178. https://www.researchgate.net/publication/263966241_Nutrition_value_of_the_sweet_potato_Ipomoea_batatas_L_Lam_cultivated_in_south_-_eastern_Polish_conditions

Kumalasari, R., Desnilasari, D., & Pratama Wadhesnoeriba, S. (2018). Evaluation of Chemical and Organoleptic Qualities of Gluten-Free Dry Noodle Made from Maize and Cassava Flours during Storage. *Jurnal Ilmu Pertanian Indonesia*, 23(3), 173–182. <https://doi.org/10.18343/jipi.23.3.173>

- Kurniawati, I. T., & Estiasih, T. (2015). Efek Antihipertensi Senyawa Bioaktif Dioscorin Pada Umbi- Umbian Keluarga Dioscorea : Kajian Pustaka. *Jurnal Pangan Dan Agroindustri*, 3(2), 402–406. <https://jpa.ub.ac.id/index.php/jpa/article/view/156>
- Lahardi, Y., Bekti, E., & Haryati, S. (2019). *Konsentrasi Garam Terhadap Sifat Fisikokimia Dan Organoleptik Asinan Timun Krai (Curcumis sp)*. 5. <https://repository.usm.ac.id/files/journalmhs/D.111.15.0006-20190830124640.pdf>
- Luciano, M. M. M. (2013). Chapter 11 Sugar and Sweeteners. *Bakery Products Science and Technology*, 11–27. <https://doi.org/10.1002/9781118792001.ch11>
- Mahmudah, N. A., Amanto, B. S., & Widowati, E. (2017). Karakteristik Fisik, Kimia, Dan Sensoris *Flakes* Pisang Kepok Samarinda (Musa paradisiaca balbisiana) Dengan Substitusi Pati Garut. *Teknologi Hasil Pertanian*, X(1), 32–40. <https://jurnal.uns.ac.id/ilmupangan/article/view/17490/13960>
- Mbaeyi-Nwaoha, I. E., & Uchendu, N. O. (2016). Production and evaluation of breakfast cereals from blends of acha and fermented soybean paste (okara). *Journal of Food Science and Technology*, 53(1), 50–70. <https://doi.org/10.1007/s13197-015-2032-8>
- McQueen, H. J., Spigarelli, S., Kassner, M. E., & Evangelista, E. (2011). 14 Extrusion. *Hot Deformation and Processing of Aluminum Alloys*, 1987, 294–308. <https://doi.org/10.1201/b11227>
- Medina, W. T., Quevedo, R. A., & Aguilera, J. M. (2013). Changes on image texture features of breakfast *flakes* cereals during water absorption. *Food Science and Technology International*, 19(1), 45–57. <https://doi.org/10.1177/1082013212442182>
- Mega, O. (2010). Pengaruh Substitusi Susu Skim oleh Tepung Kedelai Sebagai Binder Terhadap Beberapa Sifat Fisik Sosis yang Berbahan Dasar Surimi-like Kerbau. *Jurnal Sain Peternakan Indonesia*, 5(1), 51–58. <https://doi.org/10.31186/jspi.id.5.1.51-58>
- Mishartina, Ansarullah, & Asyik, N. (2018). Pengaruh Formulasi Breakfast *Flakes* Berbahan Baku Ubi Jalar Putih (*Ipomoea batatas* L) Dan Kacang Merah (*Phaseolus vulgaris* L) Terhadap Penilaian Organoleptik Dan Fisikokimia. *Jurnal Sains Dan Teknologi Pangan*, 3(2), 1221–1236. <http://ojs.uho.ac.id/index.php/jstp/article/view/4423/3419>
- Nintami, A. L., & Rustanti, N. (2012). Kadar Serat, Aktivitas Antioksidan, Amilosa Dan Uji Kesukaan Mi Basah Dengan Substitusi Tepung Ubi Jalar Ungu (*Ipomoea batatas* var *Ayamurasaki*) Bagi Penderita Diabetes Melitus Tipe-2. *Journal of Nutrition College*, 1(1), 388–397. <https://media.neliti.com/media/publications/185726-ID-kadar-serat-aktivitas-antioksidan-amilos.pdf>
- Nuriana, A., Aini, N., & Karseno, K. (2019). Formulasi Breakfast Meal *Flakes* dari Tepung Suweg dan Stabilized Rice Bran Menggunakan Metode Respon Permukaan. *Jurnal Aplikasi Teknologi Pangan*, 8(2), 52–59. <https://doi.org/10.17728/jatp.3952>

Oliver, C. M., Melton, L. D., & Stanley, R. A. (2006). Creating proteins with novel functionality via the maillard reaction: A review. *Critical Reviews in Food Science and Nutrition*, 46(4), 337–350. <https://doi.org/10.1080/10408690590957250>

Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., ... Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *PLoS Medicine*, 18(3), e1003583. <https://doi.org/10.1371/journal.pmed.1003583>

Pambudi, S., & Widjanarko, S. B. (2015). *Effect of Proportion Sodium Bicarbonate and Ammonium Bicarbonate as Leavening Agent to Bagiak Cake Characteristic*. 3(4), 1596–1607. <https://jpa.ub.ac.id/index.php/jpa/article/download/285/294>

Paramita, A. H., & Putri, W. D. R. (2015). Pengaruh Penambahan Tepung Bengkuang Dan Lama Pengukusan Terhadap Karakteristik Fisik, Kimia Dan Organoleptik Flake Talas. *Pangan Dan Agroindustri*, 3(3), 1071–1082. <https://jpa.ub.ac.id/index.php/jpa/article/view/230/237>

Paramita, O., & Mulwinda, A. (2012). Pembuatan Database Fisiokimia Tepung Umbi-Umbian Di Indonesia Sebagai Rujukan Diversifikasi Pangan. *Saintekno : Jurnal Sains Dan Teknologi*, 10(1), 64–75. <https://journal.unnes.ac.id/nju/index.php/saintekno/article/download/5545/4413>

Permana, R. A., Dwi, W., & Putri, R. (2015). Corn and Kidney Bean Proportion and Rice Bran Substitution's Effect on Physico-Chemical Characteristic of Flake. *Jurnal Pangan Dan Agroindustri*, 3(2), 734–742. <https://jpa.ub.ac.id/index.php/jpa/article/download/194/200>

Prabowo, A. Y., Estiasih, T., & Purwantiningrum, I. (2017). Umbi Gembili (*Dioscorea esculenta* L.) Sebagai Bahan Pangan Mengandung Senyawa Bioaktif: Kajian Pustaka. *Jurnal Pangan Dan Agroindustri*, 2(3), 129–135. <https://jpa.ub.ac.id/index.php/jpa/article/view/60/69>

Priebe, M. G., & McMonagle, J. R. (2016). Effects of ready-to-eat-cereals on key nutritional and health outcomes: A systematic review. *PLoS ONE*, 11(10), 1–35. <https://doi.org/10.1371/journal.pone.0164931>

Purbasari, K., & Sumadji, A. R. (2018). Studi Variasi Ubi Jalar (Ipomoea Batatas L) Berdasarkan Karakter Morfologi di Kabupaten Ngawi. *Florea : Jurnal Biologi Dan Pembelajarannya*, 5(2), 78. <https://doi.org/10.25273/florea.v5i2.3359>

Rahmiati, T. M., Purwanto, Y. A., Budijanto, S., & Khumaida, N. (2017). Sifat Fisikokimia Tepung dari 10 Genotipe Ubi Kayu (*Manihot esculenta* Crantz) Hasil Pemuliaan (Physicochemical Properties of Cassava Flour (*Manihot esculenta* Crantz) of 10 Breeding Genotypes). *Agritech*, 36(4), 459. <https://doi.org/10.22146/agritech.16771>

Rakhmawati, N., Amanto, B. S., & Praseptiaga, D. (2014). Formulasi Dan Evaluasi Sifat Sensor Dan Fisiokimia Produk *Flakes* Komposit Berbahan Dasar Tepung Tapioka, Tepung Kacang Merah (*Phaseolus vulgaris* L.) Dan Tepung Konjac (*Amorphophallus oncophillus*). *Jurnal Teknosains Pangan*, 3(1), 63–73. <https://jurnal.uns.ac.id/teknosains-pangan/article/view/4604/3998>

Richana, N., & Sunarti, T. C. (2004). Karakterisasi Sifat Fisikokimiatepung Umbi Dan Tepung Pati Dari Umbi Ganyong, Suweg, Ubikelapa Dan Gembili. *J.Pascapanen*, 1(1), 29–37. <http://ejurnal.litbang.pertanian.go.id/index.php/jpasca/article/view/10914/8624>

Sarwar, M. F. H., Sarwar, M. F. H., Sarwar, M. F. H., Qadri, N. A., Moghal, S., & Sarwar, H. (2013). The importance of cereals (Poaceae: Gramineae) nutrition in human health: A review. *Journal of Cereals and Oilseeds*, 4(3), 32–35. <https://doi.org/10.5897/jco12.023>

Setiawan, A. B., Rachmawan, O., & Sutarjo, D. S. (2015). Pengaruh Penggunaan Berbagai Jenis Kuning Telur Terhadap Kestabilan Emulsi, Viskositas, dan pH Mayonnaise. *Students E-Journal*, 4(2), 1–7. https://www.academia.edu/34278792/PENGARUH_PENGGUNAAN_BERBAGAI_JENIS_KUNING_TELUR_TERHADAP_KESTABILAN_EMULSI_VISKOSITAS_DAN_pH_MAYONNAISE_EFFECT_OF_THE_USE_OF_VARIOUS_TYPES_OF_EGG_YOLK_ON_EMULSION_STABILITY_VISCOSITY_AND_pH_MAYONNAISE

Sianturi, D. P., & Marliyati, S. A. (2014). Formulasi *Flakes* Tepung Komposit Pati Garut Dan Tepung Singkong Dengan Penambahan Pegagan Sebagai Pangan Fungsional Sarapan Anak Sekolah Dasar. *Jurnal Gizi Dan Pangan*, 9(1), 15–22. <https://journal.ipb.ac.id/index.php/jgizipangan/article/view/8258/6460>

Singh, S. K., Singha, P., & Muthukumarappan, K. (2019). Modeling and optimizing the effect of extrusion processing parameters on nutritional properties of soy white *flakes*-based extrudates using response surface methodology. *Animal Feed Science and Technology*, 254(September 2016), 114197. <https://doi.org/10.1016/j.anifeedsci.2019.06.001>

Sjafrina, N., & Aminah, S. (2014). Consumers Preferences to Sweet Potato *Flakes* (Spf) from Sweet Potato Pasta as A Raw Material, with Enrichment Mung Bean Flour as Source Protein. *International Journal on Advanced Science, Engineering and Information Technology*, 4(3), 181. <https://doi.org/10.18517/ijaseit.4.3.396>

SNI 01-4270-1996. (1996). Susu Sereal. Badan Standardisasi Nasional Indonesia. Jakarta. Diakses dari <https://wiac.info/doc-view>

Sumartini, S., & Gozali, T. (2018). OPTIMASI FORMULASI PEMBUATAN MI BASAH DENGAN CAMPURAN PASTA UBI UNGU (*Ipomea batatas* L.) DENGAN PROGRAM LINIER. *Pasundan Food Technology Journal*, 4(3), 239. <https://doi.org/10.23969/pftj.v4i3.654>

Suryani, R., & Nisa, F. C. (2015). Modifikasi Pati Singkong (*Manihot Esculenta*) Dengan

Enzim A-Amilase Sebagai Agen Pembuih Serta Aplikasinya Pada Proses Pembuatan Marshmallow. *Jurnal Pangan Dan Agroindustri*, 3(2), 723–733. <https://jpa.ub.ac.id/index.php/jpa/article/view/193/199>

Susanti, I., Lubis, E. H., & Meilidayani, S. (2017). Modifikasi *Flakes* Sarapan Pagi Berbasis Mocaf dan Tepung Jagung. *Warta Industri Hasil Pertanian*, 34(1), 44. <https://doi.org/10.32765/wartaihp.v34i1.4067>

Tejosaputro, K., Suseno, T. I. P., & Jati, I. R. A. P. (2017). Pengaruh Perbedaan Proporsi Tepung Ubi Jalar Ungu Dan Tepung Beras Merah Terhadap Sifat *Flakes*. *Jurnal Teknologi Pangan Dan Gizi*, 16(2), 66–74. <https://repository.wima.ac.id/18435/1/2.%20Pengaruh%20Perbedaan%20Proporsi.pdf>

Tosh, S. M., & Chu, Y. F. (2015). Systematic review of the effect of processing of whole-grain oat cereals on glycaemic response. *British Journal of Nutrition*, 114(8), 1256–1262. <https://doi.org/10.1017/S0007114515002895>

Trinh, T., & Glasgow, S. (2012). On the texture profile analysis test. *Quality of Life through Chemical Engineering*, October, 749–760. https://www.researchgate.net/publication/316093466_On_the_texture_profile_analysis_test

USDA. (2019). Arrowroot, raw. Agricultural Research Service. Retrieved January 20, 2021, from U.S. Department of Agriculture: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/168490/nutrients>

USDA. (2019). Cassava, raw. Agricultural Research Service. Retrieved January 20, 2021, from U.S. Department of Agriculture: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/169985/nutrients>

USDA. (2019). Sweet potato, raw, unprepared. Agricultural Research Service. Retrieved January 20, 2021, from U.S. Department of Agriculture: <https://fdc.nal.usda.gov/fdc-app.html#/food-details/168482/nutrients>

Widiastuti, D., Herlina, E., Mulyati, A. H., & Warnasih, S. (2016). Diversification of Cassava Flour in the Manufacture of Gluten-Free *Flakes* Enriched with Dietary Fibers from Virgin Coconut Oil Waste Flour. *Journal of Agricultural Science and Technology B*, 6(6), 418–423. <https://doi.org/10.17265/2161-6264/2016.06.007>

Williams, P. G. (2014). The benefits of breakfast cereal consumption: A systematic review of the evidence base. *Advances in Nutrition*, 5(5), 636S–673S. <https://doi.org/10.3945/an.114.006247>

Winarti, S., Murtiningsih, & Listyawati, F. D. (2019). KARAKTERISTIK MIE MERAH GLUTEN FREE DARI TEPUNG GADUNG (*Dioscorea hispida* Dennst) DAN TEPUNG MOCAF DENGAN PENAMBAHAN GLISEROL. *Jurnal Teknologi Dan Industri Pangan*, 3(2), 135–143. <https://doi.org/10.33061/jitipari.v3i2.2696>

Yanis, M., Aminah, S., Handayani, Y., & Ramdhan, T. (2016). Uji Organoleptik Formula *Flakes* dari Pasta Ubi Jalar dengan Penambahan Tepung Jalejo. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi.*, 603–610. https://balitkabi.litbang.pertanian.go.id/wp-content/uploads/2017/07/pros16_74.pdf

Yanuarti, A. R., & Afsari, M. D. (2016). *Komoditas Terigu.* 17. <https://docplayer.info/77002553-Profil-komoditas-barang-kebutuhan-pokok-dan-barang-penting-komoditas-terigu.html>

Zhou, W., Therdthai, N., & Hui, Y. H. (2014). Introduction to Baking and Bakery Products. *John Wiley & Sons, Ltd, Second Edi.* <https://doi.org/10.1002/9781118792001.ch1>

