

6. DAFTAR PUSTAKA

- Bailey, D. G., Dresser, G. K., Urquhart, B. L., Freeman, D. J., & Arnold, J. M. (2016). Coffee - Antihypertensive drug interaction: A hemodynamic and pharmacokinetic study with felodipine. *American Journal of Hypertension*, 29(12), 1386–1393. <https://doi.org/10.1093/ajh/hpw081>
- Basrai, M., Schweinlin, A., Menzel, J., Mielke, H., Weikert, C., Dusemund, B., Putze, K., Watzl, B., Lampen, A., & Bischoff, S. C. (2019). Energy drinks induce acute cardiovascular and metabolic changes pointing to potential risks for young adults: A randomized controlled trial. *Journal of Nutrition*, 149(3), 441–450. <https://doi.org/10.1093/jn/nxy303>
- Batram DS, Arthur R, Weekes A, et al. 2006. The glucose intolerance induced by caffeinated coffee ingestion is less pronounced than that due to alkaloid caffeine in men. *J Nutr*;136:1276–80. <https://doi.org/10.1093/jn/136.5.1276>
- Batram DS, Graham TE, Richter EA, et al. (2005). The effect of caffeine on glucose kinetics in humans – influence of adrenaline. *J Physiol* 569, 347–355. <https://dx.doi.org/10.1113%2Fjphysiol.2005.097444>
- Bertoia, M. L., Triche, E. W., Michaud, D. S., Baylin, A., Hogan, J. W., Neuhouser, M. L., Freiberg, M. S., Allison, M. A., Safford, M. M., Li, W., Mossavar-Rahmani, Y., Rosal, M. C., & Eaton, C. B. (2013). Long-term alcohol and caffeine intake and risk of sudden cardiac death in women. *American Journal of Clinical Nutrition*, 97(6), 1356–1363. <https://doi.org/10.3945/ajcn.112.044248>
- Bizzo, M. L. G., Farah, A., Kemp, J. A. and Scancetti, L. B., 2015. Highlight in the history of coffee science related to health. In: *Coffee in Health and Disease Prevention* (Preedy, V. (Ed.)). Elsevier, London, UK, pp.11–18. <http://digital.csic.es/bitstream/10261/111180/1/Analysis%20of%20acrylamide.pdf>
- Bohn, S. K., Croft, K. D., Burrows, S., Puddey, I. B., Mulder, T. P. J., Fuchs, D., Woodman, R. J., & Hodgson, J. M. (2014). Effects of black tea on body composition and metabolic outcomes related to cardiovascular disease risk: A

- randomized controlled trial. *Food and Function*, 5(7), 1613–1620.
<https://doi.org/10.1039/c4fo00209a>
- Boon, E. A. J., Croft, K. D., Shinde, S., Hodgson, J. M., & Ward, N. C. (2017). The acute effect of coffee on endothelial function and glucose metabolism following a glucose load in healthy human volunteers. *Food and Function*, 8(9), 3366–3373. <https://doi.org/10.1039/c7fo00926g>
- Bronstein A, Spyker D, Cantilena L, et al. 2007 Annual Report of the American Association of Poison Control Centres National Poison Data System: 25th Annual Report. *Clin Toxicol.* 2008;46:927–1057.
<https://doi.org/10.1080/15563650802559632>
- Brothers, R. M., Christmas, K. M., Patik, J. C., & Bhella, P. S. (2017). Heart rate, blood pressure and repolarization effects of an energy drink as compared to coffee. *Clinical Physiology and Functional Imaging*, 37(6), 675–681.
<https://doi.org/10.1111/cpf.12357>
- Buijsse, B., Feskens, E. J. M., Kok, F. J., & Kromhout, D. (2006). Cocoa Intake, Blood Pressure, and Cardiovascular Mortality. *Archives of Internal Medicine*, 166(4), 411. <https://doi.org/10.1001/archinte.166.4.411>
- Burrows T, Pursey K, Neve M, et al. What are the health implications associated with the consumption of energy drinks? A systematic review *Nutr Rev* (2013); 71: 135–148. <https://doi.org/10.1111/nure.12005>
- Buscemi, S., Mattina, A., Tranchina, M. R., & Verga, S. (2011). Acute effects of coffee on QT interval in healthy subjects. *Nutrition Journal*, 10(1), 2–4.
<https://doi.org/10.1186/1475-2891-10-15>
- Childs, E., Hohoff, C., Deckert, J., Xu, K., Badner, J., & de Wit, H. (2008). Association between ADORA2A and DRD2 polymorphisms and caffeine-induced anxiety. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*, 33(12), 2791–2800.
<https://doi.org/10.1038/npp.2008.17>
- Chtourou, H., Trabelsi, K., Ammar, A., Shephard, R. J., & Bragazzi, N. L. (2019). Acute Effects of an "Energy Drink" on Short-Term Maximal Performance, Reaction Times, Psychological and Physiological Parameters: Insights from a Randomized Double-Blind, Placebo-Controlled, Counterbalanced

- Crossover Trial. *Nutrients*, 11(5), 992. <https://doi.org/10.3390/nu11050992>
- Coccia, M. (2017). The Fishbone diagram to identify, systematize and analyze the sources of general purpose technologies. *Journal of Social and Administrative Sciences*, 4(4), 291–303. https://www.researchgate.net/publication/322526380_The_Fishbone_diagram_to_identify_systematize_and_analyze_the_sources_of_general_purpose_technologies
- Collins, P. B., Earnest, C. P., Dalton, R. L., Sowinski, R. J., Grubic, T. J., Favot, C. J., Coletta, A. M., Rasmussen, C., Greenwood, M., & Kreider, R. B. (2017). Short-term effects of a ready-to-drink pre-workout beverage on exercise performance and recovery. *Nutrients*, 9(8), 1–19. <https://doi.org/10.3390/nu9080823>
- Cornelis, M. C., El-Soheemy, A., Kabagambe, E. K., & Campos, H. (2006). Coffee, CYP1A2 Genotype, and Risk of Myocardial Infarction. *JAMA*, 295(10), 1135. <https://doi.org/10.1001/jama.295.10.1135>
- Cornish, R.S.; Bolam, K.A.; Skiner, T.L. 2015. Effect of Caffeine on Exercise Capacity and Function in Prostate Cancer Survivors. *Med. Sci. Sports Exerc.*, 47, 468–475. <https://doi.org/10.1249/mss.0000000000000429>
- Crooks, E., Hansen, D. A., Satterfield, B. C., Layton, M. E., & Van Dongen, H. P. A. (2019). Cardiac autonomic activity during sleep deprivation with and without caffeine administration. *Physiology and Behavior*, 210(February), 5–10. <https://doi.org/10.1016/j.physbeh.2019.112643>
- Dalbo VJ, Roberts MD, Stout JR, et al. 2008. Acute effects of ingesting a commercial thermogenic drink on changes in energy expenditure and markers of lipolysis. *J Int Soc Sports Nutr*; 5:6. <https://www.ncbi.nlm.nih.gov/pubmed/18289388>
- Doherty M & Smith PM. 2005. Effects of caffeine ingestion on rating of perceived exertion during and after exercise: a meta-analysis. *Scand J Med Sci Sports*.;15(2):69–78 <https://doi.org/10.1111/j.1600-0838.2005.00445.x>
- Drapeau, C., Hamel-Hebert, I., Robillard, R., Seimaoui, B., Filipini, D. and Carner, J., 2006. Challenging sleep in aging: the effects of 200 mg of caffeine during the evening in young and middle-aged moderate caffeine consumers. *Journal*

- of *Sleep Research* 15(2), 133–41. <https://doi.org/10.1111/j.1365-2869.2006.00518.x>
- Durrant, K. L. (2002). *Known and Hidden Sources of Caffeine in Drug, Food, and Natural Products*. *Journal of the American Pharmaceutical Association* (1996), 42(4), 625–637. <https://doi.org/10.1331/108658002763029607>
- Farag, N. H., Whitsett, T. L., McKey, B. S., Wilson, M. F., Vincent, A. S., Everson-Rose, S. A., & Lovallo, W. R. (2010). Caffeine and blood pressure response: sex, age, and hormonal status. *Journal of women's health* (2002), 19(6), 1171–1176. <https://doi.org/10.1089/jwh.2009.1664>
- Fowler, S. P., Williams, K., Resendez, R. G., Hunt, K. J., Hazuda, H. P., & Stern, M. P. (2008). Fueling the Obesity Epidemic? Artificially Sweetened Beverage Use and Long-term Weight Gain. *Obesity*, 16(8), 1894–1900. <https://doi.org/10.1038/oby.2008.284>
- Franklin, S. S., Lopez, V. A., Wong, N. D., Mitchell, G. F., Larson, M. G., Vasan, R. S., & Levy, D. (2009). Single versus combined blood pressure components and risk for cardiovascular disease: the Framingham Heart Study. *Circulation*, 119(2), 243–250. <https://doi.org/10.1161/CIRCULATIONAHA.108.797936>
- Franks, A. M., Schmidt, J. M., McCain, K. R., & Fraer, M. (2012). Comparación de los efectos de bebidas energizantes con los suplementos de cafeína con índices de 24 horas de presión sanguínea a nivel ambulatorio. *Annals of Pharmacotherapy*, 46(2), 192–199. <https://doi.org/10.1345/aph.1Q555>
- García, A., Romero, C., Arroyave, C., Giraldo, F., Sánchez, L., & Sánchez, J. (2017). Acute effects of energy drinks in medical students. *European Journal of Nutrition*, 56(6), 2081–2091. <https://doi.org/10.1007/s00394-016-1246-5>
- Goldstein, E. R., Ziegenfuss, T., Kalman, D., Kreider, R., Campbell, B., Wilborn, C., Taylor, L., Willoughby, D., Stout, J., Graves, B. S., Wildman, R., Ivy, J. L., Spano, M., Smith, S. E. and Antonio, J., 2010. International society of sports nutrition position stand: Caffeine and performance. *Journal of the International Society of Sports Nutrition* 7, 5. <https://doi.org/10.1186/1550-2783-7-5>
- Gonzaga, L. A., Vanderlei, L. C. M., Gomes, R. L., & Valenti, V. E. (2017). Caffeine

- affects autonomic control of heart rate and blood pressure recovery after aerobic exercise in young adults: A crossover study. *Scientific Reports*, 7(1), 1–8. <https://doi.org/10.1038/s41598-017-14540-4>
- Graham, T. E., Sathasivam, P., Rowland, M., Marko, N., Greer, F., Battram, D., 2001. *Can. J. Physiol. Pharmacol.* 79, 559-565. <http://dx.doi.org/10.1139/cjpp-79-7-559>
- Grasser, E. K., Yepuri, G., Dulloo, A. G., & Montani, J. P. (2014). Cardio- and cerebrovascular responses to the energy drink Red Bull in young adults: a randomized cross-over study. *European Journal of Nutrition*, 53(7), 1561–1571. <https://doi.org/10.1007/s00394-014-0661-8>
- Greenwood, D. C., Threapleton, D. E., Evans, C. E. L., Cleghorn, C. L., Nykjaer, C., Woodhead, C., & Burley, V. J. (2014). Association between sugar-sweetened and artificially sweetened soft drinks and type 2 diabetes: systematic review and dose–response meta-analysis of prospective studies. *British Journal of Nutrition*, 112(05), 725–734. <https://doi.org/10.1017/s0007114514001329>
- Grosso G, Marventano S, Galvano F, Pajak A, Mistretta A (2014) Factors associated with metabolic syndrome in a Mediterranean population: role of caffeinated beverages. *J Epidemiol* 24:327–333 <https://doi.org/10.2188/jea.je20130166>
- Grove, K.A.; Lambert, J.D. 2010. Laboratory, epidemiological, and human intervention studies show that tea (*Camellia sinensis*) may be useful in the prevention of obesity. *J. Nutr.*, 140, 446–453. [CrossRef] [PubMed] <https://dx.doi.org/10.3945%2Fjn.109.115972>
- Hajsadeghi, S., Mohammadpour, F., Manteghi, M. J., Kordshakeri, K., Tokazebani, M., Rahmani, E., & Hassanzadeh, M. (2016). Effects of energy drinks on blood pressure, heart rate, and electrocardiographic parameters: An experimental study on healthy young adults. *Anatolian Journal of Cardiology*, 16(2), 94–99. <https://doi.org/10.5152/akd.2015.5930>
- Hawker, S., Payne, S., Kerr, C., Hardey, M., & Powell, J. (2002). Appraising the evidence: reviewing disparate data systematically. *Qualitative health research*, 12(9), 1284–1299. <https://doi.org/10.1177/1049732302238251>
- Heckman MA, Sherry K, de Mejia EG. 2010. Energy drinks: an assessment of their

- market size, consumer demographics, ingredient profile, functionality, and regulations in the United States. *Compr Rev Food Sci Food Saf.* 9:303–317. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/j.1541-4337.2010.00111.x>
- Heckman, M.A., Weil, J., & Gonzalez de Mejia, E. (2010). Caffeine (1,3,7-trimethylxanthine) in foods: A comprehensive review on consumption, functionality, safety, and regulatory matters. *Journal of Food Science*, 75, 77–87. <https://doi.org/10.1111/j.1750-3841.2010.01561.x>
- Higdon JV & Frei B. Coffee and health: a review of recent human research. *Crit Rev Food Sci Nutr* 2006;46(2):101–23. <https://doi.org/10.1080/10408390500400009>
- Hodgson, J. M., Croft, K. D., Woodman, R. J., Puddey, I. B., Fuchs, D., Draijer, R., Lukoshkova, E., & Head, G. A. (2013). Black tea lowers the rate of blood pressure variation: A randomized controlled trial. *American Journal of Clinical Nutrition*, 97(5), 943–950. <https://doi.org/10.3945/ajcn.112.051375>
- Horie, H.; Kohata, K. 2002. General ingredients of tea. In *Health Science of Tea, New Possibility for Physiological Function*; Muramatsu, K., Oguni, I., Isemura, M., Sugiyama, K., Yamamoto-Maeda, M., Eds.; Gakkai Shuppan Center: Tokyo, Japan,; pp. 26–31.
- https://www.researchgate.net/profile/KG_Durga_Prasad/publication/256377930_Application_of_Six_Sigma_Methodology_in_an_Engineering_Educational_Institution/links/004635226c2b735a5d000000/Application-of-Six-Sigma-Methodology-in-an-Engineering-Educational-Institution.pdf
- Huang H-C, Lin J-K. 2012. Pu-erh tea, green tea, and black tea suppresses hyperlipidemia, hyperleptinemia and fatty acid synthase through activating AMPK in rats fed a high-fructose diet. *Food Funct.*;3(2):170-177. <https://doi.org/10.1039/c1fo10157a>
- Ioakeimidis, N., Tzifos, V., Vlachopoulos, C., Terentes-Printzios, D., Georgakopoulos, C., & Tousoulis, D. (2018). Acute effect of coffee on aortic stiffness and wave reflections in healthy individuals: differential effect according to habitual consumption. *International Journal of Food Sciences and Nutrition*, 69(7), 870–881. <https://doi.org/10.1080/09637486.2017.1422700>

- James, J. E. (2004). *Critical Review of Dietary Caffeine and Blood Pressure: A Relationship That Should Be Taken More Seriously*. *Psychosomatic Medicine*, 66(1), 63–71. <https://doi.org/10.1097/10.psy.0000107884.78247.f9>
- Johnston KL, Clifford MN & Morgan LM. (2003). Coffee acutely modifies gastrointestinal hormone secretion and glucose tolerance in humans: glycemic effects of chlorogenic acid and caffeine. *Am J Clin Nutr* 78, 728–733. <https://doi.org/10.1093/ajcn/78.4.728>
- Kamely, M., Karimi Torshizi, M. A., Rahimi, S., & Wideman, R. F. (2016). Caffeine causes pulmonary hypertension syndrome (ascites) in broilers. *Journal of Animal Science*, 94(4), 1493–1500. <https://doi.org/10.2527/jas.2015-0152>
- Kamimori, G. H., Somani, S. M., Knowlton, R. G., & Perkins, R. M. (1987). *The effects of obesity and exercise on the pharmacokinetics of caffeine in lean and obese volunteers*. *European Journal of Clinical Pharmacology*, 31(5), 595–600. <https://doi.org/10.1007/bf00606637>
- Karatzis E, Papaioannou TG, Aznaouridis K, Karatzi K, Stamatelopoulos K, Zampelas A, Papamichael C, Lekakis J, Mavrikakis M. 2005. Acute effects of caffeine on blood pressure and wave reflections in healthy subjects: should we consider monitoring central blood pressure? *Int J Cardiol*;98:425–30. <https://sci-hub.se/10.1016/j.ijcard.2003.11.013>
- Keijzers GB, De Galan BE, Tack CJ, Smits P: 2002. Caffeine can decrease insulin sensitivity in humans. *Diabetes Care*, 25(2):364-369. <https://doi.org/10.2337/diacare.25.2.364>
- Kurtz, A. M., Leong, J., Anand, M., Dargush, A. E., & Shah, S. A. (2013). Effects of caffeinated versus decaffeinated energy shots on blood pressure and heart rate in healthy young volunteers. *Pharmacotherapy*, 33(8), 779–786. <https://doi.org/10.1002/phar.1296>
- Leung, A. C., Cook, L. S., Swenerton, K., Gilks, B., Gallagher, R. P., Magliocco, A., Steed, H., Köbel, M., Nation, J., Brooks-Wilson, A., & Le, N. D. (2016). Tea, coffee, and caffeinated beverage consumption and risk of epithelial ovarian cancers. *Cancer epidemiology*, 45, 119–125. <https://doi.org/10.1016/j.canep.2016.10.010>

- Lucas, M. (2011). Coffee, Caffeine, and Risk of Depression Among Women. *Archives of Internal Medicine*, 171(17), 1571. <https://sci-hub.se/10.1001/archinternmed.2011.393>
- Marques, A. C., Jesus, A. A., Giglio, B. M., Marini, A. C., Lobo, P. C. B., Mota, J. F., & Pimentel, G. D. (2018). Acute caffeinated coffee consumption does not improve time trial performance in an 800-m run: A randomized, double-blind, crossover, placebo-controlled study. *Nutrients*, 10(6). <https://doi.org/10.3390/nu10060657>
- Martinez-Lopez S, Sarria B, Baeza G, Mateos R, Bravo-Clemente L (2014) Pharmacokinetics of caffeine and its metabolites in plasma and urine after consuming a soluble green/roasted coffee blend by healthy subjects. *Food Res Int* 64:125–133 <https://sci-hub.se/10.1016/j.foodres.2014.05.043>
- Martinez-Pinilla, E., Onatibia-Astibia, A., & Franco, R. (2015). The relevance of theobromine for the beneficial effects of cocoa consumption. *Frontiers in Pharmacology*, 6. <https://doi.org/10.3389/fphar.2015.00030>
- Matthews KA, Katholi CR, McCreath H, Whooley MA, Williams DR, Zhu S, Markovitz JH: Blood pressure reactivity to psychological stress predicts hypertension in the CARDIA study. *Circulation* 2004, 110:74–78 <https://doi.org/10.1161/01.cir.0000133415.37578.e4>
- McMullen, M. K., Whitehouse, J. M., Shine, G., & Towell, A. (2011). Habitual coffee and tea drinkers experienced increases in blood pressure after consuming low to moderate doses of caffeine; These increases were larger upright than in the supine posture. *Food and Function*, 2(3–4), 197–203. <https://doi.org/10.1039/c0fo00166j>
- McMullen, M. K., Whitehouse, J. M., Shine, G., Whitton, P. A., & Towell, A. (2012). Caffeine in hot drinks elicits cephalic phase responses involving cardiac activity. *Food and Function*, 3(9), 931–940. <https://doi.org/10.1039/c2fo00002d>
- Mets, M. A. J., Baas, D., van Boven, I., Olivier, B., & Verster, J. C. (2012). Effects of coffee on driving performance during prolonged simulated highway driving. *Psychopharmacology*, 222(2), 337–342. doi:10.1007/s00213-012-2647-7. <https://dx.doi.org/10.1007%2Fs00213-012-2647-7>

- Mitchell, D. C., Knight, C. A., Hockenberry, J., Teplansky, R., & Hartman, T. J. (2014). Beverage caffeine intakes in the U.S. *Food and Chemical Toxicology*, 63, 136–142. <http://dx.doi.org/10.1016/j.fct.2013.10.042>
- Mitchell, E. S., Slettenaar, M., vd Meer, N., Transler, C., Jans, L., Quadt, F., & Berry, M. (2011). Differential contributions of theobromine and caffeine on mood, psychomotor performance and blood pressure. *Physiology and Behavior*, 104(5), 816–822. <https://doi.org/10.1016/j.physbeh.2011.07.027>
- Miura, Y., Chiba, T., Tomita, I., Koizumi, H., Miura, S., Umegaki, K., ... Ikeda, M. (2001). Tea Catechins Prevent the Development of Atherosclerosis in Apoprotein E-Deficient Mice. *The Journal of Nutrition*, 131(1), 27–32. doi:10.1093/jn/131.1.27 <https://doi.org/10.1093/jn/131.1.27>
- Momsen AH, Jensen MB, Norager CB, Madsen MR, Vestersgaard-Andersen T & Lindholt JS. (2010). Randomized double-blind placebo-controlled crossover study of caffeine in patients with intermittent claudication. *Br J Surg*;97(10):1503–10. <https://doi.org/10.1002/bjs.7149>
- Narain, A., Kwok, C. S., & Mamas, M. A. (2016). Soft drinks and sweetened beverages and the risk of cardiovascular disease and mortality: a systematic review and meta-analysis. *International Journal of Clinical Practice*, 70(10), 791–805. doi:10.1111/ijcp.12841 <https://doi.org/10.1111/ijcp.12841>
- Nawrot, P., Jordan, S., EastNawrot, P., Jordan, S., Eastwood, J., Rotstein, J., Hugenholtz, A., Feeley, M., 2003. Effects of caffeine on human health. *Food Addit. Contam.* 20, 1e30. <http://dx.doi.org/10.1080/0265203021000007840>
- Negishi, H., Xu, J.-W., Ikeda, K., Njelekela, M., Nara, Y., & Yamori, Y. (2004). *Black and Green Tea Polyphenols Attenuate Blood Pressure Increases in Stroke-Prone Spontaneously Hypertensive Rats*. *The Journal of Nutrition*, 134(1), 38–42. <https://doi.org/10.1093/jn/134.1.38>
- Norager, C. B., Jensen, M. B., Madsen, M. R., & Laurberg, S. (2005). Caffeine improves endurance in 75-yr-old citizens: a randomized, double-blind, placebo-controlled, crossover study. *Journal of Applied Physiology*, 99(6), 2302–2306. doi:10.1152/jappphysiol.00309.2005 <https://doi.org/10.1152/jappphysiol.00309.2005>

- Panagiotou, M., Meijer, M., Meijer, J. H., & Deboer, T. (2019). Effects of chronic caffeine consumption on sleep and the sleep electroencephalogram in mice. *Journal of Psychopharmacology*, 33(1), 122–131. <https://doi.org/10.1177/0269881118806300>
- Papaoiannou TG, Karatzi K, Karatzis E, Papamichael C & Lekakis JP. (2005). Acute effects of caffeine on arterial stiffness, wave reflections, and central aortic pressures. *Am J Hypertens*;18:129–36. <https://doi.org/10.1016/j.amjhyper.2004.08.017>
- Papakonstantinou, E., Kechribari, I., Sotirakoglou, K., Tarantilis, P., Gourdomichali, T., Michas, G., Kravvariti, V., Voumvourakis, K., & Zampelas, A. (2016). Acute effects of coffee consumption on self-reported gastrointestinal symptoms, blood pressure and stress indices in healthy individuals. *Nutrition Journal*, 15(1), 1–11. <https://doi.org/10.1186/s12937-016-0146-0>
- Papamichael, C. M., Aznaouridis, K. A., Karatzis, E. N., Karatzi, K. N., Stamatelopoulos, K. S., Vamvakou, G, Mavrikakis, M. E. (2005). Effect of coffee on endothelial function in healthy subjects: the role of caffeine. *Clin Sci (Lond)*;109(1):55–60. <https://doi.org/10.1042/cs20040358>
- Pennington, N., Johnson, M., Delaney, E., & Blankenship, M. B. (2010). Energy Drinks. *The Journal of School Nursing*, 26(5), 352–359. <https://doi.org/10.1177/1059840510374188>
- Phan, J. K., & Shah, S. A. (2014). Effect of caffeinated versus noncaffeinated energy drinks on central blood pressures. *Pharmacotherapy*, 34(6), 555–560. <https://doi.org/10.1002/phar.1419>
- Potgieter, S., Wright, H. H., & Smith, C. (2018). Caffeine Improves Triathlon Performance: A Field Study in Males and Females. *International journal of sport nutrition and exercise metabolism*, 28(3), 228–237. <https://doi.org/10.1123/ijsnem.2017-0165>
- Prasad, K. G. D. et al. (2012). Application of Six Sigma Methodology in an Engineering Educational Institution. *International Journal of Emerging Sciences*, 2(2), 210–221. <https://scholar.google.com/scholar?oi=bibs&cluster=5655487921084259395&btnI=1&hl=ja>

- Ragsdale, F. R., Gronli, T. D., Batool, N., Haight, N., Mehaffey, A., McMahon, E. C., Nalli, T. W., Mannello, C. M., Sell, C. J., McCann, P. J., Kastello, G. M., Hooks, T., & Wilson, T. (2010). Effect of Red Bull energy drink on cardiovascular and renal function. *Amino Acids*, 38(4), 1193–1200. <https://doi.org/10.1007/s00726-009-0330-z>
- Rasmussen BB, Brix TH, Kyvik KO, et al. (2002). The interindividual differences in the 3-demethylation of caffeine alias CYP1A2 is determined by both genetic and environmental factors. *Pharmacogenetics* 12(6):473–478. <https://doi.org/10.1097/00008571-200208000-00008>
- Ribeiro, J. A & Sebastião. 2010. A. M., *J. Alzheimers Dis.*, 20, S3-S15. https://www.researchgate.net/publication/41466112_Caffeine_and_Adenosine
- Riksen, N. P., Smits, P., & Rongen, G. A. (2011). The cardiovascular effects of methylxanthines. *Handbook of experimental pharmacology*, (200), 413–437. https://doi.org/10.1007/978-3-642-13443-2_16
- Ruusunen, A., Lehto, S. M., Tolmunen, T., Mursu, J., Kaplan, G. A., & Voutilainen, S. (2010). Coffee, tea and caffeine intake and the risk of severe depression in middle-aged Finnish men: the Kuopio Ischaemic Heart Disease Risk Factor Study. *Public Health Nutrition*, 13(08), 1215–1220. <https://doi.org/10.1017/s1368980010000509>
- Sarriá, B., Martínez-López, S., Sierra-Cinos, J. L., García-Diz, L., Mateos, R., & Bravo-Clemente, L. (2018). Regularly consuming a green/roasted coffee blend reduces the risk of metabolic syndrome. *European Journal of Nutrition*, 57(1), 269–278. <https://doi.org/10.1007/s00394-016-1316-8>
- Schneider MB, Benjamin HJ. (2011). Sports drinks and energy drinks for children and adolescents. Are they appropriate? *Pediatrics*; 127:1182–1189. <https://doi.org/10.1542/peds.2011-0965>
- Seifert SM, Schaechter JL, Hershorin ER. 2011. Health effects of energy drinks on children, adolescents, and young adults. *Pediatrics*.;127:511–528. <https://doi.org/10.1542/peds.2009-3592>
- Shechter, M., Shalmon, G., Scheinowitz, M., Koren-Morag, N., Feinberg, M. S., Harats, D., Sela, B. A., Sharabi, Y., & Chouraqui, P. (2011). Impact of acute

- caffeine ingestion on endothelial function in subjects with and without coronary artery disease. *American Journal of Cardiology*, 107(9), 1255–1261. <https://doi.org/10.1016/j.amjcard.2010.12.035>
- Souza, D., Casonatto, J., Poton, R., Willardson, J., & Polito, M. (2014). Acute effect of caffeine intake on hemodynamics after resistance exercise in young non-hypertensive subjects. *Research in Sports Medicine*, 22(3), 253–264. <https://doi.org/10.1080/15438627.2014.915832>
- Stamler, J., Stamler, R., & Neaton, J. D. (1993). Blood pressure, systolic and diastolic, and cardiovascular risks. US population data. *Archives of internal medicine*, 153(5), 598–615. <https://doi.org/10.1001/archinte.153.5.598>
- Suzuki, A., Yamamoto, N., Jokura, H., Yamamoto, M., Fujii, A., Tokimitsu, I., & Saito, I. (2006). Chlorogenic acid attenuates hypertension and improves endothelial function in spontaneously hypertensive rats. *Journal of hypertension*, 24(6), 1065–1073. <https://doi.org/10.1097/01.hjh.0000226196.67052.c0>
- Temple, J. L., Ziegler, A. M., Graczyk, A., Bendlin, A., Sion, T., & Vattana, K. (2014). Cardiovascular responses to caffeine by gender and pubertal stage. *Pediatrics*, 134(1). <https://doi.org/10.1542/peds.2013-3962>
- Teng, C. L., Lim, W. Y., Chua, C. Z., Teo, R. S. K., Lin, K. T. H., & Yeoh, J. C. (2016). Does a single cup of caffeinated drink significantly increase blood pressure in young adults? A randomised controlled trial. *Australian Family Physician*, 45(1), 65–68. <https://www.racgp.org.au/afp/2016/januaryfebruary/does-a-single-cup-of-caffeinated-drink-significantly-increase-blood-pressure-in-young-adults-a-randomised-controlled-trial/>
- Trexler, E. T., Smith-Ryan, A. E., Roelofs, E. J., Hirsch, K. R., & Mock, M. G. (2016). Effects of coffee and caffeine anhydrous on strength and sprint performance. *European Journal of Sport Science*, 16(6), 702–710. <https://doi.org/10.1080/17461391.2015.1085097>
- Tunnicliffe JM & Shearer J: (2008). Coffee, glucose homeostasis, and insulin resistance: physiological mechanisms and mediators. *Appl Physiol NutrMetab* 2008, 33(6):1290-1300. <https://doi.org/10.1139/h08-123>

- Uiterwaal, C. S., Verschuren, W. M., Bueno-de-Mesquita, H. B., Ocké, M., Geleijnse, J. M., Boshuizen, H. C., ... Grobbee, D. E. (2007). Coffee intake and incidence of hypertension. *The American Journal of Clinical Nutrition*, 85(3), 718–723. <https://doi.org/10.1093/ajcn/85.3.718>
- Van Boxtel, M. P. J. & Schmitt, J. A. (2004). Age-related changes in the effects of coffee on memory and cognitive performance. In *Coffee, tea, chocolate, and the brain*. Boca Raton, Florida: CRC Press. http://media1.tea.717.cz/files/media1:4b7b05a597b5a.pdf.upl/TF1650_10.pdf
- Vogiatzoglou A, Mulligan AA, Luben RN, Lentjes MA, Heiss C, Kelm M, Merx MW, Spencer JP, Schroeter H, Kuhnle GG. (2013). Assessment of the dietary intake of total flavan-3-ols, monomeric flavan-3-ols, proanthocyanidins and theaflavins in the European Union. *Br J Nutr*. 111:1463–73. <https://doi.org/10.1017/s0007114513003930>
- Warren GL, Park ND, Maresca RD, McKibans KI & Millard- Stafford ML. 2010. Effect of caffeine ingestion on muscular strength and endurance: a meta-analysis. *Med Sci Sports Exerc*; 42(7):1375–87. <https://doi.org/10.1249/mss.0b013e3181cabb8>
- Wilk, M., Krzysztofik, M., Filip, A., Zajac, A., & Del Coso, J. (2019). The effects of high doses of caffeine on maximal strength and muscular endurance in athletes habituated to caffeine. *Nutrients*, 11(8), 12–14. <https://doi.org/10.3390/nu11081912>
- Winkelmayer WC, Stampfer MJ, Willett WC, Curhan GC (2005). Habitual caffeine intake and the risk of hypertension in women. *JAMA*, 294 (18): 2330-5. <https://doi.org/10.1001/jama.294.18.2330>
- Womack, C. J., Saunders, M. J., Bechtel, M. K., Bolton, D. J., Martin, M., Luden, N. D., Dunham, W., & Hancock, M. (2012). The influence of a CYP1A2 polymorphism on the ergogenic effects of caffeine. *Journal of the International Society of Sports Nutrition*, 9(1), 7. <https://doi.org/10.1186/1550-2783-9-7>
- Yoshihara, T., Zaitso, M., Shiraishi, F., Arima, H., Takahashi-Yanaga, F., Arioka, M., Kajioka, S., & Sasaguri, T. (2019). Influence of genetic polymorphisms

- and habitual caffeine intake on the changes in blood pressure, pulse rate, and calculation speed after caffeine intake: A prospective, double blind, randomized trial in healthy volunteers. *Journal of Pharmacological Sciences*, 139(3), 209–214. <https://doi.org/10.1016/j.jphs.2019.01.006>
- Youngberg, M. R., Karpov, I. O., Begley, A., Pollock, B. G., & Buysse, D. J. (2011). Clinical and physiological correlates of caffeine and caffeine metabolites in primary insomnia. *Journal of Clinical Sleep Medicine*, 7(2), 196–203. <https://doi.org/10.5664/jcsm.28109>
- Zampelas A, Panagiotakos DB, Pitsavos C, Chrysohoou C, Stefanadis C. Associations between coffee consumption and inflammatory markers in healthy persons: the ATTICA study. *Am J Clin Nutr* 2004;80:862–867 <https://doi.org/10.1093/ajcn/80.4.862>
- Zimmermann-Viehoff, F., Thayer, J., Koenig, J., Herrmann, C., Weber, C. S., & Deter, H. C. (2016). Short-term effects of espresso coffee on heart rate variability and blood pressure in habitual and non-habitual coffee consumers- -a randomized crossover study. *Nutritional neuroscience*, 19(4), 169–175. <https://doi.org/10.1179/1476830515Y.0000000018>
- Zulli, A., Smith, R. M., Kubatka, P., Novak, J., Uehara, Y., Loftus, H., ... Kruzliak, P. (2016). Caffeine and cardiovascular diseases: critical review of current research. *European Journal of Nutrition*, 55(4), 1331–1343. <https://doi.org/10.1007/s00394-016-1179-z>