

7. DAFTAR PUSTAKA

- Abidi, F., Girault, T., Douillet, O., Guillemain, G., Sintès, G., Laffaire, M., Leduc, N. (2013). *BLUE LIGHT EFFECTS ON ROSE PHOTOSYNTHESIS AND PHOTOMORPHOGENESIS*. *Plant Biology*, 15(1), 67–74. <https://doi.org/10.1111/j.1438-8677.2012.00603.x>
- Alabadí, D., Gallego-Bartolomé, J., Orlando, L., García-Cárcel, L., Rubio, V., Martínez, C., Blázquez, M. A. (2008). *Gibberellins modulate light signaling pathways to prevent Arabidopsis seedling de-etiolation in darkness*. *Plant Journal*, 53(2), 324–335. <https://doi.org/10.1111/j.1365-313X.2007.03346.x>
- Arsovski, A. A., Galstyan, A., Guseman, J. M., Nemhauser, J. L., Arsovski, A. A., Galstyan, A., Nemhauser, J. L. (2012). *Photomorphogenesis*. *The American Society of Plant Biologists*, 10. <https://doi.org/10.1199/tab.0147>
- Australian Wheat Grass. (2021). Retrieved from <https://www.australianwheatgrass.com.au/product/red-pak-choi-seeds/>
- Boccalandro, H. E., Rugnone, M. L., Moreno, J. E., Ploschuk, E. L., Serna, L., Yanovsky, M. J., & Casal, J. J. (2009). *Phytochrome B enhances photosynthesis at the expense of water-use efficiency in arabidopsis 1*. *Plant Physiology*, 150(2), 1083–1092. <https://doi.org/10.1104/pp.109.135509>
- Boccardi, V., Arosio, B., Cari, L., Bastiani, P., Scamosci, M., Casati, M., Mecocci, P. (2019). *Beta-carotene , telomerase activity and Alzheimer's disease in old age subjects*. *European Journal of Nutrition*, 0(0), 0. <https://doi.org/10.1007/s00394-019-01892-y>
- Botella-Pavía, P., & Rodríguez-Concepción, M. (2006). *Carotenoid biotechnology in plants for nutritionally improved foods*. *Physiologia Plantarum*, 126(3), 369–381. <https://doi.org/10.1111/j.1399-3054.2006.00632.x>
- BPOM RI. (2016). *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 9 Tahun 2016 tentang Acuan Label Gizi*. In *Badan Pengawasan Obat dan Makanan Republik Indonesia* (pp. 1–28).
- Brazaityte, A., Sakalauskiene, S., Virsile, A., Jankauskiene, J., Samuoliene, G., Sirtautas, R., ... Dabasinskas, L. (2016). *The effect of short-term red lighting on Brassicaceae microgreens grown indoors*. *Acta Horticulturae*, 1123(October), 177–183. <https://doi.org/10.17660/ActaHortic.2016.1123.25>
- Brazaityte, Aušra, Sakalauskiene, S., Samuoliene, G., Jankauskiene, J., Viršile, A., Kovic, A. N., ... Duchovskis, P. (2014). *The effects of LED illumination spectra and intensity on carotenoid content in Brassicaceae microgreens*. 173, 600–606. <https://doi.org/10.1016/j.foodchem.2014.10.077>
- Brodersen, C. R., & Vogelmann, T. C. (2010). *Do changes in light direction affect absorption*

profiles in leaves? Functional Plant Biology, 37(5), 403–412.
<https://doi.org/10.1071/FP09262>

Brzeszczynska, J., & Gwozdziński, K. (2009). *Antioxidant capacity and physical exercise*.
<https://doi.org/10.5604/20831862.894649>

Cádiz-Gurrea, M. D. L. L., Borrás-Linares, I., Lozano-Sánchez, J., Joven, J., Fernández-Arroyo, S., & Segura-Carretero, A. (2017). *Cocoa and grape seed byproducts as a source of antioxidant and anti-inflammatory proanthocyanidins*. *International Journal of Molecular Sciences*, 18(2). <https://doi.org/10.3390/ijms18020376>

Carazo, A., Kujovsk, L., & Protti, M. (2021). *Vitamin A Update: Forms, Sources, Kinetics, Detection, Function, Deficiency, Therapeutic Use and Toxicity*.

Carvalho, R. F., Takaki, M., & Azevedo, R. A. (2011). *Plant pigments: The many faces of light perception*. *Acta Physiologiae Plantarum*, 33(2), 241–248.
<https://doi.org/10.1007/s11738-010-0533-7>

Carvalho, S. D., & Folta, K. M. (2016). *Green light control of anthocyanin production in microgreens*. 13–18. <https://doi.org/10.17660/ActaHortic.2016.1134.2>

Cazzaniga, S., Li, Z., Niyogi, K. K., Bassi, R., Osto, L. D., Biotechnologie, D., & Verona, U. (2012). *The Arabidopsis szl1 Mutant Reveals a Critical Role of b -Carotene in Photosystem I Photoprotection I [C][W]*. 159(August), 1745–1758.
<https://doi.org/10.1104/pp.112.201137>

Cerdán, P. D., Staneloni, R. J., Ortega, J., Bunge, M. M., Rodríguez-Batiller, M. J., Sánchez, R. A., & Casal, J. J. (2000). *Sustained but not transient phytochrome A signaling targets a region of an Lhcb1*2 promoter not necessary for phytochrome B action*. *Plant Cell*, 12(7), 1203–1211. <https://doi.org/10.1105/tpc.12.7.1203>

Chen, X., Hanschen, F. S., Neugart, S., Schreiner, M., Vargas, S. A., Gutschmann, B., & Baldermann, S. (2019). *Boiling and steaming induced changes in secondary metabolites in three different cultivars of pak choi (Brassica rapa subsp. chinensis)*. *Journal of Food Composition and Analysis*, 82(May), 103232.
<https://doi.org/10.1016/j.jfca.2019.06.004>

Chory, J. (2010). *Light signal transduction: An infinite spectrum of possibilities*. *Plant Journal*, 61(6), 982–991. <https://doi.org/10.1111/j.1365-313X.2009.04105.x>

Cools, K., & Terry, L. A. (2018). *The effect of processing on the glucosinolate profile of mustard seed*. *Food Chemistry*, (January).
<https://doi.org/10.1016/j.foodchem.2018.01.096>

D'ambrosio, T., Amodio, M. L., Pastore, D., De Santis, G., & Colelli, G. (2017). *Chemical, physical and sensorial characterization of fresh quinoa sprouts (Chenopodium quinoa Willd.) and effects of modified atmosphere packaging on quality during cold storage*. *Food Packaging and Shelf Life*, 14(July), 52–58.

<https://doi.org/10.1016/j.fpsl.2017.08.003>

- Dhami, N., & Cazzonelli, C. I. (2020). *Environmental impacts on carotenoid metabolism in leaves*. *Plant Growth Regulation*, 92(3), 455–477. <https://doi.org/10.1007/s10725-020-00661-w>
- Di Gioia, F., De Bellis, P., Mininni, C., Santamaria, P., & Serio, F. (2017). *Physicochemical, agronomical and microbiological evaluation of alternative growing media for the production of rapini (Brassica rapa L.) microgreens*. *Journal of the Science of Food and Agriculture*, 97(4), 1212–1219. <https://doi.org/10.1002/jsfa.7852>
- DirjenKemenkes. (2020). *Penyakit Tidak Menular Serang Usia Muda*. Retrieved from webpage *p2p.kemkes.com* website: <http://p2p.kemkes.go.id/penyakit-tidak-menular-kini-ancam-usia-muda/>
- Divakaran, M., & Babu, K. N. (2016). *Crop Production and Nutrient Management*. 9–19. <https://doi.org/10.1016/B978-0-12-384947-2.00475-X>
- Dulce-María, D. A., Adrián, C. R., Cuauhtémoc, R. M., Ada-Keila, M. N., Jorge, M. C., Erika, A. S., & Edith-Oliva, C. R. (2021). *Isoflavones from black chickpea (Cicer arietinum L) sprouts with antioxidant and antiproliferative activity*. *Saudi Journal of Biological Sciences*, 28(1), 1141–1146. <https://doi.org/10.1016/j.sjbs.2020.11.048>
- Fahey, J. W. (2016). *Brassica : Characteristics and Properties*. In *Encyclopedia of Food and Health* (3rd ed.). <https://doi.org/10.1016/B978-0-12-384947-2.00083-0>
- FAOSTAT. (2019). *Production quantities of Cabbages and other brassicas by country 2019*. Retrieved from <http://www.fao.org/faostat/en/#data/QC/visualize>
- Fuente, B., Garcia L, G., Manez, V., Cilla, A., Amparo, A., & Barbera, R. (2019). *Evaluation of the Bioaccessibility of Antioxidant Bioactive Compounds and Minerals of Four*. 1–16.
- Gerovac, J. R., Craver, J. K., Boldt, J. K., & Lopez, R. G. (2016). *Light intensity and quality from sole-source light-emitting diodes impact growth, morphology, and nutrient content of Brassica microgreens*. *HortScience*, 51(5), 497–503. <https://doi.org/10.21273/hortsci.51.5.497>
- Giliberto, L., Perrotta, G., Pallara, P., Weller, J. L., Fraser, P. D., Bramley, P. M., Giuliano, G. (2005). *Manipulation of the blue light photoreceptor cryptochrome 2 in tomato affects vegetative development, flowering time, and fruit antioxidant content*. *Plant Physiology*, 137(1), 199–208. <https://doi.org/10.1104/pp.104.051987>
- Golan, T., Müller-Moulé, P., & Niyogi, K. K. (2006). *Photoprotection mutants of Arabidopsis thaliana acclimate to high light by increasing photosynthesis and specific antioxidants*. *Plant, Cell and Environment*, 29(5), 879–887. <https://doi.org/10.1111/j.1365-3040.2005.01467.x>

- González-Pérez, S., Gutiérrez, J., García-García, F., Osuna, D., Dopazo, J., Lorenzo, Ó., Arellano, J. B. (2011). *Early transcriptional defense responses in arabidopsis cell suspension culture under high-light conditions*. *Plant Physiology*, 156(3), 1439–1456. <https://doi.org/10.1104/pp.111.177766>
- Grune, T., Lietz, G., Palou, A., Ross, A. C., Stahl, W., Tang, G., Biesalski, H. K. (2010). *b - Carotene Is an Important Vitamin A Source*. <https://doi.org/10.3945/jn.109.119024>.ants
- Han, D. Y., Triggs, C. M., & Fraser, A. G. (2012). *Brassicaceae : Nutrient analysis and investigation of tolerability in people with Crohn ' s disease in a New Zealand study* *Brassicaceae : nutrient analysis and investigation of tolerability in people with Crohn ' s disease in a New Zealand study*. (November). <https://doi.org/10.31989/ffhd.v2i11.70>
- Hanson, P., Yang, R. Y., Chang, L. C., Ledesma, L., & Ledesma, D. (2009). *Contents of carotenoids, ascorbic acid, minerals and total glucosinolates in leafy brassica pakchoi (Brassica rapa L. chinensis) as affected by season and variety*. *Journal of the Science of Food and Agriculture*, 89(5), 906–914. <https://doi.org/10.1002/jsfa.3533>
- Hariyadi, B. ., Ali, M., & Nurlina, N. (2017). *Damage Status Assessment Of Agricultural Land As A Result Of Biomass Production In Probolinggo Regency East Java*. *International Journal Of Agriculture*, 1, 1.
- Huang, S., Huang, M., & Feng, B. (2012). *ANTIOXIDANT ACTIVITY OF EXTRACTS PRODUCED FROM PICKLED AND DRIED MUSTARD (BRASSICA JUNCEA COSS . VAR . FOLIOSA BAILEY)* Shirong Huang , Meng Huang , and Bo Feng. (April 2010), 374–384. <https://doi.org/10.1080/10942912.2010.487628>
- Hughes, M. C. B., Williams, G. M., Baker, P., & Green, C. (2013). *Original Research Sunscreen and Prevention of Skin Aging*. (25).
- Ilieva, I., Ivanova, T., Naydenov, Y., Dandolov, I., & Stefanov, D. (2010). *Plant experiments with light-emitting diode module in Svet space greenhouse*. *Advances in Space Research*, 46(7), 840–845. <https://doi.org/10.1016/j.asr.2010.05.009>
- Jang, I. C., Henriques, R., Seo, H. S., Nagatani, A., & Chua, N. H. (2010). *Arabidopsis PHYTOCHROME INTERACTING FACTOR proteins promote phytochrome B polyubiquitination by COP1 E3 ligase in the nucleus*. *Plant Cell*, 22(7), 2370–2383. <https://doi.org/10.1105/tpc.109.072520>
- Johkan, M., Shoji, K., Goto, F., Hashida, S. nosuke, & Yoshihara, T. (2010). *Blue light-emitting diode light irradiation of seedlings improves seedling quality and growth after transplanting in red leaf lettuce*. *HortScience*, 45(12), 1809–1814. <https://doi.org/10.21273/hortsci.45.12.1809>
- Jones-baumgardt, C., Llewellyn, D., & Ying, Q. (2019). *Intensity of Sole-source Light-emitting Diodes Affects Growth , Yield , and Quality of Brassicaceae Microgreens*. (July), 1–8. <https://doi.org/10.21273/HORTSCI13788-18>

- Kemenkes RI. (2018). *Hasil Riset Kesehatan Dasar Tahun 2018*. In *Kementrian Kesehatan RI* (Vol. 53).
- Kevei, É., Gyula, P., Hall, A., Kozma-Bognár, L., Kim, W. Y., Eriksson, M. E., Millar, A. J. (2006). *Forward genetic analysis of the circadian clock separates the multiple functions of ZEITLUPE*. *Plant Physiology*, 140(3), 933–945. <https://doi.org/10.1104/pp.105.074864>
- Kong, Y., & Nemali, K. (2021). *Blue and Far-Red Light Affect Area and Number of Individual Leaves to Influence Vegetative Growth and Pigment Synthesis in Lettuce*. *Frontiers in Plant Science*, 12(July), 1–12. <https://doi.org/10.3389/fpls.2021.667407>
- Kopsell, D. A., Pantanizopoulos, N. I., Sams, C. E., & Kopsell, D. E. (2012). *Shoot tissue pigment levels increase in ' Florida Broadleaf ' mustard (Brassica juncea L.) microgreens following high light treatment*. *Scientia Horticulturae*, 140, 96–99. <https://doi.org/10.1016/j.scienta.2012.04.004>
- Kopsell, D. A., & Sams, C. E. (2013). *Increases in Shoot Tissue Pigment, Glucosinolates and Mineral Element in Sprouting Broccoli after Exposure to Short - duration Blue Light from Light Emitting Diodes*. *Revista Clinica Espanola*, 138(1), 31–37.
- Kou, L., Yang, T., Liu, X., & Luo, Y. (2015). *Effects of pre- and postharvest calcium treatments on shelf life and postharvest quality of broccoli microgreens*. *HortScience*, 50(12), 1801–1808. <https://doi.org/10.21273/hortsci.50.12.1801>
- Krutmann, J., & Ko, W. (2008). *Protection from Sunburn with b -Carotene — A Meta-analysis †*. 284–288. <https://doi.org/10.1111/j.1751-1097.2007.00253.x>
- Kubota, H., Sakurai, I., Katayama, K., Mizusawa, N., Ohashi, S., Kobayashi, M., Wada, H. (2010). *Purification and characterization of photosystem I complex from Synechocystis sp. PCC 6803 by expressing histidine-tagged subunits*. *Biochimica et Biophysica Acta - Bioenergetics*, 1797(1), 98–105. <https://doi.org/10.1016/j.bbabi.2009.09.001>
- Kyriacou, M. C., El-nakhel, C., Pannico, A., Graziani, G., Soteriou, G. A., Giordano, M., Roupheal, Y. (2020). *Phenolic Constitution , Phytochemical and Macronutrient Content in Three Species of Microgreens as Modulated by Natural Fiber and Synthetic Substrates*. *Antioxidant*, 9, 1–23.
- Lai - Cheong, J. ., & McGrath, J. A. (2017). *Structure and function of skin, hair and nails*. *Medicine (United Kingdom)*, 6(45), 347–351.
- Lee, J. S., Pill, W. G., Cobb, B. B., & Olszewski, M. (2004). *Seed treatments to advance greenhouse establishment of beet and chard microgreens*. *Journal of Horticultural Science and Biotechnology*, 79(4), 565–570. <https://doi.org/10.1080/14620316.2004.11511806>
- Lee, M., Choi, J., Choi, Y., Han, D., Kim, H., Shim, S., Kim, C. (2010). *The antioxidative properties of mustard leaf (Brassica juncea) kimchi extracts on refrigerated raw*

- ground pork meat against lipid oxidation. *Meat Science*, 84(3), 498–504. <https://doi.org/10.1016/j.meatsci.2009.10.004>
- Lefsrud, M. G. (2008). *Irradiance from Distinct Wavelength Light-emitting Diodes Affect Secondary Metabolites in Kale*. 43(7), 2243–2244.
- Lester, G. E. (2006). *Environmental regulation of human health nutrients (ascorbic acid, β -carotene, and folic acid) in fruits and vegetables*. *HortScience*, 41(1), 59–64. <https://doi.org/10.21273/hortsci.41.1.59>
- Liang, X., Lee, H. W., Li, Z., Lu, Y., Zou, L., & Ong, C. N. (2018). *Simultaneous Quantification of 22 Glucosinolates in 12 Brassicaceae Vegetables by Hydrophilic Interaction Chromatography-Tandem Mass Spectrometry* [Research-article]. *ACS Omega*, 3(11), 15546–15553. <https://doi.org/10.1021/acsomega.8b01668>
- Liu, H., Fu, Y., Wang, M., & Liu, H. (2016). *Green light enhances growth, photosynthetic pigments and CO₂ assimilation efficiency of lettuce as revealed by 'knock-out'*. *Photosynthetica*, 54(X), 1–10.
- Liu, M., Li, Z., Deng, W., Wang, G., & Yang, Y. (2009). *Original article Changes in volatile compounds of pickled mustard tuber (Brassica juncea var. tsatsai) during the pickling process*. (2001), 2278–2286. <https://doi.org/10.1111/j.1365-2621.2009.02070.x>
- Market, T. L. (2021). *MUSTARD RED MICROGREENS*. Retrieved from <https://www.trueleafmarket.com/products/mustard-red-garnet-microgreens-seeds?variant=46592542344>
- Marthen, M., Kaya, E., & Rehatta, H. (2018). *Pengaruh Perlakuan Pencelupan Dan Perendaman Terhadap Perkecambahan Benih Sengon (Paraserianthes falcataria L.)*. *Agrologia*, 2(1). <https://doi.org/10.30598/a.v2i1.273>
- Martínez-sánchez, A., Tudela, J. A., Luna, C., Allende, A., & Gil, M. I. (2011). *Postharvest Biology and Technology Low oxygen levels and light exposure affect quality of fresh-cut Romaine lettuce*. 59, 34–42. <https://doi.org/10.1016/j.postharvbio.2010.07.005>
- Miceli, A., Aleo, A., Corona, O., Sardina, M. T., Mammina, C., & Settanni, L. (2014). *Antibacterial activity of Borago of fi cinalis and Brassica juncea aqueous extracts evaluated in vitro and in situ using different food model systems*. *Food Control*, 40, 157–164. <https://doi.org/10.1016/j.foodcont.2013.12.006>
- Mizuno, T., Amaki, W., & Watanabe, H. (2011). *Effects of Monochromatic Light Irradiation by LED on the Growth and Anthocyanin Contents in Leaves of Cabbage Seedlings*. 360, 179–184.
- Moise, A. R., Al-Babili, S., & Wurtzel, E. T. (2014). *Mechanistic aspects of carotenoid biosynthesis*. *Chemical Reviews*, 114(1), 164–193. <https://doi.org/10.1021/cr400106y>
- Morris, M. C., Wang, Y., Barnes, L. L., Bennett, D. A., Dawson-Hughes, B., & Booth, S. L.

- (2018). *Nutrients and bioactives in green leafy vegetables and cognitive decline: Prospective study. Neurology, 90(3), E214–E222.* <https://doi.org/10.1212/WNL.0000000000004815>
- Morrow, R. C. (2008). *LED Lighting in Horticulture. 43(7), 1947–1950.*
- Murphy, C. J., & Pill, W. G. (2010). *Cultural practices to speed the growth of microgreen arugula (roquette; Eruca vesicaria subsp. sativa). Journal of Horticultural Science and Biotechnology, 85(3), 171–176.* <https://doi.org/10.1080/14620316.2010.11512650>
- Neugart, S., Baldermann, S., Hanschen, F. S., Klopsch, R., Wiesner-reinhold, M., & Schreiner, M. (2018). *Scientia Horticulturae The intrinsic quality of brassicaceous vegetables : How secondary plant metabolites are affected by genetic , environmental , and agronomic factors. Scientia Horticulturae, 233(June 2017), 460–478.* <https://doi.org/10.1016/j.scienta.2017.12.038>
- Nguyen-Quang, T., Do-Hoang, G., & Truong-Ngoc, M. (2021). *Multielement Analysis of Pakchoi (Brassica rapa L. ssp. chinensis) by ICP-MS and Their Classification according to Different Small Geographical Origins. Journal of Analytical Methods in Chemistry, 2021.* <https://doi.org/10.1155/2021/8860852>
- Nilsson, J., Olsson, K., Engqvist, G., Ekvall, J., Olsson, M., Nyman, M., & Åkesson, B. (2006). *Variation in the content of glucosinolates, hydroxycinnamic acids, carotenoids, total antioxidant capacity and low-molecular-weight carbohydrates in Brassica vegetables. Journal of the Science of Food and Agriculture, 86(4), 528–538.* <https://doi.org/10.1002/jsfa.2355>
- Nurdianna, D., Bandriyati, R., Putri, A., & Harjoko, D. (2018). *Penggunaan Beberapa Komposisi Spektrum Led Pada Potensi Dan Hasil Hidroponik Indoor Selada Keriting Hijau. 20(1), 1–6.*
- Ohashi-Kaneko, K., Tarase, M., Noya, K. O. N., Fujiwara, K., & Kurata, K. (2007). *Effect of light quality on growth and vegetable quality in leaf lettuce, spinach and komatsuna. Environmental Control in Biology, Vol. 45, pp. 189–198.* <https://doi.org/10.2525/ecb.45.189>
- Pinto, E., Almeida, A. A., Aguiar, A. A., & Ferreira, I. M. P. L. V. O. (2015). *Journal of Food Composition and Analysis Comparison between the mineral profile and nitrate content of microgreens and mature lettuces. Journal of Food Composition and Analysis, 37(3), 38–43.* <https://doi.org/10.1016/j.jfca.2014.06.018>
- Ribeiro, D., Sousa, A., Nicola, P., Miguel, J., Oliveira, P. F. De, Ru, A. T., Fernandes, E. (2020). *β -Carotene and its physiological metabolites : Effects on oxidative status regulation and genotoxicity in in vitro models. 141(April).* <https://doi.org/10.1016/j.fct.2020.111392>
- Rizzini, L., Favory, J., Cloix, C., Faggionato, D., Hara, A. O., Kaiserli, E., Ulm, R. (2011).

Perception of UV - B by the Arabidopsis UVR8 Protein. 332(April), 103–106.

- Samuoliene, G. (2013). *LED irradiance level affects growth and nutritional quality of Brassica microgreens.* (December). <https://doi.org/10.2478/s11535-013-0246-1>
- Samuolienė, Giedrė, Brazaitytė, A., Viršilė, A., Miliauskienė, J., Vaštakaitė-Kairienė, V., & Duchovskis, P. (2019). *Nutrient Levels in Brassicaceae Microgreens Increase Under Tailored Light-Emitting Diode Spectra.* *Frontiers in Plant Science*, 10(November), 1–9. <https://doi.org/10.3389/fpls.2019.01475>
- Samuolienė, Giedrė, Viršilė, A., Brazaitytė, A., Jankauskienė, J., Sakalauskienė, S., Vaštakaitė, V., Duchovskis, P. (2017). *Blue light dosage affects carotenoids and tocopherols in microgreens.* *Food Chemistry*, 228, 50–56. <https://doi.org/10.1016/j.foodchem.2017.01.144>
- Shao, M., Liu, W., Zha, L., Zhou, C., Zhang, Y., & Li, B. (2020). *Differential effects of high light duration on growth, nutritional quality, and oxidative stress of hydroponic lettuce under red and blue LED irradiation.* *Scientia Horticulturae*, 268(May 2019), 109366. <https://doi.org/10.1016/j.scienta.2020.109366>
- Shin, J., Kim, K., Kang, H., Zulfugarov, I. S., Bae, G., Lee, C. H., Choi, G. (2009). *Phytochromes promote seedling light responses by inhibiting four negatively-acting phytochrome-interacting factors.* *Proceedings of the National Academy of Sciences of the United States of America*, 106(18), 7660–7665. <https://doi.org/10.1073/pnas.0812219106>
- Solfanelli, C., Poggi, A., Loreti, E., Alpi, A., & Perata, P. (2006). *Sucrose-Specific Induction of the Anthocyanin Biosynthetic Pathway in Arabidopsis.* I(February), 637–646. <https://doi.org/10.1104/pp.105.072579.the>
- Spence, C. (2020). *Gastrophysics: Nudging consumers toward eating more leafy (salad) greens.* *Food Quality and Preference*, 80(September 2019), 103800. <https://doi.org/10.1016/j.foodqual.2019.103800>
- Sudarmonowati, E., Sri Hartati, N., Wahyuni, Hartati, Kurniawati, S., Fathoni, A., & Harmoko, R. (2020). *Pangan Fungsional Berbasis Ubi Kayu Kaya Beta Karoten* (E. Sudarmonowati & N. Sri Hartati, Eds.). Jakarta: LIPI Press.
- Sun, X. D., & Ni, M. (2011). *HYPOSENSITIVE to LIGHT, an alpha/beta fold protein, acts downstream of ELONGATED HYPOCOTYL 5 to regulate seedling de-etiolation.* *Molecular Plant*, 4(1), 116–126. <https://doi.org/10.1093/mp/ssq055>
- Supapvanich, S., Sangsuk, P., Sripumimas, S., & Anuchai, J. (2020). *Postharvest Biology and Technology Efficiency of low dose cyanocobalamin immersion on bioactive compounds contents of ready to eat sprouts (sunflower and daikon) and microgreens (red-amaranth) during storage.* *Postharvest Biology and Technology*, 160(October 2019), 111033. <https://doi.org/10.1016/j.postharvbio.2019.111033>

- Svoboda, A., Hála, J., Scholz, M., & De, R. (2011). *TPP and singlet oxygen quenching by carotene in solution*. 993, 474–476. <https://doi.org/10.1016/j.molstruc.2010.11.030>
- Tan, L., Nuffer, H., Feng, J., Kwan, S. H., Chen, H., Tong, X., & Kong, L. (2020). *Antioxidant properties and sensory evaluation of microgreens from commercial and local farms*. *Food Science and Human Wellness*, 9(1), 45–51. <https://doi.org/10.1016/j.fshw.2019.12.002>
- Tanno, Y., Kato, S., Takahashi, S., Tamaki, S., Takaichi, S., Kodama, Y., Shinomura, T. (2020). *Light dependent accumulation of β -carotene enhances photo-acclimation of *Euglena gracilis**. *Journal of Photochemistry and Photobiology B: Biology*, 209(July), 111950. <https://doi.org/10.1016/j.jphotobiol.2020.111950>
- Toledo-Ortiz, G., Huq, E., & Rodríguez-Concepción, M. (2010). *Direct regulation of phytoene synthase gene expression and carotenoid biosynthesis by phytochrome-interacting factors*. *Proceedings of the National Academy of Sciences of the United States of America*, 107(25), 11626–11631. <https://doi.org/10.1073/pnas.0914428107>
- Tuan, P. A., Park, C. H., Park, W. T., Kim, Y. B., Kim, Y. J., Chung, S. O., Park, S. U. (2017). *Expression levels of carotenoid biosynthetic genes and carotenoid production in the callus of *scutellaria baicalensis* exposed to white, blue, and red light-emitting diodes*. *Applied Biological Chemistry*, 60(6), 591–596. <https://doi.org/10.1007/s13765-017-0314-8>
- Tuan, P. A., Thwe, A. A., Kim, Y. B., Kim, J. K., Kim, S. J., Lee, S., Park, S. U. (2013). *Effects of white, blue, and red light-emitting diodes on carotenoid biosynthetic gene expression levels and carotenoid accumulation in sprouts of tartary buckwheat (*fagopyrum tataricum gaertn.*)*. *Journal of Agricultural and Food Chemistry*, 61(50), 12356–12361. <https://doi.org/10.1021/jf4039937>
- Umena, Y., Kawakami, K., Shen, J., & Kamiya, N. (2011). *Crystal structure of oxygen-evolving photosystem II at a resolution of 1.9 Å*. *Nature*, 473(7345), 55–60. <https://doi.org/10.1038/nature09913>
- Vaštakaitė, V., Viršilė, A., Brazaitytė, A., Sirtautas, R., & Novičkovas, A. (2015). *The Effect of Blue Light Dosage on Growth and Antioxidant Properties of Microgreens*. 34, 25–36.
- Velasco, P., Cartea, M. E., González, C., Vilar, M., & Ordás, A. (2007). *Factors affecting the glucosinolate content of kale (*Brassica oleracea acephala* Group)*. *Journal of Agricultural and Food Chemistry*, 55(3), 955–962. <https://doi.org/10.1021/jf0624897>
- Wang, H., & Deng, X. W. (2004). *Phytochrome Signaling Mechanism*. *The Arabidopsis Book*, 3, e0074.1. <https://doi.org/10.1199/tab.0074.1>
- Wang, J., Lu, W., Tong, Y., & Yang, Q. (2016). *Leaf morphology, photosynthetic*

performance, chlorophyll fluorescence, stomatal development of lettuce (*Lactuca sativa* L.) exposed to different ratios of red light to blue light. *Frontiers in Plant Science*, 7, 1–10. <https://doi.org/10.3389/fpls.2016.00250>

- Xiao, Z., Codling, E. E., Luo, Y., Nou, X., Lester, G. E., & Wang, Q. (2016). *Microgreens of Brassicaceae: Mineral composition and content of 30 varieties*. *Journal of Food Composition and Analysis*, 49, 87–93. <https://doi.org/10.1016/j.jfca.2016.04.006>
- Xiao, Z., Lester, G. E., Luo, Y., Kenny, Z., Lucy, L., & Wang, Q. (2014). *Effect of light exposure on sensorial quality, concentrations of bioactive compounds and antioxidant capacity of radish microgreens during low temperature storage*. *FOOD CHEMISTRY*, 151, 472–479. <https://doi.org/10.1016/j.foodchem.2013.11.086>
- Xiao, Z., Rausch, S., Luo, Y., Sun, J., Yu, L., Wang, Q., & Chen, P. (2018). *Original Research Article Microgreens of Brassicaceae: Genetic Diversity of Phytochemical Concentrations and Antioxidant Capacity*.
- Yu, S., Zhang, F., Wang, X., Zhao, X., Zhang, D., Yu, Y., & Xu, J. (2010). *Genetic diversity and marker-trait associations in a collection of Pak-choi (*Brassica rapa* L. ssp. *chinensis* Makino) Accessions*. *Genes and Genomics*, 32(5), 419–428. <https://doi.org/10.1007/s13258-010-0033-6>
- Yustiningsih, M. (2019). *Intensitas Cahaya dan Efisiensi Fotosintesis pada Tanaman Naungan dan Tanaman Terpapar Cahaya Langsung*. 4(2).
- Zhou, Y. H., Zhang, Y. Y., Zhao, X., Yu, H. J., Shi, K., & Yu, J. Q. (2009). *Impact of light variation on development of photoprotection, antioxidants, and nutritional value in *Lactuca sativa* L.* *Journal of Agricultural and Food Chemistry*, 57(12), 5494–5500. <https://doi.org/10.1021/jf8040325>
- Zhu, M., Geng, S., Chakravorty, D., Guan, Q., Chen, S., & Assmann, S. M. (2020). *Metabolomics of red-light-induced stomatal opening in *Arabidopsis thaliana*: Coupling with abscisic acid and jasmonic acid metabolism*. *Plant Journal*, 101(6), 1331–1348. <https://doi.org/10.1111/tpj.14594>