

Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	228	100.0%	0	.0%	228	100.0%

Descriptives

		Statistic	Std. Error
Unstandardized Residual	Mean	.0000000	4.543586
	95% Confidence Interval for Mean	Lower Bound -8.95300	
		Upper Bound 8.9529984	
	5% Trimmed Mean	-4.60079	
	Median	-5.24055	
	Variance	4706.872	
	Std. Deviation	68.60665	
	Minimum	-79.18275	
	Maximum	1026.355	
	Range	1105.538	
	Interquartile Range	2.7039405	
	Skewness	14.873	.161
	Kurtosis	223.526	.321

Extreme Values

		Case Number	Value
Unstandardized Residual	Highest	1	217
		2	148
		3	167
		4	159
		5	96
	Lowest	1	60
		2	33
		3	28
		4	173
		5	200

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.442	228	.000	.069	228	.000

a. Lilliefors Significance Correction

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Growth, Konservatisme	.	Enter

a. All requested variables entered.

b. Dependent Variable: PBV

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Durbin-Watson
1	.221 ^a	.049	.037	.456125	1.958

a. Predictors: (Constant), Growth, Konservatisme

b. Dependent Variable: PBV

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1.737	2	.869	4.175	.017 ^a
	Residual	33.912	163	.208		
	Total	35.649	165			

a. Predictors: (Constant), Growth, Konservatisme

b. Dependent Variable: PBV

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	.708	.038		18.702	.000		
	Konservatisme	.324E-13	.000	.164	2.151	.033	1.000	1.000
	Growth	.356	.186	.146	1.915	.057	1.000	1.000

a. Dependent Variable: PBV

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	Konservatisme	Growth
1	1	1.356	1.000	.32	.32	.01
	2	.997	1.166	.00	.02	.98
	3	.647	1.448	.68	.67	.01

a. Dependent Variable: PBV



Explore

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Unstandardized Residual	166	72.8%	62	27.2%	228	100.0%

Descriptives

		Statistic	Std. Error	
Unstandardized Residual	Mean	.0000000	.03518694	
	95% Confidence Interval for Mean	Lower Bound	-.0694747	
		Upper Bound	.0694747	
	5% Trimmed Mean	.0064878		
	Median	-.0659986		
	Variance	.206		
	Std. Deviation	.45335205		
	Minimum	-1.32592		
	Maximum	.96068		
	Range	2.28659		
	Interquartile Range	.6389082		
	Skewness	-.110	.188	
	Kurtosis	-.074	.375	

Extreme Values

		Case Number	Value
Unstandardized Residual	Highest	1	212
		2	84
		3	58
		4	177
		5	35
	Lowest	1	103
		2	178
		3	93
		4	7
		5	61

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Unstandardized Residual	.064	166	.094	.987	166	.118

a. Lilliefors Significance Correction

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	Growth, Konservatisme	.	Enter

a. All requested variables entered.

b. Dependent Variable: ABS_RES

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.062 ^a	.004	-.008	.26343

a. Predictors: (Constant), Growth, Konservatisme

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.044	2	.022	.315	.730 ^a
	Residual	11.311	163	.069		
	Total	11.355	165			

a. Predictors: (Constant), Growth, Konservatisme

b. Dependent Variable: ABS_RES

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.369	.022		16.898	.000
	Konservatisme	1.665E-16	.000	.000	.005	.996
	Growth	-8.52E-02	.107	-.062	-.794	.429

a. Dependent Variable: ABS_RES

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
PBV	166	-.680	1.840	.68259	.464819
Konservatisme	166	-5143737262853	-54745277	-215800323113.68	5.766E+11
Growth	166	-.68	.92	.0090	.19114
Valid N (listwise)	166				

