

## 7. DAFTAR PUSTAKA

- Ahmed, F., Fanning, K., Netzel, M., & Schenk, P. M. (2015). Induced carotenoid accumulation in *Dunaliella salina* and *Tetraselmis suecica* by plant hormones and UV-C radiation. *Applied Microbiology and Biotechnology*, 99(22), 9407–9416. <https://doi.org/10.1007/s00253-015-6792-x>
- Al-Zuhair, S., Ashraf, S., Hisaindee, S., & Al Darmaki, N. (2016). *Enzymatic Pre-treatment of Microalgae Cells for Enhanced Extraction of Proteins*. 1–32. <https://doi.org/10.1002/elsc.201600127>.This
- Alhattab, M., Kermanshahi-Pour, A., & Brooks, M. S. L. (2019). Microalgae disruption techniques for product recovery: influence of cell wall composition. *Journal of Applied Phycology*, 31(1), 61–88. <https://doi.org/10.1007/s10811-018-1560-9>
- Ambati, R. R., Gogisetty, D., Aswathanarayana, R. G., Ravi, S., Bikkina, P. N., Bo, L., & Yuepeng, S. (2019). Industrial potential of carotenoid pigments from microalgae: Current trends and future prospects. *Critical Reviews in Food Science and Nutrition*, 59(12), 1880–1902. <https://doi.org/10.1080/10408398.2018.1432561>
- Barkia, I., Saari, N., & Manning, S. R. (2019). Microalgae for high-value products towards human health and nutrition. *Marine Drugs*, 17(5), 1–29. <https://doi.org/10.3390/md17050304>
- Begum, H., Yusoff, F. M. D., Banerjee, S., Khatoun, H., & Shariff, M. (2016). Availability and Utilization of Pigments from Microalgae. *Critical Reviews in Food Science and Nutrition*, 56(13), 2209–2222. <https://doi.org/10.1080/10408398.2013.764841>
- Ben-Amotz, A., Lers, A., & Avron, M. (1988). Stereoisomers of  $\beta$ -Carotene and Phytoene in the Alga *Dunaliella bardawil*. *Plant Physiology*, 86(4), 1286–1291. <https://doi.org/10.1104/pp.86.4.1286>
- Britton, G. (1995). Structure and properties of carotenoids in relation to function. *The FASEB Journal*, 9(15), 1551–1558. <https://doi.org/10.1096/fasebj.9.15.8529834>

- Calvo-Flores, F. G., Monteagudo-Arrebola, M. J., Dobado, J. A., & Isac-García, J. (2018). Green and Bio-Based Solvents. *Topics in Current Chemistry*, 376(3). <https://doi.org/10.1007/s41061-018-0191-6>
- Cerón-García, M. C., González-López, C. V., Camacho-Rodríguez, J., López-Rosales, L., García-Camacho, F., & Molina-Grima, E. (2018). Maximizing carotenoid extraction from microalgae used as food additives and determined by liquid chromatography (HPLC). *Food Chemistry*, 257(February), 316–324. <https://doi.org/10.1016/j.foodchem.2018.02.154>
- Chan, M. C., Ho, S. H., Lee, D. J., Chen, C. Y., Huang, C. C., & Chang, J. S. (2013). Characterization, extraction and purification of *lutein* produced by an indigenous microalga *Scenedesmus obliquus* CNW-N. *Biochemical Engineering Journal*, 78, 24–31. <https://doi.org/10.1016/j.bej.2012.11.017>
- Chen, C. L., Chang, J. S., & Lee, D. J. (2015). Dewatering and Drying Methods for Microalgae. *Drying Technology*, 33(4), 443–454. <https://doi.org/10.1080/07373937.2014.997881>
- Chen, C. Y., Yeh, K. L., Aisyah, R., Lee, D. J., & Chang, J. S. (2011). Cultivation, photobioreactor design and harvesting of microalgae for biodiesel production: A critical review. *Bioresource Technology*, 102(1), 71–81. <https://doi.org/10.1016/j.biortech.2010.06.159>
- Chen, Y., Bi, C., Zhang, J., Hou, H., & Gong, Z. (2020). *Astaxanthin* biosynthesis in transgenic *Dunaliella salina* (Chlorophyceae) enhanced tolerance to high irradiation stress. *South African Journal of Botany*, 133, 132–138. <https://doi.org/10.1016/j.sajb.2020.07.008>
- Choi, S. A., Oh, Y. K., Lee, J., Sim, S. J., Hong, M. E., Park, J. Y., Kim, M. S., Kim, S. W., & Lee, J. S. (2019). High-efficiency cell disruption and *astaxanthin* recovery from *Haematococcus pluvialis* cyst cells using room-temperature imidazolium-based ionic liquid/water mixtures. *Bioresource Technology*, 274, 120–126. <https://doi.org/10.1016/j.biortech.2018.11.082>
- Corrêa, P. S., Morais Júnior, W. G., Martins, A. A., Caetano, N. S., & Mata, T. M.

- (2021). Microalgae biomolecules: Extraction, separation and purification methods. *Processes*, 9(1), 1–40. <https://doi.org/10.3390/pr9010010>
- Correia, N., Pereira, H., Silva, J. T., Santos, T., Soares, M., Sousa, C. B., Schüler, L. M., Costa, M., Varela, J., Pereira, L., & Silva, J. (2020). Isolation, identification and biotechnological applications of a novel, robust, free-living chlorococum (*Oophila*) amblystomatis strain isolated from a local pond. *Applied Sciences (Switzerland)*, 10(9). <https://doi.org/10.3390/app10093040>
- Cuellar-Bermudez, S. P., Aguilar-Hernandez, I., Cardenas-Chavez, D. L., Ornelas-Soto, N., Romero-Ogawa, M. A., & Parra-Saldivar, R. (2015). Extraction and purification of high-value metabolites from microalgae: Essential lipids, *astaxanthin* and phycobiliproteins. *Microbial Biotechnology*, 8(2), 190–209. <https://doi.org/10.1111/1751-7915.12167>
- D'Alessandro, E. B., Soares, A. T., Da Costa, D. C., Silva Neto, H. D. A., Fernandes, V. D. O., & Antoniosi Filho, N. R. (2018). A thermal water microalga: *Eutetramorus planctonicus* as a promising source of fatty acids and *lutein*. *Journal of Environmental Chemical Engineering*, 6(5), 6707–6713. <https://doi.org/10.1016/j.jece.2018.10.038>
- D'Este, M., De Francisci, D., & Angelidaki, I. (2017). Novel protocol for *lutein* extraction from microalga *Chlorella vulgaris*. *Biochemical Engineering Journal*, 127, 175–179. <https://doi.org/10.1016/j.bej.2017.06.019>
- Deenu, A., Naruenartwongsakul, S., & Kim, S. M. (2013). Optimization and economic evaluation of ultrasound extraction of *lutein* from *Chlorella vulgaris*. *Biotechnology and Bioprocess Engineering*, 18(6), 1151–1162. <https://doi.org/10.1007/s12257-013-0213-8>
- Demmig-Adams, B., Gilmore, A. M., & Iii, W. W. A. (1996). In vivo functions of carotenoids in higher plants. *The FASEB Journal*, 10(4), 403–412. <https://doi.org/10.1096/fasebj.10.4.8647339>
- Denery, J. R., Dragull, K., Tang, C. S., & Li, Q. X. (2004). Pressurized fluid extraction of carotenoids from *Haematococcus pluvialis* and *Dunaliella salina* and

kavalactones from *Piper methysticum*. *Analytica Chimica Acta*, 501(2), 175–181.  
<https://doi.org/10.1016/j.aca.2003.09.026>

Deshmukh, S., Kumar, R., & Bala, K. (2019). Microalgae biodiesel: A review on oil extraction, fatty acid composition, properties and effect on engine performance and emissions. *Fuel Processing Technology*, 191(November 2018), 232–247.  
<https://doi.org/10.1016/j.fuproc.2019.03.013>

Di Sanzo, G., Mehariya, S., Martino, M., Larocca, V., Casella, P., Chianese, S., Musmarra, D., Balducci, R., & Molino, A. (2018). Supercritical carbon dioxide extraction of *astaxanthin*, *lutein*, and fatty acids from *haematococcus pluvialis* microalgae. *Marine Drugs*, 16(9). <https://doi.org/10.3390/md16090334>

Eghbali Babadi, F., Boonnoun, P., Nootong, K., Powtongsook, S., Goto, M., & Shotipruk, A. (2020). Identification of carotenoids and chlorophylls from green algae *Chlorococcum humicola* and extraction by liquefied dimethyl ether. *Food and Bioprocess Technology*, 123, 296–303.  
<https://doi.org/10.1016/j.fbp.2020.07.008>

Fábryová, T., Cheel, J., Kubáč, D., Hrouzek, P., Vu, D. L., Tůmová, L., & Kopecký, J. (2019). Purification of *lutein* from the green microalgae *Chlorella vulgaris* by integrated use of a new extraction protocol and a multi-injection high performance counter-current chromatography (HPCCC). *Algal Research*, 41(March).  
<https://doi.org/10.1016/j.algal.2019.101574>

Fábryová, T., Tůmová, L., da Silva, D. C., Pereira, D. M., Andrade, P. B., Valentão, P., Hrouzek, P., Kopecký, J., & Cheel, J. (2020). Isolation of *astaxanthin* monoesters from the microalgae *Haematococcus pluvialis* by high performance countercurrent chromatography (HPCCC) combined with high performance liquid chromatography (HPLC). *Algal Research*, 49(December 2019), 101947.  
<https://doi.org/10.1016/j.algal.2020.101947>

Fan, X. D., Hou, Y., Huang, X. X., Qiu, T. Q., & Jiang, J. G. (2015). Ultrasound-enhanced subcritical CO<sub>2</sub> extraction of *lutein* from *Chlorella pyrenoidosa*. *Journal of Agricultural and Food Chemistry*, 63(18), 4597–4605.

<https://doi.org/10.1021/acs.jafc.5b00461>

- Fernandes, A. S., Petry, F. C., Mercadante, A. Z., Jacob-Lopes, E., & Zepka, L. Q. (2020). HPLC-PDA-MS/MS as a strategy to characterize and quantify natural pigments from microalgae. *Current Research in Food Science*, 3, 100–112. <https://doi.org/10.1016/j.crfs.2020.03.009>
- Gateau, H., Blanckaert, V., Veidl, B., Bulet-Schiltz, O., Pichereaux, C., Gargaros, A., Marchand, J., & Schoefs, B. (2021). Application of pulsed electric fields for the biocompatible extraction of proteins from the microalga *Haematococcus pluvialis*. *Bioelectrochemistry*, 137, 107588. <https://doi.org/10.1016/j.bioelechem.2020.107588>
- Gayathri, S., Rajasree Radhika, S. R., Suman, T. Y., & Aranganathan, L. (2018). Ultrasound-assisted microextraction of  $\beta$ ,  $\epsilon$ -carotene-3, 3'-diol (*lutein*) from marine microalgae *Chlorella salina*: effect of different extraction parameters. *Biomass Conversion and Biorefinery*, 8(4), 791–797. <https://doi.org/10.1007/s13399-018-0331-9>
- Gille, A., Trautmann, A., Posten, C., & Briviba, K. (2016). Bioaccessibility of carotenoids from *Chlorella vulgaris* and *Chlamydomonas reinhardtii*. *International Journal of Food Sciences and Nutrition*, 67(5), 507–513. <https://doi.org/10.1080/09637486.2016.1181158>
- Giuffrida, D., Zoccali, M., & Mondello, L. (2020). Recent developments in the carotenoid and carotenoid derivatives chromatography- mass spectrometry analysis in food matrices. *Trends in Analytical Chemistry*, 135907. <https://doi.org/10.1016/j.scitotenv.2019.135907>
- Gong, M., & Bassi, A. (2016). Carotenoids from microalgae: A review of recent developments. *Biotechnology Advances*, 34(8), 1396–1412. <https://doi.org/10.1016/j.biotechadv.2016.10.005>
- Guedes, A. C., Amaro, H. M., & Malcata, F. X. (2011). Microalgae as sources of carotenoids. *Marine Drugs*, 9(4), 625–644. <https://doi.org/10.3390/md9040625>

- Ito, Y. (2005). Golden rules and pitfalls in selecting optimum conditions for high-speed counter-current chromatography. *Journal of Chromatography A*, *1065*(2), 145–168. <https://doi.org/10.1016/j.chroma.2004.12.044>
- Jaime, L., Rodríguez-Meizoso, I., Cifuentes, A., Santoyo, S., Suarez, S., Ibáñez, E., & Señorans, F. J. (2010). Pressurized liquids as an alternative process to antioxidant carotenoids' extraction from *Haematococcus pluvialis* microalgae. *LWT - Food Science and Technology*, *43*(1), 105–112. <https://doi.org/10.1016/j.lwt.2009.06.023>
- Kang, C. D., & Sim, S. J. (2008). Direct extraction of *astaxanthin* from *Haematococcus* culture using vegetable oils. *Biotechnology Letters*, *30*(3), 441–444. <https://doi.org/10.1007/s10529-007-9578-0>
- Kim, D. Y., Vijayan, D., Praveenkumar, R., Han, J. I., Lee, K., Park, J. Y., Chang, W. S., Lee, J. S., & Oh, Y. K. (2016). Cell-wall disruption and lipid/*astaxanthin* extraction from microalgae: *Chlorella* and *Haematococcus*. *Bioresource Technology*, *199*, 300–310. <https://doi.org/10.1016/j.biortech.2015.08.107>
- Kleinegris, D. M. M., van Es, M. A., Janssen, M., Brandenburg, W. A., & Wijffels, R. H. (2010). Carotenoid fluorescence in *Dunaliella salina*. *Journal of Applied Phycology*, *22*(5), 645–649. <https://doi.org/10.1007/s10811-010-9505-y>
- Le Goff, M., Le Ferrec, E., Mayer, C., Mimouni, V., Lagadic-Gossmann, D., Schoefs, B., & Ulmann, L. (2019). Microalgal carotenoids and phytosterols regulate biochemical mechanisms involved in human health and disease prevention. *Biochimie*, *167*, 106–118. <https://doi.org/10.1016/j.biochi.2019.09.012>
- Lefebvre, T., Destandau, E., & Lesellier, E. (2021). Selective extraction of bioactive compounds from plants using recent extraction techniques: A review. *Journal of Chromatography A*, *1635*, 461770. <https://doi.org/10.1016/j.chroma.2020.461770>
- Li, H. Bin, Chen, F., Zhang, T. Y., Yang, F. Q., & Xu, G. Q. (2001). Preparative isolation and purification of *lutein* from the microalga *Chlorella vulgaris* by high-speed counter-current chromatography. *Journal of Chromatography A*, *905*(1–2), 151–155. [https://doi.org/10.1016/S0021-9673\(00\)00987-0](https://doi.org/10.1016/S0021-9673(00)00987-0)

- Lin, J. H., Lee, D. J., & Chang, J. S. (2015). *Lutein* production from biomass: Marigold flowers versus microalgae. *Bioresource Technology*, *184*, 421–428. <https://doi.org/10.1016/j.biortech.2014.09.099>
- Lou, S., Zhu, X., Zeng, Z., Wang, H., Jia, B., Li, H., & Hu, Z. (2020). Identification of microRNAs response to high light and salinity that involved in beta-carotene accumulation in microalga *Dunaliella salina*. *Algal Research*, *48*(April), 101925. <https://doi.org/10.1016/j.algal.2020.101925>
- Luengo, E., Martínez, J. M., Bordetas, A., Álvarez, I., & Raso, J. (2015). Influence of the treatment medium temperature on *lutein* extraction assisted by pulsed electric fields from *Chlorella vulgaris*. *Innovative Food Science and Emerging Technologies*, *29*, 15–22. <https://doi.org/10.1016/j.ifset.2015.02.012>
- Macías-Sánchez, M. D., Fernandez-Sevilla, J. M., Fernández, F. G. A., García, M. C. C., & Grima, E. M. (2010). Supercritical fluid extraction of carotenoids from *Scenedesmus almeriensis*. *Food Chemistry*, *123*(3), 928–935. <https://doi.org/10.1016/j.foodchem.2010.04.076>
- Macías-Sánchez, M. D., Mantell, C., Rodríguez, M., Martínez de la Ossa, E., Lubián, L. M., & Montero, O. (2009). Comparison of supercritical fluid and ultrasound-assisted extraction of carotenoids and chlorophyll a from *Dunaliella salina*. *Talanta*, *77*(3), 948–952. <https://doi.org/10.1016/j.talanta.2008.07.032>
- Martínez Andrade, K. A., Lauritano, C., Romano, G., & Ianora, A. (2018). Marine microalgae with anti-cancer properties. *Marine Drugs*, *16*(5). <https://doi.org/10.3390/md16050165>
- Martínez, J. M., Gojkovic, Z., Ferro, L., Maza, M., Álvarez, I., Raso, J., & Funk, C. (2019). Use of pulsed electric field permeabilization to extract *astaxanthin* from the Nordic microalga *Haematococcus pluvialis*. *Bioresource Technology*, *289*(June). <https://doi.org/10.1016/j.biortech.2019.121694>
- Miazek, K., Kratky, L., Sulc, R., Jirout, T., Aguedo, M., Richel, A., & Goffin, D. (2017). Effect of organic solvents on microalgae growth, metabolism and industrial bioproduct extraction: A review. *International Journal of Molecular Sciences*,

18(7). <https://doi.org/10.3390/ijms18071429>

- Morais Junior, W. G., Gorgich, M., Corrêa, P. S., Martins, A. A., Mata, T. M., & Caetano, N. S. (2020). Microalgae for biotechnological applications: Cultivation, harvesting and biomass processing. *Aquaculture*, 528(June), 735562. <https://doi.org/10.1016/j.aquaculture.2020.735562>
- Mussagy, C. U., Winterburn, J., Santos-Ebinuma, V. C., & Pereira, J. F. B. (2019). Production and extraction of carotenoids produced by microorganisms. *Applied Microbiology and Biotechnology*, 103(3), 1095–1114. <https://doi.org/10.1007/s00253-018-9557-5>
- Neil, A. O., & Schwartz, S. J. (1992). *Review Chromatographic isomers* \*. 624, 235–252.
- Ochoa Becerra, M., Mojica Contreras, L., Hsieh Lo, M., Mateos Díaz, J., & Castillo Herrera, G. (2020). Lutein as a functional food ingredient: Stability and bioavailability. *Journal of Functional Foods*, 66(November 2018), 103771. <https://doi.org/10.1016/j.jff.2019.103771>
- Pour Hosseini, S. R., Tavakoli, O., & Sarrafzadeh, M. H. (2017). Experimental optimization of SC-CO<sub>2</sub> extraction of carotenoids from *Dunaliella salina*. *Journal of Supercritical Fluids*, 121, 89–95. <https://doi.org/10.1016/j.supflu.2016.11.006>
- Raja, R., Hemaiswarya, S., & Rengasamy, R. (2007). Exploitation of *Dunaliella* for  $\beta$ -carotene production. *Applied Microbiology and Biotechnology*, 74(3), 517–523. <https://doi.org/10.1007/s00253-006-0777-8>
- Rammuni, M. N., Ariyadasa, T. U., Nimarshana, P. H. V., & Attalage, R. A. (2019). Comparative assessment on the extraction of carotenoids from microalgal sources: *Astaxanthin* from *H. pluvialis* and  $\beta$ -carotene from *D. salina*. *Food Chemistry*, 277, 128–134. <https://doi.org/10.1016/j.foodchem.2018.10.066>
- Ruen-ngam, D., Shotipruk, A., & Pavasant, P. (2011). Comparison of extraction methods for recovery of *astaxanthin* from *Haematococcus pluvialis*. *Separation Science and Technology*, 46(1), 64–70.



<https://doi.org/10.1080/01496395.2010.493546>

- Ruen-Ngam, D., Shotipruk, A., Pavasant, P., Machmudah, S., & Goto, M. (2012). Selective extraction of *lutein* from alcohol treated *Chlorella vulgaris* by supercritical CO<sub>2</sub>. *Chemical Engineering and Technology*, 35(2), 255–260. <https://doi.org/10.1002/ceat.201100251>
- Ruiz-Domínguez, M. C., Marticorena, P., Sepúlveda, C., Salinas, F., Cerezal, P., & Riquelme, C. (2020). Effect of Drying Methods on *Lutein* Content and Recovery by Supercritical Extraction from the Microalga *Muriellopsis* sp. (MCH35) Cultivated in the Arid North of Chile. *Marine Drugs*, 18(11). <https://doi.org/10.3390/md18110528>
- Saini, R. K., & Keum, Y. S. (2018). Carotenoid extraction methods: A review of recent developments. *Food Chemistry*, 240(April 2017), 90–103. <https://doi.org/10.1016/j.foodchem.2017.07.099>
- Soares, A. T., da Costa, D. C., Vieira, A. A. H., & Antoniosi Filho, N. R. (2019). Analysis of major carotenoids and fatty acid composition of freshwater microalgae. *Heliyon*, 5(4), e01529. <https://doi.org/10.1016/j.heliyon.2019.e01529>
- Stramarkou, M., Papadaki, S., Kyriakopoulou, K., & Krokida, M. (2017). Effect of drying and extraction conditions on the recovery of bioactive compounds from *Chlorella vulgaris*. *Journal of Applied Phycology*, 29(6), 2947–2960. <https://doi.org/10.1007/s10811-017-1181-8>
- Sutherland, I. A. (2007). Recent progress on the industrial scale-up of counter-current chromatography. *Journal of Chromatography A*, 1151(1–2), 6–13. <https://doi.org/10.1016/j.chroma.2007.01.143>
- Takaichi, S. (2011). Carotenoids in algae: Distributions, biosyntheses and functions. *Marine Drugs*, 9(6), 1101–1118. <https://doi.org/10.3390/md9061101>
- Taylor & Francis. (2008). *Food Colorants: Chemical and Functional Properties*. Taylor & Francis Group.
- Yen, H. W., Chiang, W. C., & Sun, C. H. (2012). Supercritical fluid extraction of *lutein*

from *Scenedesmus* cultured in an autotrophical photobioreactor. *Journal of the Taiwan Institute of Chemical Engineers*, 43(1), 53–57.  
<https://doi.org/10.1016/j.jtice.2011.07.010>

