

6. DAFTAR PUSTAKA

- Ahmad, B., Mehdi, M., Ghafoor, A., & Anwar, H. (2018). Value chain assessment and measuring export determinants of citrus fruits in Pakistan: An analysis of primary data. *Pakistan Journal of Agricultural Sciences*, 55(3), 691–698. <https://doi.org/10.21162/PAKJAS/18.6056>
- Al-Dalali, S. (2019). Prolonged the Shelf Life of Different Foods using the Citrus By-Products as Antimicrobials: A Review Article. *Annals of Agricultural & Crop Sciences*, 4(1), 1–6. <https://doi.org/10.26420/annagriccropsci.2019.1039>
- Aleksandrova, K., Pounis, G., & di Giuseppe, R. (2018). Diet, healthy aging, and cognitive function. In *Analysis in Nutrition Research: Principles of Statistical Methodology and Interpretation of the Results*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814556-2.00012-9>
- Allen, C. (2020). Re: Can I include secondary literature (for example: reviews, systematic reviews) to do systematic review?. Retrieved from: https://www.researchgate.net/post/can_I_include_secondary_literature_for_example_reviews_systematic_reviews_to_do_systematic_review/5f6a64b076061a18fb6b1772/citation/download.
- Baaka, N., Mahfoudhi, A., & Mhenni, M. F. (2017). Orange Peels Waste As A Low Cost Cotton Natural Dye. *Moroccan Journal of Chemistry*, 2(January), 259–265. <https://doi.org/https://doi.org/10.48317/IMIST.PRSM/morjchem-v5i2.7028>
- Bader Ul Ain, H., Saeed, F., Khan, M. A., Niaz, B., Khan, S. G., Anjum, F. M., Tufail, T., & Hussain, S. (2019). Comparative study of chemical treatments in combination with extrusion for the partial conversion of wheat and sorghum insoluble fiber into soluble. *Food Science and Nutrition*, 7(6), 2059–2067. <https://doi.org/10.1002/fsn3.1041>
- BAPPENAS. (2021). Laporan Kajian Food Loss and Waste di Indonesia. <https://lcdi-indonesia.id/wp-content/uploads/2021/06/Report-Kajian-FLW-FINAL-4.pdf>. (Diakses 20 Desember 2021).
- Barman, K., Chowdhury, D., & Baruah, P. K. (2020). Development of β-carotene loaded nanoemulsion using the industrial waste of orange (*Citrus reticulate*) peel to improve in vitro bioaccessibility of carotenoids and use as natural food colorant. *Journal of Food Processing and Preservation*, 44(5), 1–10. <https://doi.org/10.1111/jfpp.14429>
- Bátori, V., Jabbari, M., Åkesson, D., Lennartsson, P. R., Taherzadeh, M. J., & Zamani, A. (2017). Production of Pectin-Cellulose Biofilms: A New Approach for Citrus Waste Recycling. *International Journal of Polymer Science*, 2017. <https://doi.org/10.1155/2017/9732329>
- Bayram, B., Ozkan, G., Kostka, T., Capanoglu, E., & Esatbeyoglu, T. (2021). Valorization and application of fruit and vegetable wastes and by-products for food packaging materials. *Molecules*, 26(13). <https://doi.org/10.3390/molecules26134031>
- Bentley-Hewitt, K. L., Narbad, A., Majsa-Norman, G., Philo, M. R., & Lund, E. K. (2017). Lactobacilli survival and adhesion to colonic epithelial cell lines is dependent on long chain fatty acid exposure. *European Journal of Lipid Science and Technology*, 119(11), 1–10. <https://doi.org/10.1002/ejlt.201700062>
- Berjan, S., Capone, R., Debs, P., & El Bilali, H. (2018). Food Losses and Waste: A Global Overview with a Focus on Near East and North Africa Region. *International Journal of*

- Agricultural Management and Development (Ijamad)*, 8(1), 1–16.
<https://doi.org/10.22004/ag.econ.292516>
- Binder, S., Hanáková, A., Tománková, K., Pížová, K., Bajgar, R., Manišová, B., Kejlová, K., Bendová, H., Jírová, D., & Kolářová, H. (2016). Adverse phototoxic effect of essential plant oils on nih 3T3 cell line after UV light exposure. *Central European Journal of Public Health*, 24(3), 234–240. <https://doi.org/10.21101/cejph.a4354>
- Bora, H., Kamle, M., Mahato, D. K., Tiwari, P., & Kumar, P. (2020). Citrus essential oils (CEO) and their applications in food: An overview. *Plants*, 9(3), 1–25. <https://doi.org/10.3390/plants9030357>
- Boschini, M., Falasconi, L., Giordano, C., & Alboni, F. (2018). Food waste in school canteens: A reference methodology for large-scale studies. *Journal of Cleaner Production*, 182, 1024–1032. <https://doi.org/10.1016/j.jclepro.2018.02.040>
- BPS. (2019). Data Produksi Hortikultura. <https://www.bps.go.id/publication/2020/08/28/5eb79ca777ce4ba7a2908a4d/statistik-hortikultura-2019.html>. (Diakses 3 Maret 2021).
- Burnett, C. L., Fiúme, M. M., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., Gill, L. J., & Heldreth, B. (2019). Safety Assessment of Citrus-Derived Peel Oils as Used in Cosmetics. *International Journal of Toxicology*, 38(2_suppl), 33S–59S. <https://doi.org/10.1177/1091581819862504>
- Bustamante, J., van Stempvoort, S., García-Gallarreta, M., Houghton, J. A., Briers, H. K., Budarin, V. L., Matharu, A. S., & Clark, J. H. (2016). Microwave assisted hydro-distillation of essential oils from wet citrus peel waste. *Journal of Cleaner Production*, 137, 598–605. <https://doi.org/10.1016/j.jclepro.2016.07.108>
- Caggia, C., Palmeri, R., Russo, N., Timpone, R., Randazzo, C. L., Todaro, A., & Barbagallo, S. (2020). Employ of Citrus By-product as Fat Replacer Ingredient for Bakery Confectionery Products. *Frontiers in Nutrition*, 7(April), 1–9. <https://doi.org/10.3389/fnut.2020.00046>
- Cahyono, E. A., Sutomo, & Harsono, A. (2019). Literatur Review: Panduan Penulisan dan Penyusunan. *Jurnal Keperawatan*, 12.
- Camargo, F. P., Sakamoto, I. K., Duarte, I. C. S., & Varesche, M. B. A. (2019). Influence of alkaline peroxide assisted and hydrothermal pretreatment on biodegradability and bio-hydrogen formation from citrus peel waste. *International Journal of Hydrogen Energy*, 44(41), 22888–22903. <https://doi.org/10.1016/j.ijhydene.2019.07.011>
- Campos, D. A., Gómez-García, R., Vilas-Boas, A. A., Madureira, A. R., & Pintado, M. M. (2020). Management of fruit industrial by-products—a case study on circular economy approach. *Molecules*, 25(2). <https://doi.org/10.3390/molecules25020320>
- Cecilia, J. A., García-Sancho, C., Maireles-Torres, P. J., & Luque, R. (2019). Industrial Food Waste Valorization: A General Overview. *Biorefinery*, 253–277. https://doi.org/10.1007/978-3-030-10961-5_11
- Chavan, P., Singh, A. K., & Kaur, G. (2018). Recent progress in the utilization of industrial waste and by-products of citrus fruits: A review. *Journal of Food Process Engineering*, 41(8). <https://doi.org/10.1111/jfpe.12895>
- Choi, J. S. (2017). Larvicidal effects of grapefruit seed extract (GSE) on brine shrimp *Artemia salina*. *Toxicology and Environmental Health Sciences*, 9(3), 209–214.

- <https://doi.org/10.1007/s13530-017-0322-4>
- Chu, J., Metcalfe, P., Linford, H. V., Zhao, S., Goycoolea, F. M., Chen, S., Ye, X., Holmes, M., Orfila, C., Limited, B. T., & Mill, W. (2022). Short-time acoustic and hydrodynamic cavitation improves dispersibility and functionality of pectin-rich biopolymers from citrus waste . *Journal of Cleaner Production*, 330, 129789. <https://doi.org/10.1016/j.jclepro.2021.129789>
- Çilingir, S., Goksu, A., & Sabancı, S. (2021). Production of Pectin from Lemon Peel Powder Using Ohmic Heating-Assisted Extraction Process. *Food and Bioprocess Technology*, 14(7), 1349–1360. <https://doi.org/10.1007/s11947-021-02636-9>
- Ciriminna, R., Forest, B., Meneguzzo, F., Pagliaro, M., & Hamann, M. T. (2020). Technical and economic feasibility of a stable yellow natural colorant production from waste lemon peel. *Applied Sciences (Switzerland)*, 10(19), 1–7. <https://doi.org/10.3390/app10196812>
- Corsino, S. F., Di Trapani, D., Capodici, M., Torregrossa, M., & Viviani, G. (2021). Optimization of acetate production from citrus wastewater fermentation. *Water Resources and Industry*, 25(November 2020), 100140. <https://doi.org/10.1016/j.wri.2021.100140>
- Corsino, S. F., Di Trapani, D., Torregrossa, M., & Viviani, G. (2018). Aerobic granular sludge treating high strength citrus wastewater: Analysis of pH and organic loading rate effect on kinetics, performance and stability. *Journal of Environmental Management*, 214, 23–35. <https://doi.org/10.1016/j.jenvman.2018.02.087>
- Czech, A., Malik, A., Sosnowska, B., & Domaradzki, P. (2021). Bioactive Substances, Heavy Metals, and Antioxidant Activity in Whole Fruit, Peel, and Pulp of Citrus Fruits. *International Journal of Food Science*, 2021. <https://doi.org/10.1155/2021/6662259>
- Daliri, E. B.-M., & Lee, B. H. (2015). *Current Trends and Future Perspectives on Functional Foods and Nutraceuticals*. 221–244. https://doi.org/10.1007/978-3-319-23177-8_10
- Ddiba, D., Andersson, K., Rosemarin, A., Schulte-Herbrüggen, H., & Dickin, S. (2021). The circular economy potential of urban organic waste streams in low- and middle-income countries. *Environment, Development and Sustainability*, 0123456789. <https://doi.org/10.1007/s10668-021-01487-w>
- Deng, J., Yang, H., Capanoglu, E., Cao, H., & Xiao, J. (2018). Technological aspects and stability of polyphenols. In *Paper Knowledge . Toward a Media History of Documents* (Vol. 5, Issue 2, pp. 40–51). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813572-3.00009-9>
- Dewi, A. D. R. (2019). AKTIVITAS ANTIOKSIDAN DAN ANTIBAKTERI EKSTRAK KULIT JERUK MANIS (*Citrus sinensis*) DAN APLIKASINYA SEBAGAI PENGAWET PANGAN. *Jurnal Teknologi Dan Industri Pangan*, 30(1), 83–90. <https://doi.org/10.6066/jtip.2019.30.1.83>
- Di Donna, L., Bartella, L., De Vero, L., Gullo, M., Giuffrè, A. M., Zappia, C., Capocasale, M., Poiana, M., D'Urso, S., & Caridi, A. (2020). Vinegar production from Citrus bergamia by-products and preservation of bioactive compounds. *European Food Research and Technology*, 246(10), 1981–1990. <https://doi.org/10.1007/s00217-020-03549-1>
- Dittmar, D., & Schuttelaar, M. L. A. (2019). Contact sensitization to hydroperoxides of limonene and linalool: Results of consecutive patch testing and clinical relevance.

- Contact Dermatitis*, 80(2), 101–109. <https://doi.org/10.1111/cod.13137>
- Dosoky, N. S., & Setzer, W. N. (2018). Biological activities and safety of citrus spp. Essential oils. *International Journal of Molecular Sciences*, 19(7), 1–25. <https://doi.org/10.3390/ijms19071966>
- El-Otmani, M., Ait-Oubahou, A., & Zacarías, L. (2011). Citrus spp.: orange, mandarin, tangerine, clementine, grapefruit, pomelo, lemon and lime. In *Postharvest Biology and Technology of Tropical and Subtropical Fruits* (Issue 1996). Woodhead Publishing Limited. <https://doi.org/10.1533/9780857092762.437>
- Elyemni, M., Louaste, B., Nechad, I., Elkamli, T., Bouia, A., Taleb, M., Chaouch, M., & Eloutassi, N. (2019). Extraction of Essential Oils of Rosmarinus officinalis L. by Two Different Methods: Hydrodistillation and Microwave Assisted Hydrodistillation. *Scientific World Journal*, 2019. <https://doi.org/10.1155/2019/3659432>
- Eryildiz, B., Lukitawesa, & Taherzadeh, M. J. (2020). Effect of pH, substrate loading, oxygen, and methanogens inhibitors on volatile fatty acid (VFA) production from citrus waste by anaerobic digestion. *Bioresource Technology*, 302(January), 122800. <https://doi.org/10.1016/j.biortech.2020.122800>
- Fakayode, O. A., & Abobi, K. E. (2018). Optimization of oil and pectin extraction from orange (*Citrus sinensis*) peels: a response surface approach. *Journal of Analytical Science and Technology*, 9(1). <https://doi.org/10.1186/s40543-018-0151-3>
- Faustino, M., Veiga, M., Sousa, P., Costa, E. M., Silva, S., & Pintado, M. (2019). Agro-food byproducts as a new source of natural food additives. *Molecules*, 24(6), 1–23. <https://doi.org/10.3390/molecules24061056>
- Fayek, N. M., El-shazly, A. H., Abdel-monem, A. R., Moussa, M. Y., Abd-elwahab, S. M., & El-tanbouly, N. D. (2017). Comparative study of the hypocholesterolemic, antidiabetic effects of four agro-waste Citrus peels cultivars and their HPLC standardization. *Revista Brasileira de Farmacognosia*, 27(4), 488–494. <https://doi.org/10.1016/j.bjfp.2017.01.010>
- Fehlberg, J., Lee, C. L., Matuana, L. M., & Almenar, E. (2020). Orange peel waste from juicing as raw material for plastic composites intended for use in food packaging. *Journal of Applied Polymer Science*, 137(26), 1–12. <https://doi.org/10.1002/app.48841>
- Fernández-Fernández, A. M., Dellacassa, E., Medrano-Fernandez, A., & Castillo, M. D. (2020). Citrus Waste Recovery for Sustainable Nutrition and Health. *Food Wastes and By-products*, 193–222. <https://doi.org/10.1002/9781119534167.ch7>
- Foong, S. Y., Liew, R. K., Yang, Y., Cheng, Y. W., Yek, P. N. Y., Wan Mahari, W. A., Lee, X. Y., Han, C. S., Vo, D. V. N., Van Le, Q., Aghbashlo, M., Tabatabaei, M., Sonne, C., Peng, W., & Lam, S. S. (2020). Valorization of biomass waste to engineered activated biochar by microwave pyrolysis: Progress, challenges, and future directions. *Chemical Engineering Journal*, 389. <https://doi.org/10.1016/j.cej.2020.124401>
- Fuentes, L., Figueiroa, C. R., & Valdenegro, M. (2019). Recent advances in hormonal regulation and cross-talk during non-climacteric fruit development and ripening. *Horticulturae*, 5(2). <https://doi.org/10.3390/horticulturae5020045>
- Galanakis, C. M. (2017). Introduction. In *Nutraceutical and Functional Food Components: Effects of Innovative Processing Techniques*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-805257-0.00001-6>
- Garcia-Garcia, G., Stone, J., & Rahimifard, S. (2019). Opportunities for waste valorisation

- in the food industry – A case study with four UK food manufacturers. *Journal of Cleaner Production*, 211, 1339–1356. <https://doi.org/10.1016/j.jclepro.2018.11.269>
- Garrido, G., Chou, W. H., Vega, C., Goity, L., & Valdés, M. (2019). Influence of extraction methods on fatty acid composition, total phenolic content and antioxidant capacity of Citrus seed oils from the Atacama Desert, Chile. *Journal of Pharmacy and Pharmacognosy Research*, 7(6), 389–407.
- Gavahian, M., Mathad, G. N., Pandiselvam, R., Lin, J., & Sun, D. W. (2021). Emerging technologies to obtain pectin from food processing by-products: A strategy for enhancing resource efficiency. *Trends in Food Science and Technology*, 115(March), 42–54. <https://doi.org/10.1016/j.tifs.2021.06.018>
- Ghosh, S., Sarkar, T., Das, A., & Chakraborty, R. (2021). Micro and Nanoencapsulation of Natural Colors: a Holistic View. *Applied Biochemistry and Biotechnology*, 193(11), 3787–3811. <https://doi.org/10.1007/s12010-021-03631-8>
- González-Miquel, M., & Díaz, I. (2020). Valorization of citrus waste through sustainable extraction processes. *Food Industry Wastes*, 113–133. <https://doi.org/10.1016/b978-0-12-817121-9.00006-1>
- González-Ortega, R., Faieta, M., Di Mattia, C. D., Valbonetti, L., & Pittia, P. (2020). Microencapsulation of olive leaf extract by freeze-drying: Effect of carrier composition on process efficiency and technological properties of the powders. *Journal of Food Engineering*, 285. <https://doi.org/10.1016/j.jfoodeng.2020.110089>
- Gregorich, E. (2019). How to write a review paper. *CSA News*, 64(1), 16–18. <https://doi.org/10.2134/csa2019.64.0115>
- Gülpınar, Ö., & Güçlü, A. G. (2013). How to write a review article. *Turkish Journal of Urology*, 39(Suppl 1), 44.
- Gurram, R., Souza Filho, P. F., Taherzadeh, M. J., & Zamani, A. (2018). A Solvent-Free Approach for Production of Films from Pectin and Fungal Biomass. *Journal of Polymers and the Environment*, 26(11), 4282–4292. <https://doi.org/10.1007/s10924-018-1300-x>
- Guzmán, J., Mosteo, R., Sarasa, J., Alba, J. A., & Ovelleiro, J. L. (2016). Evaluation of solar photo-Fenton and ozone based processes as citrus wastewater pre-treatments. *Separation and Purification Technology*, 164, 155–162. <https://doi.org/10.1016/j.seppur.2016.03.025>
- Hamzalioğlu, A., & Gökmən, V. (2016). Interaction between Bioactive Carbonyl Compounds and Asparagine and Impact on Acrylamide. *Acrylamide in Food: Analysis, Content and Potential Health Effects*, 355–376. <https://doi.org/10.1016/B978-0-12-802832-2.00018-8>
- Hanif, Z., & Ashari, H. (2021). Post-harvest losses of citrus fruits and perceptions of farmers in marketing decisions. *E3S Web of Conferences*, 306, 02059. <https://doi.org/10.1051/e3sconf/202130602059>
- Hart, C. (1998). The literature review in research: Releasing the social science imagination. In *Doing a Literature Review* (pp. 1–25). <http://www.sjsu.edu/people/marco.meniketti/courses/ARM/s0/Literature-review-Hart.pdf>
- Heydari, M., Rostami, O., Mohammadi, R., Banavi, P., Farhoodi, M., Sarlak, Z., & Rouhi, M. (2021). Hydrodistillation ultrasound-assisted green extraction of essential oil from

- bitter orange peel wastes: Optimization for quantitative, phenolic, and antioxidant properties. *Journal of Food Processing and Preservation*, 45(7), 1–15. <https://doi.org/10.1111/jfpp.15585>
- Hilali, S., Fabiano-Tixier, A. S., Ruiz, K., Hejjaj, A., Ait Nouh, F., Idlimam, A., Bily, A., Mandi, L., & Chemat, F. (2019). Green Extraction of Essential Oils, Polyphenols, and Pectins from Orange Peel Employing Solar Energy: Toward a Zero-Waste Biorefinery [Research-article]. *ACS Sustainable Chemistry and Engineering*, 7(13), 11815–11822. <https://doi.org/10.1021/acssuschemeng.9b02281>
- Hou, H. S., Bonku, E. M., Zhai, R., Zeng, R., Hou, Y. L., Yang, Z. H., & Quan, C. (2019). Extraction of essential oil from Citrus reticulate Blanco peel and its antibacterial activity against Cutibacterium acnes (formerly Propionibacterium acnes). *Helijon*, 5(12), e02947. <https://doi.org/10.1016/j.heliyon.2019.e02947>
- Huang, Z., Tong, R. ao, Zhang, J., Chen, L., & Wang, C. A. (2020). Blending Poly(ethylene oxide) and Li_{6.4}La₃Zr_{1.4}Ta_{0.6}O₁₂ by Haake Rheomixer without any solvent: A low-cost manufacture method for mass production of composite polymer electrolyte. *Journal of Power Sources*, 451(September 2019), 227797. <https://doi.org/10.1016/j.jpowsour.2020.227797>
- Hung, W. L., Suh, J. H., & Wang, Y. (2017). Chemistry and health effects of furanocoumarins in grapefruit. *Journal of Food and Drug Analysis*, 25(1), 71–83. <https://doi.org/10.1016/j.jfda.2016.11.008>
- Ishangulyyev, R., Kim, S., & Lee, S. H. (2019). Understanding food loss and waste-why are we losing and wasting food? *Foods*, 8(8). <https://doi.org/10.3390/foods8080297>
- Jadhav, H., Jadhav, A., Morabiya, Y., Takkalkar, P., Qureshi, S. S., Baloch, A. G., Nizamuddin, S., Mazari, S. A., Abro, R., & Mubarak, N. M. (2021). Combined Impact of Ultrasound Pre-treatment and Hydrodistillation on Bioactive Compounds and GC-MS Analysis of Cinnamomum cassia Bark Extract. *Waste and Biomass Valorization*, 12(2), 807–821. <https://doi.org/10.1007/s12649-020-01031-3>
- Jagannath, A., & Kumar, M. (2016). Monitoring Blanching Induced Debittering and Storage Losses of Naringin in Orange Subjected to Osmotic Dehydration. *International Journal of Fruit Science*, 16(4), 410–422. <https://doi.org/10.1080/15538362.2016.1166095>
- Jeong, D., Park, H., Jang, B. K., Ju, Y. Bin, Shin, M. H., Oh, E. J., Lee, E. J., & Kim, S. R. (2021). Recent advances in the biological valorization of citrus peel waste into fuels and chemicals. *Bioresource Technology*, 323(October 2020), 124603. <https://doi.org/10.1016/j.biortech.2020.124603>
- Joglekar, S. N., Pathak, P. D., Mandavgane, S. A., & Kulkarni, B. D. (2019). Process of fruit peel waste biorefinery: a case study of citrus waste biorefinery, its environmental impacts and recommendations. *Environmental Science and Pollution Research*, 26(34), 34713–34722. <https://doi.org/10.1007/s11356-019-04196-0>
- Jorge, N., Da Silva, A. C., & Aranha, C. P. M. (2017). Antioxidant activity of oils extracted from orange (*Citrus sinensis*) seeds. *International News on Fats, Oils and Related Materials*, 28(6), 23–26.
- Kasaai, M. R., & Moosavi, A. (2017). Treatment of Kraft paper with citrus wastes for food packaging applications: Water and oxygen barrier properties improvement. *Food Packaging and Shelf Life*, 12, 59–65. <https://doi.org/10.1016/j.fpsl.2017.02.006>
- Ke, C., Ma, X., Tang, Y., Zheng, W., & Wu, Z. (2017). The volatilization of heavy metals

- during co-combustion of food waste and polyvinyl chloride in air and carbon dioxide/oxygen atmosphere. *Bioresource Technology*, 244, 1024–1030. <https://doi.org/10.1016/j.biortech.2017.08.075>
- Kfouri, M., Auezova, L., Greige-Gerges, H., & Fourmentin, S. (2019). Encapsulation in cyclodextrins to widen the applications of essential oils. *Environmental Chemistry Letters*, 17(1), 129–143. <https://doi.org/10.1007/s10311-018-0783-y>
- Kim, J. H, Hong, W. sung, & Oh, S. W. (2018). Effect of layer-by-layer antimicrobial edible coating of alginate and chitosan with grapefruit seed extract for shelf-life extension of shrimp (*Litopenaeus vannamei*) stored at 4 °C. *International Journal of Biological Macromolecules*, 120, 1468–1473. <https://doi.org/10.1016/j.ijbiomac.2018.09.160>
- Kim, Ji Hye, & Kim, M. Y. (2016). The potential use of citrus juice waste as sources of natural phenolic antioxidants. *Journal of Applied Pharmaceutical Science*, 6(12), 202–205. <https://doi.org/10.7324/JAPS.2016.601230>
- Knoema. (2021). World-Citrus Fruit Production Quantity. <https://knoema.com/atlas/World/topics/Agriculture/Crops-Production-Quantity-tonnes/Citrus-fruit-production>. (Diakses 16 November 2021).
- Koolaji, N., Shammugasamy, B., Schindeler, A., Dong, Q., Dehghani, F., & Valtchev, P. (2020). Citrus Peel Flavonoids as Potential Cancer Prevention Agents. *Current Developments in Nutrition*, 4(5). <https://doi.org/10.1093/cdn/nzaa025>
- Köse, M. D., & Bayraktar, O. (2018). Valorization of citrus peel waste. *Natural Volatiles and Essential Oils*, 5(2), 10–18.
- Kumar, D., Kumar, P., & Pandey, J. (2018). Binary grafted chitosan film: Synthesis, characterization, antibacterial activity and prospects for food packaging. *International Journal of Biological Macromolecules*, 115(April), 341–348. <https://doi.org/10.1016/j.ijbiomac.2018.04.084>
- Kumar, S., Singh, I., Kohli, D., & Joshi, J. (2019). Waste pomelo (*Citrus maxima*) peels – A natural source of antioxidant and its utilization in peanut oil for suppressing the development of rancidity. *Current Research in Nutrition and Food Science*, 7(3), 800–806. <https://doi.org/10.12944/CRNFSJ.7.3.19>
- Kuriya, S. P., Silva, R., Rocha, R. S., Guimarães, J. T., Balthazar, C. F., Pires, R. P. S., Tavares Filho, E. R., Pimentel, T. C., Freitas, M. Q., Cappato, L. P., Raices, R. S. L., Cruz, A. G., Silva, M. C., & Esmerino, E. A. (2020). Impact assessment of different electric fields on the quality parameters of blueberry flavored dairy desserts processed by Ohmic Heating. *Food Research International*, 134(April). <https://doi.org/10.1016/j.foodres.2020.109235>
- Lafarga, T., & Hayes, M. (2017). Bioactive protein hydrolysates in the functional food ingredient industry: Overcoming current challenges. *Food Reviews International*, 33(3), 217–246. <https://doi.org/10.1080/87559129.2016.1175013>
- Li, J., Li, S., Liu, S., Wei, C., Yan, L., Ding, T., Linhardt, R. J., Liu, D., Ye, X., & Chen, S. (2019). Pectic oligosaccharides hydrolyzed from citrus canning processing water by Fenton reaction and their antiproliferation potentials. *International Journal of Biological Macromolecules*, 124, 1025–1032. <https://doi.org/10.1016/j.ijbiomac.2018.11.166>
- Li, S. S., & Lee, L. C. (2011). Using fishbone analysis to improve the quality of proposals for science and technology programs. *Research Evaluation*, 20(4), 275–282.

- <https://doi.org/10.3152/095820211X13176484436050>
- Li, Y., Tang, W., Chen, Y., Liu, J., & Lee, C. fon F. (2019). Potential of acetone-butanol-ethanol (ABE) as a biofuel. In *Fuel* (Vol. 242, Issue January, pp. 673–686). Elsevier. <https://doi.org/10.1016/j.fuel.2019.01.063>
- Liew, S. S., Ho, W. Y., Yeap, S. K., & Bin Sharifudin, S. A. (2018). Phytochemical composition and in vitro antioxidant activities of Citrus sinensis peel extracts. *PeerJ*, 2018(8), 1–16. <https://doi.org/10.7717/peerj.5331>
- Lis-Balchin, M. (2005). The safety issue in aromatherapy. *Aromatherapy Science: A Guide for Healthcare Professionals*, 17.
- López-Vidaña, E. C., Pilatowsky Figueroa, I., Cortés, F. B., Rojano, B. A., & Navarro Ocaña, A. (2017). Effect of temperature on antioxidant capacity during drying process of mortiño (Vaccinium meridionale Swartz). *International Journal of Food Properties*, 20(2), 294–305. <https://doi.org/10.1080/10942912.2016.1155601>
- Lotito, A. M., Sanctis, M. De, Pastore, C., & Iaconi, C. Di. (2018). Biomethanization of citrus waste : Effect of waste characteristics and of storage on treatability and evaluation of limonene degradation. *Journal of Environmental Management*, 215, 366–376. <https://doi.org/10.1016/j.jenvman.2018.03.057>
- Ma, S., Leong, H., He, L., Xiong, Z., Han, H., Jiang, L., Wang, Y., Hu, S., Su, S., & Xiang, J. (2020). Effects of pressure and residence time on limonene production in waste tires pyrolysis process. *Journal of Analytical and Applied Pyrolysis*, 151(July), 104899. <https://doi.org/10.1016/j.jaat.2020.104899>
- Mahato, N., Sharma, K., Sinha, M., & Cho, M. H. (2018). Citrus waste derived nutra-/pharmaceuticals for health benefits: Current trends and future perspectives. *Journal of Functional Foods*, 40(December 2017), 307–316. <https://doi.org/10.1016/j.jff.2017.11.015>
- Mahato, N., Sinha, M., Sharma, K., Koteswararao, R., & Cho, M. H. (2019). Modern extraction and purification techniques for obtaining high purity food-grade bioactive compounds and value-added co-products from citrus wastes. In *Foods* (Vol. 8, Issue 11). <https://doi.org/10.3390/foods8110523>
- Mahawar, M. K., Jalgaonkar, K., Bibwe, B., Bhushan, B., Meena, V. S., & Sonkar, R. K. (2020). Post-harvest processing and valorization of Kinnow mandarin (*Citrus reticulate* L.): A review. *Journal of Food Science and Technology*, 57(3), 799–815. <https://doi.org/10.1007/s13197-019-04083-z>
- Marey, S., & Shoughy, M. (2016). Effect of temperature on the drying behavior and quality of citrus peels. *International Journal of Food Engineering*, 12(7), 661–671. <https://doi.org/10.1515/ijfe-2015-0296>
- Marlina, R., Kusumah, S. S., Sumantri, Y., Syarbini, A., Cahyaningtyas, A. A., & Ismadi, I. (2021). Karakterisasi Komposit Biodegradable Foam Dari Limbah Serat Kertas Dan Kulit Jeruk Untuk Aplikasi Kemasan Pangan. *Jurnal Kimia Dan Kemasan*, 43(1), 1. <https://doi.org/10.24817/jkk.v43i1.6765>
- Mazloomi, S. N., Mahoonak, A. S., Ghorbani, M., & Houshmand, G. (2020). Physicochemical properties of chitosan-coated nanoliposome loaded with orange seed protein hydrolysate. *Journal of Food Engineering*, 280(February), 109976. <https://doi.org/10.1016/j.jfoodeng.2020.109976>
- McKay, S., Sawant, P., Fehlberg, J., & Almenar, E. (2021). Antimicrobial activity of orange

- juice processing waste in powder form and its suitability to produce antimicrobial packaging. *Waste Management*, 120, 230–239. <https://doi.org/10.1016/j.wasman.2020.11.048>
- Mehmood, T., Saman, T., Irfan, M., Anwar, F., Ikram, M. S., & Tabassam, Q. (2019). Pectinase Production from *Schizophyllum commune* Through Central Composite Design Using Citrus Waste and Its Immobilization for Industrial Exploitation. *Waste and Biomass Valorization*, 10(9), 2527–2536. <https://doi.org/10.1007/s12649-018-0279-9>
- Miller, J. A., Lang, J. E., Ley, M., Nagle, R., Hsu, C. H., Thompson, P. A., Cordova, C., Waer, A., & Chow, H. H. S. (2013). Human breast tissue disposition and bioactivity of limonene in women with early-stage breast cancer. *Cancer Prevention Research*, 6(6), 577–584. <https://doi.org/10.1158/1940-6207.CAPR-12-0452>
- Miya, G., Nyalambisa, M., Oyedeleji, O., Gondwe, M., & Oyedeleji, A. (2021). Chemical profiling, toxicity and anti-inflammatory activities of essential oils from three grapefruit cultivars from kwazulu-natal in South Africa. *Molecules*, 26(11). <https://doi.org/10.3390/molecules26113387>
- Molino, S., Casanova, N. A., Rufián Henares, J. Á., & Fernandez Miyakawa, M. E. (2020). Natural Tannin Wood Extracts as a Potential Food Ingredient in the Food Industry. *Journal of Agricultural and Food Chemistry*, 68(10), 2836–2848. <https://doi.org/10.1021/acs.jafc.9b00590>
- Mollaei, S., Sedighi, F., Habibi, B., Hazrati, S., & Asgharian, P. (2019). Extraction of essential oils of *Ferulago angulata* with microwave-assisted hydrodistillation. *Industrial Crops and Products*, 137(May), 43–51. <https://doi.org/10.1016/j.indcrop.2019.05.015>
- Moreira, J. B., Goularte, P. G., de MORAIS, M. G., & Costa, J. A. V. (2019). Preparation of beta-carotene nanoemulsion and evaluation of stability at a long storage period. *Food Science and Technology*, 39(3), 599–604. <https://doi.org/10.1590/fst.31317>
- Murador, D. C., Braga, A. R. C., Martins, P. L. G., Mercadante, A. Z., & de Rosso, V. V. (2019). Ionic liquid associated with ultrasonic-assisted extraction: A new approach to obtain carotenoids from orange peel. *Food Research International*, 126(January), 108653. <https://doi.org/10.1016/j.foodres.2019.108653>
- Naz, S., Ahmad, N., Akhtar, J., Ahmad, N. M., Ali, A., & Zia, M. (2016). Management of citrus waste by switching in the production of nanocellulose. *IET Nanobiotechnology*, 10(6), 395–399. <https://doi.org/10.1049/iet-nbt.2015.0116>
- Nazir, M., Arif, S., Khan, R. S., Nazir, W., Khalid, N., & Maqsood, S. (2019). Opportunities and challenges for functional and medicinal beverages: Current and future trends. *Trends in Food Science and Technology*, 88(July 2018), 513–526. <https://doi.org/10.1016/j.tifs.2019.04.011>
- Ndayishimiye, J., & Chun, B. S. (2017). Optimization of carotenoids and antioxidant activity of oils obtained from a co-extraction of citrus (Yuzu ichandrin) by-products using supercritical carbon dioxide. *Biomass and Bioenergy*, 106, 1–7. <https://doi.org/10.1016/j.biombioe.2017.08.014>
- Negro, V., Ruggeri, B., Fino, D., & Tonini, D. (2017). Life cycle assessment of orange peel waste management. *Resources, Conservation and Recycling*, 127(June), 148–158. <https://doi.org/10.1016/j.resconrec.2017.08.014>
- Nekoukar, Z., Zakariaei, Z., Taghizadeh, F., Musavi, F., Banimostafavi, E. S., Sharifpour,

- A., Ebrahim Ghuchi, N., Fakhar, M., Tabaripour, R., & Safanavaei, S. (2021). Methanol poisoning as a new world challenge: A review. *Annals of Medicine and Surgery*, 66(May), 102445. <https://doi.org/10.1016/j.amsu.2021.102445>
- Nicastro, R., & Carillo, P. (2021). Food loss and waste prevention strategies from farm to fork. *Sustainability (Switzerland)*, 13(10). <https://doi.org/10.3390/su13105443>
- Nieto, G., Fernández-lópez, J., Pérez-álvarez, J. A., Peñalver, R., Ros, G., & Viuda-martos, M. (2021). Valorization of citrus co-products: Recovery of bioactive compounds and application in meat and meat products. *Plants*, 10(6), 1–22. <https://doi.org/10.3390/plants10061069>
- Ogundare, O. J., & Olukanni, D. O. (2020). Potential recovery of biogas from lime waste after juice extraction using solid–liquid extraction process. *Recycling*, 5(2), 1–10. <https://doi.org/10.3390/recycling5020014>
- Okino-Delgado, C. H., Prado, D. Z., & Fleuri, L. F. (2018). Brazilian fruit processing, wastes as a source of lipase and other biotechnological products: A review. *Anais Da Academia Brasileira de Ciencias*, 90(3), 2927–2943. <https://doi.org/10.1590/0001-3765201820180095>
- Ong, K. L., Kaur, G., Pensupa, N., Uisan, K., & Lin, C. S. K. (2018). Trends in food waste valorization for the production of chemicals, materials and fuels: Case study South and Southeast Asia. *Bioresource Technology*, 248, 100–112. <https://doi.org/10.1016/j.biortech.2017.06.076>
- Ordóñez-Santos, L. E., Esparza-Estrada, J., & Vanegas-Mahecha, P. (2021). Ultrasound-assisted extraction of total carotenoids from mandarin epicarp and application as natural colorant in bakery products. *Lwt*, 139, 110598. <https://doi.org/10.1016/j.lwt.2020.110598>
- Osman, A. (2019). Fruit Oils: Chemistry and Functionality. *Fruit Oils: Chemistry and Functionality*, 521–540. <https://doi.org/10.1007/978-3-030-12473-1>
- Ozturk, B., Winterburn, J., & Gonzalez-Miquel, M. (2019). Orange peel waste valorisation through limonene extraction using bio-based solvents. *Biochemical Engineering Journal*, 151(July), 107298. <https://doi.org/10.1016/j.bej.2019.107298>
- Painter, K., Thondhlana, G., & Kua, H. W. (2016). Food waste generation and potential interventions at Rhodes University, South Africa. *Waste Management*, 56, 491–497. <https://doi.org/10.1016/j.wasman.2016.07.013>
- Palmatier, R. W., Houston, M. B., & Hulland, J. (2018). Review articles: purpose, process, and structure. *Journal of the Academy of Marketing Science*, 46(1), 1–5. <https://doi.org/10.1007/s11747-017-0563-4>
- Panghal, A., Janghu, S., Virkar, K., Gat, Y., Kumar, V., & Chhikara, N. (2018). Potential non-dairy probiotic products – A healthy approach. *Food Bioscience*, 21, 80–89. <https://doi.org/10.1016/j.fbio.2017.12.003>
- Panwar, D., Panesar, P. S., & Chopra, H. K. (2021). Recent Trends on the Valorization Strategies for the Management of Citrus By-products. *Food Reviews International*, 37(1), 91–120. <https://doi.org/10.1080/87559129.2019.1695834>
- Papoutsis, K., Golding, J. B., Vuong, Q., Pristijono, P., Stathopoulos, C. E., Scarlett, C. J., & Bowyer, M. (2018). Encapsulation of citrus by-product extracts by spray-drying and freeze-drying using combinations of maltodextrin with soybean protein and ι -carrageenan. *Foods*, 7(7), 1–12. <https://doi.org/10.3390/foods7070115>

- Patsalou, M., Chrysargyris, A., Tzortzakis, N., & Koutinas, M. (2020). A biorefinery for conversion of citrus peel waste into essential oils, pectin, fertilizer and succinic acid via different fermentation strategies. *Waste Management*, 113, 469–477. <https://doi.org/10.1016/j.wasman.2020.06.020>
- Patsalou, M., Samanides, C. G., Protopapa, E., Stavrinou, S., Vyrides, I., & Koutinas, M. (2019). A Citrus Peel Waste Biorefinery for Ethanol and Methane Production. *Molecules*, 24(13), 2451.
- Picot-Allain, C., Mahomoodally, M. F., Ak, G., & Zengin, G. (2021). Conventional versus green extraction techniques — a comparative perspective. *Current Opinion in Food Science*, 40, 144–156. <https://doi.org/10.1016/j.cofs.2021.02.009>
- Purewal, S. S., & Sandhu, K. S. (2021). Debittering of citrus juice by different processing methods: A novel approach for food industry and agro-industrial sector. *Scientia Horticulturae*, 276(April 2020), 109750. <https://doi.org/10.1016/j.scienta.2020.109750>
- Putnik, P., Bursać Kovačević, D., Režek Jambrak, A., Barba, F. J., Cravotto, G., Binello, A., Lorenzo, J. M., & Shpigelman, A. (2017). Innovative “green” and novel strategies for the extraction of bioactive added value compounds from citruswastes - A review. *Molecules*, 22(5). <https://doi.org/10.3390/molecules22050680>
- Putri, D. N., Sahlan, M., Montastruc, L., Meyer, M., Negny, S., & Hermansyah, H. (2020). Progress of fermentation methods for bio-succinic acid production using agro-industrial waste by *Actinobacillus succinogenes*. *Energy Reports*, 6, 234–239. <https://doi.org/10.1016/j.egyr.2019.08.050>
- Putri, W., Nasution, A., Tiffani, M., & Wardana, A. (2021). Optimasi Konsentrasi Pelarut Dan Waktu Ekstraksi Pektin Kulit Jeruk Manis (*Citrus Sinensis*) Dengan Metode Maserasi. *Jurnal Teknologi Pertanian*, 22(1), 47–56. <https://doi.org/10.21776/ub.jtp.2021.022.01.5>
- Raak, N., Symmank, C., Zahn, S., Aschemann-Witzel, J., & Rohm, H. (2017). Processing- and product-related causes for food waste and implications for the food supply chain. *Waste Management*, 61, 461–472. <https://doi.org/10.1016/j.wasman.2016.12.027>
- Randolph, J. J. (2009). A guide to writing the dissertation literature review. *Practical Assessment, Research and Evaluation*, 14(13).
- Ranganathan, S., Dutta, S., Moses, J. A., & Anandharamakrishnan, C. (2020). Utilization of food waste streams for the production of biopolymers. *Helijon*, 6(9), e04891. <https://doi.org/10.1016/j.heliyon.2020.e04891>
- Ravichandran, C., Badgujar, P. C., Gundev, P., & Upadhyay, A. (2018). Review of toxicological assessment of d-limonene, a food and cosmetics additive. *Food and Chemical Toxicology*, 120, 668–680. <https://doi.org/10.1016/j.fct.2018.07.052>
- RedCorn, R., Fatemi, S., & Engelberth, S. A. (2018). Comparing End-Use Potential For Industrial Food-Wastes Sources. *Engineering*, 4(3), 371–380. <https://doi.org/https://doi.org/10.1016/j.eng.2018.05.010>
- Reynoso-camacho, R., Rodríguez-villanueva, L. D., Sotelo-gonz, A. M., Ramos-g, M., & Iza, F. P. (2021). Citrus decoction by-product represents a rich source of carotenoid , phytosterol , extractable and non-extractable polyphenols. *Food Chemistry*, 350(February). <https://doi.org/10.1016/j.foodchem.2021.129239>
- Ribeiro, D., Freitas, M., Silva, A. M. S., Carvalho, F., & Fernandes, E. (2018). Antioxidant and pro-oxidant activities of carotenoids and their oxidation products. *Food and*

- Chemical Toxicology*, 120, 681–699. <https://doi.org/10.1016/j.fct.2018.07.060>
- Rocchetti, G., Blasi, F., Montesano, D., Ghisoni, S., Marcotullio, M. C., Sabatini, S., Cossignani, L., & Lucini, L. (2019). Impact of conventional/non-conventional extraction methods on the untargeted phenolic profile of *Moringa oleifera* leaves. *Food Research International*, 115, 319–327. <https://doi.org/10.1016/j.foodres.2018.11.046>
- Rosa, A., Era, B., Masala, C., Nieddu, M., Scano, P., Fais, A., Porcedda, S., & Piras, A. (2019). Supercritical CO₂ Extraction of Waste Citrus Seeds: Chemical Composition, Nutritional and Biological Properties of Edible Fixed Oils. *European Journal of Lipid Science and Technology*, 121(7), 15–18. <https://doi.org/10.1002/ejlt.201800502>
- Rosalina, Y., Susanti, L., & Karo, N. B. (2017). Kajian Ekstraksi Pektin Dari Limbah Jeruk Rimau Gerga Lebong (Jeruk Rgl) Dan Jeruk Kalamansi. *Agrointek*, 11(2), 68. <https://doi.org/10.21107/agrointek.v11i2.3174>
- Rosas-Mendoza, E., Mendez-Contreras, J., Aguilar-Lassere, A., Vallejo-Cantu, N., & Alvarado-Lassman, A. (2020). Evaluation of bioenergy potential from citrus effluents through anaerobic digestion. *Journal of Cleaner Production*, 254, 1–11. <https://doi.org/10.1016/j.jclepro.2020.120128>
- Russo, M., Serra, D., Suraci, F., & Postorino, S. (2012). Effectiveness of electronic nose systems to detect bergamot (*Citrus bergamia* Risso et Poiteau) essential oil quality and genuineness. *Journal of Essential Oil Research*, 24(2), 137–151. <https://doi.org/10.1080/10412905.2012.659530>
- Sabancı, S., Çevik, M., & Göksu, A. (2021). Investigation of time effect on pectin production from citrus wastes with ohmic heating assisted extraction process. *Journal of Food Process Engineering*, 44(6), 1–10. <https://doi.org/10.1111/jfpe.13689>
- Sabater, C., Ferreira-Lazarte, A., Montilla, A., & Corzo, N. (2019). Enzymatic Production and Characterization of Pectic Oligosaccharides Derived from Citrus and Apple Pectins: A GC-MS Study Using Random Forests and Association Rule Learning [Research-article]. *Journal of Agricultural and Food Chemistry*, 67(26), 7435–7447. <https://doi.org/10.1021/acs.jafc.9b00930>
- Saberian, H., Hamidi-Esfahani, Z., Ahmadi Gavighi, H., Banakar, A., & Barzegar, M. (2018). The potential of ohmic heating for pectin extraction from orange waste. *Journal of Food Processing and Preservation*, 42(2), 1–9. <https://doi.org/10.1111/jfpp.13458>
- Safdar, M. N., Kausar, T., Jabbar, S., Mumtaz, A., Ahad, K., & Saddozai, A. A. (2017). Extraction and quantification of polyphenols from kinnow (*Citrus reticulata* L.) peel using ultrasound and maceration techniques. *Journal of Food and Drug Analysis*, 25(3), 488–500. <https://doi.org/10.1016/j.jfda.2016.07.010>
- Šafranko, S., Corkovi, I., Jerkovi, I., & Jakovljevi, M. (2021). Green Extraction Techniques for Obtaining Bioactive Compounds from Mandarin Peel (*Citrus unshiu* var. *Kuno*): Phytochemical Analysis and Process Optimization. *Foods*, 10(5), 1043. <https://doi.org/https://doi.org/10.3390/foods10051043>
- Saleem, M., & Saeed, M. T. (2020). Potential application of waste fruit peels (orange, yellow lemon and banana) as wide range natural antimicrobial agent. *Journal of King Saud University - Science*, 32(1), 805–810. <https://doi.org/10.1016/j.jksus.2019.02.013>
- Sanguansri, L., & Ann Augustin, M. (2010). Microencapsulation in Functional Food Product Development. *Functional Food Product Development*, 1–23. <https://doi.org/10.1002/9781444323351.ch1>

- Santiago, B., Moreira, M. T., Feijoo, G., & Gonz, S. (2020). Identification of environmental aspects of citrus waste valorization into D-limonene from a biorefinery approach. *Biomass and Bioenergy*, 143(November).
- <https://doi.org/10.1016/j.biombioe.2020.105844>
- Santos, D. I., Saraiva, J. M. A., Vicente, A. A., & Moldão-Martins, M. (2019). Methods for determining bioavailability and bioaccessibility of bioactive compounds and nutrients. In *Innovative Thermal and Non-Thermal Processing, Bioaccessibility and Bioavailability of Nutrients and Bioactive Compounds*. Elsevier Inc.
- <https://doi.org/10.1016/B978-0-12-814174-8.00002-0>
- Satari, B., & Karimi, K. (2018). Citrus processing wastes: Environmental impacts, recent advances, and future perspectives in total valorization. *Resources, Conservation and Recycling*, 129(September 2017), 153–167.
- <https://doi.org/10.1016/j.resconrec.2017.10.032>
- Shafiee-Jood, M., & Cai, X. (2016). Reducing Food Loss and Waste to Enhance Food Security and Environmental Sustainability. *Environmental Science and Technology*, 50(16), 8432–8443. <https://doi.org/10.1021/acs.est.6b01993>
- Shankar, S., & Rhim, J. W. (2018). Preparation of antibacterial poly(lactide)/poly(butylene adipate-co-terephthalate) composite films incorporated with grapefruit seed extract. *International Journal of Biological Macromolecules*, 120, 846–852.
- <https://doi.org/10.1016/j.ijbiomac.2018.09.004>
- Sharma, H., Singh, I., & Misra, J. P. (2019). Mechanical and thermal behaviour of food waste (Citrus limetta peel) fillers – based novel epoxy composites. *Polymers and Polymer Composites*. <https://doi.org/10.1177/0967391119851012>
- Shinde, D. D., Ahirrao, S., & Prasad, R. (2018). Fishbone Diagram: Application to Identify the Root Causes of Student–Staff Problems in Technical Education. *Wireless Personal Communications*, 100(2), 653–664. <https://doi.org/10.1007/s11277-018-5344-y>
- Shu, B., Wu, G., Wang, Z., Wang, J., Huang, F., Dong, L., Zhang, R., Wang, Y., & Su, D. (2020). The effect of microwave vacuum drying process on citrus: drying kinetics, physicochemical composition and antioxidant activity of dried citrus (*Citrus reticulata Blanco*) peel. *Journal of Food Measurement and Characterization*, 14(5), 2443–2452.
- <https://doi.org/10.1007/s11694-020-00492-3>
- Sicari, V., & Poiana, M. (2017). Recovery of Bergamot Seed Oil by Supercritical Carbon Dioxide Extraction and Comparison with Traditional Solvent Extraction. *Journal of Food Process Engineering*, 40(1), 1–8. <https://doi.org/10.1111/jfpe.12341>
- Singh, J., Jayaprakasha, G. K., & Patil, B. S. (2021). Improved Sample Preparation and Optimized Solvent Extraction for Quantitation of Carotenoids. *Plant Foods for Human Nutrition*, 76(1), 60–67. <https://doi.org/10.1007/s11130-020-00862-8>
- Singla, G., Panesar, P. S., Sangwan, R. S., & Krishania, M. (2020). Enzymatic Debittering of Citrus reticulata (Kinnwo) Pulp Residue and Its Utilization For The Preparation of Vermicelli. *Journal of Food Processing and Preservation*, 0–3.
- <https://doi.org/10.1111/jfpp.15135>
- Singla, G., Singh, U., Sangwan, R. S., Panesar, P. S., & Krishania, M. (2021). Comparative study of various processes used for removal of bitterness from kinnow pomace and kinnow pulp residue. *Food Chemistry*, 335(December).
- <https://doi.org/10.1016/j.foodchem.2020.127643>

- Sir Elkhatim, K. A., Elagib, R. A. A., & Hassan, A. B. (2018). Content of phenolic compounds and vitamin C and antioxidant activity in wasted parts of Sudanese citrus fruits. *Food Science and Nutrition*, 6(5), 1214–1219. <https://doi.org/10.1002/fsn3.660>
- Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. *Journal of Business Research*, 104(March), 333–339. <https://doi.org/10.1016/j.jbusres.2019.07.039>
- Solanki, K. P., Desai, M. A., & Parikh, J. K. (2020). Improved hydrodistillation process using amphiphilic compounds for extraction of essential oil from java citronella grass. *Chemical Papers*, 74(1), 145–156. <https://doi.org/10.1007/s11696-019-00861-3>
- Soquetta, M. B., Terra, L. de M., & Bastos, C. P. (2018). Green technologies for the extraction of bioactive compounds in fruits and vegetables. *CYTA - Journal of Food*, 16(1), 400–412. <https://doi.org/10.1080/19476337.2017.1411978>
- Srinivas, K., & King, J. W. (2010). Supercritical Carbon Dioxide and Subcritical Water: Complementary Agents in the Processing of Functional Foods. In *Functional Food Product Development*. <https://doi.org/10.1002/9781444323351.ch3>
- Stark, B., Pabst, G., & Prassl, R. (2010). Long-term stability of sterically stabilized liposomes by freezing and freeze-drying: Effects of cryoprotectants on structure. *European Journal of Pharmaceutical Sciences*, 41(3–4), 546–555. <https://doi.org/10.1016/j.ejps.2010.08.010>
- Su, H., Tan, F., & Xu, Y. (2016). Enhancement of biogas and methanization of citrus waste via biodegradation pretreatment and subsequent optimized fermentation. *Fuel*, 181, 843–851. <https://doi.org/10.1016/j.fuel.2016.05.055>
- Sun, T., Tadmor, Y., & Li, L. (2020). *Pathways For Carotenoid Biosynthesis, Degradation, and Storage* (Vol. 2083). <https://doi.org/10.1007/978-1-4939-9952-1>
- Tlais, A. Z. A., Fiorino, G. M., Polo, A., Filannino, P., & Di Cagno, R. (2020). High Value Compounds in Fruit, Vegetable, and Cereal Byproducts: An Overview of Potential Sustainable Reuse and Exploitation. *Molecules*, 1–27. <https://doi.org/10.3390/molecules25132987>
- Topolska, K., Florkiewicz, A., & Filipiak-Florkiewicz, A. (2021). Functional food—consumer motivations and expectations. *International Journal of Environmental Research and Public Health*, 18(10). <https://doi.org/10.3390/ijerph18105327>
- Torquato, L. D. M., Pachiega, R., Crespi, M. S., Nespeca, M. G., de Oliveira, J. E., & Maintinguier, S. I. (2017). Potential of biohydrogen production from effluents of citrus processing industry using anaerobic bacteria from sewage sludge. *Waste Management*, 59, 181–193. <https://doi.org/10.1016/j.wasman.2016.10.047>
- Tozlu, E., Kotan, M. S., Tekiner, N., Dikbaş, N., & Kotan, R. (2019). Biological Control of Postharvest Spoilage in Fresh Mandarins (*Citrus Reticulata Blanco*) Fruits Using Bacteria During Storage. *Erwerbs-Obstbau*, 61(2), 157–164. <https://doi.org/10.1007/s10341-018-0412-8>
- Truong, D. H., Nguyen, D. H., Ta, N. T. A., Bui, A. V., Do, T. H., & Nguyen, H. C. (2019). Evaluation of the use of different solvents for phytochemical constituents, antioxidants, and in vitro anti-inflammatory activities of severinia buxifolia. *Journal of Food Quality*, 2019. <https://doi.org/10.1155/2019/8178294>
- Tsiokanos, E., Tsafantakis, N., Termentzi, A., Aligiannis, N., Skaltsounis, L. A., & Fokialakis, N. (2021). Phytochemical characteristics of bergamot oranges from the

- Ionian islands of Greece: A multi-analytical approach with emphasis in the distribution of neohesperidose flavanones. *Food Chemistry*, 343(October), 128400. <https://doi.org/10.1016/j.foodchem.2020.128400>
- Tuckett, A. G., Banchoff, A. W., Winter, S. J., & King, A. C. (2018). The built environment and older adults: A literature review and an applied approach to engaging older adults in built environment improvements for health. *International Journal of Older People Nursing*, 13(1), 1–9. <https://doi.org/10.1111/opn.12171>
- Usmiati, S., Mangunwidjaja, D., Noor, E., Richana, N., & Prangdimurti, E. (2018). PRODUKSI PEKTIN BERMETOKSIL RENDAH DARI KULIT JERUK NIPIS (*Citrus aurantifolia* Swingle) SECARA SPONTAN MENGGUNAKAN PELARUT AMONIUM OKSALAT DAN ASAM. *Jurnal Penelitian Pascapanen Pertanian*, 13(3), 125. <https://doi.org/10.21082/jpasca.v13n3.2016.125-135>
- Veronese, N., Solmi, M., Caruso, M. G., Giannelli, G., Osella, A. R., Evangelou, E., Maggi, S., Fontana, L., Stubbs, B., & Tzoulaki, I. (2018). Dietary fiber and health outcomes: An umbrella review of systematic reviews and meta-analyses. *American Journal of Clinical Nutrition*, 107(3), 436–444. <https://doi.org/10.1093/ajcn/nqx082>
- Vijayan, S. S., & Renjith, V. R. (2021). Visualization of library and information science (LIS) journals in scimago: An analysis of first quartile (Q1) journals. *Library Philosophy and Practice*, 2021(July), 1–16. <https://doi.org/10.2139/ssrn.3885177>
- Werf, P. V. ., Seabrook, J. A., & Gilliland, J. A. (2021). “Reduce Food Waste, Save Money”: Testing a Novel Intervention to Reduce Household Food Waste. *Environment and Behavior*, 53(2), 151–183. <https://doi.org/10.1177/0013916519875180>
- Werf, P. V. D., Seabrook, J. A., & Gilliland, J. A. (2018). The quantity of food waste in the garbage stream of southern Ontario, Canada households. *PLoS ONE*, 13(6), 1–13. <https://doi.org/10.1371/journal.pone.0198470>
- Wilkowska, A., Ambroziak, W., Czyzowska, A., & Adamiec, J. (2016). Effect of Microencapsulation by Spray-Drying and Freeze-Drying Technique on the Antioxidant Properties of Blueberry (*Vaccinium myrtillus*) Juice Polyphenolic Compounds. *Polish Journal of Food and Nutrition Sciences*, 66(1), 11–16. <https://doi.org/10.1515/pjfn-2015-0015>
- Wilkowska, A., Nowak, A., Antczak-Chrobot, A., Motyl, I., Czy, A., & Paliwoda, A. (2019). Structurally different pectic oligosaccharides produced from apple pomace and their biological activity in vitro. *Foods*, 8(9). <https://doi.org/10.3390/foods8090365>
- Won, J. S., Lee, S. J., Park, H. H., Song, K. Bin, & Min, S. C. (2018). Edible Coating Using a Chitosan-Based Colloid Incorporating Grapefruit Seed Extract for Cherry Tomato Safety and Preservation. *Journal of Food Science*, 83(1), 138–146. <https://doi.org/10.1111/1750-3841.14002>
- WorldAtlas. (2017). The World’s Top Citrus Producing Countries. <https://www.worldatlas.com/articles/the-world-s-top-citrus-producing-countries.html>. (Diakses 16 November 2021).
- Yang, F., Chen, G., Ma, M., Qiu, N., Zhu, L., & Li, J. (2018). Fatty acids modulate the expression levels of key proteins for cholesterol absorption in Caco-2 monolayer. *Lipids in Health and Disease*, 17(1), 1–14. <https://doi.org/10.1186/s12944-018-0675-y>
- Yilmaz, E., Aydeniz Guneser, B., & Ok, S. (2019). Valorization of Grapefruit Seeds: Cold Press Oil Production. *Waste and Biomass Valorization*, 10(9), 2713–2724.

- <https://doi.org/10.1007/s12649-018-0286-x>
- Yilmaz, E., & Karaman, E. (2017). Functional crackers: incorporation of the dietary fibers extracted from citrus seeds. *Journal of Food Science and Technology*, 54(10), 3208–3217. <https://doi.org/10.1007/s13197-017-2763-9>
- Zema, D. A., Calabro, P. S., Folino, A., Tamburino, V., Zappia, G., & Zimbone, S. M. (2019). Wastewater management in citrus processing industries: An overview of advantages and limits. *Water (Switzerland)*, 11(12), 1–23. <https://doi.org/10.3390/w11122481>
- Zema, D. A., Calabro, P. S., Folino, A., Tamburino, V., Zappia, G., & Zimbone, S. M. (2018). Valorisation of citrus processing waste: A review. *Waste Management*, 80, 252–273. <https://doi.org/10.1016/j.wasman.2018.09.024>
- Zhang, H., Chen, J., Li, J., Wei, C., Ye, X., Shi, J., & Chen, S. (2018). Pectin from citrus canning wastewater as potential fat replacer in ice cream. *Molecules*, 23(4), 1–11. <https://doi.org/10.3390/molecules23040925>
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhang, S., Hu, H., Wang, L., Liu, F., & Pan, S. (2018). Preparation and prebiotic potential of pectin oligosaccharides obtained from citrus peel pectin. *Food Chemistry*, 244, 232–237. <https://doi.org/10.1016/j.foodchem.2017.10.071>
- Zhao, G., Lyu, X., Lee, J., Cui, X., & Chen, W. N. (2019). Biodegradable and transparent cellulose film prepared eco-friendly from durian rind for packaging application. *Food Packaging and Shelf Life*, 21(August 2018), 100345. <https://doi.org/10.1016/j.fpsl.2019.100345>