

6. DAFTAR PUSTAKA

- Abdelhafez, A.A.; Li, J. Removal of Pb (II) from Aqueous Solution by Using Biochars Derived from Sugar Cane Bagasse and Orange Peel. (2016). *J. Taiwan Inst. Chem. Eng.*, 61: 367–375. <https://doi.org/10.1016/j.jtice.2016.01.005>.
- Acevedo Sasha Alzate, Álvaro José Díaz Carrillo, Edwin Flórez López & Carlos David Grande-Tovar. (2021). Recovery of Banana Waste-Loss from Production and Processing: A Contribution to a Circular Economy. *Molecules* 26 (17): 5282. <https://doi.org/10.3390/molecules26175282>.
- Aisyah, T. S. & Ari, A. (2013). Aktivitas Antioksidan Ekstrak Rumput Laut Sargassum Duplicatum. *Jurnal Teknologi Pertanian*, Vol. 14 (2): 79-86. <https://jtp.ub.ac.id/index.php/jtp/article/download/396/757>.
- Alam, Jahangir, Shamoli Akter, Shohana Afroze, Tarikul Islam & Emdadul Haque Sayeem. (2020). Development Of Fiber And Mineral Enriched Cookies By Utilization Of Banana And Banana Peel Flour. *J Microbiol Biotech Food Sci*, Vol. 10 (3): 329-334. https://www.jmbfs.org/wp-content/uploads/2020/11/jmbfs_1382_Alam.pdf.
- Arifiyana, D. & Vika Ayu Devianti. (2020). Biosorpsi Logam Besi (Fe) Dalam Media Limbah Cair Artifisial Menggunakan Biosorben Kulit Pisang Kepok (*Musa Acuminata*). *Jurnal Kimia Riset*, Vol. 5 (1): 1-8. <http://dx.doi.org/10.20473/jkr.v5i1.20245>.
- Aryani, T., Isnin Aulia Ulfah Mu'awanah & Aji Bagus Widyantara. (2018). Karakteristik Fisik, Kandungan Gizi Tepung Kulit Pisang dan Perbandingannya terhadap Syarat Mutu Tepung Terigu. *Jurnal Riset Sains dan Teknologi*, Vol.1 (1): 45-50. <http://dx.doi.org/10.30595/jrst.v2i2.3094>.
- Aksu, Z., Donmez, G. (2003). A Comparative Study on the Biosorption Characteristics of Some Yeast for Remazol Blue Reactive Dye. *Chemosphere* 50: 1075-1083. [http://dx.doi.org/10.1016/S0045-6535\(02\)00623-9](http://dx.doi.org/10.1016/S0045-6535(02)00623-9).
- Anuar M.S., Ying H.S, M.S & Mohd Nor M.Z. (2018). Drying, Colour And Sensory Characteristics Of 'Berangan' Banana (*Musa Accuminata*) Flesh Dried Using A Microwave Oven. *Malaysian J Halal Res.*, Vol. 1: 10–14. <http://doi.org/10.26480/mjhr.01.2018.10.14>.
- Anwar, H., Septiani & Nurhayati. (2021). PEMANFAATAN KULIT PISANG KEPOK (*Musa paradisiaca* L.) SEBAGAI SUBSTITUSI TEPUNG TERIGU DALAM PENGOLAHAN BISKUIT. *SELAPARANG. Jurnal Pengabdian*

- Masyarakat Berkemajuan*, Vol. 4 (2): 315-320.
<https://journal.ummat.ac.id/index.php/jpmb/article/download/4377/2559>.
- Bakar, S., Ahmad, N., & Jailani, F. (2020). In Vitro Starch Hydrolysis and Estimated Glycaemic Index of Biscuits from Unripe Banana Peel Flour. *Journal of nutritional science and vitaminology*, 66 (Supplement), S234–S238.
<https://doi.org/10.3177/jnsv.66.S234>.
- Badessa Tolera Seda, Esayas Wakuma & Ali Mohammed Yimer. (2020). Bio-Sorption for Efective Removal of Chromium (VI) from Wastewater Using Moringa Stenopetala Seed Powder (MSSP) And Banana Peel Powder (BPP). *BMC Chemistry* 14: 71. 1-12. <https://doi.org/10.1186/s13065-020-00724-z>.
- Bernasconi, G., Gerster, H., Hauser, H., Stauble, H. & Schneifer, E. (1995). *Teknologi Kimia. Bagian 2*. Penerjemah: Handojo, L.Pradnya, P. Jakarta. Hal. 177- 185.
- Brejholt S,M. (2009). *Pectin*. In: Imeson A (ed) *Food Stabilisers, Thickeners and Gelling Agents*. Oxford: Wiley.
- Borde I. & Levy A. (2006). *Pneumatic and Flash Drying*. United Kingdom: Taylor and Francis Group, LLC.
- Boston Consulting Group. (2018). The Most Innovative Companies 2018. Boston. Diakses dari: http://image-src.bcg.com/Images/BCG-Most-Innovative-Companies-Jan-2018_tcm9-207939.pdf.
- Bunyameen, Nasuha & Asia Perin & Natthawuddhi Donlao. (2020). *Engineering in Agriculture, Environment and Food*, Vol. 13 (4): 129-138.
https://www.jstage.jst.go.jp/article/eaef/13/4/13_129/pdf.
- Cairns, D. (2003). *Intisari Kimia Farmasi edisi II*. Jakarta: Penerbit Buku Kedokteran (EGC).
- Castro, R. S. D., Caetano, L., Ferreira, G., Padilha, P. M., Saeki, M. J., Zara, L. F., Castro, G. R. (2011). Banana Peel Applied to the Solid Phase Extraction of Copper and Lead from River Water: Preconcentration of Metal Ions with a Fruit Waste. *J. American Chemistry Society*, Vol. 50: 3446-3451.
<http://dx.doi.org/10.1021/ie101499e>.
- Chaubey, M. & Kapoor, V.P. (2001). Structure of galactomannan from the seeds of galactomannan from the seeds of *Cassia agustifolia* Vahl. *Carbohydrate research* 332: 439-444. <https://pubmed.ncbi.nlm.nih.gov/11438100/>.

- Cheremissinof, P, Nicholas. (1993). *Carbon Adsorption for Pollution Control*, PTR. New Jersey: Prentice Hall.
- Chojnacka, K., & Mikulewicz, M. (2019). Green analytical methods of metals determination in biosorption studies. *TrAC Trends in Analytical Chemistry*, Vol. 116: 254-265. <http://dx.doi.org/10.1016/j.trac.2019.02.013>.
- Cronin, P., Ryan, F., & Coughlan, M. (2008). Undertaking a literature review: a step-by-step approach. *British Journal of Nursing*, Vol. 17(1): 38–43. <http://dx.doi.org/10.12968/bjon.2008.17.1.28059>.
- Cusioli, L.F., Quesada, H.B., Baptista, A.T., Gomes, R.G., Bergamasco, R. (2020). Soybean Hulls as a Low-Cost Biosorbent for Removal of Methylene Blue Contaminant. *Environ. Prog. Sustain. Energy*, Vol. 39 (2): 13328. <https://doi.org/10.1002/ep.13328>.
- Cotton, F. Albert., Wilkinson, G. (1989). *Kimia Anorganik Dasar*. Jakarta: Penerbit Universitas Indonesia.
- Diaz J.V., Anthon G.E. & Barrett D.M. (2007). Nonenzymatic Degradation of Citrus Pectin and Pectate During Prolonged Heating: Effects of pH, Temperature, and Degree of Methyl Esterification. *J Agric Food Chem*, 55: 5131–5136. <https://doi.org/10.1021/jf0701483>.
- Dom, Mohd, Z., Mujianto, L. Azhar, A., Masaudin, S. & Samsudin, R. (2021). Physicochemical Properties of Banana Peel Powder in Functional Food Products. *Food Research* 5: 209 – 215. [https://doi.org/10.26656/fr.2017.5\(S1\).037](https://doi.org/10.26656/fr.2017.5(S1).037).
- E. Agama-Acevedo, J.A. Sañudo-Barajas, R. Vélez De La Rocha, G.A. González-Aguilar & L.A. Bello-Peréz. (2016). Potential of Plantain Peels Flour (*Musa Paradisiaca* L.) as a Source of Dietary Fiber and Antioxidant Compound. *CyTA - Journal of Food*, 14 (1): 117-123. <https://doi.org/10.1080/19476337.2015.1055306>.
- El-Nafaty, U.A., I.M. Muhammad & S. Abdulsalam. (2013). Biosorption and Kinetic Studies on Oil Removal from Produced Water Using Banana Peel. *Civil and Environmental Research*, Vol.3 (7): 125-136. https://www.researchgate.net/figure/Effect-of-RBP-loading-rate-on-oil-removal-from-produced-water_tbl1_293821538.
- Ernawan, F.R., M. Ade Moetangad Kramadibrata & Asri Widyasanti. (2019). Uji Kinerja dan Analisis Energi Mesin Penepung Vertikal (*Mill Dryer Vertical*) Tipe MDV-10 (Studi Kasus Techno Park Pangan Grobogan, Kabupaten Grobogan,

Jawa Tengah). *Jurnal Ilmiah Mahasiswa AGROINFO GALUH*, Vol. 6 (1): 243-258. <http://dx.doi.org/10.25157/jimag.v6i1.1816>.

Erbay, Z. & Icier, F. (2009). Optimization of Drying of Olive Leaves in a Pilot-Scale Heat Pump Dryer. *Drying Technology*, 27: 416-427. <http://dx.doi.org/10.1080/07373930802683021>.

Eshak, N. S. (2016). Sensory evaluation and nutritional value of balady flat bread supplemented with banana peels as a natural source of dietary fiber. *Annals of Agricultural Sciences*, Vol. 61 (2): 229–235. <http://dx.doi.org/10.1016/j.aogas.2016.07.002>.

Espinosa-Solis, V., Jane, J.-L., & Bello-Perez, L. A. (2009). Physicochemical Characteristics of Starches from Unripe Fruits of Mango and Banana Starches. *Starch/Stärke*, 61: 291–299. <http://dx.doi.org/10.1002/star.200800103>.

Fabi, C. & A. English. (2018). SDG indicators under FAO custodianship: SDG 12.3.1 – Global Food Loss Index. Diakses dari: <http://www.fao.org/3/CA2725EN/ca2725en.pdf>.

Featherstone, S. (2015). Jams, jellies, and related products. A Complete Course in Canning and Related Processes. *Processing Procedures for Canned Food Products* 3: 313-349. <https://doi.org/10.1016/B978-0-85709-679-1.00009-X>.

Food and Agriculture Organization. (2009). THE STATE OF FOOD AND AGRICULTURE. Roma. Diakses dari: <https://www.fao.org/3/i0680e/i0680e.pdf>.

Food and Agriculture Organization. (2011). The State of Food Insecurity: How does international price volatility affect domestic economies and food security?. Roma. Diakses dari: <https://www.fao.org/3/i2330e/i2330e00.htm>.

Food and Agriculture Organization. (2013). The State of Food Insecurity: The multiple dimensions of food security. Roma. Diakses dari: <https://www.fao.org/3/i3434e/i3434e.pdf>.

Food and Agriculture Organization. (2015). The State of Food and Agriculture Social protection and agriculture: breaking the cycle of rural poverty. Roma. Diakses dari: <https://www.fao.org/3/i4910e/i4910e.pdf>.

Food and Agriculture Organization. (2018). World Food and Agriculture Statistical Pocketbook. Roma. Diakses dari: <https://www.fao.org/3/ca1796en/CA1796EN.pdf>.

- Food and Agriculture Organization. (2020). The State of Food and Agriculture: Overcoming Water Challenges in Agriculture. Roma. Diakses dari: <https://www.fao.org/3/cb1447en/cb1447en.pdf>.
- Garau, M. C., Simal, S., Rosselló, C. & Femenia, A. (2007). Effect of Air-Drying Temperature on Physico-Chemical Properties of Dietary Fibre and Antioxidant Capacity of Orange (*Citrus Aurantium* V. Canoneta) By-Products. *Food Chemistry*, 104: 1014- 1024. <https://doi.org/10.1016/j.foodchem.2007.01.009>.
- Geankoplis, C.J. (1993). *Transport Processes and Unit Operations*. 3rd ed. New Jersey: Prentice-Hall International Inc.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Toulmin, C. (2010). Food Security: The Challenge of Feeding 9 Billion People. *Science*, Vol. 327(5967): 812–818. <http://dx.doi.org/10.1126/science.1185383>.
- Gomes, S., Vieira, B., Barbosa, C., & Pinheiro, R. (2020). Evaluation of mature banana peel flour on physical, chemical, and texture properties of a gluten-free Rissol. *Journal of Food Processing and Preservation*. <https://doi.org/10.1111/jfpp.14441>.
- Gregorich, E. (2019). How to write a review paper. *CSA News*, Vol. 64 (1): 16. <http://dx.doi.org/10.2134/csa2019.64.0115>.
- Hanum, F., Martha, A.T & Irza, M.D.K. (2012). Ekstraksi Pektin dari Kulit Buah Pisang Kepok (*Musa paradisiaca*). *Jurnal Teknik Kimia USU*, Vol.1 (1): 49-53. <https://core.ac.uk/download/pdf/270239195.pdf>.
- Hassan, H.F., Hassan, U.F., Usher, O.A., Ibrahim, A.B. & Tabe, N.N. (2018). Exploring the Potentials of Banana (*Musa Sapientum*) Peels in Feed Formulation. *International Journal of Advanced Research in Chemical Science (IJARCS)* Volume 5 (5): 10-14. <http://dx.doi.org/10.20431/2349-0403.0505003>.
- Happi Emaga, T., Bindelle, J., Agneesens, R., Buldgen, A., Wathelet, B., & Paquot, M. (2010). Ripening influences banana and plantain peels composition and energy content. *Tropical Animal Health and Production*, Vol. 43(1): 171–177.
- Hartono, E., N. Iriyanti dan R.S.S. Santosa. (2013). Penggunaan pakan fungsional terhadap daya ikat air, susut masak, dan keempukan daging ayam broiler. *Jurnal Ilmiah Peternakan*, Vol. 1(1): 10-19. <https://onsearch.id/Record/IOS1477.article-540/TOC>.

- Hidayatullah Elmas, M. S. (2017). Pengendalian Kualitas dengan Menggunakan Metode *Statistical Quality Control* (SQC) Untuk Meminimumkan Produk Gagal Pada Toko Roti Barokah Bakery. *Wiga : Jurnal Penelitian Ilmu Ekonomi*, Vol. 7(1): 15–22. <https://doi.org/10.30741/wiga.v7i1.330>.
- Hasanin, M.S., Darwesh, O.M., Matter, I.A., El-Saied, H. (2019). Isolation and characterization of non-cellulolytic *Aspergillus flavus* EGYPTA5 exhibiting selective ligninolytic potential. *Biocatal. Agric. Biotechnol.* 17: 160–167. <http://dx.doi.org/10.1016/j.bcab.2018.11.012>.
- Hashem, A.H., Ebrahim Saied & Mohamed, S.H. (2020). Green and ecofriendly bio-removal of methylene blue dye from aqueous solution using biologically activated banana peel waste. *Sustainable Chemistry and Pharmacy*, 18. <https://doi.org/10.1016/j.scp.2020.100333>.
- Hebbar H. A. & Jayantha K. (2013). Oil and Grease Removal from Wastewater Using Laterite as an Adsorbent Material. *International Journal of Emerging Technology and Advanced*, Vol. 3 (5) https://www.researchgate.net/publication/299337149_An_Investigation_of_On_site_Oil_and_Grease_Removal_from_Urban_Greywater_Using_Locally_Available_Materials_in_Bangladesh.
- Hu, Z.T., Yin Ding, Yuchao Shao, Luxiang Cai, Zi-Yan Jin, Zifeng Liu, Jia Zhao, Feili Li, Zhiyan Pan, Xiaonian Li & Jun Zhao. (2021). *Chemical Engineering Journal* 420. <https://doi.org/10.1016/j.cej.2021.129807>.
- Hudaída, S. (2003). Pengaruh *Blanching* dan Lamanya Perendaman Irisan Buah Pisang dalam Larutan Metabisulphite terhadap Mutu Tepung Pisang. *Buletin Bimada*, Vol. 12 (17): 7-11. <https://jtpunmul.files.wordpress.com/2013/02/vol-12-5-hadisuprpto.pdf>.
- Hutomo, S.G. (2020). Studi Karakteristik Pembakaran Produk Hidrotermal Sampah Biomassa dan Sampah Plastik Jenis LDPE dalam Sub-Critical. *Jurnal Mesin Nusantara*, Vol. 3 (1): 46-54. <http://dx.doi.org/10.29407/jmn.v3i1.14608>.
- Hossain, M.A., Ngo, H.H., Guo, W.S., Nguyen, T.V.N. (2012). Removal of Copper from Water by Adsorption onto Banana Peel as Biosorbent. *Int. J. GEOMATE*, 2: 227-234.
- Hoekman, S.K., Broch, A. & Robbin, C.. (2011). Hydrothermal Carbonization (HTC) of Lignocellulosic Biomass. *Energi & Fuels*, 25 (4): 1802-1810. <https://doi.org/10.1021/ef101745n>.

- Inazu, T., Iwasaki, K. & Furuta, T. (2002). A Green Adsorbent Derived from Banana Peel for Highly Effective Removal of Heavy Metal Ions From Water. Effect of Temperature and Relative Humidity on Drying Kinetics of Fresh Japanese Noodle (Udon). *LWT - Food Science and Technology*, 35: 649-655. <https://doi.org/10.1039/C6RA07460J>.
- Islam, Mahmuda, M. Halder, Md. A. B. Siddique, S. A. A. Razir, S. Sikder & J. C. Joardar. (2019). Utilization of Fruit Waste for Bioethanol Production by Co-cultures of *Aspergillus niger* and *Saccharomyces cerevisiae*. *International Journal of Recycling of Organic Waste in Agriculture*, Vol. 8 (1): 407-413. <https://doi.org/10.1007/s40093-019-00313-8>.
- Jamil, N.N. & Ridwan, R. (2009). PEMANFAATAN BIOMASSA CANGKANG LANGKITANG (FAUNUS ATER) SEBAGAI BIOSORBEN LOGAM BERAT KROM PADA LIMBAH CAIR. *Jurnal Aerasi*, Vol. 1 (1) https://ojs.stind.ac.id/stind_ojs/index.php/JAERASI/article/view/132.
- J. Hwang, T. H. Roshdy, M. Kontominas & J. L. Kokini. (1992). Comparison of Dialysis and Metal Precipitation Effects on Apple Pectin. *Journal Food Science*, Vol. 57: 1180- 1184. <http://dx.doi.org/10.1111/j.1365-2621.1992.tb11293.x>.
- J. Muhmadzadeh, A. R. Sadeghi-Mahoonak, M. Yaghbani & M. Aalami. (2010). Extraction of pectin from sunflower head residues of selected Iranian cultivars. *World Applied Sciences Journal*, Vol. 8: 21-24.
- Jacobs, H. & J.A. Delcour. (1998). Hydrothermal Modifications of Granular Starch with Retention of the Granular Structure: Review. *J. Agric. Food Chem.* 46 (8): 2895-2905. <https://doi.org/10.1021/jf980169k>.
- Johari JMC & Rachmawati, M. (2006). *Kimia I*. Jakarta: Esis.
- K. Kardiman, L.I. La Ifa, R. Rasyid. (2020). "Pembuatan Adsorben dari Sabut Kelapa sebagai Penyerap Logam Berat Pb(II)". *ILTEK J. Teknol.* 14: 2083-2087. <https://doi.org/10.47398/iltek.v14i2.421>.
- Kahara. (2016). Development of Banana Jelly and Its Antioxidant and Textural Properties. *Food Sci. Biotechnol.*, Vol. 19 (2): 499-455. https://www.researchgate.net/publication/226149506_Development_of_banana_peel_jelly_and_its_antioxidant_and_textural_properties.
- Katajajuuri, J.M., Silvennoinen, K., Hartikainen, H., Heikkilä, L., & Reinikainen, A. (2014). Food waste in the Finnish food chain. *Journal of Cleaner Production*, Vol. 73: 322-329. <http://dx.doi.org/10.1016/j.jclepro.2013.12.057>.

- Kaderides, K., Papaoikonomou, L., Serafim, M. & Goula, A.M. (2019). Microwave-Assisted Extraction of Phenolics from Pomegranate Peels: Optimization, Kinetics, and Comparison with Ultrasounds Extraction. *Chem. Eng. Process* 137: 1–11. <https://doi.org/10.1016/j.cep.2019.01.006>.
- Kikulwe, E.M., Stanslus, O., Susan, A., Kephass, N., Dietmar, S. & Diego, N. (2018). Postharvest Losses and their Determinants: A Challenge to Creating a Sustainable Cooking Banana Value Chain in Uganda. *Sustainability*, Vol. 10: 2381. <http://dx.doi.org/10.3390/su10072381>.
- Keil, F. J. (2007). *Modeling of Process Intensification*. Weinheim: WILEY-VCH Verlag GmbH & Co. KGaA.
- Kirk Othmer. (1992). *Encyclopedia of Chemical Technology, Bearing Materials to Carbon, 4th volume*. New Jersey: Willey Publisher.
- Kurniati, Yuni, Okky Putri Prastuti & Eka Lutfi Septiani. (2019). Studi Kinetika Adsorpsi Metil Biru Menggunakan Karbon Aktif Limbah Kulit Pisang. *J. Tek. Kim. Ling.*, Vol. 3 (1): 34–38. <http://jtkl.polinema.ac.id/index.php/jtkl/article/view/87/pdf>.
- Kuyu, C.G. & Yetenayet B.Tola. (2017). Assessment of Banana Fruit Handling Practices and Associated Fungal Pathogens in Jimma Town Market, Southwest Ethiopia. *Food Science & Nutrition* 6 (11): 1-8. DOI: [10.1002/fsn3.591](https://doi.org/10.1002/fsn3.591)
- Kim, H., Ryun-Ah Ko, Sungyun Lee & Kangmin Chon. (2020). Removal Efficiencies of Manganese and Iron Using Pristine and Phosphoric Acid Pre-Treated Biochars Made from Banana Peels. *Water*, 12: 1173. <http://dx.doi.org/10.3390/w12041173>.
- L. B. Rockland & S. K. Nishi. (1980). Fundamentals of Water Activity. *Food Tech*, Vol. 34: 42-59. <http://agrotheque.free.fr/Fundamentals.pdf>.
- L.Y. Hsu, H. Teng. (2000). "Influence of Different Chemical Reagents on the Preparation of Activated Carbons from Bituminous Coal," *Fuel Process. Technol.* 64: 155–166. [https://doi.org/10.1016/S0378-3820\(00\)00071-0](https://doi.org/10.1016/S0378-3820(00)00071-0).
- Leistner, L. (1992). Food Preservation by Combined Methods. *Food Research International*, 25: 151-158. [https://doi.org/10.1016/0963-9969\(92\)90158-2](https://doi.org/10.1016/0963-9969(92)90158-2).
- Li, Yinchun, Jiang Liu, Qunhui Yuan, Hui Tang, Feng Yu & Xin Lv. (2016). *RSC Adv.*, 6: 45041-45048. <https://doi.org/10.1039/C6RA07460J>.

- Liau, MY., F.A.Natan, P.Widiyanti, D., Iksarai, N. Indraswati & F.E. Soetaredjo. (2008). Extraction of Neem Oil (*Azadiracta indica* A. Juss) Using n- Hexane and Ethanol: Studies of Oil Quality Kinetic and Thermodynamic. *ARPN J Eng Appl Sci.*, Vol. 3 (3): 49-54. https://www.researchgate.net/publication/242525258_Extraction_of_Neem_oil_Azadirachta_indica_A_Juss_using_N-hexane_and_ethanol_studies_of_oil_quality_kinetic_and_thermodynamic/stats.
- Lumowa, S. V., & Bardin, S. (2018). Uji Fitokimia Kulit Pisang Kepok (*Musa paradisiaca* L.) Bahan Alam sebagai Pestisida Nabati Berpotensi Menekan Serangan Serangga Hama Tanaman Umur Pendek. *Jurnal Sains Dan Kesehatan*, 1 (9): 465-469. <https://doi.org/10.25026/jsk.v1i9.87>.
- M. Toma, M. Vinatoru, L. Paniwnyk & T. J. Mason. (2001). Investigaton of The Effect of Ultrasound on Vegetal Tissue During Solvent Extraction. *J. Ultrasonic Sonochemistry*, 8: 137-142. [https://doi.org/10.1016/S1350-4177\(00\)00033-X](https://doi.org/10.1016/S1350-4177(00)00033-X).
- Mahindrakar K.V., Rathod V.K. (2018). Utilization of banana peels for removal of strontium (II) from water. *Environmental Technology & Innovation*. <https://doi.org/10.1016/j.eti.2018.06.015>.
- Maia, L.S., Letkia, D.D., Fernanda, R.P. & Daniella, R.M. (2021). Valuation Of Banana Peel Waste For Producing Activated Carbon Via Naoh And Pyrolysis For Methylene Blue Removal. *Carbon Letters*. <https://doi.org/10.1007/s42823-021-00226-5>.
- Martharini Dwitiya, I. Indratiningsih. (2017). Lactobacillus acidophilus FNCC 0051 dan Tepung Kulit Pisang Kepok (*Musa Paradisiaca*). *AGRITECH*, Vol. 37, No. 1: 22-29. <http://dx.doi.org/10.22146/agritech.17002>.
- Maneerat, N., Nattapol, T. & Anadi, N. (2017). Effect Of Extraction Condition On Properties Of Pectin From Banana Peels And Its Function As Fat Replacer In Salad Cream. *J.Food.Sco.Technol*. <https://doi.org/10.1007/s13197-016-2475-6>.
- Mardiah E. (1996). Penentuan Aktivitas dan Inhibisi Enzim Polifenol Oksidase dari Apel (*Pyrus Malus* Linn.). *Jurnal Kimia Andalas*, 2 (2). <http://repository.unand.ac.id/id/eprint/3821>.
- Markets and Markets. (2019). Pectin Market by Type (HM Pectin, LM Pectin), Raw Material (Citrus fruits, Apples, Sugar beet), Function, Application (Food & beverages, Pharmaceutical & Personal Care Products, Industrial Applications), and Region - Global Forecast to 2025. United States. Diakses dari: <https://www.researchandmarkets.com/reports/4844851/pectin-market-by-type-hm-pectin-lm-pectin-raw>.

- Martins AC, Pezoti O, Cazetta AL, Bedin KC, Yamazaki DAS, Bandoch GFG, Asefa T, Visentainer JV, Almeida VC. (2015). Removal of tetracycline by NaOH-activated carbon produced from macadamia nut shells: kinetic and equilibrium studies. *Chem Eng J* 260: 291–299. <https://doi.org/10.1016/j.cej.2014.09.017>.
- Mattsson Lisa, Helén Williams & Jonas Berghel. (2018). Waste of Fresh Fruit and Vegetables at Retailers in Sweden – Measuring and Calculation of Mass, Economic Cost and Climate Impact *Resources, Conservation & Recycling* 130: 118-126. <https://doi.org/10.1016/j.resconrec.2017.10.037>.
- May, I.I., Risa, P.A. & Cokorda, I.R.M. (2019). SUBSTITUSI TEPUNG KULIT PISANG KEPOK PADA PEMBUATAN CAKE PISANG DITINJAU DARI SIFAT FISIK DAN TINGKAT KESUKAAN. *Jurnal Bosaparis: Pendidikan Kesejahteraan Keluarga*, Vol. 10 (1): 33-43. <https://ejournal.undiksha.ac.id/index.php/JPKK/article/view/22121>.
- Memon, J.R., Memon, S.Q., Bhangar, M.I., Memon, G.Z., Turki, A., Allen, G.C. (2008). Characterization of Banana Peel by Scanning Electron Microscopy and FT-IR Spectroscopy and its Use for Cadmium Removal. *Colloids. Surf.B. Biointerfaces*, 66: 260-265. <https://doi.org/10.1016/j.colsurfb.2008.07.001>.
- Megawati & Elfi, L.M. (2016). Ekstraksi Pektin dari Kulit Pisang Kepok (Musa paradisiaca) Menggunakan Pelarut HCl sebagai Edible Film. *Jurnal Bahan Alam Terbarukan*, Vol.5 (1): 14-21. <https://doi.org/10.15294/jbat.v5i1.4177>.
- Meri Suhartini. (2018). Modifikasi Limbah Kulit Pisang untuk Adsorben Ion Logam Mn(II) Dan Cr(VI). *Jurnal Sains Materi Indonesia*, Vol. 14 (2): 229 – 234. <http://dx.doi.org/10.17146/jsmi.2013.14.3.4414>.
- Milhajlović, M., Petrović, J., Stojanović, M., Milojković, J., Lopičić, Z., Koprivica, M., Lačnjevac, Č. (2016). Hydrochars, Perspective Adsorbents of Heavy Metals: A Review of The Current State of Studies. *Zastita Materijala*. 57: 488 – 495. <http://dx.doi.org/10.5937/ZasMat1603488M>.
- Mukhriani. (2014). EKSTRAKSI, PEMISAHAN SENYAWA, DAN IDENTIFIKASI SENYAWA AKTIF. *Jurnal Kesehatan*, Vol. 7 (2): 361-367. <https://doi.org/10.24252/kesehatan.v7i2.55>.
- Murtiningsih & Suryanti. *Membuat Tepung Umbi dan Variasi Olahannya*. (2011). Jakarta: Agromedia Pustaka.
- Munagapati, V.S., Vijaya, Y., Yeji, K., Kwon, M.L. & Dong-Su, K. (2018). Removal of anionic dyes (Reactive Black 5 and Congo Red) from aqueous solutions using

Banana Peel Powder as an adsorbent. *Ecotoxicology and Environmental Safety* 148: 601–607. <https://doi.org/10.1016/j.ecoenv.2017.10.075>.

Motaghi & Parisa. (2016). Adsorptive Removal of Cadmium and Lead From *Oryza Sativa* Rice by Banana Peel as Bio-Sorbent. *Biomed. & Pharmacol. J.*, Vol. 9 (2): 739-749 <http://dx.doi.org/10.13005/bpj/998>.

Mohapatra, D., Sabyasachi Mishra & Namrata Sutar. (2010). Banana and its by-product utilisation: an overview. *Journal of Scientific & Industrial Research*, Vol. 69: 323-329. https://www.researchgate.net/publication/230650431_Banana_and_its_by-product_utilisation_An_overview.

Nelson, A. L. (2001). *High-Fibre Properties and Analyses. In American Association of Cereal Chemists, Inc. (Ed.), High-fibre ingredients*. St Paul, Minnesota: Eagan Press.

Negroiu, M.; Ţurcanu, A.A.; Matei, E.; Râpă, M.; Covaliu, C.I.; Predescu, A.M.; Pantilimon, C.M.; Coman, G.; Predescu, C. (2021). Novel Adsorbent Based on Banana Peel Waste for Removal of Heavy Metal Ions from Synthetic Solutions. *Materials*, 14: 3946 <https://doi.org/10.3390/ma14143946>.

Newell, R. & P. Burnard. (2006). *Research for Evidence-Based Practice in Healthcare* Second edition. Sussex: Blackwell Publishing. Diakses dari: <https://download.e-bookshelf.de/download/0000/5949/00/L-G-0000594900-0002362400.pdf>.

Nguyen, V. T., Pham, N. M. Q., Vuong, Q. V., Bowyer, M. C., van Altena, I. A. & Scarlett, C. J. (2016). Phytochemical Retention and Antioxidant Capacity of Xao Tam Phan (*Paramignya trimera*) Root as Prepared by Different Drying Methods. *Drying Technology*, 43: 324-334. <http://dx.doi.org/10.1080/07373937.2015.1053566>.

Nurani, S. & Yuwono, S.S. (2014). Pemanfaatan Tepung Kimpul (*Xanthosoma sagittifolium*) sebagai Bahan Baku Cookies (Kajian Proporsi Tepung dan Penambahan Margarin). *Jurnal Pangan dan Agroindustri*, Vol. 2 (2): 50-58. <https://jpa.ub.ac.id/index.php/jpa/article/view/37>.

Nurbaya, S.R., Widya, D.R.P. & Erni, S.M. (2018). PENGARUH CAMPURAN PELARUT AQUADES-ETANOL TERHADAP KARAKTERISTIK EKSTRAK BETASIANIN DARI KULIT BUAH NAGA MERAH (*Hylocereus polyrhizus*). *Jurnal Teknologi Pertanian*, Vol.19 (3): 153-160.

Nurdyansyah, Fafa & Umar Hafidz Asyari Hasbullah. (2018). Optimasi Fermentasi Asam Laktat oleh *Lactobacillus Casei* pada Media Fermentasi yang Disubstitusi

- Tepung Kulit Pisang. *AL-KAUNIYAH; Journal of Biology*, 11 (1): 64-71. <https://doi.org/10.15408/kauniyah.v11i1.6166>.
- Nurhayati, N., M.Maryanto & Rika Tafrikhah. (2016). Ekstraksi Pektin dari Kulit dan Tandan Pisang dengan Variasi Suhu dan Metode. *AGRITECH*, Vol. 36 (3): 327-334. <https://doi.org/10.22146/agritech.16605>.
- Nugroho, A.A., Basito, R.. & Baskara, K.A. (2013). Kajian Pembuatan Edible Film Tapioka dengan Pengaruh Penambahan Pektin Beberapa Jenis Kulit Pisang Terhadap Karakteristik Fisik dan Mekanik. *Teknosains Pangan*, Vol 2 (1): 74. <https://jurnal.uns.ac.id/teknosains-pangan/article/view/4276>.
- Nurhayati, C. & Oktavia,A. (2014). Teknologi Mutu Tepung Pisang dengan Sistem *Spray Drying* untuk Biskuit. *Jurnal Dinamika Penelitian Industri* Vol. 25 (1): 31-41. DOI: [10.28959/jdpi.v25i1.676](https://doi.org/10.28959/jdpi.v25i1.676).
- Othmer, K. (1998). *Encyclopedia of Chemical Technology*, 4th ed. New Jersey: Interscience Willey.
- Oladipo, A.A., Edith, O.A. & Mustafa, G. (2019). High adsorptive potential of calcined magnetic biochar derived from banana peels for Cu²⁺, Hg²⁺, and Zn²⁺ ions removal in single and ternary systems. *Environ Sci Pollut Res*. <https://doi.org/10.1007/s11356-019-06321-5>.
- Özer, A., Tanyildizi, M. S., & Tümen, F. (1998). Study of Cadmium Adsorption from Aqueous Solution on Activated Carbon from Sugar Beet Pulp. *Environmental Technology*, Vol. 19 (11): 1119–1125. <http://dx.doi.org/10.1080/09593331908616770>.
- Palmatier, R. W., Houston, M. B., & Hulland, J. (2017). Review articles: purpose, process, and structure. *Journal of the Academy of Marketing Science*, Vol. 46(1): 1–5. <http://dx.doi.org/10.1007/s11747-017-0563-4>.
- Palar,H. (1994). Pencemaran dan Toksikologi Logam Berat. Jakarta: Rineka Cipta.
- Pangastuti, H.A., Dian, R.A. & Dwi, I. (2013). Karakterisasi sifat fisik dan kimia tepung kacang merah (*Phaseolus vulgaris* l.) dengan beberapa perlakuan pendahuluan. *Jurnal Teknosains Pangan* Vol. 2 (1): 20-29. <https://jurnal.uns.ac.id/teknosains-pangan/article/view/4204>.
- Pankaj, S., Balqees, A. T., Najat, A. N., & Rahma, A. M. (2012). Effect of temperature on antibiotic properties of garlic (*Allium sativum* L.) and ginger (*Zingiber officinale* Rosc.). *African Journal of Biotechnology*, Vol. 11 (95): 16192–16195. <http://dx.doi.org/10.5897/AJB12.1402>.

- Parfitt, J., Barthel, M., & Macnaughton, S. (2010). Food waste within food supply chains: quantification and potential for change to 2050. *Philosophical Transactions of the Royal Society B: Biological Sciences*, Vol. 365(1554): 3065–3081. <http://dx.doi.org/10.1098/rstb.2010.0126>.
- Pawlak, V. & Jason, N.D. (2008). Dopamine Receptor Activation Is Required for Corticostriatal Spike-Timing-Dependent Plasticity. *Journal of Neuroscience* 5, Vol. 28 (10): 2435-2446. <https://www.jneurosci.org/content/28/10/2435>.
- Pérez-Marín, A.B.; Zapata, V.M.; Ortuño, J.F.; Aguilar, M.I.; Saez, J.; Lloréns, M. (2007). Removal of cadmium from aqueous solutions by adsorption onto orange waste. *J. Hazard. Mater.*, 139: 122–131. <https://doi.org/10.1016/j.jhazmat.2006.06.008>.
- Pelissari, F. M., Sobral, P. J. A. & Menegalli, F. C. (2013). Isolation and characterization of cellulose nanofibers from banana peels. *Cellulose*, Vol. 21(1): 417–432. <http://dx.doi.org/10.1007/s10570-013-0138-6>.
- Pham, M. T., Lee, L., & Stephen, A. T. (2012). Feeling the Future: The Emotional Oracle Effect. *Journal of Consumer Research*, Vol. 39(3): 461–477. <http://dx.doi.org/10.1086/663823>.
- P. Pongmalai, S. Devahastin, N. Chiewchan & S. Soponronnarit. (2015). Enhancement of Microwave-Assisted Extraction of Bioactive Compounds from Cabbage Outer Leaves via The Application of Ultrasonic Pretreatment. *J. Separ. and Purif. Tech.*, 144: 37- 45. <https://doi.org/10.1016/j.seppur.2015.02.010>.
- Prasetyowati, Karina Permata Sari & Healty Pesantri. (2009). Ekstraksi Pektin dari Kulit Mangga. *Jurnal Teknik Kimia*, Vol. 16 (4) : 42 - 49. <http://jtk.unsri.ac.id/index.php/jtk/article/view/93/92>.
- Prastiawan ,Ari, Dade Jubaedah & Mochamad Syaifudin. (2019). Pemanfaatan Karbon Aktif Kulit Pisang Kepok (*Musa Acuminata* L.) pada Sistem Filtrasi Budidaya Ikan Nila (*Oreochromis Niloticus*). *Jurnal Akuakultur Rawa Indonesia*, Vol. 7 (1): 55-66. <http://dx.doi.org/10.36706/jari.v7i1.9022>.
- Purnama, P.E., I Gusti Ayu, K.S.P.D. & Ketut, R. (2015). KAPASITAS ADSORPSI BEBERAPA JENIS KULIT PISANG TERAKTIVASI NaOH SEBAGAI ADSORBEN LOGAM TIMBAL (Pb). *Jurnal Kimia*, Vol. 9 (2): 196-202. DOI: <https://doi.org/10.24843/JCHEM.2015.v09.i02.p09>.
- Purwanto, H. (2010). Pengembangan Microwave Assisted Extractor (MAE) Pada Produksi Minyak Jahe Dengan Kadar Zingiberene Tinggi. *Momentum*, Vol. 6 (2): 9 – 16. <https://media.neliti.com/media/publications/138470-ID-none.pdf>.

- Quan, L., Haining. L., Tengyun, L., Min, G., Binju, Q., Xiushen, Y., Zhijian, W. (2010). Strontium and Calcium Ion Adsorption by Molecularly Imprinted Hybrid Gel. *Chem. Eng. J.*, 157: 401-407. <https://doi.org/10.1016/j.cej.2009.11.029>.
- R, Arivazhagan., & P, Geetha. (2018). Analysis of Supply Chain Wastage for Banana at Wholesale Distribution Points in Tamilnadu. *International Journal of Engineering & Technology*, Vol. 7(3.12), 53. <http://dx.doi.org/10.14419/ijet.v7i3.12.15862/>
- R.A. DAY, JR. & A.L. UNDERWOOD. (1983). “Analisa Kimia Kuantitatif” edisi Ke Penterjemah Drs. R. SOENDORO, Universitas Airlangga-Surabaya. Jakarta: Penerbit Erlangga.
- Ramdhani, Abdullah, Muhammad Ali Ramdhani & Abdusy Syakur Amin. (2014). Writing a Literature Review Research Paper: A step-by-step approach. *International Journal of Basic and Applied Science*, Vol. 03 (01): 47-56. <http://digilib.uinsgd.ac.id/5129/1/08IJBAS%283%29%281%29.pdf>.
- Ramirez, J.A., Juan, F., Castanon-Rodriguez. & Rocio, M., U., M. (2021). An exploratory study of possible food waste risks in supermarket fruit and vegetable sections. *Food Science and Technology*, Vol. 41 (4): 967-973. <https://doi.org/10.1590/fst.27320>.
- Rasidek, N.A.M., Mariam, F.M.N., Yus A.Y., Hideaki, T. & Yuichiro, N. (2018). Jurnal Teknologi (*Sciences & Engineering*) 80 (3): 97–103. <http://www.jurnalteknologi.utm.my/>.
- Rattanapan Cheerawit & Weerawat Ounsaneha. (2020). Environmental Impact Assessment of Thai Banana Supply Chain, *International Journal of Environmental Science and Development* Vol. 11 (7): 341-346. <http://dx.doi.org/10.18178/ijesd.2020.11.7.1273>.
- Rezaei, M. & Bin Liu. (2017). FOOD LOSS AND WASTE IN THE FOOD SUPPLY CHAIN. *NUTFRUIT*. <https://www.researchgate.net/publication/318760768>.
- Ridhuan, K. & Joko, S. (2016). PERBANDINGAN PEMBAKARAN PIROLISIS DAN KARBONISASI PADA BIOMASSA KULIT DURIAN TERHADAP NILAI KALORI. *TURBO*, Vol. 5 (1): 50-56. <http://ojs.ummetro.ac.id/index.php/turbo>.
- Rivadeneira, Joel P., Tao Wu , Quincy Ybanez , Adeliza A. Dorado, Veronica P. Migo, Fidel Rey P. Nayve Jr. & Katherine Ann T. Castillo-Israel. (2020). Microwave-Assisted Extraction of Pectin from “Saba” Banana Peel Waste: Optimization,

Characterization, and Rheology Study. *Hindawi International Journal of Food Science*. <https://doi.org/10.1155/2020/8879425>.

Rungraeng, N. & Supaluck Kraithong. (2020). Effect of Acid Type and Concentration on Properties of Pectin Extracted from Unripe Cavendish Banana Peel and Its Application in Raspberry Jam. *EAEF* Vol. 13 (1): 1-8. <http://dx.doi.org/10.37221/eaef.13.1.1>.

Rostagno, M. A. & Prado, J. M. (2013). *Natural Products Extraction: Principles and Applications*. Cambridge: RSC Publishing.

S. D. Sarker & L. Nahar. (2012). *Natural Product Isolation*. London: Springer Science.

Sagar, V. & Kumar, P. S. (2010). Recent advances in drying and dehydration of fruits and vegetables: a review. *Journal of Food Science and Technology*, 47: 15-26. <https://dx.doi.org/10.1007%2Fs13197-010-0010-8>.

Sagar Narashans Alok, Sunil Pareek, Sunil Sharma, Elhadi M. Yahia & Maria Gloria Lobo. (2018). Fruit and Vegetable Waste: Bioactive Compounds, Their Extraction, and Possible Utilization. *Comprehensive Reviews in Food Science and Food Safety*, Vol.17: 512-531. <https://doi.org/10.1111/1541-4337.12330>.

Salimi, Y.K. & Citron, S.P. (2019). PEMBERDAYAAN MASYARAKAT DALAM PENINGKATAN NILAI TAMBAH PENGOLAHAN LIMBAH KULIT PISANG (*MUSA PARADISIACA*) MENJADI TEPUNG UNTUK MENINGKATKAN PENDAPATAN MASYARAKAT. *Jurnal Pengabdian Kepada Masyarakat*, Vol. 25 (1): 42-46. <http://jurnal.unimed.ac.id/2012/index.php/jpkm/article/view/13938>.

Sally Witcher. (2013). Inclusive Equality: A Vision for Social Justice. *Journal of Social Policy*, 43(4): 857-859. <https://doi.org/10.1017/S0047279414000488>.

Santeramo, F. G., & Lamonaca, E. (2021). Food Loss–Food Waste–Food Security: A New Research Agenda. *Sustainability*, Vol. 13 (9): 4642. <http://dx.doi.org/10.3390/su13094642>.

Saori, S., Sela, A., Risma, M., M. Nuralamsyah., Emillio, R.S.D. & Anbia, U. (2021). ANALISIS PENGENDALIAN MUTU PADA INDUSTRI LILIN (Studi kasus pada PD.Ikram Nusa Persada Kota Sukabumi). *Jurnal Inovasi Penelitian*, Vol. 1 (10): 2133-2138. <https://stp-mataram.e-journal.id/JIP/article/download/415/346/>

Sarananda K.H. & Wijerathnam R.S.W. (1994). Controlled atmosphere storage of 'Embul' banana, *Tropical Agriculture Research*, Vol. 6:17-22. <http://dl.nsf.ac.lk/bitstream/handle/1/11764/PGIATAR-6-17.pdf?sequence=2>.

- Sarwono, B. (2001). *Khasiat dan Manfaat Jeruk Nipis*. Jakarta: Agromedia Pustaka.
- Secretaria de Integración Económica Centroamericana. (2016). *Integración Económica Centroamericana Base de datos 2016*. Meksiko: Martha Cordero. Diakses dari: https://repositorio.cepal.org/bitstream/handle/11362/42231/1/S1700981_es.pdf.
- Selvaraju G, Bakar NKA. (2017). Production Of A New Industrially Viable Green-Activated Carbon From Artocarpus Integer Fruit Processing Waste And Evaluation Of Its Chemical, Morphological And Adsorption Properties. *J Clean Prod* 141: 989–999. <https://doi.org/10.1016/j.jclepro.2016.09.056>.
- Šeremet Danijela, Ksenija Durgo, Stela Jokić, Ana Huđek, Aleksandra Vojvodić Cebin, Ana Mandura, Jasna Jurasović & Draženka Komes. (2020). Valorization of Banana and Red Beetroot Peels: Determination of Basic Macrocomponent Composition, Application of Novel Extraction Methodology and Assessment of Biological Activity In Vitro. *Sustainability*, 12: 4539. <https://doi.org/10.3390/su12114539>.
- Sembiring, B. (2007). Teknologi Penyiapan Simplisia Terstandar Tanaman Obat. *Warta Puslitbangbun*, Vol. 13 (2). <http://dx.doi.org/10.33096/balireso.v1i1.3>.
- Setyadjit, S., Erni, S. & Risfaheri, R. (2018). Fruit Waste Potential, a Weakness or a Potency, Doing Locally Effect Globally. *Journal of Advanced Agricultural Technologies* Vol. 5 (2): 153-158. <http://www.joaat.com/uploadfile/2019/0111/20190111112823417.pdf>.
- Shirsath, S.R., Sonawane, S.H. & Gogate, P.R. (2012). Intensification of extraction of natural products using ultrasonic irradiations—A review of current status. *Chem. Eng. Process* 53: 10–23. <http://dx.doi.org/10.1016/j.cep.2012.01.003>.
- Siddiq, M., Sinha, N. K., & Cash, J. N. (1992). Characterization of Polyphenoloxidase from Stanley Plums. *Journal of Food Science*, Vol. 57(5): 1177–1179. <http://dx.doi.org/10.1111/j.1365-2621.1992.tb11292.x>.
- Sirait, M. (2007). *Penuntun Fitokimia dalam Farmasi*. Bandung: Penerbit ITB.
- Simmonds, N. W. (1962). Variability In Crop Plants, Its Use And Conservation. *Biological Reviews*, Vol. 37(3): 422–465. <https://doi.org/10.1111/j.1469-185X.1962.tb01620.x>.
- Singh S., Nargis, P. & Himanshu, G. (2018). Adsorptive decontamination of rhodamine-B from water using banana peel powder: A biosorbent.

Environmental Technology & Innovation.
<https://doi.org/10.1016/j.eti.2018.09.001>.

Skoog, Holler, Nieman. (1998). *Principles of Instrumental Analysis*, 5th ed. USA: Saunders College Publishing.

Subagio, A. (2006). Ubi Kayu Substitusi Berbagai Tepung-Tepungan. *Food Review*, Vol. 1 (3): 18-22. <https://doi.org/10.33964/jp.v22i3.99>.

Sulaiman, N., M. Ida Idayu., A.Z. Ramlan, M. Nur Fashya, A.N. Nor Farahiyah, J. Mailina & M.A. Nor Azah. (2015). Effects Of Extraction Methods On Yield And Chemical Compounds Of Gaharu (*Aquilaria malaccensis*). *Journal of Tropical Forest Science*, Vol. 27 (3): 413-419. <https://www.frim.gov.my/v1/JTFSONline/jtfs/v27n3/413-419.pdf>.

Sulihono, A., B. Tarihoran. & T. E. Agustina. (2012). Pengaruh Waktu, Temperatur, dan Jenis Pelarut terhadap Ekstraksi Pektin dari Kulit Jeruk Bali (*Citrus maxima*). *J. Teknik Kimia*, Vol. 4 (8): 1-8. <http://jtk.unsri.ac.id/index.php/jtk/article/view/27/29>.

Sumarjono, H. (1997). *Prospek Berkebun Buah*. Bogor: Swadaya.

Suprpto, H. (2006). Pengaruh Perendaman Pisang Kepok (*Musa acuminata balbisiana* Calla) dalam Larutan Garam terhadap Mutu Tepung yang Dihasilkan. *Jurnal Teknologi Pertanian*, Vol. 1 (2): 74-80.

Syamsiro M, Saptoadi H, Norsujianto T, Noviasri Cheng S, Alimuddin Z. & Yoshikawa K. (2014). Fuel oil production from municipal plastic wastes in sequential pyrolysis and catalytic reforming reactors. *Energy Procedia* 47:180 – 188. <http://dx.doi.org/10.1016/j.egypro.2014.01.212>.

Tanaid, R.A.B. (2018). Extraction Optimization of Pectin from Unripe Banana (*Musa acuminata* × *balbisiana* var. *Cardaba*) Peel. *International Journal of Food Engineering* Vol. 4 (4): 308-315. <http://dx.doi.org/10.18178/ijfe.4.4.308-315>.

Tarigan, Martha Angelina, Kaban Irza Menka D. & Hanum, F. (2012). Ekstraksi Pektin dari Kulit Buah Pisang Kepok (*Musa paradisiaca*). *Jurnal Teknik Kimia*, Universitas Sumatera. <https://jurnal.usu.ac.id/index.php/jtk/article/view/135>.

Teunou, E., Vasseur, J., & Krawczyk, M. (1999). Measurement and interpretation of bulk solids angle of repose for industrial process design. *Powder Processing and Handling*, Vol. 7(3): 219–227. <https://www.sciencedirect.com/topics/agricultural-and-biological-sciences/angle-of-repose>.

- Thani Najaa Syuhada Mohamad, Rozidaini Mohd Ghazi & Norhisyam Ismail. (2017). Banana Peel Biochar as Alternative Source of Potassium for Plant Productivity and Sustainable Agriculture. *Malaysian Journal Of Analytical Sciences*, Vol. 21 (5): 1101 – 1110. <https://doi.org/10.17576/Mjas-2017-2105-12>.
- The Economist Intelligence Unit. (2014). Global Food Security Index 2014: An annual measure of the state of global food security. United States. Diakses dari <https://foodsecurityindex.eiu.com/Home/DownloadResource?fileName=EIU%20Global%20Food%20Security%20Index%20-%202014%20Findings%20%26%20Methodology.pdf>.
- Towle, G.A. & Christensen, O. (1973). *Pectin*. New York: Academic Press.
- Tranggono & Sutardi. (1990). *Biokimia dan Teknologi Pasca Panen*. Yogyakarta: Gajah Mada University Press.
- Tuhuloula, A. (2013). Karakteristik Pektin dengan Memanfaatkan Limbah Kulit Pisang Menggunakan Metode Ekstraksi. *Jurnal Konversi*, Vol. 2 (1): 21-27. <http://dx.doi.org/10.20527/k.v2i1.123>.
- Türker B, Savlak N, Kaşıkçı M. B. (2016). Uji Aktivitas Inokulum Tempe dari Bahan Limbah Kulit Pisang terhadap Mutu Tempe Kedelai. *Curr Res Nutr Food*, Vol. 4 (2): 197-204. <http://dx.doi.org/10.12944/CRNFSJ.4.Special-Issue-October.25>.
- Vilardi, G., L. Di Palma & N. Verdone. (2017). Heavy metals adsorption by banana peels micro-powder: Equilibrium modeling by non-linear models. *Chinese Journal of Chemical Engineering*, Vol. 26 (3): 455– 464. <https://doi.org/10.1016/j.cjche.2017.06.026>.
- Vu, H. T., Scarlett, C. J., & Vuong, Q. V. (2016). Effects of drying conditions on physicochemical and antioxidant properties of banana (*Musa cavendish*) Peels. *Drying Technology*, Vol.35 (9): 1141-1151. <http://dx.doi.org/10.1080/07373937.2016.1233884>.
- Walter, W.M. & Albert, E.P. (1980). Effect of substrate levels and polyphenol oxidase activity on darkening in sweet potato cultivars. *J. Agric. Food Chem.*, Vol. 28 (5): 941–944. <https://doi.org/10.1021/jf60231a031>.
- Wang Q., Pagan J. & Shi J. (2002). *Pectin from Fruits*. Functional Foods and Nutraceuticals. Boca Raton: CRC Press, 263–310.
- Weller, A., C.A. Sims, R.F. Matthews, R.P. Bates & J.K. Brecht. (1997). Browning susceptibility and changes in composition during storage of carambola slices. *J Food Sci.*, Vol. 62: 256-60.

https://www.researchgate.net/publication/272503794_Effect_of_anti-browning_agents_on_quality_changes_of_loquat_Eriobotryca_Japonica_Thunb_Lindley_fruit_after_harvest.

- Wijaya, K., Eko Sugiharto & Is Fatimah. (2006). UTILISASI TiO₂-ZEOLIT DAN SINAR UV UNTUK FOTODEGRADASI ZAT WARNA CONGO RED. *Jurnal Teknologi Industri*, Vol. 11 (3): 199-209. <http://dx.doi.org/10.20885/teknoin.vol11.iss3.art4>.
- Willat, W.G.T., Knox, J.P. & Mikkelsen, J.D. (2006). Pectin: New Insights into on Old Polymer are Starting to Gel. *Trends in Food Science and Technology*, 17: 97-1004. <http://dx.doi.org/10.1016/j.tifs.2005.10.008>.
- Wilaipon, P. (2009). The Effects of Briqueting Pressure on Banana Peel Briquette and The Banana Waste in Northern Thailand. *American Journal of Applied Sciences*, Vol.6: 167-171. <http://dx.doi.org/10.3844/ajas.2009.167.171>.
- Winarti, S. (2010). *Makanan Fungsional*. Yogyakarta: Graha Ilmu.
- Wilson, I.D. (2000). *Encyclopedia of Separation Science*. Cambridge: Academic Press.
- Yanuarti, A. R. & M.D. Afsari. (2016). Profil Komoditas Barang Kebutuhan Pokok dan Barang Penting Komoditas Terigu. Jakarta. Direktorat Jendral Perdagangan Dalam Negeri Kementerian Perdagangan.
- Yeoh, S., Shi, J. & Langrish, T.A.G. (2008). Comparison Between Different Techniques for Water-Based Extraction of Pectin from Orange Peels. *Desalination* 218: 229-237. <http://dx.doi.org/10.1016/j.desal.2007.02.018>.
- Yulendra Lalu & Muharis Ali. (2018). Pemanfaatan Kulit Pisang untuk Pembuatan Brokupas (Brownies Kulit Pisang). *Media Bina Ilmiah* 668, Vol.12 (12). <https://doi.org/10.33758/mbi.v12i12.133>.
- Yusuf Ifrah, Fabio Flagiello, Neil I. Ward, Harvey Arellano-García, Claudio Avignone-Rossa & Mónica Felipe-So. (2020). Valorisation of banana peels by hydrothermal carbonisation: Potential use of the hydrochar and liquid by-product for water purification and energy conversion. *Bioresource Technology Reports*. <https://doi.org/10.1016/j.biteb.2020.100582>.
- Zaini, H.B.M., Mohd, D.B.S. & Wolyna, P. (2021). The Roles Of Banana Peel Powders to Alter Technological Functionality, Sensory and Nutritional Quality of Chicken Sausage. *Food Sci Nutr*, Vol. 8: 5497–5507. <https://doi.org/10.1002/fsn3.1847>.

- Zhu, Yong, Walter H. Hsu & James H. Hollis. (2013). The Impact of Food Viscosity on Eating Rate, Subjective Appetite, Glycemic Response and Gastric Emptying Rate. *PLoS One*, Vol. 8 (6): 1-6. <https://doi.org/10.1371/journal.pone.006748>.
- Zhou, Nan, Honggang Chen, Junting Xi, Denghui Yao, Zhi Zhou, Yun Tian & Xiangyang Lu. (2017). Adsorption Property Produced from Fresh and Dehydrated Banana Peels via Hydrothermal Carbonization. *Bioresource Technology*. <http://dx.doi.org/10.1016/j.biortech.2017.01.074>.
- Zou TB, En-Qin Xia, Tai-Ping He, Ming-Yuan Huang, Qing Jia & Hua-Wen Li. (2014). Ultrasound Assisted Extraction of Manganiferin from Mango Leaves Using Response Surface Methodology. *Molecules*, Vol. 19: 1411-1421. <http://dx.doi.org/10.3390/molecules19021411>.

