

## DAFTAR PUSTAKA

- Ahmed, M., Pickova, J., Ahmad, T., Liaquat, M., Farid, A., & Jahangir, M. (2016). Oxidation of lipids in foods. *Sarhad Journal of Agriculture*, 32(3), 230-238. [https://www.researchgate.net/publication/307549158\\_Oxidation\\_of\\_Lipids\\_in\\_Foods](https://www.researchgate.net/publication/307549158_Oxidation_of_Lipids_in_Foods)
- Akyol, H., Riciputi, Y., Capanoglu, E., Caboni, M. F., & Verardo, V. (2016). Phenolic compounds in the potato and its byproducts: an overview. *International Journal of Molecular Sciences*, 17(6), 835. <https://sci-hub.se/10.3390/ijms17060835>
- Albishi, T., John, J. A., Al-Khalifa, A. S., & Shahidi, F. (2013). Phenolic content and antioxidant activities of selected potato varieties and their processing by-products. *Journal of Functional Foods*, 5(2), 590–600. <https://sci-hub.se/https://doi.org/10.1016/j.jff.2012.11.019>
- Altemimi, A. B. (2018). Extraction and Optimization of Potato Starch and Its Application as a Stabilizer in Yogurt Manufacturing. *Foods*, 7(2), 14. <https://sci-hub.se/https://doi.org/10.3390/foods7020014>
- Amado, I. R., Franco, D., Sánchez, M., Zapata, C., & Vázquez, J. A. (2014). Optimisation of antioxidant extraction from Solanum tuberosum potato peel waste by surface response methodology. *Food chemistry*, 165, 290-299. <https://sci-hub.se/10.1016/j.foodchem.2014.05.103>
- Arapoglou, D., Varzakas, T., Vlyssides, A., & Israilides, C. (2010). Ethanol production from potato peel waste (PPW). *Waste Management*, 30(10), 1898–1902. <https://sci-hub.se/10.1016/j.wasman.2010.04.017>
- Bastos, G. M., Júnior, M. S. S., Caliari, M., de Araujo Pereira, A. L., de Morais, C. C., & Campos, M. R. H. (2016). Physical and sensory quality of gluten-free spaghetti processed from amaranth flour and potato pulp. *LWT-Food Science and Technology*, 65, 128-136. <https://sci-hub.se/10.1016/j.lwt.2015.07.067>
- Borah, P. P., Das, P., & Badwaik, L. S. (2017). Ultrasound treated potato peel and sweet lime pomace based biopolymer film development. *Ultrasonics Sonochemistry*, 36, 11–19. <https://sci-hub.se/10.1016/j.ulsonch.2016.11.010>
- Boruczkowska, H., Boruczkowski, T., Figurska-Ciura, D., & Drożdż, W. (2020). Effect of addition of dried potato pulp on selected quality characteristics of shortcrust pastry cookies. *Open Life Sciences*, 15(1), 735-741. <https://sci-hub.se/10.1515/biol-2020-0093>
- BPS. (2019). Data Produksi dan Luas Panen Kentang. Statistik Hortikultura 2019. <https://www.bps.go.id/publication/download.html?nrbyfeve=NWViNzljYTc3N2NINGjhN2EyOTA4YTRk&xzmn=aHR0cHM6Ly93d3cuYnBzLmdvLmlkL3B1YmxpY2F0aW9uLzIwMjAvMDgvMjgvNWViNzljYTc3N2NINGjhN2EyOTA4YTRkL3N0YXRpc3Rpaylob3J0aWt1bHR1cmEtMjAxOS5odG1s&twoadfnorfeauf=MjAyMS0xMi0wMyAxNjowMj0OA%3D%3D>
- Burgos, G., Zum Felde, T., Andre, C., & Kubow, S. (2020). The potato and its contribution to the human diet and health. *The Potato Crop*, 37-74. [https://link.springer.com/chapter/10.1007/978-3-030-28683-5\\_2](https://link.springer.com/chapter/10.1007/978-3-030-28683-5_2)
- Cai, X., Du, X., Zhu, G., Cai, Z., & Cao, C. (2020). The use of potato starch/xanthan gum combinations as a thickening agent in the formulation of tomato ketchup. *CyTA-Journal of Food*, 18(1), 401-408. <https://sci-hub.se/10.1080/19476337.2020.1760943>

- Cao, Y., Zhang, F., Guo, P., Dong, S., & Li, H. (2019). Effect of wheat flour substitution with potato pulp on dough rheology, the quality of steamed bread and in vitro starch digestibility. *LWT*, 111, 527-533. <https://sci-hub.se/10.1016/j.lwt.2019.01.034>
- Chen, C., Chaudhary, A., & Mathys, A. (2020). Nutritional and environmental losses embedded in global food waste. *Resources, Conservation and Recycling*, 160, 104912. <https://sci-hub.se/10.1016/j.resconrec.2020.104912>
- Curti, E., Carini, E., Diantom, A., & Vittadini, E. (2016). The use of potato fibre to improve bread physico-chemical properties during storage. *Food chemistry*, 195, 64-70. <https://sci-hub.se/10.1016/j.foodchem.2015.03.092>
- Dhingra, D., Michael, M., & Rajput, H. (2012). Physico-chemical characteristics of dietary fibre from potato peel and its effect on organoleptic characteristics of biscuits. *Journal of Agricultural Engineering*, 49(4), 25-32. [https://www.researchgate.net/publication/262158834\\_Physico-Chemical\\_Characteristics\\_of\\_Dietary\\_Fibre\\_from\\_Potato\\_Peel\\_and\\_its\\_Effect\\_on\\_Organoleptic\\_Characteristics\\_of\\_Biscuits](https://www.researchgate.net/publication/262158834_Physico-Chemical_Characteristics_of_Dietary_Fibre_from_Potato_Peel_and_its_Effect_on_Organoleptic_Characteristics_of_Biscuits)
- Duarte, K., Justino, C. I. L., Gomes, A. M., Rocha-Santos, T., & Duarte, A. C. (2014). Green analytical methodologies for preparation of extracts and analysis of bioactive compounds. In *Comprehensive analytical chemistry* (Vol. 65, pp. 59-78). Elsevier. <https://sci-hub.se/10.1016/b978-0-444-63359-0.00004-5>
- Elžbieta, R. (2012). The effect of industrial potato processing on the concentrations of glycoalkaloids and nitrates in potato granules. *Food Control*, 28(2), 380-384. <https://sci-hub.se/10.1016/j.foodcont.2012.04.049>
- FAO. (2009). New light on a hidden treasure: International Year of the Potato 2008, an end-of-year review. Rome, Italy: Food and Agriculture Organization of the United Nations. <https://www.fao.org/publications/card/en/c/c55eefde-ab51-5e8b-8237-7e8ed9796b93/>
- FAOSTAT. (2019). Statistical databases. *Food and Agriculture Organization of the United Nations*. <https://www.fao.org/faostat/en/#data/QCL>
- Farvin, K. S., Grejsen, H. D., & Jacobsen, C. (2012). Potato peel extract as a natural antioxidant in chilled storage of minced horse mackerel (*Trachurus trachurus*): Effect on lipid and protein oxidation. *Food Chemistry*, 131(3), 843-851. <https://sci-hub.se/10.1016/j.foodchem.2011.09.056>
- Franco, D., Pateiro, M., Rodríguez Amado, I., López Pedrouso, M., Zapata, C., Vázquez, J. A., & Lorenzo, J. M. (2016). Antioxidant ability of potato (*Solanum tuberosum*) peel extracts to inhibit soybean oil oxidation. *European Journal of Lipid Science and Technology*, 118(12), 1891–1902. <https://sci-hub.se/10.1002/ejlt.201500419>
- Friedman, M., Huang, V., Quiambao, Q., Noritake, S., Liu, J., Kwon, O., ... & Land, K. M. (2018). Potato peels and their bioactive glycoalkaloids and phenolic compounds inhibit the growth of pathogenic trichomonads. *Journal of agricultural and food chemistry*, 66(30), 7942-7947. <https://sci-hub.se/10.1021/acs.jafc.8b01726>
- Friedman, M., Kozukue, N., Kim, H. J., Choi, S. H., & Mizuno, M. (2017). Glycoalkaloid, phenolic, and flavonoid content and antioxidative activities of conventional nonorganic and organic potato peel powders from commercial gold, red, and Russet potatoes. *Journal of Food Composition and Analysis*, 62, 69-75. <https://sci-hub.se/10.1016/j.jfca.2017.04.019>

- Fritsch, C., Staebler, A., Happel, A., Cubero Márquez, M. A., Aguiló-Aguayo, I., Abadias, M., ... & Belotti, G. (2017). Processing, valorization and application of bio-waste derived compounds from potato, tomato, olive and cereals: A review. *Sustainability*, 9(8), 1492. <https://sci-hub.se/10.3390/su9081492>
- Frontuto, D., Carullo, D., Harrison, S. M., Brunton, N. P., Ferrari, G., Lyng, J. G., & Pataro, G. (2019). Optimization of pulsed electric fields-assisted extraction of polyphenols from potato peels using response surface methodology. *Food and Bioprocess Technology*, 12(10), 1708-1720. <https://sci-hub.se/10.1007/s11947-019-02320-z>
- Gaudino, E. C., Colletti, A., Grillo, G., Tabasso, S., & Cravotto, G. (2020). Emerging processing technologies for the recovery of valuable bioactive compounds from potato peels. *Foods*, 9(11), 1598. <https://sci-hub.se/10.3390/foods9111598>
- Gebrechristos, H. Y., & Chen, W. (2018). Utilization of potato peel as eco-friendly products: A review. *Food science & nutrition*, 6(6), 1352-1356. <https://sci-hub.se/10.1002/fsn3.691>
- Gebrechristos, H. Y., Ma, X., Xiao, F., He, Y., Zheng, S., Oyungerel, G., & Chen, W. (2020). Potato peel extracts as an antimicrobial and potential antioxidant in active edible film. *Food Science & Nutrition*, 8(12), 6338-6345. <https://sci-hub.se/10.1002/fsn3.1119>
- Google Patent. (2002). Stabilized or stabilized, crosslinked waxy potato starch. <https://patentimages.storage.googleapis.com/e3/40/0a/52091e9dc4f1af/US6488980.pdf>. (Diakses 28 November 2021).
- Google Patent. (2019). Antioxidant Composition and Method for Producing Same. <https://patentimages.storage.googleapis.com/7a/49/56/689e6c50a4bad9/WO2019077145A1.pdf>. (Diakses 28 November 2021).
- Gustavsson, J., Cederberg, C., Sonesson, U., Otterdijk, R.v., Meybeck, A., 2011. Global food losses and food waste: Extent, causes and prevention. Food and Agriculture Organization of the United Nations, Rome. <https://www.fao.org/3/mb060e/mb060e.pdf>
- Hossain, M., Rawson, A., Aguiló-Aguayo, I., Brunton, N., & Rai, D. (2015). Recovery of Steroidal Alkaloids from Potato Peels Using Pressurized Liquid Extraction. *Molecules*, 20(5), 8560–8573. <https://sci-hub.se/10.3390/molecules20058560>
- Izwardy, D. (2018). Tabel Komposisi Pangan Indonesia. Jakarta: Kementerian Kesehatan RI. <http://repo.stikesperintis.ac.id/1110/1/32%20Tabel%20Komposisi%20Pangan%20Indonesia.pdf>
- Jagtap, S., Bhatt, C., Thik, J., & Rahimifard, S. (2019). Monitoring Potato Waste in Food Manufacturing Using Image Processing and Internet of Things Approach. *Sustainability*, 11(11), 3173. <https://sci-hub.se/10.3390/su11113173>
- Javed, A., Ahmad, A., Tahir, A., Shabbir, U., Nouman, M., & Hameed, A. (2019). Potato peel waste-its nutraceutical, industrial and biotechnological applications. *AIMS Agriculture and Food*, 4(3), 807-823. [https://www.researchgate.net/publication/335864795\\_Potato\\_peel\\_waste-its\\_nutraceutical\\_industrial\\_and\\_biotecnological\\_applications](https://www.researchgate.net/publication/335864795_Potato_peel_waste-its_nutraceutical_industrial_and_biotecnological_applications)
- Jensen, P. H., Jacobsen, O. S., Henriksen, T., Strobel, B. W., & Hansen, H. C. B. (2009). Degradation of the Potato Glycoalkaloids – α-Solanine and α-Chaconine

- in Groundwater. *Bulletin of Environmental Contamination and Toxicology*, 82(6), 668–672. <https://sci-hub.se/https://doi.org/10.1007/s00128-009-9698-4>
- Kahkeshani, N., Farzaei, F., Fotouhi, M., Alavi, S. S., Bahramoltani, R., Naseri, R., ... & Bishayee, A. (2019). Pharmacological effects of gallic acid in health and diseases: A mechanistic review. *Iranian Journal of Basic Medical Sciences*, 22(3), 225. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6528712/pdf/IJBMS-22-225.pdf>
- Kang, H. J., Won, M. Y., Lee, S. J., & Min, S. C. (2015). Plasticization and moisture sensitivity of potato peel-based biopolymer films. *Food science and biotechnology*, 24(5), 1703-1710. <https://sci-hub.se/10.1007/s10068-015-0221-x>
- Kosseva, M. R. (2020). Sources, characteristics and treatment of plant-based food waste. In *Food Industry Wastes* (pp. 37-66). Academic Press. <https://sci-hub.se/https://doi.org/10.1016/B978-0-12-817121-9.00003-6>
- Kot, A. M., Pobiega, K., Piwowarek, K., Kieliszek, M., Błażejak, S., Gniewosz, M., & Lipińska, E. (2020). Biotechnological methods of management and utilization of potato industry waste—a review. *Potato Research*, 1-17. <https://sci-hub.se/10.1007/s11540-019-09449-6>
- Krystyjan, M., Sikora, M., Adamczyk, G., & Tomaszik, P. (2012). Caramel sauces thickened with combinations of potato starch and xanthan gum. *Journal of Food Engineering*, 112(1-2), 22-28. <https://sci-hub.se/10.1016/j.jfoodeng.2012.03.035>
- Kumar, D., Mu, T. and Ma, M. (2020). Effects of potato flour on dough properties and quality of potato-wheat-yogurt pie bread. *Nutrition & Food Science*, 50(5), 885-901. <https://sci-hub.se/10.1108/nfs-05-2019-0158>
- Kumari, B., Tiwari, B. K., Hossain, M. B., Rai, D. K., & Brunton, N. P. (2017). Ultrasound-assisted extraction of polyphenols from potato peels: profiling and kinetic modelling. *International Journal of Food Science & Technology*, 52(6), 1432-1439. <https://sci-hub.se/10.1111/ijfs.13404>
- Li, S. S., & Lee, L. C. (2011). Using fishbone analysis to improve the quality of proposals for science and technology programs. *Research Evaluation*, 20(4), 275-282. <https://sci-hub.se/10.3152/095820211x13176484436050>
- Lopes, J., Gonçalves, I., Nunes, C., Teixeira, B., Mendes, R., Ferreira, P., & Coimbra, M. A. (2021). Potato peel phenolics as additives for developing active starch-based films with potential to pack smoked fish fillets. *Food Packaging and Shelf Life*, 28, 100644. <https://sci-hub.se/10.1016/j.fpsl.2021.100644>
- Lu, H., Tian, Z., Cui, Y., Liu, Z., & Ma, X. (2020). Chlorogenic acid: A comprehensive review of the dietary sources, processing effects, bioavailability, beneficial properties, mechanisms of action, and future directions. *Comprehensive Reviews in Food Science and Food Safety*, 19(6), 3130-3158. <https://sci-hub.se/https://doi.org/10.1111/1541-4337.12620>
- Luo, N., Olsen, T. L., & Liu, Y. (2021). A Conceptual Framework to Analyze Food Loss and Waste within Food Supply Chains: An Operations Management Perspective. *Sustainability*, 13(2), 927. <https://sci-hub.se/10.3390/su13020927>
- Martinez-Fernandez, J. S., Seker, A., Davaritouchae, M., Gu, X., & Chen, S. (2021). Recovering Valuable bioactive compounds from potato peels with sequential hydrothermal extraction. *Waste and Biomass Valorization*, 12(3), 1465-1481. <https://sci-hub.se/10.1007/s12649-020-01063-9>

- Mirabella, N., Castellani, V., & Sala, S. (2014). Current options for the valorization of food manufacturing waste: a review. *Journal of Cleaner Production*, 65, 28–41. <https://sci-hub.se/10.1016/j.jclepro.2013.10.051>
- Miranda, M. L., & Aguilera, J. M. (2006). Structure and Texture Properties of Fried Potato Products. *Food Reviews International*, 22(2), 173–201. <https://sci-hub.se/10.1080/87559120600574584>
- Morais, M. P. D., Caliari, M., Nabeshima, E. H., Batista, J. E. R., Campos, M. R. H., & Soares, M. S. (2018). Storage stability of sweet biscuit elaborated with recovered potato starch from effluent of fries industry. *Food Science and Technology*, 38, 216-222. <https://sci-hub.se/10.1590/fst.32916>
- Mordor Intelligence. (2021). Potato Market - Growth, Trends, Covid-19 Impact, and Forecasts (2021-2026). <https://www.mordorintelligence.com/industry-reports/potato-market>. (Diakses 28 November 2021).
- Omayio, D. G., Abong, G. O., & Okoth, M. W. (2016). A Review of Occurrence of Glycoalkaloids in Potato and Potato Products. *Current Research in Nutrition and Food Science*, 4(3), 195-202. [https://www.researchgate.net/publication/311927610\\_A\\_Review\\_of\\_Occurrence\\_of\\_Glycoalkaloids\\_in\\_Potato\\_and\\_Potato\\_Products](https://www.researchgate.net/publication/311927610_A_Review_of_Occurrence_of_Glycoalkaloids_in_Potato_and_Potato_Products)
- Opara, U. L., & Pathare, P. B. (2014). Bruise damage measurement and analysis of fresh horticultural produce—a review. *Postharvest Biology and Technology*, 91, 9-24. <https://sci-hub.se/10.1016/j.postharvbio.2013.12.009>
- Osorio-Tobón, J. F. (2020). Recent advances and comparisons of conventional and alternative extraction techniques of phenolic compounds. *Journal of Food Science and Technology*, 57, 4299-4315. <https://sci-hub.se/https://doi.org/10.1007/s13197-020-04433-2>
- Othman, S. H., Edwal, S. A. M., Risyon, N. P., Basha, R. K., & A TALIB, R. (2017). Water sorption and water permeability properties of edible film made from potato peel waste. *Food Science and Technology*, 37, 63-70. [https://www.researchgate.net/publication/314653435\\_Water\\_sorption\\_and\\_water\\_permeability\\_properties\\_of\\_edible\\_film\\_made\\_from\\_potato\\_peel\\_waste](https://www.researchgate.net/publication/314653435_Water_sorption_and_water_permeability_properties_of_edible_film_made_from_potato_peel_waste)
- Palmatier, R.W., Houston, M.B. & Hulland, J. (2018). Review articles: purpose, process, and structure. *J. of the Acad. Mark. Sci*, 46, 1–5. <https://sci-hub.se/10.1007/s11747-017-0563-4>
- Patentscope (2018). Edible Coating of Freshly Pre-Prepared Potatoes, Method for The Application Thereof, and Potatoes Coated with Same. <https://patentscope.wipo.int/search/en/detail.jsf?docId=US225261764&cid=P21-KWM3AK-58720-1>. (Diakses 28 November 2021).
- Patentscope (2020). Composition. <https://patentscope.wipo.int/search/en/detail.jsf?docId=WO2020070178&cid=P21-KWMCZX-89015-1>. (Diakses 28 November 2021).
- Patentscope. (2016). Method for preparing potato staple food raw material powder. <https://patentscope.wipo.int/search/en/detail.jsf?docId=CN174344411&cid=P21-KWM8YE-35967-1#atapta0>. (Diakses 28 November 2021).
- Patentscope. (2018). Starch-Based Texturizers for Food Compositions. <https://patentscope.wipo.int/search/en/detail.jsf?docId=WO2018098179&cid=P21-KWMBBR-69341-1>. (Diakses 28 November 2021).
- Patentscope. (2019). Health bread having addition of fresh potato pulp and manufacturing method thereof.

- <https://patentscope.wipo.int/search/en/detail.jsf?docId=CN251072105&cid=P21-KWM8YE-35967-1#atapta0>. (Diakses 28 November 2021).
- Patentscope. (2021). Multi-dimensional modified oxidized starch-based coating fruit and vegetable fresh-keeping agent and preparation method. <https://patentscope.wipo.int/search/en/detail.jsf?docId=CN323645556&cid=P21-KWM1JE-38182-1#atapta0>. (Diakses 28 November 2021).
- Pathak, P. D., Mandavgane, S. A., Puranik, N. M., Jambulkar, S. J., & Kulkarni, B. D. (2018). Valorization of potato peel: a biorefinery approach. *Critical Reviews in Biotechnology*, 38(2), 218-230. <https://sci-hub.se/10.1080/07388551.2017.1331337>
- Pereira, R. N., Rodrigues, R. M., Genisheva, Z., Oliveira, H., de Freitas, V., Teixeira, J. A., & Vicente, A. A. (2016). Effects of ohmic heating on extraction of food-grade phytochemicals from colored potato. *LWT*, 74, 493-503. <https://sci-hub.se/10.1016/j.lwt.2016.07.074>
- Pinhero, R.G., Yada, R.Y. (2016). Postharvest Storage of Potatoes. Advances in Potato Chemistry and Technology: Second Edition. 283-314. <https://sci-hub.se/https://doi.org/10.1016/B978-0-12-800002-1.00010-8>
- Rakhee, Mishra, J., Sharma, R. K., & Misra, K. (2018). Characterization Techniques for Herbal Products. In *Management of High Altitude Pathophysiology* (pp. 171-202). Academic Press. <https://sci-hub.se/10.1016/b978-0-12-813999-8.00009-4>
- Reis, F. R. (2017). Effect of blanching on food physical, chemical, and sensory quality. In *New perspectives on food blanching* (pp. 7-48). Springer, Cham. [https://sci-hub.se/10.1007/978-3-319-48665-9\\_2](https://sci-hub.se/10.1007/978-3-319-48665-9_2)
- Robles-Ramírez, M. D. C., Monterrubio-López, R., Mora-Escobedo, R., & Beltrán-Orozco, M. D. C. (2016). Evaluation of extracts from potato and tomato wastes as natural antioxidant additives. *Archivos Latinoamericanos de Nutrición*, 66(1), 066-073. [https://www.researchgate.net/publication/303787512\\_Evaluation\\_of\\_extracts\\_from\\_potato\\_and\\_tomato\\_wastes\\_as\\_natural\\_antioxidant\\_additives](https://www.researchgate.net/publication/303787512_Evaluation_of_extracts_from_potato_and_tomato_wastes_as_natural_antioxidant_additives)
- Rodríguez-Martínez, B., Gullón, B., & Yáñez, R. (2021). Identification and Recovery of Valuable Bioactive Compounds from Potato Peels: A Comprehensive Review. *Antioxidants*, 10(10), 1630. <https://www.mdpi.com/2076-3921/10/10/1630>
- Rommi, K., Rahikainen, J., Vartiainen, J., Holopainen, U., Lahtinen, P., Honkapää, K., & Lantto, R. (2016). Potato peeling costreams as raw materials for biopolymer film preparation. *Journal of Applied Polymer Science*, 133(5). <https://sci-hub.se/10.1002/app.42862>
- Rytel, E. (2012). Changes in the levels of glycoalkaloids and nitrates after the dehydration of cooked potatoes. *American Journal of Potato Research*, 89(6), 501-507. <https://sci-hub.se/10.1007/s12230-012-9273-0>
- Samarin, A. M., Poorazarang, H., Hematyar, N., & Elhamirad, A. (2012). Phenolics in potato peels: extraction and utilization as natural antioxidants. *World applied sciences journal*, 18(2), 191-195. [https://www.researchgate.net/publication/266868629\\_Phenolics\\_in\\_Potato\\_Peels\\_Extraction\\_and\\_Utilization\\_as\\_Natural\\_Antioxidants](https://www.researchgate.net/publication/266868629_Phenolics_in_Potato_Peels_Extraction_and_Utilization_as_Natural_Antioxidants)
- Samotyja, U. (2019). Potato Peel as a Sustainable Resource of Natural Antioxidants for the Food Industry. *Potato Research*, 62(4), 435-451. <https://sci-hub.se/10.1007/s11540-019-9419-2>

- Sampaio, S. L., Petropoulos, S. A., Alexopoulos, A., Heleno, S. A., Santos-Buelga, C., Barros, L., & Ferreira, I. C. (2020). Potato peels as sources of functional compounds for the food industry: A review. *Trends in Food Science & Technology*. <https://sci-hub.se/10.1016/j.tifs.2020.07.015>
- Schieber A., Saldaña M.D.A. (2009) Potato peels: A source of nutritionally and pharmacologically interesting compounds – A review. *Food*, 3, pp. 23-29. [http://www.globalsciencebooks.info/Online/GSBOOnline/images/0906/FOOD\\_3\(SI2\)/FOOD\\_3\(SI2\)23-29o.pdf](http://www.globalsciencebooks.info/Online/GSBOOnline/images/0906/FOOD_3(SI2)/FOOD_3(SI2)23-29o.pdf)
- Schrenk, D., Bignami, M., Bodin, L., Chipman, J. K., del Mazo, J., ... & Grasl-Kraupp, B. (2020). Risk assessment of glycoalkaloids in feed and food, in particular in potatoes and potato-derived products. *EFSA Journal*, 18(8), e06222. <https://sci-hub.se/10.2903/j.efsa.2020.6222>
- Sepelev, I., & Galoburda, R. (2015). Industrial potato peel waste application in food production: a review. *Res Rural Dev*, 1, 130-136. <https://llufb.llu.lv/conference/Research-for-Rural-Development/2015/LatviaResearchRuralDevel21st volume1-130-136.pdf>
- Singh, A., Sabally, K., Kubow, S., Donnelly, D. J., Gariepy, Y., Orsat, V., & Raghavan, G. S. V. (2011). Microwave-assisted extraction of phenolic antioxidants from potato peels. *Molecules*, 16(3), 2218-2232. <https://sci-hub.se/10.3390/molecules16032218>
- Singh, B., Singh, J., Singh, J. P., Kaur, A., & Singh, N. (2020). Phenolic compounds in potato (*Solanum tuberosum* L.) peel and their health-promoting activities. *International Journal of Food Science & Technology*, 55(6), 2273-2281. <https://sci-hub.se/10.1111/ijfs.14361>
- Singh, P. P., & Saldaña, M. D. (2011). Subcritical water extraction of phenolic compounds from potato peel. *Food Research International*, 44(8), 2452-2458. <https://sci-hub.se/10.1016/j.foodres.2011.02.006>
- Somsen, D., Capelle, A., & Tramper, J. (2004). Manufacturing of par-fried French-fries: Part 2: Modelling yield efficiency of peeling. *Journal of Food Engineering*, 61(2), 199-207. <https://sci-hub.se/https://doi.org/10.1016/S0260-8774%2803%2900093-1>
- Statista. (2021). Potato Production Worldwide From 2011 to 2019. <https://www.statista.com/statistics/382174/global-potato-production/>. (Diakses 2 April 2021).
- Statista. (2021). Value of the potato processing market worldwide in 2019 and 2026 (in billion U.S. dollars). <https://www.statista.com/statistics/1099904/global-potato-processing-market-size/>. (Diakses 28 November 2021).
- Sun, W., Yang, W., Zheng, Y., Zhang, H., Fang, H., Liu, D., ... & Tian, J. (2020). Effect of Potato Pulp Pectic Polysaccharide on the Stability of Acidified Milk Drinks. *Molecules*, 25(23), 5632. <https://sci-hub.se/10.3390/molecules25235632>
- Tao, C., Wang, K., Liu, X., & Gou, E. (2020). Effects of potato starch on the properties of wheat dough and the quality of fresh noodles. *CyTA-Journal of Food*, 18(1), 427-434. <https://sci-hub.se/10.1080/19476337.2020.1768152>
- Tapia, M. R., Gutierrez-Pacheco, M. M., Vazquez-Armenta, F. J., González Aguilar, G. A., Ayala Zavala, J. F., Rahman, M. S., & Siddiqui, M. W. (2014). Washing, Peeling and Cutting of Fresh-Cut Fruits and Vegetables. *Minimally Processed Foods*, 57–78. [https://sci-hub.se/https://doi.org/10.1007/978-3-319-10677-9\\_4](https://sci-hub.se/https://doi.org/10.1007/978-3-319-10677-9_4)

- Tiruneh, A. T., Negatu, A. A., & Satheesh, N. (2021). Effect of Anchote (*Coccinia abyssinica*) and Potato Starch Addition on Colloidal Stability of Pineapple Juice. *International Journal of Food Science*, 2021. <https://downloads.hindawi.com/journals/ijfs/2021/6615273.pdf>
- Torres, M. D., & Domínguez, H. (2020). Valorisation of potato wastes. *International Journal of Food Science & Technology*, 55(6), 2296-2304. <https://sci-hub.se/https://doi.org/10.1111/ijfs.14228>
- Torres, M. D., Fradinho, P., Rodríguez, P., Falqué, E., Santos, V., & Domínguez, H. (2020). Biorefinery concept for discarded potatoes: Recovery of starch and bioactive compounds. *Journal of Food Engineering*, 275, 109886. <https://sci-hub.se/10.1016/j.jfoodeng.2019.109886>
- Touaibia, M., Jean-Francois, J., & Doiron, J. (2011). Caffeic Acid, a versatile pharmacophore: an overview. *Mini reviews in medicinal chemistry*, 11(8), 695-713. <https://sci-hub.se/https://doi.org/10.2174/138955711796268750>
- Transparency Market Research (2021). Potato Peel Powder Market - Global Industry Analysis, Size, Share, Growth, Trends, and Forecast 2018 – 2026. <https://www.transparencymarketresearch.com/potato-peel-powder-market.html>. (Diakses 28 November 2021).
- Venturi, F., Bartolini, S., Sanmartin, C., Orlando, M., Taglieri, I., Macaluso, M., ... & Mensuali, A. (2019). Potato peels as a source of novel green extracts suitable as antioxidant additives for fresh-cut fruits. *Applied Sciences*, 9(12), 2431. <https://sci-hub.se/10.3390/app9122431>
- Wang, S., Lin, A. H. M., Han, Q., & Xu, Q. (2020). Evaluation of Direct Ultrasound-Assisted Extraction of Phenolic Compounds from Potato Peels. *Processes*, 8(12), 1665. <https://sci-hub.se/10.3390/pr8121665>
- Wijngaard, H. H., Ballay, M., & Brunton, N. (2012). The optimisation of extraction of antioxidants from potato peel by pressurised liquids. *Food Chemistry*, 133(4), 1123-1130. <https://sci-hub.se/10.1016/j.foodchem.2011.01.136>
- Willersinn, C., Mack, G., Mouron, P., Keiser, A., & Siegrist, M. (2015). Quantity and quality of food losses along the Swiss potato supply chain: Stepwise investigation and the influence of quality standards on losses. *Waste management*, 46, 120-132. <https://sci-hub.se/10.1016/j.wasman.2015.08.033>
- Wohlin, C. (2014). Guidelines for snowballing in systematic literature studies and a replication in software engineering. In *Proceedings of the 18th international conference on evaluation and assessment in software engineering* (pp. 1-10). <https://sci-hub.se/http://dx.doi.org/10.1145/2601248.2601268>
- Wu, D. (2016). Recycle technology for potato peel waste processing: A review. *Procedia Environmental Sciences*, 31, 103-107. <https://sci-hub.se/https://doi.org/10.1016/j.proenv.2016.02.014>
- Xiao, Y., & Watson, M. (2019). Guidance on conducting a systematic literature review. *Journal of Planning Education and Research*, 39(1), 93-112. <https://journals.sagepub.com/doi/pdf/10.1177/0739456X17723971>
- Yang, J. S., Mu, T. H., & Ma, M. M. (2018). Extraction, structure, and emulsifying properties of pectin from potato pulp. *Food chemistry*, 244, 197-205. <https://sci-hub.se/https://doi.org/10.1016/j.foodchem.2017.10.059>