

REFERENCES

- [1] Y. Taigman, M. Yang, M. Ranzato, and L. Wolf, "DeepFace: Closing the Gap to Human-Level Performance in Face Verification," in *2014 IEEE Conference on Computer Vision and Pattern Recognition*, Columbus, OH, USA, Jun. 2014, pp. 1701–1708. doi: 10.1109/CVPR.2014.220.
- [2] L. Masupha, T. Zuva, S. Ngwira, and O. Esan, "Face recognition techniques, their advantages, disadvantages and performance evaluation," in *2015 International Conference on Computing, Communication and Security (ICCCS)*, Pointe aux Piments, Mauritius, Dec. 2015, pp. 1–5. doi: 10.1109/CCCS.2015.7374154.
- [3] N. Delbiaggio, "A comparison of facial recognition's algorithms," p. 45.
- [4] S. Z. Li and A. K. Jain, Eds., *Handbook of Face Recognition*. London: Springer London, 2011. doi: 10.1007/978-0-85729-932-1.
- [5] Y. Sun, D. Liang, X. Wang, and X. Tang, "DeepID3: Face Recognition with Very Deep Neural Networks," *arXiv:1502.00873 [cs]*, Feb. 2015, Accessed: Sep. 26, 2021. [Online]. Available: <http://arxiv.org/abs/1502.00873>
- [6] Maharaja Agrasen College, University of Delhi, Vasundhara Enclave, Delhi - 110096, India, P. Gupta, N. Saxena, M. Sharma, and J. Tripathi, "Deep Neural Network for Human Face Recognition," *IJEM*, vol. 8, no. 1, pp. 63–71, Jan. 2018, doi: 10.5815/ijem.2018.01.06.
- [7] Z. Wang, K. He, Y. Fu, R. Feng, Y.-G. Jiang, and X. Xue, "Multi-task Deep Neural Network for Joint Face Recognition and Facial Attribute Prediction," in *Proceedings of the 2017 ACM on International Conference on Multimedia Retrieval*, Bucharest Romania, Jun. 2017, pp. 365–374. doi: 10.1145/3078971.3078973.
- [8] Z. Wu and W. Deng, "One-shot deep neural network for pose and illumination normalization face recognition," in *2016 IEEE International Conference on Multimedia and Expo (ICME)*, Seattle, WA, USA, Jul. 2016, pp. 1–6. doi: 10.1109/ICME.2016.7552902.
- [9] Z. Zhang, J. Li, and R. Zhu, "Deep neural network for face recognition based on sparse autoencoder," in *2015 8th International Congress on Image and Signal Processing (CISP)*, Shenyang, China, Oct. 2015, pp. 594–598. doi: 10.1109/CISP.2015.7407948.
- [10] T. Guo, J. Dong, H. Li, and Y. Gao, "Simple convolutional neural network on image classification," in *2017 IEEE 2nd International Conference on Big Data Analysis (ICBDA)*(, Beijing, China, Mar. 2017, pp. 721–724. doi: 10.1109/ICBDA.2017.8078730.
- [11] A. R. S. Siswanto, A. S. Nugroho, and M. Galinium, "Implementation of face recognition algorithm for biometrics based time attendance system," in *2014 International Conference on ICT For Smart Society (ICISS)*, Bandung, Indonesia, Sep. 2014, pp. 149–154. doi: 10.1109/ICTSS.2014.7013165.
- [12] X.-Y. Li and Z.-X. Lin, "Face Recognition Based on HOG and Fast PCA Algorithm," in *Proceedings of the Fourth Euro-China Conference on Intelligent Data Analysis and Applications*, vol. 682, P. Krömer, E. Alba, J.-S. Pan, and V. Snášel, Eds. Cham: Springer International Publishing, 2018, pp. 10–21. doi: 10.1007/978-3-319-68527-4_2.
- [13] A. L. Ramadhani, P. Musa, and E. P. Wibowo, "Human face recognition application using pca and eigenface approach," in *2017 Second International Conference on Informatics and Computing (ICIC)*, Jayapura, Nov. 2017, pp. 1–5. doi: 10.1109/IAC.2017.8280652.
- [14] A. Jadhav, A. Jadhav, T. Ladhe, and K. Yeolekar, "AUTOMATED ATTENDANCE SYSTEM USING FACE RECOGNITION," vol. 04, no. 01, p. 6.

- [15] M. G. Krishnan, "Implementation of Automated Attendance System using Face Recognition.," vol. 6, no. 3, p. 4, 2015.
- [16] M. Broussard, N. Diakopoulos, A. L. Guzman, R. Abebe, M. Dupagne, and C.-H. Chuan, "Artificial Intelligence and Journalism," *Journalism & Mass Communication Quarterly*, vol. 96, no. 3, pp. 673–695, Sep. 2019, doi: 10.1177/1077699019859901.
- [17] H. Hosseini, B. Xiao, and R. Poovendran, "Google's Cloud Vision API Is Not Robust To Noise," *arXiv:1704.05051 [cs]*, Jul. 2017, Accessed: Oct. 23, 2021. [Online]. Available: <http://arxiv.org/abs/1704.05051>
- [18] J. Feng, X. He, Q. Teng, C. Ren, H. Chen, and Y. Li, "Reconstruction of porous media from extremely limited information using conditional generative adversarial networks," *Phys. Rev. E*, vol. 100, no. 3, p. 033308, Sep. 2019, doi: 10.1103/PhysRevE.100.033308.
- [19] L. Pauly, H. Peel, S. Luo, D. Hogg, and R. Fuentes, "Deeper Networks for Pavement Crack Detection," presented at the 34th International Symposium on Automation and Robotics in Construction, Taipei, Taiwan, Jul. 2017. doi: 10.22260/ISARC2017/0066.
- [20] X. Glorot, A. Bordes, and Y. Bengio, "Deep Sparse Rectifier Neural Networks," p. 9.
- [21] F. Es-Sabery, A. Hair, J. Qadir, B. Sainz-De-Abajo, B. Garcia-Zapirain, and I. Torre-Diez, "Sentence-Level Classification Using Parallel Fuzzy Deep Learning Classifier," *IEEE Access*, vol. 9, pp. 17943–17985, 2021, doi: 10.1109/ACCESS.2021.3053917.

