

## REFERENCES

- [1] D. N. Fathurrahman, A. B. Osmond, and R. E. Saputra, "Deep Neural Network Untuk Pengenalan Ucapan Pada Bahasa Sunda Dialek Tengah Timur ( Majalengka ) Deep Neural Network for Speech Recognition on Sundanese Language of the Middle East Dialect," vol. 5, no. 3, pp. 6073–6080, 2018, doi: <https://docplayer.info/115278901-Deep-neural-network-untuk-pengenalan-ucapan-pada-bahasa-sunda-dialek-tengah-timur-majalengka.html>
- [2] L. C. Page and H. Gehlbach, "How an Artificially Intelligent Virtual Assistant Helps Students Navigate the Road to College," *AERA Open*, vol. 3, no. 4, p. 2332858417749220, Oct. 2017, doi: [10.1177/2332858417749220](https://doi.org/10.1177/2332858417749220).
- [3] G. Campagna, S. Xu, M. Moradshahi, R. Socher, and M. S. Lam, "Genie: A generator of natural language semantic parsers for virtual assistant commands," *Proc. ACM SIGPLAN Conf. Program. Lang. Des. Implement.*, pp. 394–410, 2019, doi: [10.1145/3314221.3314594](https://doi.org/10.1145/3314221.3314594).
- [4] J. Austerjost *et al.*, "Introducing a Virtual Assistant to the Lab: A Voice User Interface for the Intuitive Control of Laboratory Instruments," *SLAS Technol. Transl. Life Sci. Innov.*, vol. 23, no. 5, pp. 476–482, Jul. 2018, doi: [10.1177/2472630318788040](https://doi.org/10.1177/2472630318788040).
- [5] P. S. Chiu, J. W. Chang, M. C. Lee, C. H. Chen, and D. S. Lee, "Enabling intelligent environment by the design of emotionally aware virtual assistant: A case of smart campus," *IEEE Access*, vol. 8, pp. 62032–62041, 2020, doi: [10.1109/ACCESS.2020.2984383](https://doi.org/10.1109/ACCESS.2020.2984383).
- [6] M. Polignano, F. Narducci, A. Iovine, C. Musto, M. De Gemmis, and G. Semeraro, "HealthAssistantBot: A Personal Health Assistant for the Italian Language," *IEEE Access*, vol. 8, pp. 107479–107497, 2020, doi: [10.1109/ACCESS.2020.3000815](https://doi.org/10.1109/ACCESS.2020.3000815).
- [7] W. Lu, Y. Wei, J. Yuan, Y. Deng, and A. Song, "Tractor assistant driving control method based on eeg combined with rnn-Tl deep learning algorithm," *IEEE Access*, vol. 8, pp. 163269–163279, 2020, doi: [10.1109/ACCESS.2020.3021051](https://doi.org/10.1109/ACCESS.2020.3021051).
- [8] Y. Jung, Y. Choi, H. Lim, and H. Kim, "A unified deep learning framework for short-duration speaker verification in adverse environments," *IEEE Access*, vol. 8, pp. 175448–175466, 2020, doi: [10.1109/ACCESS.2020.3025941](https://doi.org/10.1109/ACCESS.2020.3025941).
- [9] I. P. Bolodurina, D. I. Parfenov, L. S. Zabrodina, L. Y. Kuznetsova, A. Y. Zhigalov, and N. A. Yanishevskaya, "Development of intelligent virtual assistant for planning the optimal travel route," *J. Phys. Conf. Ser.*, vol. 1661, no. 1, 2020, doi: [10.1088/1742-6596/1661/1/012168](https://doi.org/10.1088/1742-6596/1661/1/012168).

- [10] G. Campagna, S. Xu, R. Ramesh, M. Fischer, and M. S. Lam, “Controlling Fine-Grain Sharing in Natural Language with a Virtual Assistant,” *Proc. ACM Interactive, Mobile, Wearable Ubiquitous Technol.*, vol. 2, no. 3, pp. 1–28, 2018, doi: 10.1145/3264905.
- [11] M. Johnston *et al.*, “MVA: The multimodal virtual assistant,” *SIGDIAL 2014 - 15th Annu. Meet. Spec. Interes. Gr. Discourse Dialogue, Proc. Conf.*, pp. 257–259, 2014, doi: 10.3115/v1/w14-4335.

