

## 6. DAFTAR PUSTAKA

- Aguirre-Cruz, G., León-López, A., Cruz-Gómez, V., Jiménez-Alvarado, R., & Aguirre-Álvarez, G. (2020). Collagen Hydrolysates for Skin Protection: Oral Administration and Topical Formulation. *Antioxidants*, 9(2). <https://doi.org/10.3390/antiox9020181>
- Alolod, G. A. L., Nuñal, S. N., Nillos, M. G. G., & Peralta, J. P. (2019). Bioactivity and Functionality of Gelatin Hydrolysates from the Skin of Oneknife Unicornfish (*Naso thynnoides*). *Journal of Aquatic Food Product Technology*, 28(10), 1013–1026. <https://doi.org/10.1080/10498850.2019.1682094>
- Ashworth, J. L., Murphy, G., Rock, M. J., Sherratt, M. J., Shapiro, S. D., Shuttleworth, C. A., & Kielty, C. M. (1999). Fibrillin Degradation by Matrix Metalloproteinases: Implications for Connective Tissue Remodelling. *Biochemical Journal*, 340(1), 171–181. <https://doi.org/10.1042/0264-6021:3400171>
- Asserin, J., Lati, E., Shioya, T., & Prawitt, J. (2015). The Effect of Oral Collagen Peptide Supplementation on Skin Moisture and the Dermal Collagen Network: Evidence from an Ex Vivo Model and Randomized, Placebo-Controlled Clinical Trials. *Journal of Cosmetic Dermatology*, 14, 291–301. <https://doi.org/10.1111/jocd.12174>
- Baumann, L. (2007). Skin Ageing and Its Treatment. *Journal of Pathology*, 211, 241–251. <https://doi.org/10.1002/path>
- Bidlingmeyer, B. A., Cohen, S. A., & Tarvin, T. L. (1984). Rapid Analysis of Amino Acids Using Pre-Column Derivatization. *Journal of Chromatography B: Biomedical Sciences and Applications*, 336(1), 93–104. [https://doi.org/10.1016/S0378-4347\(00\)85133-6](https://doi.org/10.1016/S0378-4347(00)85133-6)
- Bilek, S. E., & Bayram, S. K. (2015). Fruit Juice Drink Production Containing Hydrolyzed Collagen. *Journal of Functional Foods*, 14, 562–569. <https://doi.org/10.1016/j.jff.2015.02.024>
- Bolke, L., Schlippe, G., Gerß, J., & Voss, W. (2019). A Collagen Supplement Improves Skin Hydration, Elasticity, Roughness, and Density: Results of a Randomized, Placebo-Controlled, Blind Study. *Nutrients*, 2494. <https://doi.org/10.3390/nu11102494>
- Calleja-Agius, J., Brincat, M., & Borg, M. (2013). Skin Connective Tissue and Ageing. *Best Practice and Research: Clinical Obstetrics and Gynaecology*, 27(5), 727–740. <https://doi.org/10.1016/j.bpobgyn.2013.06.004>
- Campos, P. M., Melo, M. O., Calixto, L. S., & Fossa, M. M. (2015). Clinical Pharmacology An Oral Supplementation Based on Hydrolyzed Collagen and Vitamins Improves Skin Elasticity and Dermis Echogenicity: A Clinical Placebo-Controlled Study. *Clinical Pharmacology & Biopharmaceutics*, 4(3), 1–6. <https://doi.org/10.4172/2167-065X.1000142>

- Chi, C. F., Cao, Z. H., Wang, B., Hu, F. Y., Li, Z. R., & Zhang, B. (2014). Antioxidant and Functional Properties of Collagen Hydrolysates from Spanish Mackerel Skin As Influenced by Average Molecular Weight. *Molecules*, *19*(8), 11211–11230. <https://doi.org/10.3390/molecules190811211>
- Chi, C., Hu, F., Li, Z., Wang, B., & Luo, H. (2016). Influence of Different Hydrolysis Processes by Trypsin on the Physicochemical, Antioxidant, and Functional Properties of Collagen Hydrolysates from *Sphyrna lewini*, *Dasyatis akjei*, and *Raja porosa*. *Journal of Aquatic Food Product Technology*, *25*(5), 616–632. <https://doi.org/10.1080/10498850.2014.898004>
- Cho, S. H., Jahncke, M. L., Chin, K. B., & Eun, J. B. (2006). The Effect of Processing Conditions on The Properties of Gelatin from Skate (*Raja Kenojei*) Skins. *Food Hydrocolloids*, *20*(6), 810–816. <https://doi.org/10.1016/j.foodhyd.2005.08.002>
- Coppola, D., Oliviero, M., Vitale, G. A., Lauritano, C., Ambra, I. D., Iannace, S., & Pascale, D. De. (2020). Marine Collagen from Alternative and Sustainable Sources : Extraction , Processing and Applications. *Marine Drugs*, *18*(214), 1–23. <https://doi.org/10.3390/md18040214>
- Czajka, A., Kania, E. M., Genovese, L., Corbo, A., Merone, G., Luci, C., & Sibilla, S. (2018). Daily Oral Supplementation with Collagen Peptides Combined with Vitamins and Other Bioactive Compounds Improves Skin Elasticity and Has A Beneficial Effect on General Wellbeing. *Nutrition Research*, *57*, 97–108. <https://doi.org/10.1016/j.nutres.2018.06.001>
- Duteil, L., Queille-Roussel, C., Maubert, Y., Esdaile, J., Bruno-Bonnet, C., & Lacour, J.-P. (2016). Specific Natural Bioactive Type 1 Collagen Peptides Oral Intake Reverse Skin Aging Signs in Mature Women. *The Journal of Aging Research & Clinical Practice*, *5*(2), 84–92. <http://www.jarcp.com/2889-specific-natural-bioactive-type-1-collagen-peptides-oral-intake-reverse-skin-aging-signs-in-mature-women.html>
- El-Domyati, M., Attia, S., Saleh, F., Brown, D., Birk, D. E., Gasparro, F., Ahmad, H., & Uitto, J. (2002). Intrinsic Aging vs. Photoaging: A Comparative Histopathological, Immunohistochemical, and Ultrastructural Study of Skin. *Experimental Dermatology*, *11*(4), 398–405. <https://doi.org/10.1034/j.1600-0625.2002.110502.x>
- Ferguson, L. R. (2001). Role of Plant Polyphenols in Genomic Stability. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, *475*(1–2), 89–111. [https://doi.org/10.1016/S0027-5107\(01\)00073-2](https://doi.org/10.1016/S0027-5107(01)00073-2)
- Foh, M. B. K., Amadou, I., Kamara, M. T., Foh, B. M., & Xia, W. (2011). Effect of Enzymatic Hydrolysis on the Nutritional and Functional Properties of Nile Tilapia (*Oreochromis niloticus*) Proteins. *American Journal of Biochemistry and Molecular Biology*, *1*(1), 54–67. <https://doi.org/10.3923/ajbmb.2011.54.67>
- Friess, W. (1998). Collagen - Biomaterial for Drug Delivery. *European Journal of Pharmaceutics and Biopharmaceutics*, *45*(2), 113–136.

[https://doi.org/10.1016/S0939-6411\(98\)00017-4](https://doi.org/10.1016/S0939-6411(98)00017-4)

- Fuentes-Jiménez, L., León-López, A., Hernández-Fuentes, A. D., Campos-Montiel, R. G., & Aguirre-álvarez, G. (2019). Hydrolysed Collagen from Sheepskins as a Source of Functional Peptides with Antioxidant Activity. *International Journal of Molecular Sciences*, 20(16). <https://doi.org/10.3390/ijms20163931>
- Gbogouri, G. A., Linder, M., Fanni, J., & Parmenter, M. (2004). Influence of Hydrolysis Degree on the Functional Properties of Salmon Byproducts Hydrolysates. *Journal of Food Science*, 69(8), 615–622. <https://doi.org/10.1111/J.1365-2621.2004.TB09909.X>
- Genovese, L., Corbo, A., & Sibilla, S. (2017). An Insight into the Changes in Skin Texture and Properties following Dietary Intervention with a Nutricosmeceutical Containing a Blend of Collagen Bioactive Peptides and Antioxidants. *Skin Pharmacology and Physiology*, 30(3), 146–158. <https://doi.org/10.1159/000464470>
- Gil-Izquierdo, A., Gil, M. I., Ferreres, F., & Tomás-Barberán, F. A. (2001). In Vitro Availability of Flavonoids and other Phenolics in Orange Juice. *Journal of Agricultural and Food Chemistry*, 49(2), 1035–1041. <https://doi.org/10.1021/jf0000528>
- Gimenez, B., Turnay, J., Lizarbe, M. A., Montero, P., & Go, M. C. (2005). Use of Lactic Acid for Extraction of Fish Skin Gelatin. *Food Hydrocolloids*, 19, 941–950. <https://doi.org/10.1016/j.foodhyd.2004.09.011>
- Gosline, J., Lillie, M., Carrington, E., Guerette, P., Ortlepp, C., & Savage, K. (2002). Elastic Proteins: Biological Roles and Mechanical Properties. *Phil. Trans. R. Soc. Lond.*, 357, 121–132. <https://doi.org/10.1098/rstb.2001.1022>
- Hashim, P., Mohd Ridzwan, M. S., Bakar, J., & Mat Hashim, D. (2015). Collagen in Food and Beverage Industries. *International Food Research Journal*, 22(1), 1–8. [http://www.ifrj.upm.edu.my/22 \(01\) 2015/\(1\).pdf](http://www.ifrj.upm.edu.my/22%20(01)%202015/(1).pdf)
- Hawker, S., Payne, S., Kerr, C., Hardey, M., & Powell, J. (2002). Appraising the Evidence: Reviewing Disparate Data Systematically. *Qualitative Health Research*, 12(9), 1284–1299. <https://doi.org/10.1177/1049732302238251>
- Hema, G. S., Joshy, C. G., Shyni, K., Chatterjee, N. S., Ninan, G., & Mathew, S. (2017). Optimization of Process Parameters for the Production of Collagen Peptides from Fish Skin (*Epinephelus malabaricus*) using Response Surface Methodology and its Characterization. *Journal of Food Science and Technology*, 54(2), 488–496. <https://doi.org/10.1007/s13197-017-2490-2>
- Higberger, J. H. (1939). The Isoelectric Point of Collagen. *Journal of the American Chemical Society*, 61(9), 2302–2303. <https://doi.org/10.1021/ja01878a010>
- Hong, H., Chaplot, S., Chalamaiah, M., Roy, B. C., Bruce, H., & Wu, J. (2017). Removing Cross-linked Telopeptides Enhances the Production of Low-Molecular-

- Weight Collagen Peptides from Spent Hens. *Journal of Agricultural and Food Chemistry*, 65(34), 7491–7499. <https://doi.org/10.1021/acs.jafc.7b02319>
- Hong, H., Fan, H., Chalamaiah, M., & Wu, J. (2019). Preparation of Low-Molecular-Weight Collagen Hydrolysates (peptides): Current Progress, Challenges, and Future Perspectives. *Food Chemistry*, 301, 1–10. <https://doi.org/10.1016/j.foodchem.2019.125222>
- Imokawa, G., & Ishida, K. (2015). Biological Mechanisms Underlying the Ultraviolet Radiation-Induced Formation of Skin Wrinkling and Sagging. *International Journal of Molecular Sciences*, 16(4), 7753–7775. <https://doi.org/10.3390/ijms16047753>
- Ishikawa, T., Ishikawa, O., & Miyachi, Y. (1995). Measurement of Skin Elastic Properties with a New Suction Device ( I ): Relationship to Age , Sex and the Degree of Obesity in Normal Individuals. *The Journal of Dermatology*, 22(10), 713–717. <https://doi.org/10.1111/j.1346-8138.1995.tb03907.x>
- Ito, N., Seki, S., & Ueda, F. (2018). Effects of Composite Supplement Containing Collagen Peptide and Ornithine on Skin Conditions and Plasma IGF-1 Levels—A Randomized, Double-Blind, Placebo-Controlled Trial. *Marine Drugs*, 16(12), 1–12. <https://doi.org/10.3390/md16120482>
- Iwai, K., Hasegawa, T., Taguchi, Y., Morimatsu, F., Sato, K., Nakamura, Y., Higashi, A., Kido, Y., Nakabo, Y., & Ohtsuki, K. (2005). Identification of Food-Derived Collagen Peptides in Human Blood After Oral Ingestion of Gelatin Hydrolysates. *Journal of Agricultural and Food Chemistry*, 53(16), 6531–6536. <https://doi.org/10.1021/jf050206p>
- Jongjareonrak, A., Benjakul, S., & Visessanguan, W. (2005). Food Chemistry Isolation and Characterisation of Acid and Pepsin-Solubilised Collagens from the Skin of Brownstripe Red Snapper (*Lutjanus vitta*). *Food Chemistry*, 93, 475–484. <https://doi.org/10.1016/j.foodchem.2004.10.026>
- Kim, D. U., Chung, H. C., Choi, J., Sakai, Y., & Lee, B. Y. (2018). Oral Intake of Low-Molecular-Weight Collagen Peptide Improves Hydration, Elasticity, and Wrinkling in Human Skin: A Randomized, Double-Blind, Placebo-Controlled Study. *Nutrients*, 10(826), 1–13. <https://doi.org/10.3390/nu10070826>
- Kittiphattanabawon, P., Benjakul, S., Visessanguan, W., & Shahidi, F. (2010). Isolation and Characterization of Collagen from the Cartilages of Brownbanded Bamboo Shark (*Chiloscyllium punctatum*) and Blacktip Shark (*Carcharhinus limbatus*). *LWT - Food Science and Technology*, 43(5), 792–800. <https://doi.org/10.1016/j.lwt.2010.01.006>
- Kodous, M. F. S. A. (2020). Physicochemical Properties of Hydrolyzed Collagen Produced from Chicken Feet. *Middle East Journal of Agriculture Research*, 9(1), 81–89. <https://doi.org/10.36632/mejar/2020.9.1.8>

- Koizumi, S., Inoue, N., Shimizu, M., Kwon, C.-J., Hwa Young, P., & Sik, K. (2017). Effects of Dietary Supplementation with Fish Scales-Derived Collagen Peptides on Skin Parameters and Condition: A Randomized Placebo-Controlled, Double Blind Study. *International Journal of Peptide Research and Therapeutics*, 24, 397–402. <https://doi.org/10.1007/s10989-017-9626-0>
- Krieg, T., & Aumailley, M. (2011). The Extracellular Matrix of the Dermis: Flexible Structures with Dynamic Functions. *Experimental Dermatology*, 20(8), 689–695. <https://doi.org/10.1111/j.1600-0625.2011.01313.x>
- Langton, A. K., Sherratt, M. J., Griffiths, C. E. M., & Watson, R. E. B. (2010). A New Wrinkle on Old Skin: The Role of Elastic Fibres in Skin Ageing. *International Journal of Cosmetic Science*, 32(5), 330–339. <https://doi.org/10.1111/j.1468-2494.2010.00574.x>
- León-López, A., Morales-Peñaloza, A., Martínez-Juarez, V. M., Vargas-Torres, A., Zeugolis, D. I., & Aguirre-Alvarez, G. (2019). Hydrolyzed Collagen—Sources and Applications. *Molecules*, 24, 1–16. <https://doi.org/10.3390/molecules24224031>
- León-López, A., Pérez-Marroquín, X. A., Campos-Lozada, G., Campos-Montiel, R. G., & Aguirre-Álvarez, G. (2020). Characterization of Whey-Based Fermented Beverages Supplemented with Hydrolyzed Collagen: Antioxidant Activity and Bioavailability. *Foods*, 9(1106), 1–14. <https://doi.org/10.3390/foods9081106>
- Li, B. (2017). Beneficial Effects of Collagen Hydrolysate: A Review on Recent Developments. *Biomedical Journal of Scientific & Technical Research*, 1(2), 1–4. <https://doi.org/10.26717/bjstr.2017.01.000217>
- Li, Z., Wang, B., Chi, C., Gong, Y., Luo, H., & Ding, G. (2013). Influence of Average Molecular Weight on Antioxidant and Functional Properties of Cartilage Collagen Hydrolysates from *Sphyrna lewini*, *Dasyatis akjei* and *Raja porosa*. *Food Research International*, 51(1), 283–293. <https://doi.org/10.1016/j.foodres.2012.12.031>
- Lin, P., Hua, N., Hsu, Y., Kan, K., Chen, J., Lin, Y., Lin, Y., & Kuan, C. (2020). Oral Collagen Drink for Antiaging: Antioxidation, Facilitation of the Increase of Collagen Synthesis, and Improvement of Protein Folding and DNA Repair in Human Skin Fibroblasts. *Oxidative Medicine Ad Cellular Longevity*, 2020, 1–9. <https://doi.org/10.1155/2020/8031795>
- Liu, D., Nikoo, M., Boran, G., Zhou, P., & Regenstein, J. M. (2015). Collagen and Gelatin. *Annual Review of Food Science and Technology*, 6, 527–557. <https://doi.org/10.1146/annurev-food-031414-111800>
- Marcet, I., Álvarez, C., Paredes, B., & Mario, D. (2016). The Use of Sub-Critical Water Hydrolysis for the Recovery of Peptides and Free Amino Acid from Processing Wastes. Review of Sources and Main Parameters. *Waste Management*, 49, 364–371. <https://doi.org/10.1016/j.wasman.2016.01.009>
- Masoud, M. R. (2017). Production of Hydrolyzed Bovine Collagen With Orange Juice

Concentrate. *Egypt. J. Agric. Res.*, 95(3), 1205–12017.  
<https://dx.doi.org/10.21608/ejar.2017.150242>

- Matsuda, N., Koyama, Y. I., Hosaka, Y., Ueda, H., Watanabe, T., Araya, T., Irie, S., & Takehana, K. (2006). Effects of Ingestion of Collagen Peptide on Collagen Fibrils and Glycosaminoglycans in the Dermis. *Journal of Nutritional Science and Vitaminology*, 52(3), 211–215. <https://doi.org/10.3177/jnsv.52.211>
- Mcgrath, J. A., Eady, R. A. J., & Pope, F. M. (2004). Anatomy and Organization of Human Skin. In *Rook's textbook of Dermatology* (Vol. 1, pp. 3.1-3.15). <https://books.google.co.id/books?hl=en&lr=&id=n0y6NMnviLkC&oi=fnd&pg=SA3-PA1&dq=Mcgrath,+J.+A.,+Eady,+R.+A.+J.,+%26+Pope,+F.+M.+%282004%29.+Anatomy+and+Organization+of+Human+Skin.+Rook's+Textbook+of+Dermatology,+1%283%29,+1-15.&ots=yZUD5gK520&sig=hDIjbbZeJolmiQi->
- Mitra, A. (2012). *Fundamentals of Quality Control and Improvement: Third Edition* (Fourth Edi). John Wiley & Sons. <https://doi.org/10.1002/9781118491645>
- Mohammad, A. W., Kumar, A. G., & Basha, R. K. (2015). Optimization of Enzymatic Hydrolysis of Tilapia (*Oreochromis Spp.*) Scale Gelatine. *International Aquatic Research*, 7(1), 27–39. <https://doi.org/10.1007/s40071-014-0090-6>
- Nalinanon, S., Benjakul, S., Kishimura, H., & Shahidi, F. (2011). Functionalities and Antioxidant Properties of Protein Hydrolysates from the Muscle of Ornate Threadfin Bream treated with Pepsin from Skipjack Tuna. *Food Chemistry*, 124(4), 1354–1362. <https://doi.org/10.1016/j.foodchem.2010.07.089>
- Nasri, M. (2019). Bioactive Peptides from Fish Collagen Byproducts: A Review. In *Byproducts from Agriculture and Fisheries: Adding Value for Food, Feed, Pharma and Fuels* (pp. 309–333). Wiley Online Library. <https://doi.org/10.1002/9781119383956.ch13>
- Naylor, E. C., Watson, R. E. B., & Sherratt, M. J. (2011). Molecular Aspects of Skin Ageing. *Maturitas*, 69(3), 249–256. <https://doi.org/10.1016/j.maturitas.2011.04.011>
- Ninan, G., Joseph, J., & Aliyamveetil, Z. A. (2014). A Comparative Study on the Physical, Chemical and Functional Properties of Carp Skin and Mammalian Gelatins. *Journal of Food Science and Technology*, 51(9), 2085–2091. <https://doi.org/10.1007/s13197-012-0681-4>
- Ogawa, M., Portier, R. J., Moody, M. W., Bell, J., Schexnayder, M. A., & Losso, J. N. (2004). Biochemical Properties of Bone and Scale Collagens Isolated from the Subtropical Fish Black Drum (*Pogonia cromis*) and Sheepshead Seabream (*Archosargus probatocephalus*). *Food Chemistry*, 88(4), 495–501. <https://doi.org/10.1016/j.foodchem.2004.02.006>
- Ohara, H., Ichikawa, S., Matsumoto, H., Akiyama, M., Fujimoto, N., Kobayashi, T., &

- Tajima, S. (2010). Collagen-Derived Dipeptide, Proline-Hydroxyproline, Stimulates Cell Proliferation and Hyaluronic Acid Synthesis in Cultured Human Dermal Fibroblasts. *The Journal of Dermatology*, 37, 330–338. <https://doi.org/10.1111/j.1346-8138.2010.00827.x>
- Ohara, H., Matsumoto, H., Ito, K., Iwai, K., & Sato, K. (2007). Comparison of Quantity and Structures of Hydroxyproline-Containing Peptides in Human Blood After Oral Ingestion of Gelatin Hydrolysates from Different Sources. *Journal of Agricultural and Food Chemistry*, 55(4), 1532–1535. <https://doi.org/10.1021/jf062834s>
- Ozidal, T., Capanoglu, E., & Altay, F. (2013). A Review on Protein-Phenolic Interactions and Associated Changes. *Food Research International*, 51(2), 954–970. <https://doi.org/10.1016/j.foodres.2013.02.009>
- Pan, B. S., Chen, H. E., & Sung, W. C. (2018). Molecular and Thermal Characteristics of Acid-Soluble Collagen from Orbicular Batfish: Effects of Deep-Sea Water Culturing. *International Journal of Food Properties*, 21(1), 1080–1090. <https://doi.org/10.1080/10942912.2018.1476873>
- Proksch, E., Segger, D., Degwert, J., Schunck, M., Zague, V., & Oesser, S. (2013). Oral Supplementation of Specific Collagen Peptides has Beneficial Effects on Human Skin Physiology: A Double-Blind, Placebo-Controlled Study. *Skin Pharmacology and Physiology*, 27(1), 47–55. <https://doi.org/10.1159/000351376>
- Richelle, M., Sabatier, M., Steiling, H., & Williamson, G. (2006). Skin Bioavailability of Dietary Vitamin E, Carotenoids, Polyphenols, Vitamin C, zinc and Selenium. *British Journal of Nutrition*, 96(2), 227–238. <https://doi.org/10.1079/bjn20061817>
- Rodriguez, F., Moran, L., Gonzales, G., Tronsoco, E., & N., Z. R. (2017). Collagen Extraction from Mussel Byssus: a New Marine Collagen Source with Physicochemical Properties of Industrial Interest. *J Food Sci Technol*, 54(5), 1228–1238. <https://doi.org/10.1007/s13197-017-2566-z>
- Sato, K., Ohtsuki, K., Kawabata, M., Tsukamasa, Y., Imai, C., & Shimizu, Y. (1992). Improved Method for Identification and Determination of  $\epsilon$ -( $\gamma$ -Glutamyl)lysine Cross-Link in Protein Using Proteolytic Digestion and Derivatization with Phenyl Isothiocyanate followed by High-Performance Liquid Chromatography Separation. *Journal of Agricultural and Food Chemistry*, 40(5), 806–810. <https://doi.org/10.1021/jf00017a019>
- Schmidt, M. M., da Fontoura, A. M., Vidal, A. R., Dornelles, R. C. P., Kubota, E. H., Mello, R. de O., Cansian, R. L., Demiate, I. M., & de Oliveira, C. S. (2020). Characterization of Hydrolysates of Collagen from Mechanically Separated Chicken Meat Residue. *Food Science and Technology*, 40, 355–362. <https://doi.org/10.1590/fst.14819>
- Schwartz, S. R., & Park, J. (2012). Ingestion of BioCell Collagen®, a Novel Hydrolyzed Chicken Sternal Cartilage Extract; Enhanced Blood Microcirculation and Reduced Facial Aging Signs. *Clinical Interventions in Aging*, 7, 267–273.

<https://doi.org/10.2147/CIA.S32836>

- Sherratt, M. J. (2009). Tissue Elasticity and the Ageing Elastic Fibre. *Age*, 31(4), 305–325. <https://doi.org/10.1007/s11357-009-9103-6>
- Shigemura, Y., Akaba, S., Kawashima, E., Park, E. Y., Nakamura, Y., & Sato, K. (2011). Identification of a Novel Food-Derived Collagen Peptide, Hydroxypropyl-Glycine, in Human Peripheral blood by Pre-Column Derivatisation with Phenyl Isothiocyanate. *Food Chemistry*, 129(3), 1019–1024. <https://doi.org/10.1016/j.foodchem.2011.05.066>
- Shigemura, Y., Kubomura, D., Sato, Y., & Sato, K. (2014). Dose-Dependent Changes in the Levels of Free and Peptide Forms of Hydroxyproline in Human Plasma After Collagen Hydrolysate Ingestion. *Food Chemistry*, 159, 328–332. <https://doi.org/10.1016/j.foodchem.2014.02.091>
- Sibilla, S., Godfrey, M., Brewer, S., Budh-Raja, A., & Genovese, L. (2015). An Overview of the Beneficial Effects of Hydrolysed Collagen as a Nutraceutical on Skin Properties: Scientific Background and Clinical Studies. *Open Nutraceuticals Journal*, 8(1), 29–42. <https://doi.org/10.2174/1876396001508010029>
- Song, H., Meng, M., Cheng, X., Li, B., & Wang, C. (2017). The Effect of Collagen Hydrolysates from Silver Carp (*Hypophthalmichthys molitrix*) Skin on UV-Induced Photoaging in Mice: Molecular Weight Affects Skin Repair. *Food and Function*, 8(4), 1–38. <https://doi.org/10.1039/c6fo01397j>
- Sontakke, S. B., Jung, J., Piao, Z., & Chung, H. J. (2016). Orally Available Collagen Tripeptide: Enzymatic Stability, Intestinal Permeability, and Absorption of Gly-Pro-Hyp and Pro-Hyp. *Journal of Agricultural and Food Chemistry*, 64(38), 7127–7133. <https://doi.org/10.1021/acs.jafc.6b02955>
- Sorushanova, A., Delgado, L. M., Wu, Z., Shologu, N., Kshirsagar, A., Raghunath, R., Mullen, A. M., Bayon, Y., Pandit, A., Raghunath, M., & Zeugolis, D. I. (2019). The Collagen Suprafamily - From Biosynthesis to Advanced Biomaterial Development. *Advanced Materials*, 31(1), 1–112. <https://doi.org/10.1002/adma.201801651>
- Tauntong, M., Sirinupong, N., & Youravong, W. (2014). Effect of Pre-Hydrolysis by Alcalase on Enzymatic Membrane Reactor Performance in Production of Low Molecular Weight Peptide from Nile Tilapia Skin Gelatin. *Kasetsart J. (Nat. Sci.)*, 48, 929–941. <https://li01.tci-thaijo.org/index.php/anres/article/view/243489>
- Theocharis, A. D., Skandalis, S. S., Gialeli, C., & Karamanos, N. K. (2016). Extracellular Matrix Structure. *Advanced Drug Delivery Reviews*, 97, 4–27. <https://doi.org/10.1016/j.addr.2015.11.001>
- Tsumura, K., Saito, T., Tsuge, K., Ashida, H., Kugimiya, W., & Inouye, K. (2005). Functional Properties of Soy Protein Hydrolysates Obtained by Selective Proteolysis. *LWT - Food Science and Technology*, 38(3), 255–261.



<https://doi.org/10.1016/j.lwt.2004.06.007>

- Van Wart, H. E., & Birkedal-Hansen, H. (1990). The Cysteine Switch: A Principle of Regulation of Metalloproteinase Activity with Potential Applicability to the Entire Matrix Metalloproteinase Gene Family. *Proceedings of the National Academy of Sciences of the United States of America*, 87(14), 5578–5582. <https://doi.org/10.1073/pnas.87.14.5578>
- Varani, J., Dame, M. K., Rittie, L., Fligel, S. E. G., Kang, S., Fisher, G. J., & Voorhees, J. J. (2006). Decreased Collagen Production in Chronologically Aged Skin: Roles of Age-Dependent Alteration in Fibroblast Function and Defective Mechanical Stimulation. *American Journal of Pathology*, 168(6), 1861–1868. <https://doi.org/10.2353/ajpath.2006.051302>
- Wang, L., Wang, Q., Liang, Q., He, Y., Wang, Z., He, S., Xu, J., & Ma, H. (2014). Determination of Bioavailability and Identification of Collagen Peptide in Blood After Oral Ingestion of Gelatin. *Journal of the Science of Food and Agriculture*, 95(13), 2712–2717. <https://doi.org/10.1002/jsfa.7008>
- Wang, L., Wang, Q., Qian, J., Liang, Q., Wang, Z., Xu, J., He, S., & Ma, H. (2015). Bioavailability and Bioavailable Forms of Collagen after Oral Administration to Rats. *Journal of Agricultural and Food Chemistry*, 63(14), 3752–3756. <https://doi.org/10.1021/jf5057502>
- Watanabe-Kamiyama, M., Shimizu, M., Kamiyama, S., Taguchi, Y., Sone, H., Morimatsu, F., Shirakawa, H., Furukawa, Y., & Komai, M. (2010). Absorption and Effectiveness of Orally Administered Low Molecular Weight Collagen Hydrolysate in Rats. *Journal of Agricultural and Food Chemistry*, 58(2), 835–841. <https://doi.org/10.1021/jf9031487>
- Woo, J., Yu, S., Cho, S., Lee, Y., & Kim, S. (2008). Extraction Optimization and Properties of Collagen from Yellowfin Tuna (*Thunnus albacares*) Dorsal Skin. *Food Hydrocolloids*, 22, 879–887. <https://doi.org/10.1016/j.foodhyd.2007.04.015>
- Zague, V. (2008). A New View Concerning the Effects of Collagen Hydrolysate Intake on Skin Properties. *Archives of Dermatological Research*, 300(9), 479–483. <https://doi.org/10.1007/s00403-008-0888-4>
- Zanna, N. (2017). Evidence Base and Benefits Associated with a Collagen-Based Nutraceutical Drink. *Journal of Aesthetic Nursing*, 6(3), 136–142. <https://doi.org/10.12968/joan.2017.6.3.136>
- Zhang, M., Liu, W., & Li, G. (2009). Isolation and Characterisation of Collagens from the Skin of Largefin Longbarbel Catfish (*Mystus macropterus*). *Food Chemistry*, 115(3), 826–831. <https://doi.org/10.1016/j.foodchem.2009.01.006>
- Zhang, Y., Zhang, Y., Liu, X., Huang, L., Chen, Z., & Cheng, J. (2017). Influence of Hydrolysis Behaviour and Microfluidisation on the Functionality and Structural Properties of Collagen Hydrolysates. *Food Chemistry*, 227, 211–218.

<https://doi.org/10.1016/j.foodchem.2017.01.049>

Zhang, Z., Li, G., & Shi, B. (2006). Physiochemical Properties of Collagen, Gelatin and Collagen Hydrolysate Derived from Bovine Limed Split Wastes. *Journal of the Society of Leather Technologists and Chemists*, 90(1), 23–28. <https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.460.7337&rep=rep1&type=pdf>

