

## DAFTAR PUSTAKA

- [1] H. Cheng, Z. Wang, S. Yang, J. Huang, and X. Ge, "An Integrated SRM Powertrain Topology for Plug-In Hybrid Electric Vehicles with Multiple Driving and Onboard Charging Capabilities," *IEEE Trans. Transp. Electrification*, vol. 6, no. 2, pp. 578–591, 2020, doi: 10.1109/TTE.2020.2987167. Diakses dari <https://sci-hub.se/downloads/2020-05-03/b5/cheng2020.pdf>
- [2] C. Gan, J. Wu, Q. Sun, W. Kong, H. Li, and Y. Hu, "A Review on Machine Topologies and Control Techniques for Low-Noise Switched Reluctance Motors in Electric Vehicle Applications," *IEEE Access*, vol. 6, no. c, pp. 31430–31443, 2018, doi: 10.1109/ACCESS.2018.2837111. Diakses dari <https://twin.sci-hub.se/6869/0dbfc55ffecbf897f1afb566bd8ccd/gan2018.pdf>
- [3] Q. A. Al-Haija, M. Al-Ja'Fari, and M. Smadi, "A comparative study up to 1024 bit Euclid's GCD algorithm FPGA implementation and synthesizing," *Int. Conf. Electron. Devices, Syst. Appl.*, 2017, doi: 10.1109/ICEDSA.2016.7818535. Diakses dari <https://twin.sci-hub.se/6275/d99ce75e0fe8ed31391b36094bdd09fe/al-haija2016.pdf>
- [4] A. Shehada, S. Member, and R. Krishnan, "Low-Cost Single-Switch Variable-Speed Switched Reluctance Motor Drive." Diakses dari <https://moscow.sci-hub.se/4980/020cfb4915ed3c5051e60d9824603b82/shehada2015.pdf>
- [5] Y. Lan *et al.*, "Switched reluctance motors and drive systems for electric

- vehicle powertrains: State of the art analysis and future trends,” *Energies*, vol. 14, no. 8, 2021, doi: 10.3390/en14082079. Diakses dari <https://sci-hub.se/downloads/2021-08-11/1e/lan2021.pdf>
- [6] A. D. Wardani, S. Riyadi, L. H. Pratomo, and F. B. Setiawan, “Peningkatan Efisiensi Kinerja Switched Reluctance Motor dengan Metode Pergeseran Sudut Fasa,” *Teknik*, vol. 42, no. 1, pp. 253–259, 2021, doi: 10.14710/teknik.v42i3.33970. Diakses dari <https://ejournal.undip.ac.id/index.php/teknik/article/download/33970/20603>
- [7] A. P. Khedkar and P. S. Swami, “Comparative study of asymmetric bridge and split AC supply converter for switched reluctance motor,” *6th Int. Conf. Comput. Power, Energy, Inf. Commun. ICCPEIC 2017*, vol. 2018-Janua, pp. 522–526, 2018, doi: 10.1109/ICCPEIC.2017.8290421. Diakses dari <https://twin.sci-hub.se/6741/c44c60703d68df093b67343c7cba419f/khedkar2017.pdf>
- [8] S. Riyadi, “A simple method to control the excitation angle for switched reluctance motor,” *Indones. J. Electr. Eng. Informatics*, vol. 9, no. 2, pp. 384–393, 2021, doi: 10.52549/ijeei.v9i2.2814. Diakses dari <http://section.iaesonline.com/index.php/IJEEI/article/download/2814/620>
- [9] G. D. Wahyu and S. Riyadi, “PWM Control Strategy of Regenerative Braking to Maximize the Charging Current into the Battery in SRM Drive,” *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect. Prospect. Challenges, iSemantic 2019*, pp. 523–527, 2019, doi: 10.1109/ISEMANTIC.2019.8884342. Diakses dari <https://sci-hub.se/downloads/2021-08-11/1e/lan2021.pdf>

hub.se/downloads/2019-12-06/8e/wahyu2019.pdf

- [10] S. Riyadi, "Control strategy for switched reluctance motor with rotary encoder based rotor position detection," *Adv. Electr. Electron. Eng.*, vol. 16, no. 3, pp. 261–270, 2018, doi: 10.15598/aeee.v16i3.2545. Diakses dari [https://www.researchgate.net/publication/327851083\\_Control\\_Strategy\\_for\\_Switched\\_Reluctance\\_Motor\\_With\\_Rotary\\_Encoder\\_Based\\_Rotor\\_Position\\_Detection/fulltext/5ba98c0c299bf13e604a40a4/Control-Strategy-for-Switched-Reluctance-Motor-With-Rotary-Encoder-Based-Rotor-Position-Detection.pdf?origin=publication\\_detail](https://www.researchgate.net/publication/327851083_Control_Strategy_for_Switched_Reluctance_Motor_With_Rotary_Encoder_Based_Rotor_Position_Detection/fulltext/5ba98c0c299bf13e604a40a4/Control-Strategy-for-Switched-Reluctance-Motor-With-Rotary-Encoder-Based-Rotor-Position-Detection.pdf?origin=publication_detail)
- [11] Shihab, B. M., Che, H. S., & Hew, W. P. Symmetrical six-phase PWM methods using similar and dissimilar zero-sequence signals injection. 4th IET Clean Energy and Technology Conference (CEAT 2016) . doi:10.1049/cp.2016.1335. Diakses dari <https://twin.sci-hub.se/6862/1745410d822fe34e851c9a5b81cdf94/shihab2016.pdf>
- [12] X. Zan, Z. Jiang, K. Ni, W. Zhang, Y. Gong, and N. Wu, "Modular battery management for SRM drives in hybrid vehicles based on a novel modular converter," *IEEE Access*, vol. 8, pp. 136296–136306, 2020, doi: 10.1109/ACCESS.2020.3011451. Diakses dari <https://sci-hub.se/downloads/2020-07-24/fc/10.1109@ACCESS.2020.3011451.pdf>
- [13] M. Kulon, K. Majalengka, K. Majalengka, and J. Barat, "Analisis pengaruh dutycycle dan frekuensi terhadap kecepatan motor listrik," no. 103, 2020. Diakses dari <https://docplayer.info/storage/112/203990926/203990926.pdf>
- [14] I. Marouf, M. M. Asad, A. Bakhuraibah, and Q. A. Al-haija, "Adders Using

- Altera Cyclone IV FPGA Kit,” pp. 8–11, 2017. Diakses dari <https://twin.sci-hub.se/6691/88299e1d74fe3e37a9b3fdcbc32ca7d0/marouf2017.pdf>
- [15] I. Marouf, M. M. Asad, A. Bakhuraibah, and Q. A. Al-Hajja, “Cost analysis study of variable parallel prefix adders using altera cyclone IV FPGA kit,” *2017 Int. Conf. Electr. Comput. Technol. Appl. ICECTA 2017*, vol. 2018-January, pp. 1–4, 2017, doi: 10.1109/ICECTA.2017.8252011. Diakses dari <https://twin.sci-hub.se/6691/88299e1d74fe3e37a9b3fdcbc32ca7d0/marouf2017.pdf>
- [16] I. Miller, D. FitzPatrick, and R. Aisola, “Analog design with Verilog-A,” *Proc. - IEEE Int. Verilog HDL Conf.*, pp. 64–68, 1997, doi: 10.1109/ivc.1997.588533. Diakses dari <https://zero.sci-hub.se/3020/42fc8b64d69e0e91b2de81baedd0233d/analog-design-with-veriloga.pdf>
- [17] R. A. Nugroho, “Perbandingan Penyalan Sudut Fasa Pada SRG Guna Meningkatkan Kinerja Untuk Memaksimalkan Keluaran Daya,” *Cyclotron*, vol. 4, no. 2, pp. 13–17, 2021, doi: 10.30651/cl.v4i2.7451. Diakses dari <http://journal.um-surabaya.ac.id/index.php/cyclotron/article/download/7451/4080>
- [18] R. AMALIA, S. RIYADI, F. B. SETIAWAN, and L. H. PRATOMO, “Peningkatan Kinerja Switched Reluctance Generator dengan Pergeseran Sudut Penyalan,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 9, no. 3, p. 690, 2021, doi: 10.26760/elkomika.v9i3.690.

Diakses dari <https://ejournal.itenas.ac.id/index.php/elkomika/article/download/4774/2632>

- [19] N. Kusumaningrum, S. Riyadi, L. H. Pratomo, and F. B. Setyawan, "Optimalisasi Pengereman Regeneratif dengan Perubahan Sudut Eksitasi pada Pulsa Tunggal," *J. Tek. Elektro*, vol. 13, no. 1, pp. 1–9, 2021, doi: 10.15294/jte.v13i1.28600. Diakses dari <https://journal.unnes.ac.id/nju/index.php/jte/article/download/28600/11753>

