

## 5. DAFTAR PUSTAKA

- Afriani, Arnim, Marlida, Y., & Yuherman. (2017). Potensi Antibakterial Bakteri Asam Laktat Proteolitik dari Bekasam Sebagai Biopreservatif Daging Sapi Antibacterial Potential of Proteolytic Lactic Acid Bacteria from Bekasam as Beef Biopreservatif PENDAHULUAN Daging adalah salah satu produk pangan yang m. *Jurnal Peternakan Indonesia*, 19(3), 165–173. Retrieved from <http://jpi.faterna.unand.ac.id/index.php/jpi/article/view/285>
- Ahmad, V., Sajid, M., Mohammad, Q., Jamal, S., Alzohairy, M. A., Al, M. A., & Uddin, M. (2017). International Journal of Antimicrobial Agents Antimicrobial potential of bacteriocins : in therapy , agriculture and food preservation. *International Journal of Antimicrobial Agents*, 49(1), 1–11. <https://doi.org/10.1016/j.ijantimicag.2016.08.016>
- Alegre, I., Viñas, I., Usall, J., Anguera, M., & Abadias, M. (2011). Microbiological and physicochemical quality of fresh-cut apple enriched with the probiotic strain Lactobacillus rhamnosus GG. *Food Microbiology*, 28(1), 59–66. <https://doi.org/10.1016/j.fm.2010.08.006>
- Alvarez-sieiro, P., Montalbán-lópez, M., Mu, D., & Kuipers, O. P. (2016). Bacteriocins of lactic acid bacteria : extending the family, 2939–2951. <https://doi.org/10.1007/s00253-016-7343-9>
- Andre Pranata, Yusmarini, N. H. (2016). EVALUASI IN VITRO TERHADAP KEMAMPUAN ISOLAT Lactobacillus plantarum 1 DALAM MENGASIMILASI KOLESTEROL DAN MENDEKONJUGASI GARAM EMPEDU. *Journal of Agricultural and Food Chemistry*, 3(2), 7–9.
- Andréa, A., Barbosa, T., Mantovani, H. C., Jain, S., & Andr, A. (2017). Critical Reviews in Biotechnology Bacteriocins from lactic acid bacteria and their potential in the preservation of fruit products. *Critical Reviews in Biotechnology*, 0(0), 000. <https://doi.org/10.1080/07388551.2016.1262323>
- Arqués, J. L., Rodríguez, E., Langa, S., Landete, J. M., & Medina, M. (2015). Antimicrobial activity of lactic acid bacteria in dairy products and gut: Effect on pathogens. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/584183>
- Bah, A., Albano, H., Barbosa, J. B., Fhouda, I., Gharbi, Y., Najjari, A., ... Ouzari, H. I. (2019). Inhibitory effect of lactobacillus plantarum FL75 and leuconostoc mesenteroides FL14 against foodborne pathogens in artificially contaminated fermented tomato juices. *BioMed Research International*, 2019. <https://doi.org/10.1155/2019/6937837>
- Cagno, R. Di, Coda, R., Angelis, M. De, & Gobbetti, M. (2013). Exploitation of

- vegetables and fruits through lactic acid fermentation. *Food Microbiology*, 33(1), 1–10. <https://doi.org/10.1016/j.fm.2012.09.003>
- Chapman, C. M. C., Gibson, G. R., & Rowland, I. (2011). Health benefits of probiotics: Are mixtures more effective than single strains? *European Journal of Nutrition*, 50(1), 1–17. <https://doi.org/10.1007/s00394-010-0166-z>
- Chapman, C. M. C., Gibson, G. R., & Rowland, I. (2012). In vitro evaluation of single- and multi-strain probiotics: Inter-species inhibition between probiotic strains, and inhibition of pathogens. *Anaerobe*, 18(4), 405–413. <https://doi.org/10.1016/j.anaerobe.2012.05.004>
- Cheon, M. J., Lim, S. M., Lee, N. K., & Paik, H. D. (2020). Probiotic properties and neuroprotective effects of lactobacillus buchneri ku200793 isolated from korean fermented foods. *International Journal of Molecular Sciences*, 21(4). <https://doi.org/10.3390/ijms21041227>
- Choi, E. A., & Chang, H. C. (2015). Cholesterol-lowering effects of a putative probiotic strain Lactobacillus plantarum EM isolated from kimchi. *LWT - Food Science and Technology*, 62(1), 210–217. <https://doi.org/10.1016/j.lwt.2015.01.019>
- Cholakov, R., Tumbarski, Y., Yanakieva, V., Dobrev, I., Salim, Y., & Denkova, Z. (2017). Antimicrobial activity of Leuconostoc lactis strain BT17, isolated from a spontaneously fermented cereal beverage (Boza). *Journal of Microbiology, Biotechnology and Food Sciences*, 7(1), 47–49. <https://doi.org/10.15414/jmbfs.2017.7.1.47-49>
- Cizeikiene, D., Juodeikiene, G., Paskevicius, A., & Bartkiene, E. (2013). Antimicrobial activity of lactic acid bacteria against pathogenic and spoilage microorganism isolated from food and their control in wheat bread. *Food Control*, 31(2), 539–545. <https://doi.org/10.1016/j.foodcont.2012.12.004>
- Daneshi, M., Ehsani, M. R., Razavi, S. H., & Labbafi, M. (2013). Effect of refrigerated storage on the probiotic survival and sensory properties of milk/carrot juice mix drink. *Electronic Journal of Biotechnology*, 16(5). <https://doi.org/10.2225/vol16-issue5-fulltext-2>
- de Souza, B. M. S., Borgonovi, T. F., Casarotti, S. N., Todorov, S. D., & Penna, A. L. B. (2019). Lactobacillus casei and Lactobacillus fermentum Strains Isolated from Mozzarella Cheese: Probiotic Potential, Safety, Acidifying Kinetic Parameters and Viability under Gastrointestinal Tract Conditions. *Probiotics and Antimicrobial Proteins*, 11(2), 382–396. <https://doi.org/10.1007/s12602-018-9406-y>
- Dunkley, K. E., & Hekmat, S. (2019). Development of probiotic vegetable juice using Lactobacillus Rhamnosus GR-1. <https://doi.org/10.1108/NFS-06-2019-0192>
- Elsanholy, R. M., Salam, S. A., Ramadan, M. F., & Badr, F. H. (2014). Detoxification of aflatoxin M1 in yoghurt using probiotics and lactic acid bacteria. *Food Control*, 43,

- 129–134. <https://doi.org/10.1016/j.foodcont.2014.03.002>
- Emmawati, A., Laksmi, B. S., Nuraida, L., & Syah, D. (2015). Karakterisasi Isolat Bakteri Asam Laktat Dari Mandai Yang Berpotensi Sebagai Probiotik. *Jurnal Agritech*, 35(02), 146.
- Fang, F., Xu, J., Li, Q., Xia, X., & Du, G. (2018). Characterization of a *Lactobacillus brevis* strain with potential oral probiotic properties. *BMC Microbiology*, 18(1), 1–9. <https://doi.org/10.1186/s12866-018-1369-3>
- Fitrianarni, D., Ibrahim, M., & Trimulyono, G. (2014). Aktivitas Antibakteri Yoghurt Susu Sapi dan Yoghurt Susu Kedelai terhadap *Shigella dysenteriae* secara In Vitro. *In Vitro Antibacterial Activity of Yoghurt and Soygurt on Shigella dysenteriae*. *LenteraBio*, 3, 97–102.
- Forssten, S. D., & Ouwehand, A. C. (2017). Simulating colonic survival of probiotics in single-strain products compared to multi-strain products. *Microbial Ecology in Health and Disease*, 28(1), 1378061. <https://doi.org/10.1080/16512235.2017.1378061>
- Gao, H., Wen, J. J., Hu, J. L., Nie, Q. X., Chen, H. H., Nie, S. P., ... Xie, M. Y. (2019). Momordica charantia juice with *Lactobacillus plantarum* fermentation: Chemical composition, antioxidant properties and aroma profile. *Food Bioscience*, 29(July 2018), 62–72. <https://doi.org/10.1016/j.fbio.2019.03.007>
- Garcia, C., Guerin, M., Souidi, K., & Remize, F. (2020). Lactic fermented fruit or vegetable juices: Past, present and future. *Beverages*, 6(1), 1–31. <https://doi.org/10.3390/beverages6010008>
- Griana, T. P., & Kinasih, L. S. (2020). Potensi Makanan Fermentasi Khas Indonesia Sebagai Imunomodulator, (September), 401–412.
- Habibi Hidayat. (2015). Identifikasi Morfologi dan Uji Aktivitas Antimikroba terhadap Bakteri *Escherichia coli* dari fermentasi Buah Markisa (*Passiflora* sp.). *Journal of Sciences and Data Analysis*, 15(2), 75–84.
- Hernandez-Hernandez, O., Muthaiyan, A., Moreno, F. J., Montilla, A., Sanz, M. L., & Ricke, S. C. (2012). Effect of prebiotic carbohydrates on the growth and tolerance of *Lactobacillus*. *Food Microbiology*, 30(2), 355–361. <https://doi.org/10.1016/j.fm.2011.12.022>
- Joghataei, M., Shahidi, F., Pouladfar, G., Mortazavi, S. A., & Ghaderi, A. (2019). Probiotic potential comparison of *Lactobacillus* strains isolated from Iranian traditional food products and human feces with standard probiotic strains. *Journal of the Science of Food and Agriculture*, 99(15), 6680–6688. <https://doi.org/10.1002/jsfa.9945>
- Juturu, V., & Wu, J. C. (2018). Microbial production of bacteriocins : Latest research

development and applications. *Biotechnology Advances*, 36(8), 2187–2200. <https://doi.org/10.1016/j.biotechadv.2018.10.007>

Kaur, S., Kaur, H. P., & Grover, J. (2016). Fermentation of Tomato juice by Probiotic Lactic acid bacteria. *International Journal of Advances in Pharmacy, Biology and Chemistry*, 5(2), 212–219.

Kim, K., Lee, G., Thanh, H. D., Kim, J. H., Konkit, M., Yoon, S., ... Kim, W. (2018). Exopolysaccharide from *Lactobacillus plantarum* LRCC5310 offers protection against rotavirus-induced diarrhea and regulates inflammatory response. *Journal of Dairy Science*, 101(7), 5702–5712. <https://doi.org/10.3168/jds.2017-14151>

König, H., & Fröhlich, J. (2017). Lactic acid bacteria. *Biology of Microorganisms on Grapes, in Must and in Wine*, 3–41. [https://doi.org/10.1007/978-3-319-60021-5\\_1](https://doi.org/10.1007/978-3-319-60021-5_1)

Koriasih, P., Jannah, S. N., & Raharjo, B. (2019). Isolasi bakteri asam laktat dari tape ketan dan potensinya sebagai agen antikapang terhadap pertumbuhan *Aspergillus flavus*. Isolation of lactic acid bacterial from fermented sticky rice and its potency as agent of anti-fungus against *Aspergillus flavus* gro. *NICHE Journal of Tropical Biology*, 2(2), 7–13.

Laterza, L., Gibiino, G., Scaldaferri, F., & Gasbarrini, A. (2018). Benefits of multistrain bacteria formulations for health. *Journal of Functional Foods*, 47(January), 531–546. <https://doi.org/10.1016/j.jff.2018.05.051>

Liu, Y., Chen, H., Chen, W., Zhong, Q., Zhang, G., & Chen, W. (2018). Beneficial effects of tomato juice fermented by *lactobacillus plantarum* and *lactobacillus casei*: Antioxidation, antimicrobial effect, and volatile profiles. *Molecules*, 23(9), 1–18. <https://doi.org/10.3390/molecules23092366>

Malik, M., Bora, J., & Sharma, V. (2019). Growth studies of potentially probiotic lactic acid bacteria (*Lactobacillus plantarum*, *Lactobacillus acidophilus*, and *Lactobacillus casei*) in carrot and beetroot juice substrates. *Journal of Food Processing and Preservation*, 43(11), 1–8. <https://doi.org/10.1111/jfpp.14214>

Mani-lópez, E., Palou, E., & López-malo, A. (2018). *Biopewawevatives as Agents to Prevent Food Spoilage. Microbial Contamination and Food Degradation*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-811515-2/00008-1>

Maryati, Y., Nuraida, L., & Dewanti-Hariyadi, R. (2016). A study in vitro of lactic acid bacteria(LAB) isolates on cholesterol lowering ability in the presence of oligosaccharides. *Agritech*, 36(2), 196–205.

Matsuzaki, C., Hayakawa, A., Matsumoto, K., Katoh, T., Yamamoto, K., & Hisa, K. (2015). Exopolysaccharides Produced by *Leuconostoc mesenteroides* Strain NTM048 as an Immunostimulant to Enhance the Mucosal Barrier and Influence the Systemic Immune Response. *Journal of Agricultural and Food Chemistry*, 63(31), 7009–7015. <https://doi.org/10.1021/acs.jafc.5b01960>

- McFarland, L. V., Ship, N., Auclair, J., & Millette, M. (2018). Primary prevention of Clostridium difficile infections with a specific probiotic combining Lactobacillus acidophilus, L. casei, and L. rhamnosus strains: assessing the evidence. *Journal of Hospital Infection*, 99(4), 443–452. <https://doi.org/10.1016/j.jhin.2018.04.017>
- McFarland, Lynne V. (2021). Efficacy of Single-Strain Probiotics Versus Multi-Strain Mixtures: Systematic Review of Strain and Disease Specificity. *Digestive Diseases and Sciences*, 66(3), 694–704. <https://doi.org/10.1007/s10620-020-06244-z>
- Mokoena, M. P. (2017). Lactic acid bacteria and their bacteriocins: Classification, biosynthesis and applications against uropathogens: A mini-review. *Molecules*, 22(8). <https://doi.org/10.3390/molecules22081255>
- Mundiri, N. A., Megantara, I., & Anggaeni, T. T. K. (2020). Kajian Pustaka: Pemanfaatan Eksopolisakarida Bakteri Asam Laktat Probiotik Asal Produk Pangan Fermentasi sebagai Imunomodulator. *Indonesia Medicus Veterinus*, 9(5), 849–859. <https://doi.org/10.19087/imv.2020.9.5.849>
- Nosa, K., & Anindita, S. (2021). AKTIVITAS ANTIBAKTERI Lactobacillus paracasei ASAL AIR SUSU IBU ( ASI ) TERHADAP BAKTERI PATOGEN ANTIBACTERIAL ACTIVITY OF Lactobacillus paracasei. *Biomedika*, 13(1), 36–47. <https://doi.org/10.23917/biomedika.v13i1.10827>
- Oleksy-sobczak, M., & Piekarska-radzik, L. (2020). LWT - Food Science and Technology Exopolysaccharides production by Lactobacillus rhamnosus strains – Optimization of synthesis and extraction conditions, 122(September 2019). <https://doi.org/10.1016/j.lwt.2020.109055>
- Papuangan, N., & Nurhasanah. (2014). Potensi Senyawa Antibakteri Isolat Bakteri Asam ( The Potential Antibacterial Compounds Of Lactic Acid Bacterial Isolated. *Seminar Nasional Riset Inovatif II*.
- Payne, A. N., Zihler, A., Chassard, C., & Lacroix, C. (2012). Advances and perspectives in in vitro human gut fermentation modeling. *Trends in Biotechnology*, 30(1), 17–25. <https://doi.org/10.1016/j.tibtech.2011.06.011>
- Pereira, A. L. F., Maciel, T. C., & Rodrigues, S. (2011). Probiotic beverage from cashew apple juice fermented with Lactobacillus casei. *Food Research International*, 44(5), 1276–1283. <https://doi.org/10.1016/j.foodres.2010.11.035>
- Pianpumepong, P., & Noomhorm, A. (2010). Isolation of probiotic bacteria from turmeric (*Curcuma longa* Linn.) and its application in enriched beverages. *International Journal of Food Science and Technology*, 45(12), 2456–2462. <https://doi.org/10.1111/j.1365-2621.2010.02337.x>
- Pratiwi, I. D. P. K., Nocianitri, K. A., Aryanta, W. R., Ramona, Y., Sukrama, I. D. M., & Sujaya, I. N. (2013). Efek konsumsi bio-yoghurt dari lactobacillus rhamnosus skg34

- terhadap lipid profile pada manusia. *ARC Journal of Public Health and Community Medicine*, 2(1), 40–49.
- Quinto, E. J., Caro, I., Villalobos-delgado, L. H., Mateo, J., De-mateo-silleras, B., & Redondo-del-r, P. (2019). Food Safety through Natural Antimicrobials, 1–30.
- Rahmadi, A. (2019). Bakteri Asam Laktat dan Mandi Cempedak. *Mulawar University Press*, 1(June), 1–203. <https://doi.org/10.13140/RG.2.2.18884.27521/1>
- Rahman, M. M., Roy, M., Sajib, M. A. M., Sarkar, A., & Hussain, M. S. (2015). Radiation Effects on Essential Minerals Content of Cucumber ( *Cucumis sativus* ). *American Journal of Food and Nutrition*, 3(3), 69–74. <https://doi.org/10.12691/ajfn-3-3-2>
- Ramos, C. L., Thorsen, L., Schwan, R. F., & Jespersen, L. (2013). Strain-specific probiotics properties of *Lactobacillus fermentum*, *Lactobacillus plantarum* and *Lactobacillus brevis* isolates from Brazilian food products. *Food Microbiology*, 36(1), 22–29. <https://doi.org/10.1016/j.fm.2013.03.010>
- Ryan, L. A. M., Zannini, E., Dal Bello, F., Pawlowska, A., Koehler, P., & Arendt, E. K. (2011). *Lactobacillus amylovorus* DSM 19280 as a novel food-grade antifungal agent for bakery products. *International Journal of Food Microbiology*, 146(3), 276–283. <https://doi.org/10.1016/j.ijfoodmicro.2011.02.036>
- Savitry, N. I., & Setiani, B. E. (2017). Total Bakteri Asam Laktat , Total Asam , Nilai pH , Viskositas , dan Sifat Organoleptik Yoghurt dengan Penambahan Jus Buah Tomat, 6(4), 184–187.
- Sivudu, S. N., Umamahesh, K., & Reddy, O. V. S. (2014). A Comparative study on Probiotication of mixed Watermelon and Tomato juice by using Probiotic strains of *Lactobacilli*, 3(11), 977–984.
- Song, M. W., Chung, Y., Kim, K. T., Hong, W. S., Chang, H. J., & Paik, H. D. (2020). Probiotic characteristics of *Lactobacillus brevis* B13-2 isolated from kimchi and investigation of antioxidant and immune-modulating abilities of its heat-killed cells. *Lwt*, 128(April), 109452. <https://doi.org/10.1016/j.lwt.2020.109452>
- Soundara Rajan, N. P., Ponnusamy, R., Murugesan, S., Gopal, S., & Ranganathan, T. (2018). Development and Evaluation of Probioticated Cucumber Juice Using *Lactobacillus plantarum*. *Proceedings of the National Academy of Sciences India Section B - Biological Sciences*, 88(3), 1025–1032. <https://doi.org/10.1007/s40011-017-0838-z>
- Sui, Y., Liu, J., Liu, Y., Wang, Y., Xiao, Y., Gao, B., & Zhu, D. (2021). In vitro probiotic characterization of *Lactobacillus* strains from fermented tangerine vinegar and their cholesterol degradation activity. *Food Bioscience*, 39(December 2020), 100843. <https://doi.org/10.1016/j.fbio.2020.100843>
- Szutowska, J. (2020). Functional properties of lactic acid bacteria in fermented fruit and

- vegetable juices: a systematic literature review. *European Food Research and Technology*, 246(3), 357–372. <https://doi.org/10.1007/s00217-019-03425-7>
- Tamminen. (2013). Fermentation of Carrot Juice by Probiotics: Viability and Preservation of Adhesion. *International Journal of Biotechnology for Wellness Industries*, 10–15. <https://doi.org/10.6000/1927-3037.2013.02.01.2>
- Tobiang, F. P., & Purwaningsih, W. T. (2020). PENGEMBANGAN MINUMAN FERMENTASI JAMBU KRISTAL (*Psidium guajava L.*) SKALA PILOT PLAN DI LABORATORIUM MIKROBIOLOGI PANGAN. *Jurnal Teknologi Pangan*, 14(1), 1–7. <https://doi.org/10.33005/jtp.v14i1.2177>
- Trzaskowska, M., & Gasentzer, P. (2016). Effects of Probiotic *Lactobacillus Rhamnosus* LOCK900 on the *Staphylococcus Aureus* Survival in Carrot Juice. *Journal of Food Safety*, 36(4), 571–576. <https://doi.org/10.1111/jfs.12278>
- Tumbarski, Y., Lante, A., & Krastanov, A. (2018). Immobilization of Bacteriocins from Lactic Acid Bacteria and Possibilities for Application in Food Biopreservation, 25–32. <https://doi.org/10.2174/1874070701812010025>
- Valente, G. L. C., Acurcio, L. B., Freitas, L. P. V., Nicoli, J. R., Silva, A. M., Souza, M. R., & Penna, C. F. A. M. (2019). Short communication: In vitro and in vivo probiotic potential of *Lactobacillus plantarum* B7 and *Lactobacillus rhamnosus* D1 isolated from Minas artisanal cheese. *Journal of Dairy Science*, 102(7), 5957–5961. <https://doi.org/10.3168/jds.2018-15938>
- Vernocchi, P., Chierico, F. Del, & Putignani, L. (2020). Gut microbiota metabolism and interaction with food components. *International Journal of Molecular Sciences*, 21(10). <https://doi.org/10.3390/ijms21103688>
- Vidhyasagar, V., & Jeevaratnam, K. (2013). Evaluation of *Pediococcus pentosaceus* strains isolated from Idly batter for probiotic properties in vitro. *Journal of Functional Foods*, 5(1), 235–243. <https://doi.org/10.1016/j.jff.2012.10.012>
- Wang, X., Zhang, M., Wang, W., Lv, H., Zhang, H., Liu, Y., & Tan, Z. (2020). The in vitro Effects of the Probiotic Strain, *Lactobacillus casei* ZX633 on Gut Microbiota Composition in Infants With Diarrhea. *Frontiers in Cellular and Infection Microbiology*, 10(September), 1–12. <https://doi.org/10.3389/fcimb.2020.576185>
- Widianingsih, M. (2018). EFEKTIVITAS PROBIOTIK SINGLE DAN MULTI STRAIN TERHADAP *Escherichia coli* SECARA IN VITRO. *JST (Jurnal Sains Dan Teknologi)*, 7(2), 178. <https://doi.org/10.23887/jst-undiksha.v7i2.13120>
- Widodo, W., Fanani, T. H., Fahreza, M. I., & Sukarno, A. S. (2021). Cholesterol Assimilation of Two Probiotic Strains of *Lactobacillus casei* used as Dairy Starter Cultures. *Applied Food Biotechnology*, 8(2), 103–112. <https://doi.org/10.22037/afb.v8i2.30661>

Yogeswara, I. B. A., Kusumawati, I. G. A. W., & Nursini, N. W. (2014). Viabilitas dan stabilitas bakteri probiotik L. acidophilus FNCC 0051 pada susu kedelai fermentasi selama di saluran cerna in vitro dan penyimpanan. *Seminar Nasional FMIPA UNDIKSHA IV*, 360–367.

Zehra, S. A., Javed, S., Nadeem, S. G., & Hakim, S. T. (2014). Lactic Acid Bacteria from Fresh Fruits and Vegetables as Biocontrol Agent of Foodborne Bacterial Pathogens, 5(January).

Zhai, Q., Yin, R., Yu, L., Wang, G., Tian, F., Yu, R., ... Chen, W. (2015). Screening of lactic acid bacteria with potential protective effects against cadmium toxicity. *Food Control*, 54, 23–30. <https://doi.org/10.1016/j.foodcont.2015.01.037>

Zhang, X., Duan, W., Zou, J., Zhou, H., Liu, C., & Yang, H. (2019). Flavor and antioxidant activity improvement of carrot juice by fermentation with *Lactobacillus plantarum* WZ-01. *Journal of Food Measurement and Characterization*, 13(4), 3366–3375. <https://doi.org/10.1007/s11694-019-00260-y>

