

6. DAFTAR PUSTAKA

- A. Fitrawanti, R. Dewanti-Hariyadi, & N. Wulandari. (2021). Faktor Kerentanan Food Fraud dan Mitigasinya : Studi Kasus Pada Produsen Susu Bubuk di Indonesia. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 9(2), 55–63. <https://doi.org/10.29244/jipthp.9.2.55-63>
- Alegantina, S., & Isnawati, A. (2010). Identifikasi dan penetapan kadar senyawa kumarin dalam ekstrak metanol. *Buletin Penelitian Kesehatan*, 38(1), 17–28.
- Amalraj, A., Pius, A., Gopi, S., & Gopi, S. (2017). Biological activities of curcuminoids, other biomolecules from turmeric and their derivatives – A review. *Journal of Traditional and Complementary Medicine*, 7(2), 205–233. <https://doi.org/10.1016/j.jtcme.2016.05.005>
- Annissa, S., Musfiroh, I., & Indriati, L. (2019). Perbandingan Metode Analisis Instrumen HPLC dan UHPLC : Article Review. *Farmaka*, 17(3), 189–197.
- Ashok, V., Agrawal, N., Durgbanshi, A., Esteve-Romero, J., & Bose, D. (2015). A novel micellar chromatographic procedure for the determination of metanil yellow in foodstuffs. *Analytical Methods*, 7(21), 9324–9330. <https://doi.org/10.1039/c5ay02377g>
- Bansal, S., Singh, A., Mangal, M., Mangal, A. K., & Kumar, S. (2017). *Food adulteration: Sources, health risks, and detection methods. Critical Reviews in Food Science and Nutrition* (Vol. 57). <https://doi.org/10.1080/10408398.2014.967834>
- Booker, A., Frommenwiler, D., Johnston, D., Umealajekwu, C., Reich, E., & Heinrich, M. (2014). Chemical variability along the value chains of turmeric (*Curcuma longa*): A comparison of nuclear magnetic resonance spectroscopy and high performance thin layer chromatography. *Journal of Ethnopharmacology*, 152(2), 292–301. <https://doi.org/10.1016/j.jep.2013.12.042>
- Bunaciu, A. A., Aboul-Enein, H. Y., & Fleschin, S. (2011). Recent applications of

- fourier transform infrared spectrophotometry in herbal medicine analysis. *Applied Spectroscopy Reviews*, 46(4), 251–260. <https://doi.org/10.1080/05704928.2011.565532>
- Büning-Pfaue, H. (2003). Analysis of water in food by near infrared spectroscopy. *Food Chemistry*, 82(1), 107–115. [https://doi.org/10.1016/S0308-8146\(02\)00583-6](https://doi.org/10.1016/S0308-8146(02)00583-6)
- Cahyono, E. A., Sutomo, & Harsono, A. (2019). Literatur Review: Panduan Penulisan dan Penyusunan. *Jurnal Keperawatan*, 12.
- Cai, S., & Singh, B. R. (2004). A Distinct Utility of the Amide III Infrared Band for Secondary Structure Estimation of Aqueous Protein Solutions Using Partial Least Squares Methods. *Biochemistry*, 43(9), 2541–2549. <https://doi.org/10.1021/bi030149y>
- Cen, H., & He, Y. (2007). Theory and application of near infrared reflectance spectroscopy in determination of food quality. *Trends in Food Science and Technology*, 18(2), 72–83. <https://doi.org/10.1016/j.tifs.2006.09.003>
- Chakraborty, S., Das, C., Saha, R., Karmakar, A., & Chattopadhyay, S. (n.d.). Alteration and Lysis of Human Erythrocytes : An On-chip Analysis. *2018 International Symposium on Devices, Circuits and Systems (ISDCS)*, 1–4.
- Chao, K., Dhakal, S., Qin, J., Kim, M., & Peng, Y. (2018). A 1064 nm dispersive raman spectral imaging system for food safety and quality evaluation. *Applied Sciences (Switzerland)*, 8(3). <https://doi.org/10.3390/app8030431>
- Che Man, Y. B., Syahariza, Z. A., Mirghani, M. E. S., Jinap, S., & Bakar, J. (2005). Analysis of potential lard adulteration in chocolate and chocolate products using Fourier transform infrared spectroscopy. *Food Chemistry*, 90(4), 815–819. <https://doi.org/10.1016/j.foodchem.2004.05.029>
- Chris Hart. (2018). Doing a Literature Review: Releasing the Research Imagination. -, 20(2), 145–150. <https://doi.org/10.1007/BF00253969>

- Cozzolino, D. (2011). Infrared Methods for High Throughput Screening of Metabolites: Food and Medical Applications. *Combinatorial Chemistry & High Throughput Screening*, *14*(2), 125–131. <https://doi.org/10.2174/138620711794474105>
- Das, C., Chakraborty, S., Bera, N. K., Acharya, K., Chattopadhyay, D., Karmakar, A., & Chattopadhyay, S. (2019). Impedimetric approach for estimating the presence of metanil yellow in turmeric powder from tunable capacitance measurement. *Food Analytical Methods*, *12*(4), 1017–1027. <https://doi.org/10.1007/s12161-018-01423-1>
- Dhakal, S., Chao, K., Schmidt, W., Qin, J., Kim, M., & Chan, D. (2016). Evaluation of turmeric powder adulterated with metanil yellow using ft-raman and ft-ir spectroscopy. *Foods*, *5*(2), 1–15. <https://doi.org/10.3390/foods5020036>
- Dhanya, K., Syamkumar, S., Siju, S., & Sasikumar, B. (2011). Sequence characterized amplified region markers: A reliable tool for adulterant detection in turmeric powder. *Food Research International*, *44*(9), 2889–2895. <https://doi.org/10.1016/j.foodres.2011.06.040>
- Dixit, S., Purshottam, S. K., Khanna, S. K., & Das, M. (2009). Surveillance of the quality of turmeric powders from city markets of India on the basis of curcumin content and the presence of extraneous colours. *Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment*, *26*(9), 1227–1231. <https://doi.org/10.1080/02652030903016586>
- Dixit, Sumita, Khanna, S. K., & Das, M. (2008). A simple 2-directional high-performance thin-layer chromatographic method for the simultaneous determination of curcumin, metanil yellow, and sudan dyes in turmeric, chili, and curry powders. *Journal of AOAC International*, *91*(6), 1387–1396. <https://doi.org/10.1093/jaoac/91.6.1387>
- Dixit, Sumita, Purshottam, S. K., Khanna, S. K., & Das, M. (2011). Usage pattern of synthetic food colours in different states of India and exposure assessment through commodities preferentially consumed by children. *Food Additives*

and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 28(8), 996–1005. <https://doi.org/10.1080/19440049.2011.580011>

El-Abassy, R. M., Donfack, P., & Materny, A. (2009). Visible Raman spectroscopy for the discrimination of olive oils from different vegetable oils and the detection of adulteration. *Journal of Raman Spectroscopy*, 40(9), 1284–1289. <https://doi.org/10.1002/jrs.2279>

Erasmus, S. W., van Hasselt, L., Ebbinge, L. M., & van Ruth, S. M. (2021). Real or fake yellow in the vibrant colour craze: Rapid detection of lead chromate in turmeric. *Food Control*, 121(xxxx), 107714. <https://doi.org/10.1016/j.foodcont.2020.107714>

Esteve-Romero, J., Carda-Broch, S., Gil-Agustí, M., Capella-Peiró, M. E., & Bose, D. (2005). Micellar liquid chromatography for the determination of drug materials in pharmaceutical preparations and biological samples. *TrAC - Trends in Analytical Chemistry*, 24(2), 75–91. <https://doi.org/10.1016/j.trac.2004.11.003>

Feng, F., Zhao, Y., Yong, W., Sun, L., Jiang, G., & Chu, X. (2011). Highly sensitive and accurate screening of 40 dyes in soft drinks by liquid chromatography-electrospray tandem mass spectrometry. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 879(20), 1813–1818. <https://doi.org/10.1016/j.jchromb.2011.04.014>

Gad, H. A., El-Ahmady, S. H., Abou-Shoer, M. I., & Al-Azizi, M. M. (2013). Application of chemometrics in authentication of herbal medicines: A review. *Phytochemical Analysis*, 24(1), 1–24. <https://doi.org/10.1002/pca.2378>

Ganim, Z., Hoi, S. C., Smith, A. W., Deflores, L. P., Jones, K. C., & Tokmakoff, A. (2008). Amide I two-dimensional infrared spectroscopy of proteins. *Accounts of Chemical Research*, 41(3), 432–441. <https://doi.org/10.1021/ar700188n>

Garg, D., Kumar, S., Sharma, K., & Majumder, C. B. (2019). Application of waste

- peanut shells to form activated carbon and its utilization for the removal of Acid Yellow 36 from wastewater. *Groundwater for Sustainable Development*, 8(January), 512–519. <https://doi.org/10.1016/j.gsd.2019.01.010>
- Geissler, M., Oellig, C., Moss, K., Schwack, W., Henkel, M., & Hausmann, R. (2017). High-performance thin-layer chromatography (HPTLC) for the simultaneous quantification of the cyclic lipopeptides Surfactin, Iturin A and Fengycin in culture samples of *Bacillus* species. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1044–1045, 214–224. <https://doi.org/10.1016/j.jchromb.2016.11.013>
- Ghosh, D., Singha, P. S., Firdaus, S. B., & Ghosh, S. (2017). Metanil yellow: The toxic food colorant. *Asian Pacific Journal of Health Sciences*, 4(4), 65–66. <https://doi.org/10.21276/apjhs.2017.4.4.16>
- Glassford, S. E., Byrne, B., & Kazarian, S. G. (2013). Recent applications of ATR FTIR spectroscopy and imaging to proteins. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1834(12), 2849–2858. <https://doi.org/10.1016/j.bbapap.2013.07.015>
- Gusnedi, R. (2013). Analisis Nilai Absorbansi dalam Penentuan Kadar Flavonoid untuk Berbagai Jenis Daun Tanaman Obat. *Pillar of Physics*, 2, 76–83.
- Haughey, S. A., Galvin-King, P., Ho, Y. C., Bell, S. E. J., & Elliott, C. T. (2015). The feasibility of using near infrared and Raman spectroscopic techniques to detect fraudulent adulteration of chili powders with Sudan dye. *Food Control*, 48, 75–83. <https://doi.org/10.1016/j.foodcont.2014.03.047>
- Hermanto, 2008. Aplikasi Alat HPTLC dan GC- MS. Jakarta
- Huang, C., Lu, H. F., Chen, Y. H., Chen, J. C., Chou, W. H., & Huang, H. C. (2020). Curcumin, demethoxycurcumin, and bisdemethoxycurcumin induced caspase-dependent and -independent apoptosis via Smad or Akt signaling pathways in HOS cells. *BMC Complementary Medicine and Therapies*, 20(1), 68. <https://doi.org/10.1186/s12906-020-2857-1>

- Hussain Khan, M., Saleem, Z., Ahmad, M., Sohaib, A., Ayaz, H., & Mazzara, M. (2020). Hyperspectral imaging for color adulteration detection in red chili. *Applied Sciences (Switzerland)*, *10*(17). <https://doi.org/10.3390/app10175955>
- Jaiswal S, Yadav DS, Mishra MK, G. A. (2016). Detection of adulterants in spices through chemical method and thin layer chromatography for forensic consideration. *International Journal of Development Research*, *6*(8), 8824–8827. Retrieved from <https://www.journalijdr.com/sites/default/files/issue-pdf/5989.pdf>
- Kaavya, R., Pandiselvam, R., Mohammed, M., Dakshayani, R., Kothakota, A., Ramesh, S. V., ... Ashokkumar, C. (2020). Application of infrared spectroscopy techniques for the assessment of quality and safety in spices: a review. *Applied Spectroscopy Reviews*, *55*(7), 593–611. <https://doi.org/10.1080/05704928.2020.1713801>
- Kar, S., Tudu, B., Bag, A. K., & Bandyopadhyay, R. (2018). Application of Near-Infrared Spectroscopy for the Detection of Metanil Yellow in Turmeric Powder. *Food Analytical Methods*, *11*(5), 1291–1302. <https://doi.org/10.1007/s12161-017-1106-9>
- Kaur Purba, M., & Sudhir K Shukla, N. A. (2015). Detection of Non-Permitted Food Colors in Edibles. *Journal of Forensic Research*, *s4*(February 2019). <https://doi.org/10.4172/2157-7145.1000s4-003>
- Khodabakhshian, R., Bayati, M. R., & Emadi, B. (2021). An evaluation of IR spectroscopy for authentication of adulterated turmeric powder using pattern recognition. *Food Chemistry*, *364*(February), 130406. <https://doi.org/10.1016/j.foodchem.2021.130406>
- Knolhoff, A. M., & Croley, T. R. (2016). Non-targeted screening approaches for contaminants and adulterants in food using liquid chromatography hyphenated to high resolution mass spectrometry. *Journal of Chromatography A*, *1428*, 86–96. <https://doi.org/10.1016/j.chroma.2015.08.059>

- Kotra, V. S. R., Satyabanta, L., & Goswami, T. K. (2019). A critical review of analytical methods for determination of curcuminoids in turmeric. *Journal of Food Science and Technology*, 56(12), 5153–5166. <https://doi.org/10.1007/s13197-019-03986-1>
- Lohumi, S., Lee, S., Lee, W. H., Kim, M. S., Mo, C., Bae, H., & Cho, B. K. (2014). Detection of starch adulteration in onion powder by FT-NIR and FT-IR spectroscopy. *Journal of Agricultural and Food Chemistry*, 62(38), 9246–9251. <https://doi.org/10.1021/jf500574m>
- Lórenz-Fonfría, V. A., Granell, M., León, X., Leblanc, G., & Padro, E. (2009). In-Plane and Out-of-Plane Infrared Difference Spectroscopy Unravels Tilting of. *Journal of the Amer*, 131, 15094–15095.
- Ma, J., Sun, D., Pu, H., Cheng, J., & Wei, Q. (2019). Advanced Techniques for Hyperspectral Imaging in the Food Industry: Principles and Recent Applications. *Annual Reviews*, 1–24. <https://doi.org/https://doi.org/10.1146/annurev-food-032818-121155>
- Mandal, D., Chatterjee, A., & Tudu, B. (2021). A deep neural network and random forests driven computer vision framework for identification and prediction of metanil yellow adulteration in turmeric powder. *Concurrency and Computation: Practice and Experience*, (May), 1–17. <https://doi.org/10.1002/cpe.6500>
- Manning, L., & Soon, J. M. (2014). Developing systems to control food adulteration. *Food Policy*, 49(P1), 23–32. <https://doi.org/10.1016/j.foodpol.2014.06.005>
- McCreery, R. L. (2001). *Raman Spectroscopy for Chemical Analysis. Measurement Science and Technology*. <https://doi.org/10.1088/0957-0233/12/5/704>
- Mujianto, B., Purwanti, A., & Risini, S. (2013). Identifikasi pengawet dan pewarna berbahaya pada bumbu giling. *Jurnal Ilmu & Teknologi Ilmu Kesehatan*, 1(1), 34–39.

- Nagaraja, T. N., & Desiraju, T. (1993). Effects of chronic consumption of metanil yellow by developing and adult rats on brain regional levels of noradrenaline, dopamine and serotonin, on acetylcholine esterase activity and on operant conditioning. *Food and Chemical Toxicology*, 31(1), 41–44. [https://doi.org/10.1016/0278-6915\(93\)90177-Z](https://doi.org/10.1016/0278-6915(93)90177-Z)
- Nieuwoudt, M. K., Holroyd, S. E., McGoverin, C. M., Simpson, M. C., & Williams, D. E. (2016). Raman spectroscopy as an effective screening method for detecting adulteration of milk with small nitrogen-rich molecules and sucrose. *Journal of Dairy Science*, 99(4), 2520–2536. <https://doi.org/10.3168/jds.2015-10342>
- Oliveira, M. M., Cruz-Tirado, J. P., & Barbin, D. F. (2019). Nontargeted Analytical Methods as a Powerful Tool for the Authentication of Spices and Herbs: A Review. *Comprehensive Reviews in Food Science and Food Safety*, 18(3), 670–689. <https://doi.org/10.1111/1541-4337.12436>
- Öncü-Kaya, E. M. (2017). Determination of Folic Acid by Ultra-High Performance Liquid Chromatography in Certain Malt-based Beverages after Solid-Phase Extraction. *Celal Bayar University Journal of Science*, 13(3), 623–630. <https://doi.org/10.18466/cbayarfb.339315>
- Paradkar, M. M., & Irudayaraj, J. (2002). Discrimination and classification of beet and cane inverts in honey by FT-Raman spectroscopy. *Food Chemistry*, 76(2), 231–239. [https://doi.org/10.1016/S0308-8146\(01\)00292-8](https://doi.org/10.1016/S0308-8146(01)00292-8)
- Partha Pratim Nath, Kaushik Sarkar, P. T. A. G. P. (2013). Development of A Visible Spectrophotometric Method for The Quantitative Determination of Metanil Yellow in Different Food Samples ., 4(2), 685–692.
- Patel, H. J. (2017). Near Infrared Spectroscopy: Basic principles and use in tablet evaluation. *International Journal of Chemical and Life Sciences*, 6(2), 2006. <https://doi.org/10.21746/ijcls.2017.2.1>
- Patty, D. J. (2016). Identification Functional Group on Medicin Plants Using FTIR

- Spectrometry. *Journal of Medical Science And Clinical Research*, 04(11), 13800–13806. <https://doi.org/10.18535/jmscr/v4i11.49>
- Rajkumar, P. (2012). Spice route: Logistic journey of spices in retail supply chain perspective. *Journal of Economics*, 3, 9–20.
- Randolph, J. J. (2009). A guide to writing the dissertation literature review. *Practical Assessment, Research and Evaluation*, 14(13).
- Rao, S. N., Vennapusa, C. S. R., Patel, S., Meti, S., & Huggar, B. (2021). Determination of banned adulterants in turmeric and chilli powders using ultra-high-performance liquid chromatography. *Journal of Liquid Chromatography and Related Technologies*, 44(3–4), 235–243. <https://doi.org/10.1080/10826076.2021.1891933>
- Rezzi, S., Axelson, D. E., Héberger, K., Reniero, F., Mariani, C., & Guillou, C. (2005). Classification of olive oils using high throughput flow 1H NMR fingerprinting with principal component analysis, linear discriminant analysis and probabilistic neural networks. *Analytica Chimica Acta*, 552(1–2), 13–24. <https://doi.org/10.1016/j.aca.2005.07.057>
- Rocha, F. S., Gomes, A. J., Lunardi, C. N., Kaliaguine, S., & Patience, G. S. (2018). Experimental methods in chemical engineering: Ultraviolet visible spectroscopy—UV-Vis. *Canadian Journal of Chemical Engineering*, 96(12), 2512–2517. <https://doi.org/10.1002/cjce.23344>
- Rohman, A., & Man, Y. B. C. (2012). The chemometrics approach applied to FTIR spectral data for the analysis of rice bran oil in extra virgin olive oil. *Chemometrics and Intelligent Laboratory Systems*, 110(1), 129–134. <https://doi.org/10.1016/j.chemolab.2011.10.010>
- Rohman, A., & Windarsih, A. (2020). The application of molecular spectroscopy in combination with chemometrics for halal authentication analysis: A review. *International Journal of Molecular Sciences*, 21(14), 1–18. <https://doi.org/10.3390/ijms21145155>

- Ruiz-Ángel, M. J., Carda-Broch, S., Torres-Lapasió, J. R., & García-Álvarez-Coque, M. C. (2009). Retention mechanisms in micellar liquid chromatography. *Journal of Chromatography A*, 1216(10), 1798–1814. <https://doi.org/10.1016/j.chroma.2008.09.053>
- Rukundo, I. R., & Danao, M. G. C. (2020). Identifying turmeric powder by source and metanil yellow adulteration levels using near-infrared spectra and PCA-SIMCA modeling. *Journal of Food Protection*, 83(6), 968–974. <https://doi.org/10.4315/JFP-19-515>
- Rukundo, I. R., Danao, M. G. C., Weller, C. L., Wehling, R. L., & Eskridge, K. M. (2020). Use of a handheld near infrared spectrometer and partial least squares regression to quantify metanil yellow adulteration in turmeric powder. *Journal of Near Infrared Spectroscopy*, 28(2), 81–92. <https://doi.org/10.1177/0967033519898889>
- Saadati, N., Abdullah, M. P., Zakaria, Z., Sany, S. B. T., Rezayi, M., & Hassonizadeh, H. (2013). Limit of detection and limit of quantification development procedures for organochlorine pesticides analysis in water and sediment matrices. *Chemistry Central Journal*, 7(1), 1–10. <https://doi.org/10.1186/1752-153X-7-63>
- Sahu, P. K., Panda, J., Jogendra Kumar, Y. V. V., & Ranjitha, S. K. (2020). A robust RP-HPLC method for determination of turmeric adulteration. *Journal of Liquid Chromatography and Related Technologies*, 43(7–8), 247–254. <https://doi.org/10.1080/10826076.2020.1722162>
- Sasikumar, B. (2019). REVIEW Advances in adulteration and authenticity testing of turmeric (, 28(2), 96–105.
- Sasikumar, B., Swetha, V. P., Parvathy, V. A., & Sheeja, T. E. (2016). *Advances in adulteration and authenticity testing of herbs and spices. Advances in Food Authenticity Testing*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100220-9.00022-9>

- Sett, P., De, A. K., Chattopadhyay, S., & Mallick, P. K. (2002). Raman excitation profile of diphenylamine. *Chemical Physics*, 276(2), 211–224. [https://doi.org/10.1016/S0301-0104\(01\)00571-7](https://doi.org/10.1016/S0301-0104(01)00571-7)
- Siswanto. (2010). Systematic Review Sebagai Metode Penelitian Untuk Mensintesis Hasil-Hasil Penelitian (Sebuah Pengantar) (Systematic Review as a Research Method to Synthesize Research Results (An Introduction)). *Buletin Penelitian Sistem Kesehatan*, 13(4), 326–333.
- Siviero, A., Gallo, E., Maggini, V., Gori, L., Mugelli, A., Firenzuoli, F., & Vannacci, A. (2015). Curcumin, a golden spice with a low bioavailability. *Journal of Herbal Medicine*, 5(2), 57–70. <https://doi.org/10.1016/j.hermed.2015.03.001>
- Skoog, D. A., Holler, J. F., & Crouch, S. R. (2018). *Principles of Instrumental Analysis. Principles of Instrumental Analysis*.
- Sleiman, M., Vildozo, D., Ferronato, C., & Chovelon, J. M. (2007). Photocatalytic degradation of azo dye Metanil Yellow: Optimization and kinetic modeling using a chemometric approach. *Applied Catalysis B: Environmental*, 77(1–2), 1–11. <https://doi.org/10.1016/j.apcatb.2007.06.015>
- Smillie, T. J., & Khan, I. A. (2010). A comprehensive approach to identifying and authenticating botanical products. *Clinical Pharmacology and Therapeutics*, 87(2), 175–186. <https://doi.org/10.1038/clpt.2009.287>
- Srivastava, L. P., & Murti, C. R. K. (1982). In Vitro on the Biotransformation of Metanil Yellow. *Environmental Research*, 189, 185–189.
- Stuart, B. H. (2005). *Infrared Spectroscopy: Fundamentals and Applications. Infrared Spectroscopy: Fundamentals and Applications*. Wiley. <https://doi.org/10.1002/0470011149>
- Su, W. H., & Sun, D. W. (2018). Fourier Transform Infrared and Raman and Hyperspectral Imaging Techniques for Quality Determinations of Powdery Foods: A Review. *Comprehensive Reviews in Food Science and Food Safety*,

17(1), 104–122. <https://doi.org/10.1111/1541-4337.12314>

Suhartati, T. (2017). *Dasar-dasar Spektrofotometri UV-VIS dan Spektrometri Massa Untuk Pnenentuan Struktur Senyawa Organik*. Bandar Lampung.

Suzuki, E. M., & Buzzini, P. (2018). Applications of raman spectroscopy in forensic science. II: Analysis considerations, spectral interpretation, and examination of evidence. *Forensic Science Review*, 30(2), 137–169.

Tanaka, K., Kuba, Y., Sasaki, T., Hiwatashi, F., & Komatsu, K. (2008). Quantitation of curcuminoids in curcuma rhizome by near-infrared spectroscopic analysis. *Journal of Agricultural and Food Chemistry*, 56(19), 8787–8792. <https://doi.org/10.1021/jf801338e>

Wisudyarningsih, B. (2015). Studi preformulasi: validasi metode spektrofotometri ofloksasin dalam larutan dapar fosfat (Ofloxacin Spectrophotometric Method Validation in Phosphat Buffer Solution: a Preformulation Study). *Jurnal Kedokteran Gigi*, Vol. 9(No. 2), 77–81.

Yang, I. C., Tsai, C. Y., Hsieh, K. W., Yang, C. W., Ouyang, F., Lo, Y. M., & Chen, S. (2013). Integration of SIMCA and near-infrared spectroscopy for rapid and precise identification of herbal medicines. *Journal of Food and Drug Analysis*, 21(3), 268–278. <https://doi.org/10.1016/j.jfda.2013.07.008>

Yang, Y., Huisman, W., Hettinga, K. A., Liu, N., Heck, J., Schrijver, G. H., ... van Ruth, S. M. (2019). Fraud vulnerability in the Dutch milk supply chain: Assessments of farmers, processors and retailers. *Food Control*, 95, 308–317. <https://doi.org/10.1016/j.foodcont.2018.08.019>

Zakerhamidi, M. S., Ahmadi-Kandjani, S., Moghadam, M., Ortyl, E., & Kucharski, S. (2012). Solvatochromism effects on the dipole moments and photo-physical behavior of some azo sulfonamide dyes. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 85(1), 105–110. <https://doi.org/10.1016/j.saa.2011.09.042>