

DAFTAR PUSTAKA

- Abd El-Hady, E. A., & Habiba, R. A. (2003). Effect of soaking and extrusion conditions on antinutrients and protein digestibility of legume seeds. *LWT - Food Science and Technology*, 36(3), 285–293. [https://doi.org/10.1016/s0023-6438\(02\)00217-7](https://doi.org/10.1016/s0023-6438(02)00217-7)
- Abeshu, M. A., Lelisa, A., & Geleta, B. (2016). Complementary feeding: Review of Recommendations, feeding practices, and adequacy of Homemade complementary Food preparations in developing countries – lessons from Ethiopia. *Frontiers in Nutrition*, 3. <https://doi.org/10.3389/fnut.2016.00041>
- Aguayo, V. M., & Menon, P. (2016). Stop *stunting*: Improving child feeding, women's nutrition and household sanitation in South Asia. *Maternal & Child Nutrition*, 12, 3–11. <https://doi.org/10.1111/mcn.12283>
- Anitha, S., Govindaraj, M., & Kane-Potaka, J. (2019). Balanced amino acid and higher micronutrients in millets complements legumes for improved human dietary nutrition. *Cereal Chemistry*, 97(1), 74–84. <https://doi.org/10.1002/cche.10227>
- Beal, T., Tumilowicz, A., Sutrisna, A., Izwardy, D., & Neufeld, L. M. (2018). A review of child *stunting* determinants in Indonesia. *Maternal & Child Nutrition*, 14(4). <https://doi.org/10.1111/mcn.12617>
- Boye, J., Wijesinha-Bettoni, R., & Burlingame, B. (2012). Protein quality evaluation twenty years after the introduction of the *protein digestibility* corrected amino acid score method. *British Journal of Nutrition*, 108(S2), S183-S211. doi:10.1017/S0007114512002309
- Bromke, M. (2013). Amino acid biosynthesis pathways in diatoms. *Metabolites*, 3(2), 294–311. <https://doi.org/10.3390/metabo3020294>
- Caire-Juvera, G., Vázquez-Ortiz, F. A., & Grijalva-Haro, M. I. (2013). Amino acid composition, score and *in vitro protein digestibility* of foods commonly consumed in Norhwest Mexico. *Nutrición Hospitalaria*, 28, 365–371. <https://doi.org/10.3305/nh.2013.28.2.6219>
- Coda, R., Varis, J., Verni, M., Rizzello, C. G., & Katina, K. (2017). Improvement of the protein quality of wheat bread through faba bean sourdough addition. *LWT - Food Science and Technology*, 82, 296–302. <https://doi.org/10.1016/j.lwt.2017.04.062>

- Data Indonesia. (2022, July 14). *Prevalensi stunting di indonesia capai 24,4% PADA 2021*. Dataindonesia.id. Retrieved October 26, 2022, from <https://dataindonesia.id/Ragam/detail/prevalensi-stunting-di-indonesia-capai-244-pada-2021>
- de Onis, M., & Branca, F. (2016). Childhood *stunting*: A global perspective. *Maternal & Child Nutrition*, 12, 12–26. <https://doi.org/10.1111/mcn.12231>
- de Onis, M., & Branca, F. (2016). Childhood stunting: A global perspective. *Maternal & Child Nutrition*, 12, 12–26. <https://doi.org/10.1111/mcn.12231>
- de Toledo, T. C. F., Canniatti-Brazaca, S. G., Arthur, V., & Piedade, S. M. S. (2007). Effects of gamma radiation on total phenolics, trypsin and tannin inhibitors in soybean grains. *Radiation Physics and Chemistry*, 76(10), 1653–1656. <https://doi.org/10.1016/j.radphyschem.2007.02.001>
- De Vries-ten Have, J., Owolabi, A., Steijns, J., Kudla, U., & Melse-Boonstra, A. (2020). Protein intake adequacy among Nigerian infants, children, adolescents and women and protein quality of commonly consumed foods. *Nutrition Research Reviews*, 33(1), 102–120. doi:10.1017/S0954422419000222
- Deng, Y., Padilla-Zakour, O., Zhao, Y., & Tao, S. (2015). Influences of high hydrostatic pressure, microwave heating, and boiling on chemical compositions, antinutritional factors, fatty acids, in vitro protein digestibility, and microstructure of buckwheat. *Food and Bioprocess Technology*, 8(11), 2235–2245. <https://doi.org/10.1007/s11947-015-1578-9>
- Dewey, K. G. (2013). The challenge of meeting nutrient needs of infants and young children during the period of complementary feeding: An evolutionary perspective. *The Journal of Nutrition*, 143(12), 2050–2054. <https://doi.org/10.3945/jn.113.182527>
- Dewey, K. G. (2016). Reducing stunting by improving maternal, infant and young child nutrition in regions such as South Asia: Evidence, challenges and opportunities. *Maternal & Child Nutrition*, 12, 27–38. <https://doi.org/10.1111/mcn.12282>
- Ejigui, J., Savoie, L., Marin, J., & Desrosiers, T. (2007). Improvement of the nutritional quality of a traditional complementary porridge made of fermented yellow maize (*Zea mays*): effect of maize-legume combinations and traditional processing methods. *Food and nutrition bulletin*, 28(1), 23–34. <https://doi.org/10.1177/156482650702800103>
- ElMaki, H. B., AbdelRahaman, S. M., Idris, W. H., Hassan, A. B., Babiker, E. E., & El Tinay, A. H. (2007). Content of antinutritional factors and hcl-extractability of minerals from white bean (*phaseolus vulgaris*) cultivars: Influence of

- soaking and/or cooking. *Food Chemistry*, 100(1), 362–368. <https://doi.org/10.1016/j.foodchem.2005.09.060>
- El-Niely, H. F. G. (2007). Effect of radiation processing on antinutrients, in-vitro protein digestibility and protein efficiency ratio bioassay of legume seeds. *Radiation Physics and Chemistry*, 76(6), 1050–1057. <https://doi.org/10.1016/j.radphyschem.2006.10.006>
- Embaby, H. E.-S. (2010). Effect of soaking, dehulling, and cooking methods on certain antinutrients and in vitro protein digestibility of bitter and Sweet Lupin seeds. *Food Science and Biotechnology*, 19(4), 1055–1062. <https://doi.org/10.1007/s10068-010-0148-1>
- Ernawati, F., Prihatini, M., & Yuriesta, A. (2017). Gambaran Konsumsi protein Nabati Dan Hewani Pada Anak Balita *stunting* Dan Gizi Kurang di Indonesia (the profile of vegetable - animal protein consumption of *stunting* and underweight children under five years old in Indonesia). *Penelitian Gizi Dan Makanan (The Journal of Nutrition and Food Research)*, 39(2). <https://doi.org/10.22435/pgm.v39i2.6973.95-102>
- Ernawati, F., Prihatini, M., & Yuriesta, A. (2017). Gambaran Konsumsi protein Nabati Dan Hewani Pada Anak Balita *stunting* Dan Gizi Kurang di Indonesia (the profile of vegetable - animal protein consumption of *stunting* and underweight children under five years old in Indonesia). *Penelitian Gizi Dan Makanan (The Journal of Nutrition and Food Research)*, 39(2). <https://doi.org/10.22435/pgm.v39i2.6973.95-102>
- Esfarjani, F., Roustae, R., Roustae, R., Mohammadi-Nasrabadi, F., Mohammadi-Nasrabadi, F., Esmailzadeh, A., & Esmailzadeh, A. (2013). Major dietary patterns in relation TO *Stunting* among children in Tehran, Iran. *Journal of Health, Population and Nutrition*, 31(2). <https://doi.org/10.3329/jhpn.v31i2.16384>
- Fleddermann, M., Demmelmair, H., Grote, V., Bidlingmaier, M., Grimminger, P., Bielhuby, M., & Koletzko, B. (2015). Role of selected amino acids on plasma IGF-I concentration in infants. *European Journal of Nutrition*, 56(2), 613–620. <https://doi.org/10.1007/s00394-015-1105-9>
- Gassara, G., & Chen, J. (2021). Household food insecurity, dietary diversity, and *stunting* in Sub-Saharan africa: A systematic review. *Nutrients*, 13(12), 4401. <https://doi.org/10.3390/nu13124401>
- Ghosh S. (2016). Protein Quality in the First Thousand Days of Life. *Food and nutrition bulletin*, 37 Suppl 1, S14–S21. <https://doi.org/10.1177/0379572116629259>

- Gilani, G. S., Cockell, K. A., & Sepehr, E. (2005). Effects of antinutritional factors on protein digestibility and amino acid availability in foods. *Journal of AOAC INTERNATIONAL*, 88(3), 967–987. <https://doi.org/10.1093/jaoac/88.3.967>
- Gorissen, S. H., Crombag, J. J., Senden, J. M., Waterval, W. A., Bierau, J., Verdijk, L. B., & van Loon, L. J. (2018). Protein content and amino acid composition of commercially available plant-based protein isolates. *Amino Acids*, 50(12), 1685–1695. <https://doi.org/10.1007/s00726-018-2640-5>
- Grewal, A. N. T. U., & Jood, S. U. D. E. S. H. (2006). Effect of processing treatments on nutritional and antinutritional contents of Green Gram. *Journal of Food Biochemistry*, 30(5), 535–546. <https://doi.org/10.1111/j.1745-4514.2006.00080.x>
- Hossain, M., Choudhury, N., Adib Binte Abdullah, K., Mondal, P., Jackson, A. A., Walson, J., & Ahmed, T. (2017). Evidence-based approaches to childhood *stunting* in low and middle income countries: A systematic review. *Archives of Disease in Childhood*, 102(10), 903–909. <https://doi.org/10.1136/archdischild-2016-311050>
- Ibrahim, S. S., Habiba, R. A., Shatta, A. A., & Embaby, H. E. (2002). Effect of soaking, germination, cooking and fermentation on antinutritional factors in Cowpeas. *Nahrung/Food*, 46(2), 92–95. [https://doi.org/10.1002/1521-3803\(20020301\)46:2<92::aid-food92>3.0.co;2-p](https://doi.org/10.1002/1521-3803(20020301)46:2<92::aid-food92>3.0.co;2-p)
- Joye, I. (2019). *Protein digestibility* of Cereal Products. *Foods*, 8(6), 199. <https://doi.org/10.3390/foods8060199>
- Joye, I. (2019). Protein digestibility of Cereal Products. *Foods*, 8(6), 199. <https://doi.org/10.3390/foods8060199>
- Kalpanadevi, V., & Mohan, V. R. (2013). Effect of processing on antinutrients and in vitro protein digestibility of the underutilized legume, *Vigna unguiculata* (L.) WALP subsp. *unguiculata*. *LWT - Food Science and Technology*, 51(2), 455–461. <https://doi.org/10.1016/j.lwt.2012.09.030>
- Kamboj, R., & Nanda, V. (2017). Proximate composition, nutritional profile and health benefits of legumes – A Review. *LEGUME RESEARCH - AN INTERNATIONAL JOURNAL*, (Of). <https://doi.org/10.18805/lr-3748>
- Kaur, S., Sharma, S., Dar, B. N., & Singh, B. (2012). Optimization of process for reduction of antinutritional factors in edible cereal brans. *Food Science and Technology International*, 18(5), 445–454. <https://doi.org/10.1177/1082013211428236>

- Kayitesi, E., de Kock, H. L., Minnaar, A., & Duodu, K. G. (2012). Nutritional quality and antioxidant activity of marama–sorghum composite flours and porridges. *Food Chemistry*, 131(3), 837–842. <https://doi.org/10.1016/j.foodchem.2011.09.055>
- Klerks, M., Bernal, M., Roman, S., Bodenstab, S., Gil, A., & Sanchez-Siles, L. (2019). Infant cereals: Current status, challenges, and future opportunities for whole grains. *Nutrients*, 11(2), 473. <https://doi.org/10.3390/nu11020473>
- Kumar, N., Harris, J., & Rawat, R. (2015). If they grow it, will they eat and grow? evidence from Zambia on agricultural diversity and child undernutrition. *The Journal of Development Studies*, 51(8), 1060–1077. <https://doi.org/10.1080/00220388.2015.1018901>
- Kurva Pertumbuhan who*. IDAI. (n.d.). Retrieved October 26, 2022, from <https://www.idai.or.id/professional-resources/kurva-pertumbuhan/kurva-pertumbuhan-who>
- Lassi, Z. S., Das, J. K., Zahid, G., Imdad, A., & Bhutta, Z. A. (2013). Impact of education and provision of complementary feeding on growth and morbidity in children less than 2 years of age in developing countries: A systematic review. *BMC Public Health*, 13(S3). <https://doi.org/10.1186/1471-2458-13-s3-s13>
- Lee, W. T. K., Weisell, R., Albert, J., Tomé, D., Kurpad, A. V., & Uauy, R. (2016). Research approaches and methods for evaluating the protein quality of human foods proposed by an FAO Expert Working Group in 2014. *The Journal of Nutrition*, 146(5), 929–932. <https://doi.org/10.3945/jn.115.222109>
- Leinonen, I., Iannetta, P. P., Rees, R. M., Russell, W., Watson, C., & Barnes, A. P. (2019). Lysine supply is a critical factor in achieving sustainable global protein economy. *Frontiers in Sustainable Food Systems*, 3. <https://doi.org/10.3389/fsufs.2019.00027>
- Leroy, J. L., & Frongillo, E. A. (2019). Perspective: What does stunting really mean? A critical review of the evidence. *Advances in Nutrition*, 10(2), 196–204. <https://doi.org/10.1093/advances/nmy101>
- Lizarazo, C. I., Lampi, A.-M., Liu, J., Sontag-Strohm, T., Piironen, V., & Stoddard, F. L. (2014). Nutritive quality and protein production from grain legumes in a boreal climate. *Journal of the Science of Food and Agriculture*, 95(10), 2053–2064. <https://doi.org/10.1002/jsfa.6920>
- Luo, Y.-W., & Xie, W.-H. (2013). Effect of different processing methods on certain antinutritional factors and protein digestibility in green and white faba bean

- (vicia fabaL.). *CyTA - Journal of Food*, 11(1), 43–49. <https://doi.org/10.1080/19476337.2012.681705>
- Mahmoud, E. A. M., Nassef, S. L., & Basuny, A. M. M. (2012). Production of high protein quality noodles using wheat flour fortified with different protein products from lupine. *Annals of Agricultural Sciences*, 57(2), 105–112. <https://doi.org/10.1016/j.aoas.2012.08.003>
- Manary, M., Callaghan, M., Singh, L., & Briend, A. (2016). Protein Quality and Growth in Malnourished Children. *Food and nutrition bulletin*, 37 Suppl 1, S29–S36. <https://doi.org/10.1177/0379572116629023>
- Martín-Cabrejas, M. A., Aguilera, Y., Pedrosa, M. M., Cuadrado, C., Hernández, T., Díaz, S., & Esteban, R. M. (2009). The impact of dehydration process on antinutrients and protein digestibility of some legume flours. *Food Chemistry*, 114(3), 1063–1068. <https://doi.org/10.1016/j.foodchem.2008.10.070>
- Matthews, D. E. (2020). Review of lysine metabolism with a focus on humans. *The Journal of Nutrition*, 150(Supplement_1). <https://doi.org/10.1093/jn/nxaa224>
- MILÁN-CARRILLO, J., VALDÉZ-ALARCÓN, C., GUTIÉRREZ-DORADO, R., CÁRDENAS-VALENZUELA, O. G., MORA-ESCOBEDO, R., GARZÓN-TIZNADO, J. A., & REYES-MORENO, C. (2007). Nutritional properties of quality protein maize and chickpea extruded based weaning food. *Plant Foods for Human Nutrition*, 62(1), 31–37. <https://doi.org/10.1007/s11130-006-0039-z>
- Najdi Hejazi, S., Orsat, V., Azadi, B., & Kubow, S. (2016). Improvement of the in vitro protein digestibility of amaranth grain through optimization of the malting process. *Journal of Cereal Science*, 68, 59–65. <https://doi.org/10.1016/j.jcs.2015.11.007>
- Nergiz, C., & Gökgöz, E. (2007). Effects of traditional cooking methods on some antinutrients and in vitro protein digestibility of dry bean varieties (*phaseolus vulgaris* L.) grown in Turkey. *International Journal of Food Science & Technology*, 42(7), 868–873. <https://doi.org/10.1111/j.1365-2621.2006.01297.x>
- Nikmaram, N., Leong, S. Y., Koubaa, M., Zhu, Z., Barba, F. J., Greiner, R., Oey, I., & Roohinejad, S. (2017). Effect of extrusion on the anti-nutritional factors of food products: An overview. *Food Control*, 79, 62–73. <https://doi.org/10.1016/j.foodcont.2017.03.027>
- Ohanenye, I. C., Tsopmo, A., Ejike, C. E. C. C., & Udenigwe, C. C. (2020). Germination as a bioprocess for enhancing the quality and nutritional prospects

- of legume proteins. *Trends in Food Science & Technology*, 101, 213–222. <https://doi.org/10.1016/j.tifs.2020.05.003>
- Omosebi, M. O., Osundahunsi, O. F., & Fagbemi, T. N. (2018). Effect of extrusion on protein quality, antinutritional factors, and digestibility of complementary diet from quality protein maize and soybean protein concentrate. *Journal of Food Biochemistry*, 42(4). <https://doi.org/10.1111/jfbc.12508>
- Onwuka, G. I. (2006). Soaking, boiling and antinutritional factors in pigeon peas (*Cajanus cajan*) and Cowpeas (*vigna unguiculata*). *Journal of Food Processing and Preservation*, 30(5), 616–630. <https://doi.org/10.1111/j.1745-4549.2006.00092.x>
- Onyango, C., Noetzold, H., Ziemis, A., Hofmann, T., Bley, T., & Henle, T. (2005). Digestibility and antinutrient properties of acidified and extruded maize–finger millet blend in the production of uji. *LWT - Food Science and Technology*, 38(7), 697–707. <https://doi.org/10.1016/j.lwt.2004.09.010>
- Pal, R. S., Bhartiya, A., ArunKumar, R., Kant, L., Aditya, J. P., & Bisht, J. K. (2015). Impact of dehulling and germination on nutrients, antinutrients, and antioxidant properties in horsegram. *Journal of Food Science and Technology*, 53(1), 337–347. <https://doi.org/10.1007/s13197-015-2037-3>
- Pande, R., Mishra, H. N., & Singh, M. N. (2012). Microwave drying for safe storage and improved nutritional quality of green gram seed (*Vigna radiata*). *Journal of Agricultural and Food Chemistry*, 60(14), 3809–3816. <https://doi.org/10.1021/jf204540n>
- Parikh, P., Semba, R., Manary, M., Swaminathan, S., Udomkesmalee, E., Bos, R., Poh, B. K., Rojroongwasinkul, N., Geurts, J., Sekartini, R., & Nga, T. T. (2021). Animal Source Foods, rich in essential amino acids, are important for linear growth and development of young children in low- and middle-income countries. *Maternal & Child Nutrition*, 18(1). <https://doi.org/10.1111/mcn.13264>
- Pasqualone, A., Costantini, M., Coldea, T. E., & Summo, C. (2020). Use of legumes in extrusion cooking: A Review. *Foods*, 9(7), 958. <https://doi.org/10.3390/foods9070958>
- Pastor-Cavada, E., Drago, S. R., González, R. J., Juan, R., Pastor, J. E., Alaiz, M., & Vioque, J. (2011). Effects of the addition of wild legumes (*Lathyrus annuus* and *Lathyrus Clymenum*) on the physical and nutritional properties of extruded products based on whole corn and brown rice. *Food Chemistry*, 128(4), 961–967. <https://doi.org/10.1016/j.foodchem.2011.03.126>

- Pastor-Cavada, E., Juan, R., Pastor, J. E., Alaiz, M., & Vioque, J. (2014). Protein and amino acid composition of select wild legume species of tribe Fabae. *Food Chemistry*, 163, 97–102. <https://doi.org/10.1016/j.foodchem.2014.04.078>
- Patil, S., Brennan, M., Mason, S., & Brennan, C. (2016). The effects of fortification of legumes and extrusion on the *protein digestibility* of wheat based snack. *Foods*, 5(4), 26. <https://doi.org/10.3390/foods5020026>
- Patterson, C. A., Curran, J., & Der, T. (2017). Effect of processing on antinutrient compounds in pulses. *Cereal Chemistry Journal*, 94(1), 2–10. <https://doi.org/10.1094/cchem-05-16-0144-fi>
- Prendergast, A. J., & Humphrey, J. H. (2014). The *stunting* syndrome in developing countries. *Paediatrics and International Child Health*, 34(4), 250–265. <https://doi.org/10.1179/2046905514y.0000000158>
- Price, R.K. and Welch, R.W. (2013) Cereal Grains. In: Caballero, B., Ed., *Encyclopedia of Human Nutrition*, Academic Press, Cambridge, 307-316. <https://doi.org/10.1016/B978-0-12-375083-9.00047-7>
- Rathod, R. P., & Annapure, U. S. (2016). Effect of extrusion process on antinutritional factors and protein and starch digestibility of lentil splits. *LWT - Food Science and Technology*, 66, 114–123. <https://doi.org/10.1016/j.lwt.2015.10.028>
- Rebello, C. J., Greenway, F. L., & Finley, J. W. (2014). A review of the nutritional value of legumes and their effects on obesity and its related co-morbidities. *Obesity Reviews*, 15(5), 392–407. <https://doi.org/10.1111/obr.12144>
- Rehman, Z.-ur, & Shah, W. H. (2005). Thermal heat processing effects on antinutrients, protein and starch digestibility of food legumes. *Food Chemistry*, 91(2), 327–331. <https://doi.org/10.1016/j.foodchem.2004.06.019>
- Rizky Maulidiana, A., & Sutjiati, E. (2021). Low intake of essential amino acids and other risk factors of stunting among under-five children in Malang City, East Java, Indonesia. *Journal of Public Health Research*, 10(2). <https://doi.org/10.4081/jphr.2021.2161>
- Roberts, J. L., & Stein, A. D. (2017). The impact of nutritional interventions beyond the first 2 years of life on Linear Growth: A systematic review and meta-analysis. *Advances in Nutrition: An International Review Journal*, 8(2), 323–336. <https://doi.org/10.3945/an.116.013938>
- Sá, A. G., Moreno, Y. M., & Carciofi, B. A. (2019). Food processing for the improvement of plant proteins digestibility. *Critical Reviews in Food Science and Nutrition*, 60(20), 3367–3386. <https://doi.org/10.1080/10408398.2019.1688249>

- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: An overview. *Food Production, Processing and Nutrition*, 2(1). <https://doi.org/10.1186/s43014-020-0020-5>
- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: An overview. *Food Production, Processing and Nutrition*, 2(1). <https://doi.org/10.1186/s43014-020-0020-5>
- Sánchez-Chino, X., Jiménez-Martínez, C., Dávila-Ortiz, G., Álvarez-González, I., & Madrigal-Bujaidar, E. (2015). Nutrient and nonnutrient components of legumes, and its chemopreventive activity: A Review. *Nutrition and Cancer*, 67(3), 401–410. <https://doi.org/10.1080/01635581.2015.1004729>
- Sarwar Gilani, G., Wu Xiao, C., & Cockell, K. (2012). Impact of Antinutritional Factors in Food Proteins on the Digestibility of Protein and the Bioavailability of Amino Acids and on Protein Quality. *British Journal of Nutrition*, 108(S2), S315-S332. doi:10.1017/S0007114512002371
- Savage M. O. (2013). Insulin-like growth factors, nutrition and growth. *World review of nutrition and dietetics*, 106, 52–59. <https://doi.org/10.1159/000342577>
- Schönfeldt, H., & Gibson Hall, N. (2012). Dietary protein quality and malnutrition in Africa. *British Journal of Nutrition*, 108(S2), S69-S76. doi:10.1017/S0007114512002553
- Semba, R. D. (2016). The rise and fall of protein malnutrition in Global Health. *Annals of Nutrition and Metabolism*, 69(2), 79–88. <https://doi.org/10.1159/000449175>
- Semba, R. D., Shardell, M., Sakr Ashour, F. A., Moaddel, R., Trehan, I., Maleta, K. M., Ordiz, M. I., Kraemer, K., Khadeer, M. A., Ferrucci, L., & Manary, M. J. (2016). Child stunting is associated with low circulating essential amino acids. *EBioMedicine*, 6, 246–252. <https://doi.org/10.1016/j.ebiom.2016.02.030>
- Semba, R. D., Trehan, I., Gonzalez-Freire, M., Kraemer, K., Moaddel, R., Ordiz, M. I., Ferrucci, L., & Manary, M. J. (2016). Perspective: The potential role of essential amino acids and the mechanistic target of rapamycin complex 1 (mTORC1) pathway in the pathogenesis of child stunting. *Advances in Nutrition*, 7(5), 853–865. <https://doi.org/10.3945/an.116.013276>
- Serrem, C. A., de Kock, H. L., & Taylor, J. R. (2010). Nutritional quality, sensory quality and consumer acceptability of sorghum and bread wheat biscuits fortified with defatted soy flour. *International Journal of Food Science & Technology*, 46(1), 74–83. <https://doi.org/10.1111/j.1365-2621.2010.02451.x>
- Shapiro, M. J., Downs, S. M., Swartz, H. J., Parker, M., Quelhas, D., Kreis, K., Kraemer, K., West, K. P., & Fanzo, J. (2019). A Systematic Review

- Investigating the Relation Between Animal-Source Food Consumption and *Stunting* in Children Aged 6-60 Months in Low and Middle-Income Countries. *Advances in nutrition* (Bethesda, Md.), 10(5), 827–847. <https://doi.org/10.1093/advances/nmz018>
- Sharma, A. (2020). A review on traditional technology and safety challenges with regard to antinutrients in legume foods. *Journal of Food Science and Technology*, 58(8), 2863–2883. <https://doi.org/10.1007/s13197-020-04883-8>
- Shimelis, E. A., & Rakshit, S. K. (2007). Effect of processing on antinutrients and in vitro protein digestibility of kidney bean (*Phaseolus vulgaris* L.) varieties grown in East Africa. *Food Chemistry*, 103(1), 161–172. <https://doi.org/10.1016/j.foodchem.2006.08.005>
- Shivakumar, N., Kashyap, S., Kishore, S., Thomas, T., Varkey, A., Devi, S., Preston, T., Jahoor, F., Sheshshayee, M. S., & Kurpad, A. V. (2019). Protein-quality evaluation of complementary foods in Indian children. *The American Journal of Clinical Nutrition*, 109(5), 1319–1327. <https://doi.org/10.1093/ajcn/nqy265>
- Siddhuraju, P., Osoniyi, O., Makkar, H. P. S., & Becker, K. (2002). Effect of soaking and ionising radiation on various antinutritional factors of seeds from different species of an unconventional legume, *Sesbania* and a common legume, green gram (*Vigna radiata*). *Food Chemistry*, 79(3), 273–281. [https://doi.org/10.1016/s0308-8146\(02\)00140-1](https://doi.org/10.1016/s0308-8146(02)00140-1)
- Sokrab, A. M., Mohamed Ahmed, I. A., & Babiker, E. E. (2012). Effect of germination on antinutritional factors, total, and extractable minerals of high and low phytate corn (*Zea mays* L.) genotypes. *Journal of the Saudi Society of Agricultural Sciences*, 11(2), 123–128. <https://doi.org/10.1016/j.jssas.2012.02.002>
- Soliman, A., Sanctis, V. D., Alaaraj, N., Ahmed, S., Alyafei, F., Hamed, N., & Soliman, N. (2021). Early and Long-term Consequences of Nutritional *Stunting*: From Childhood to Adulthood. *Acta Biomed*, 92(1), 1–11. <https://doi.org/10.23750/abm.v92i1.11346>
- Teja, M. (2019). STUNTING BALITA INDONESIA DAN PENANGGULANGANNYA. *Pusat Penelitian*, XI(22), 13–18.
- Temba, M. C., Njobeh, P. B., Adebo, O. A., Olugbile, A. O., & Kayitesi, E. (2016). The role of compositing cereals with legumes to alleviate protein energy malnutrition in Africa. *International Journal of Food Science & Technology*, 51(3), 543–554. <https://doi.org/10.1111/ijfs.13035>

- Tessema, M., Gunaratna, N., Brouwer, I., Donato, K., Cohen, J., McConnell, M., Belachew, T., Belayneh, D., & De Groote, H. (2018). Associations among high-quality protein and energy intake, serum transthyretin, serum amino acids and linear growth of children in Ethiopia. *Nutrients*, 10(11), 1776. <https://doi.org/10.3390/nu10111776>
- Tristiarti, Ismadi VDYB, Wulandari KY. 2013. Kecernaan serat kasar dan energi metabolis pada ayam kedu umur 24 minggu yang diberi ransum dengan berbagai level protein kasar dan serat kasar. *Animal Agriculture Journal*. 2 (1) : 9-17.
- ur-Rehman, Z., & Salariya, A. M. (2005). This article has been retracted the effects of hydrothermal processing on antinutrients, protein and starch digestibility of food legumes. *International Journal of Food Science & Technology*, 40(7), 695–700. <https://doi.org/10.1111/j.1365-2621.2005.00978.x>
- Vijayakumari, K., Pugalenth, M., & Vadivel, V. (2007). Effect of soaking and hydrothermal processing methods on the levels of antinutrients and in vitro protein digestibility of *Bauhinia purpurea* L. Seeds. *Food Chemistry*, 103(3), 968–975. <https://doi.org/10.1016/j.foodchem.2006.07.071>
- Wang, N., Hatcher, D. W., & Gawalko, E. J. (2008). Effect of variety and processing on nutrients and certain anti-nutrients in field peas (*pisum sativum*). *Food Chemistry*, 111(1), 132–138. <https://doi.org/10.1016/j.foodchem.2008.03.047>
- Wolfe, R. R., Rutherford, S. M., Kim, I.-Y., & Moughan, P. J. (2016). Protein quality as determined by the digestible indispensable amino acid score: Evaluation of factors underlying the calculation: Table 1. *Nutrition Reviews*, 74(9), 584–599. <https://doi.org/10.1093/nutrit/nuw022>
- World Health Organization. Malnutrition. World Health Organization. Retrieved October 22, 2021, from https://www.who.int/health-topics/malnutrition#tab=tab_1.