

VI. DAFTAR PUSTAKA

- Adilah, A. N., Jamilah, B., Noranizan, M. A., & Hanani, Z. A. N. (2018). Utilization of mango peel extracts on the biodegradable films for active packaging. *Food Packaging and Shelf Life*, 16(May 2017), 1–7. <https://doi.org/10.1016/j.fpsl.2018.01.006>
- Adilah, Z. A. M., & Hanani, Z. A. N. (2019). Storage stability of soy protein isolate films incorporated with mango kernel extract at different temperature. *Food Hydrocolloids*, 87(June 2018), 541–549. <https://doi.org/10.1016/j.foodhyd.2018.08.038>
- Alañón, M. E., Pimentel-Moral, S., Arráez-Román, D., & Segura-Carretero, A. (2021). HPLC-DAD-Q-ToF-MS profiling of phenolic compounds from mango (*Mangifera indica* L.) seed kernel of different cultivars and maturation stages as a preliminary approach to determine functional and nutraceutical value. *Food Chemistry*, 337(July 2020), 127764. <https://doi.org/10.1016/j.foodchem.2020.127764>
- Amin, K., Akhtar, S., & Ismail, T. (2018). Nutritional and organoleptic evaluation of functional bread prepared from raw and processed defatted mango kernel flour. *Journal of Food Processing and Preservation*, 42(4). <https://doi.org/10.1111/jfpp.13570>
- Asif, A., Farooq, U., Akram, K., Hayat, Z., Shafi, A., Sarfraz, F., Sidhu, M. A. I., Rehman, H. U., & Aftab, S. (2016). Therapeutic potentials of bioactive compounds from mango fruit wastes. *Trends in Food Science and Technology*, 53, 102–112. <https://doi.org/10.1016/j.tifs.2016.05.004>
- Awolu, Olugbenga O., Sudha, L. M., & Manohar, B. (2018). Influence of defatted mango kernel seed flour addition on the rheological characteristics and cookie making quality of wheat flour. *Food Science and Nutrition*, 6(8), 2363–2373. <https://doi.org/10.1002/fsn3.825>
- Awolu, Olugbenga Olufemi, & Manohar, B. (2019). Quantitative and qualitative characterization of mango kernel seed oil extracted using supercritical CO₂ and solvent extraction techniques. *Heliyon*, 5(12), e03068.

<https://doi.org/10.1016/j.heliyon.2019.e03068>

- Ballesteros-Vivas, D., Alvarez-Rivera, G., García Ocampo, A. F., Morantes, S. J., Sánchez Camargo, A. del P., Cifuentes, A., Parada-Alfonso, F., & Ibáñez, E. (2019). Supercritical antisolvent fractionation as a tool for enhancing antiproliferative activity of mango seed kernel extracts against colon cancer cells. *Journal of Supercritical Fluids*, *152*, 104563. <https://doi.org/10.1016/j.supflu.2019.104563>
- Ballesteros-Vivas, Diego, Álvarez-Rivera, G., Morantes, S. J., Sánchez-Camargo, A. del P., Ibáñez, E., Parada-Alfonso, F., & Cifuentes, A. (2019). An integrated approach for the valorization of mango seed kernel: Efficient extraction solvent selection, phytochemical profiling and antiproliferative activity assessment. *Food Research International*, *126*(August), 108616. <https://doi.org/10.1016/j.foodres.2019.108616>
- Banerjee, J., Singh, R., Vijayaraghavan, R., MacFarlane, D., Patti, A. F., & Arora, A. (2017). Bioactives from fruit processing wastes: Green approaches to valuable chemicals. *Food Chemistry*, *225*, 10–22. <https://doi.org/10.1016/j.foodchem.2016.12.093>
- Banerjee, J., Singh, R., Vijayaraghavan, R., MacFarlane, D., Patti, A. F., & Arora, A. (2018). A hydrocolloid based biorefinery approach to the valorisation of mango peel waste. *Food Hydrocolloids*, *77*, 142–151. <https://doi.org/10.1016/j.foodhyd.2017.09.029>
- Banerjee, J., Vijayaraghavan, R., Arora, A., MacFarlane, D. R., & Patti, A. F. (2016). Lemon juice based extraction of pectin from mango peels: Waste to wealth by sustainable approaches. *ACS Sustainable Chemistry and Engineering*, *4*(11), 5915–5920. <https://doi.org/10.1021/acssuschemeng.6b01342>
- Bello, F., & Chimphango, A. (2021). Tailor-Made Conversion of Mango Seed Husks to Obtain Hemicellulose Suitable for the Production of Thermally Stable Films. *Waste and Biomass Valorization*, *0123456789*. <https://doi.org/10.1007/s12649-021-01506-x>
- Ben-Othman, S., Jōudu, I., & Bhat, R. (2020). Bioactives from agri-food wastes:

- Present insights and future challenges. In *Molecules* (Vol. 25, Issue 3).
<https://doi.org/10.3390/molecules25030510>
- Borrás-Enríquez, A. J., Reyes-Ventura, E., Villanueva-Rodríguez, S. J., & Moreno-Vilet, L. (2021). Effect of ultrasound-assisted extraction parameters on total polyphenols and its antioxidant activity from mango residues (*Mangifera indica* L. var. manililla). *Separations*, 8(7).
<https://doi.org/10.3390/separations8070094>
- Caldas, T. W., Mazza, K. E. L., Teles, A. S. C., Mattos, G. N., Brígida, A. I. S., Conte-Junior, C. A., Borguini, R. G., Godoy, R. L. O., Cabral, L. M. C., & Tonon, R. V. (2018). Phenolic compounds recovery from grape skin using conventional and non-conventional extraction methods. *Industrial Crops and Products*, 111(August 2017), 86–91.
<https://doi.org/10.1016/j.indcrop.2017.10.012>
- Castro-Vargas, H. I., Vivas, D. B., Barbosa, J. O., Medina, S. J. M., Gutiérrez, F. A., & Parada-Alfonso, F. (2019). Bioactive phenolic compounds from the agroindustrial waste of Colombian mango cultivars ‘sugar mango’ and ‘tommy atkins’—An alternative for their use and valorization. *Antioxidants*, 8(2), 1–19. <https://doi.org/10.3390/antiox8020041>
- Cerón-Martínez, L. J., Hurtado-Benavides, A. M., Ayala-Aponte, A., Serna-Cock, L., & Tirado, D. F. (2021). A pilot-scale supercritical carbon dioxide extraction to valorize colombian mango seed kernel. *Molecules*, 26(8).
<https://doi.org/10.3390/molecules26082279>
- Chaiwarit, T., Masavang, S., Mahe, J., Sommano, S., Ruksiriwanich, W., Brachais, C. H., Chambin, O., & Jantrawut, P. (2020). Mango (cv. Nam Dokmai) peel as a source of pectin and its potential use as a film-forming polymer. In *Food Hydrocolloids* (Vol. 102). Elsevier Ltd.
<https://doi.org/10.1016/j.foodhyd.2019.105611>
- Chen, Y., Zhao, L., He, T., Ou, Z., Hu, Z., & Wang, K. (2019). Effects of mango peel powder on starch digestion and quality characteristics of bread. *International Journal of Biological Macromolecules*, 140, 647–652.
<https://doi.org/10.1016/j.ijbiomac.2019.08.188>

- Cheok, C. Y., Mohd Adzahan, N., Abdul Rahman, R., Zainal Abedin, N. H., Hussain, N., Sulaiman, R., & Chong, G. H. (2018). Current trends of tropical fruit waste utilization. *Critical Reviews in Food Science and Nutrition*, 58(3), 335–361. <https://doi.org/10.1080/10408398.2016.1176009>
- Chhikara, N., Kaur, R., Jaglan, S., Sharma, P., Gat, Y., & Panghal, A. (2018). Bioactive compounds and pharmacological and food applications of: *Syzygium cumini*-a review. *Food and Function*, 9(12), 6096–6115. <https://doi.org/10.1039/c8fo00654g>
- Das, P. C., Khan, M. J., Rahman, M. S., Majumder, S., & Islam, M. N. (2019). Comparison of the physico-chemical and functional properties of mango kernel flour with wheat flour and development of mango kernel flour based composite cakes. *NFS Journal*, 17(June), 1–7. <https://doi.org/10.1016/j.nfs.2019.10.001>
- Delgado, C. H. O., & Fleuri, L. F. (2016). Orange and mango byproducts: agro-industrial waste as source of bioactive compounds and botanical versus commercial description - A review. *Food Reviews International*, 32(1), 1–14.
- FAO. (2011). *Global food loss and food waste - Extent, causes and prevent*. <https://doi.org/10.4337/9781788975391>
- FAO. (2017). *Major Tropical Fruits - Market Review 2017*.
- FAO. (2019). *The State of Food and Agriculture 2019. Moving forward on food loss and waste*. <https://doi.org/10.4324/9781315764788>
- Gómez-Caravaca, A. M., López-Cobo, A., Verardo, V., Segura-Carretero, A., & Fernández-Gutiérrez, A. (2016). HPLC-DAD-q-TOF-MS as a powerful platform for the determination of phenolic and other polar compounds in the edible part of mango and its by-products (peel, seed, and seed husk). *Electrophoresis*, 37(7–8), 1072–1084. <https://doi.org/10.1002/elps.201500439>
- Guandalini, B. B. V., Rodrigues, N. P., & Marczak, L. D. F. (2019). Sequential extraction of phenolics and pectin from mango peel assisted by ultrasound. *Food Research International*, 119(November 2018), 455–461. <https://doi.org/10.1016/j.foodres.2018.12.011>

- Ilie, G., & Ciocoiu, C. N. (2010). Ilie G. and. Ciocoiu C.N. APPLICATION OF FISHBONE DIAGRAM TO DETERMINE THE RISK OF AN EVENT WITH MULTIPLE CAUSES MANAGEMENT RESEARCH APPLICATION OF FISHBONE DIAGRAM TO DETERMINE THE RISK OF AN EVENT WITH MULTIPLE CAUSES. *Management Research and Practice*, 2(1), 1–20. <http://mrp.ase.ro/no21/f1.pdf>
- Ishangulyyev, R., Kim, S., & Lee, S. H. (2019). Understanding food loss and waste- why are we losing and wasting food? *Foods*, 8(8). <https://doi.org/10.3390/foods8080297>
- Jalgaonkar, K., Jha, S. K., & Mahawar, M. K. (2018). Influence of incorporating defatted soy flour, carrot powder, mango peel powder, and moringa leaves powder on quality characteristics of wheat semolina-pearl millet pasta. *Journal of Food Processing and Preservation*, 42(4), 1–11. <https://doi.org/10.1111/jfpp.13575>
- Kanatt, S. R., & Chawla, S. P. (2018). Shelf life extension of chicken packed in active film developed with mango peel extract. *Journal of Food Safety*, 38(1), 1–12. <https://doi.org/10.1111/jfs.12385>
- Kasso, M., & Bekele, A. (2018). Post-harvest loss and quality deterioration of horticultural crops in Dire Dawa Region, Ethiopia. *Journal of the Saudi Society of Agricultural Sciences*, 17(1), 88–96. <https://doi.org/10.1016/j.jssas.2016.01.005>
- Korkerd, S., Wanlapa, S., Puttanlek, C., Uttapap, D., & Rungsardthong, V. (2016). Expansion and functional properties of extruded snacks enriched with nutrition sources from food processing by-products. *Journal of Food Science and Technology*, 53(1), 561–570. <https://doi.org/10.1007/s13197-015-2039-1>
- Lim, K. J. A., Cabajar, A. A., Lobarbio, C. F. Y., Taboada, E. B., & Lacks, D. J. (2019). Extraction of bioactive compounds from mango (*Mangifera indica* L. var. Carabao) seed kernel with ethanol–water binary solvent systems. *Journal of Food Science and Technology*, 56(5), 2536–2544. <https://doi.org/10.1007/s13197-019-03732-7>
- Lima, E. M. B., Lima, A. M., Minguita, A. P. S., Rojas dos Santos, N. R., Pereira,

- I. C. S., Neves, T. T. M., da Costa Gonçalves, L. F., Moreira, A. P. D., Middea, A., Neumann, R., Tavares, M. I. B., & Oliveira, R. N. (2019). Poly(lactic acid) biocomposites with mango waste and organo-montmorillonite for packaging. *Journal of Applied Polymer Science*, 136(21), 1–11. <https://doi.org/10.1002/app.47512>
- Lima, E. M. B., Middea, A., Neumann, R., Thiré, R. M. da S. M., Pereira, J. F., de Freitas, S. C., Penteadó, M. S., Lima, A. M., Minguita, A. P. da S., Mattos, M. da C., Teixeira, A. da S., Pereira, I. C. S., Rojas dos Santos, N. R., Marconcini, J. M., Oliveira, R. N., & Corrêa, A. C. (2021). Biocomposites of PLA and Mango Seed Waste: Potential Material for Food Packaging and a Technological Alternative to Reduce Environmental Impact. *Starch/Staerke*, 73(5–6), 1–12. <https://doi.org/10.1002/star.202000118>
- Mandha, J., Shumoy, H., Matemu, A. O., & Raes, K. (2021). Valorization of mango by-products to enhance the nutritional content of maize complementary porridges. *Foods*, 10(7). <https://doi.org/10.3390/foods10071635>
- Marcillo-Parra, V., Anaguano, M., Molina, M., Tupuna-Yerovi, D. S., & Ruales, J. (2021). Characterization and quantification of bioactive compounds and antioxidant activity in three different varieties of mango (*Mangifera indica* L.) peel from the Ecuadorian region using HPLC-UV/VIS and UPLC-PDA. *NFS Journal*, 23(February), 1–7. <https://doi.org/10.1016/j.nfs.2021.02.001>
- Maryam Adilah, Z. A., Jamilah, B., & Nur Hanani, Z. A. (2018). Functional and antioxidant properties of protein-based films incorporated with mango kernel extract for active packaging. *Food Hydrocolloids*, 74, 207–218. <https://doi.org/10.1016/j.foodhyd.2017.08.017>
- Mas'ud, F., Indriati, S., Todingbua', A., Rifai, A., & Sayuti, M. (2021). Mango seed kernel oil extraction with ethanol: Optimization of oil yield and polyphenol. *Chemical Industry and Chemical Engineering Quarterly*, 27(3), 207–214. <https://doi.org/10.2298/CICEQ200128039M>
- Matharu, A. S., Houghton, J. A., Lucas-Torres, C., & Moreno, A. (2016). Acid-free microwave-assisted hydrothermal extraction of pectin and porous cellulose from mango peel waste - Towards a zero waste mango biorefinery. *Green*

- Chemistry*, 18(19), 5280–5287. <https://doi.org/10.1039/c6gc01178k>
- Mayo-Mayo, G., Navarrete-García, A., Maldonado-Astudillo, Y. I., Jiménez-Hernández, J., Santiago-Ramos, D., Arámbula-Villa, G., Álvarez-Fitz, P., Ramirez, M., & Salazar, R. (2020). Addition of roselle and mango peel powder in tortilla chips: a strategy for increasing their functionality. *Journal of Food Measurement and Characterization*, 14(3), 1511–1519. <https://doi.org/10.1007/s11694-020-00400-9>
- Melo, P. E. F., Silva, A. P. M., Marques, F. P., Ribeiro, P. R. V., Souza Filho, M. de Sá M., Brito, E. S., Lima, J. R., & Azeredo, H. M. C. (2019). Antioxidant films from mango kernel components. *Food Hydrocolloids*, 95(April), 487–495. <https://doi.org/10.1016/j.foodhyd.2019.04.061>
- Mercado-Mercado, G., Montalvo-González, E., González-Aguilar, G. A., Alvarez-Parrilla, E., & Sáyago-Ayerdi, S. G. (2018). Ultrasound-assisted extraction of carotenoids from mango (*Mangifera indica* L. ‘Ataulfo’) by-products on in vitro bioaccessibility. *Food Bioscience*, 21, 125–131. <https://doi.org/10.1016/j.fbio.2017.12.012>
- Mohamad Mazlan, M., Talib, R. A., Mail, N. F., Taip, F. S., Chin, N. L., Sulaiman, R., Shukri, R., & Mohd Nor, M. Z. (2019). Effects of extrusion variables on corn-mango peel extrudates properties, torque and moisture loss. *International Journal of Food Properties*, 22(1), 54–70. <https://doi.org/10.1080/10942912.2019.1568458>
- Mugwagwa, L. R., & Chimphango, A. F. A. (2021). Comparison of physicochemical properties and economic gain from three-stage and two-stage sequential valorization of mango peels. *Biofuels, Bioproducts and Biorefining*, 15(2), 454–467. <https://doi.org/10.1002/bbb.2166>
- Mutua, J. K., Imathiu, S., & Owino, W. (2017). Evaluation of the proximate composition, antioxidant potential, and antimicrobial activity of mango seed kernel extracts. *Food Science and Nutrition*, 5(2), 349–357. <https://doi.org/10.1002/fsn3.399>
- Mwaurah, P. W., Kumar, S., Kumar, N., Panghal, A., Attkan, A. K., Singh, V. K., & Garg, M. K. (2020). Physicochemical characteristics, bioactive compounds

- and industrial applications of mango kernel and its products: A review. *Comprehensive Reviews in Food Science and Food Safety*, 19(5), 2421–2446. <https://doi.org/10.1111/1541-4337.12598>
- Nadeem, M., Imran, M., & Khalique, A. (2016). Promising features of mango (*Mangifera indica* L.) kernel oil: a review. *Journal of Food Science and Technology*, 53(5), 2185–2195. <https://doi.org/10.1007/s13197-015-2166-8>
- Naeem, A., Shabbir, M. A., Khan, M. R., Ahmad, N., & Roberts, T. H. (2019). Mango Seed Kernel Fat as a Cocoa Butter Substitute Suitable for the Tropics. *Journal of Food Science*, 84(6), 1315–1321. <https://doi.org/10.1111/1750-3841.14614>
- Nanthachai, N. (2020). Effect of Kneading and Fermentation Time on Chemical Quality of Herbal Tea From Mango Peel. *International Journal of GEOMATE*, 18(68), 60–65. <https://doi.org/10.21660/2020.68.5654>
- Nayak, A., & Bhushan, B. (2019). An overview of the recent trends on the waste valorization techniques for food wastes. *Journal of Environmental Management*, 233(July 2018), 352–370. <https://doi.org/10.1016/j.jenvman.2018.12.041>
- Nguyen, H. H. D., Nguyen, H. V. H., & Savage, G. P. (2019). Properties of pectin extracted from Vietnamese mango peels. *Foods*, 8(12). <https://doi.org/10.3390/foods8120629>
- Östergren, K., Jenny Gustavsson, Bos-Brouwers, H., Timmermans, T., Hansen, J., Møller, H., Anderson, G., O'Connor, C., Soethoudt, H., Quedsted, T., Eastal, S., Politano, A., Bellettato, C., Canali, M., Falasconi, L., Gaiani, S., Vittuari, M., Schneider, F., Moates, G., ... Redlingshöfer, B. (2014). *FUSIONS Definitional Rramework for Food Waste* (Issue July). [http://www.eu-fusions.org/phocadownload/Publications/FUSIONS Definitional Framework for Food Waste 2014.pdf](http://www.eu-fusions.org/phocadownload/Publications/FUSIONS_Definitional_Framework_for_Food_Waste_2014.pdf)
- Pacheco-Ordaz, R., Antunes-Ricardo, M., Gutiérrez-Urbe, J. A., & González-Aguilar, G. A. (2018). Intestinal permeability and cellular antioxidant activity of phenolic compounds from mango (*Mangifera indica* cv. ataulfo) peels. *International Journal of Molecular Sciences*, 19(2).

<https://doi.org/10.3390/ijms19020514>

- Pal, C. B. T., & Jadeja, G. C. (2019). Microwave-assisted extraction for recovery of polyphenolic antioxidants from ripe mango (*Mangifera indica* L.) peel using lactic acid/sodium acetate deep eutectic mixtures. *Food Science and Technology International*, 26(1), 78–92. <https://doi.org/10.1177/1082013219870010>
- Palmatier, R. W., Houston, M. B., & Hulland, J. (2018). Review articles: purpose, process, and structure. *Journal of the Academy of Marketing Science*, 46(1), 1–5. <https://doi.org/10.1007/s11747-017-0563-4>
- Pathak, D., Majumdar, J., Raychaudhuri, U., & Chakraborty, R. (2016). Characterization of physicochemical properties in whole wheat bread after incorporation of ripe mango peel. *Journal of Food Measurement and Characterization*, 10(3), 554–561. <https://doi.org/10.1007/s11694-016-9335-y>
- Patiño-Rodríguez, O., Bello-Pérez, L. A., Agama-Acevedo, E., & Pacheco-Vargas, G. (2021). Effect of deep frying unripe mango kernel flour extrudate: Physicochemical, microstructural and starch digestibility characteristics. *Lwt*, 145(8). <https://doi.org/10.1016/j.lwt.2021.111267>
- Rojas-Bravo, M., Rojas-Zenteno, E. G., Hernández-Carranza, P., Ávila-Sosa, R., Aguilar-Sánchez, R., Ruiz-López, I. I., & Ochoa-Velasco, C. E. (2019). A Potential Application of Mango (*Mangifera indica* L. cv Manila) Peel Powder to Increase the Total Phenolic Compounds and Antioxidant Capacity of Edible Films and Coatings. *Food and Bioprocess Technology*, 12(9), 1584–1592. <https://doi.org/10.1007/s11947-019-02317-8>
- Ruales, J., Baenas, N., Moreno, D. A., Stinco, C. M., Meléndez-Martínez, A. J., & García-Ruiz, A. (2018). Biological active ecuadorian mango ‘tommy atkins’ ingredients—an opportunity to reduce agrowaste. *Nutrients*, 10(9), 1–14. <https://doi.org/10.3390/nu10091138>
- Safdar, M. N., Kausar, T., & Nadeem, M. (2017). Comparison of Ultrasound and Maceration Techniques for the Extraction of Polyphenols from the Mango Peel. *Journal of Food Processing and Preservation*, 41(4).

<https://doi.org/10.1111/jfpp.13028>

- Sánchez-Camargo, A. del P., Ballesteros-Vivas, D., Buelvas-Puello, L. M., Martínez-Correa, H. A., Parada-Alfonso, F., Cifuentes, A., Ferreira, S. R. S., & Gutiérrez, L. F. (2021). Microwave-assisted extraction of phenolic compounds with antioxidant and anti-proliferative activities from supercritical CO₂ pre-extracted mango peel as valorization strategy. *Lwt*, *137*(October). <https://doi.org/10.1016/j.lwt.2020.110414>
- Schanes, K., Dobernig, K., & Gözet, B. (2018). Food waste matters - A systematic review of household food waste practices and their policy implications. *Journal of Cleaner Production*, *182*, 978–991. <https://doi.org/10.1016/j.jclepro.2018.02.030>
- Serna-Cock, L., García-Gonzales, E., & Torres-León, C. (2016). Agro-industrial potential of the mango peel based on its nutritional and functional properties. *Food Reviews International*, *32*(4), 364–376. <https://doi.org/10.1080/87559129.2015.1094815>
- Siacor, F. D. C., Lobarbio, C. F. Y., & Taboada, E. B. (2020). Optimizing the extraction of phenolic compounds with high antioxidant activity from mango seed kernel wastes using response surface methodology. *Applied Environmental Research*, *42*(3), 60–76. <https://doi.org/10.35762/AER.2020.42.3.6>
- Silva, A. P. M., Oliveira, A. V., Pontes, S. M. A., Pereira, A. L. S., Souza Filho, M. de Sá M., Rosa, M. F., & Azeredo, H. M. C. (2019). Mango kernel starch films as affected by starch nanocrystals and cellulose nanocrystals. *Carbohydrate Polymers*, *211*(February), 209–216. <https://doi.org/10.1016/j.carbpol.2019.02.013>
- Sommano, S. R., Ounamornmas, P., Nisoa, M., Sriwattana, S., Page, P., & Colelli, G. (2018). Characterisation and physiochemical properties of mango peel pectin extracted by conventional and phase control microwave-assisted extractions. *International Food Research Journal*, *25*(6), 2657–2665.
- Souza, M. E. A. O., Mezzomo, N., Correa, L. C., Lima, M. S., Azevêdo, L. C., & Ferreira, S. R. S. (2019). Recovery of antioxidant compounds from mango peel

- by green extraction processes. *International Food Research Journal*, 26(2), 1845–1859.
- Sudha, M. L., Indumathi, K., Sumanth, M. S., Rajarathnam, S., & Shashirekha, M. N. (2015). Mango pulp fibre waste: characterization and utilization as a bakery product ingredient. *Journal of Food Measurement and Characterization*, 9(3), 382–388. <https://doi.org/10.1007/s11694-015-9246-3>
- Suhag, R., Kumar, N., Petkoska, A. T., & Upadhyay, A. (2020). Film formation and deposition methods of edible coating on food products: A review. *Food Research International*, 136(March), 109582. <https://doi.org/10.1016/j.foodres.2020.109582>
- Sukasih, E., & Setyadjit. (2017). Formulasi Antifungal Kombinasi dari Ekstrak Limbah Mangga dengan Pengawet Makanan Komersial untuk Preservasi Buah Mangga. *Formulasi Antifungal Kombinasi Dari Ekstrak Limbah Mangga Dengan Pengawet Makanan Komersial Untuk Preservasi Buah Mangga*, 14(1), 22–34.
- Tirado-Kulieva, V., Atoche-Dioses, S., & Hernández-Martínez, E. (2021). Phenolic compounds of mango (*Mangifera indica*) by-products: Antioxidant and antimicrobial potential, use in disease prevention and food industry, methods of extraction and microencapsulation. *Scientia Agropecuaria*, 12(2), 283–293. <https://doi.org/10.17268/SCI.AGROPECU.2021.031>
- Topolska, K., Florkiewicz, A., & Filipiak-Florkiewicz, A. (2021). Functional food—consumer motivations and expectations. *International Journal of Environmental Research and Public Health*, 18(10). <https://doi.org/10.3390/ijerph18105327>
- Torres-León, C., Rojas, R., Contreras-Esquivel, J. C., Serna-Cock, L., Belmares-Cerda, R. E., & Aguilar, C. N. (2016). Mango seed: Functional and nutritional properties. *Trends in Food Science and Technology*, 55, 109–117. <https://doi.org/10.1016/j.tifs.2016.06.009>
- Torres-León, C., Rojas, R., Serna-Cock, L., Belmares-Cerda, R., & Aguilar, C. N. (2017). Extraction of antioxidants from mango seed kernel: Optimization assisted by microwave. *Food and Bioproducts Processing*, 105, 188–196.

<https://doi.org/10.1016/j.fbp.2017.07.005>

- Torres-León, C., Vicente, A. A., Flores-López, M. L., Rojas, R., Serna-Cock, L., Alvarez-Pérez, O. B., & Aguilar, C. N. (2018). Edible films and coatings based on mango (var. Ataulfo) by-products to improve gas transfer rate of peach. *Lwt*, 97(March), 624–631. <https://doi.org/10.1016/j.lwt.2018.07.057>
- Velderrain-Rodríguez, G. R., Torres-Moreno, H., Villegas-Ochoa, M. A., Ayala-Zavala, J. F., Robles-Zepeda, R. E., Wall-Medrano, A., & González-Aguilar, G. A. (2018). Gallic acid content and an antioxidant mechanism are responsible for the antiproliferative activity of “Ataulfo” mango peel on LS180 cells. *Molecules*, 23(3). <https://doi.org/10.3390/molecules23030695>
- Vicenssuto, G. M., & de Castro, R. J. S. (2020). Development of a novel probiotic milk product with enhanced antioxidant properties using mango peel as a fermentation substrate. *Biocatalysis and Agricultural Biotechnology*, 24(December 2019), 101564. <https://doi.org/10.1016/j.bcab.2020.101564>
- Wang, M., Huang, B., Fan, C., Zhao, K., Hu, H., Xu, X., Pan, S., & Liu, F. (2016). Characterization and functional properties of mango peel pectin extracted by ultrasound assisted citric acid. *International Journal of Biological Macromolecules*, 91, 794–803. <https://doi.org/10.1016/j.ijbiomac.2016.06.011>
- Waryat, W., & Nurawan, A. (2022). Keragaan Penanganan Pasca Panen Mangga di Kabupaten Cirebon. *Jurnal Ilmiah Respati*, 13(1), 64–74. <https://doi.org/10.52643/jir.v13i1.2261>
- Yatnatti, S., & Vijayalakshmi, D. (2018). Study of soup mix incorporated with starch extract from mango “Mangifera indica” seed kernels. *Current Research in Nutrition and Food Science*, 6(3), 816–825. <https://doi.org/10.12944/CRNFSJ.6.3.24>
- Zuin, V. G., Segatto, M. L., & Zanotti, K. (2020). Towards a green and sustainable fruit waste valorisation model in Brazil: Optimisation of homogenizer-assisted extraction of bioactive compounds from mango waste using a response surface methodology. *Pure and Applied Chemistry*, 92(4), 617–629. <https://doi.org/10.1515/pac-2019-1001>