

7. DAFTAR PUSTAKA

- [BPOM] Badan Pengawas Obat dan Makanan. 2014. Pedoman Uji Toksisitas Nonklinik secara *in vivo*. Perka BPOM nomor 875 tahun 2014.
- Abdo, K. ., Cunningham, M. ., Snell, M. ., Herbert, R. ., Travlos, G. ., Eldridge, S. ., & Bucher, J. . (2001). 14-Week toxicity and cell proliferation of methyleugenol administered by gavage to F344 rats and B6C3F1 mice. *Food and Chemical Toxicology*, 39(4), 303–316.
- Achmad, S. A., 1986, Buku Materi Pokok Kimia Organik Bahan Alam, Universitas Terbuka, Jakarta.
- Adams, T. B., Cohen, S. M., Doull, J., Feron, V. J., Goodman, J. I., Marnett, L. J., ... Wagner, B. M. (2004). *The FEMA GRAS assessment of cinnamyl derivatives used as flavor ingredients. Food and Chemical Toxicology*, 42(2), 157–185. doi:10.1016/j.fct.2003.08.021
- Adams, T. B., Hallagan, J. B., Putnam, J. M., Gierke, T. L., Doull, J., Munro, I. C., ... & Ford, R. A. (1996). The FEMA GRAS assessment of alicyclic substances used as flavour ingredients. *Food and chemical toxicology*, 34(9), 763-828.
- Adinata, M. O., Sudira, I. W., & Berata, I. K. (2012). Efek ekstrak daun ashitaba (*Angelica keiskei*) terhadap gambaran histopatologi ginjal mencit (*Mus musculus*) jantan. *Buletin Veteriner Udayana*, 4(2), 55-62.
- Agency for Toxic Substances & Disease Registry. 1992. Toxicological profile for cresols: o-cresol: pcrsol: mcresol, US Department Health and Human Services, Public Health Service, Publication PB93-I 10732, Atlanta, GA.
- Ahijevych, K., & Garrett, B. (2004). *Menthol pharmacology and its potential impact on cigarette smoking behavior. Nicotine & Tobacco Research*, 6(1), 17–28. doi:10.1080/14622200310001649469

- Alam, M. F., Varshney, S., Khan, M. A., Laskar, A. A., & Younus, H. (2018). *in vitro* DNA binding studies of therapeutic and prophylactic drug citral. *International journal of biological macromolecules*, 113, 300-308.
- Almeida A.C., Sobrinho E.M., Pinho L., Souza P.N.S., Martins E.R., Duarte E.R., Santos H.O., Brandi I.V., Cangussu A.S. & Costa J.P.R. 2010. Toxicidade aguda de extratos hidroalcoólicos de folhas de alecrim-pimenta, barbatimão, aroeira e farelo da casca de pequi administrados intraperitonealmente. *Ciência Rural* 40(1).
- Almeida, M. R., Darin, J. D. C., Hernandez, L. C., Aissa, A. F., Chisté, R. C., Mercadante, A. Z., ... Bianchi, M. L. P. (2012). Antigenotoxic Effects of Piquiá (*Caryocar villosum*) in Multiple Rat Organs. *Plant Foods for Human Nutrition*, 67(2), 171–177. doi:10.1007/s11130-012-0291-3.
- Alves, D. D. N., Martins, R. X., Ferreira, E. D. S., Alves, A. F., Andrade, J. C. D., Batista, T. M., ... & Castro, R. D. D. (2021). Toxicological parameters of a formulation containing cinnamaldehyde for use in treatment of oral fungal infections: an *in vivo* study. *BioMed Research International*, 2021.
- Andersen, A. (2006). Final report on the safety assessment of benzaldehyde. *International journal of toxicology*, 25, 11-27.
- Andrade, V. A., Almeida, A. C., Souza, D. S., Colen, K. G., Macêdo, A. A., Martins, E. R., ... & Santos, R. L. (2014). Antimicrobial activity and acute and chronic toxicity of the essential oil of *Lippia origanoides*. *Pesquisa Veterinária Brasileira*, 34(12), 1153-1161.
- Anklam, E., Gaglione, S., & Müller, A. (1997). Oxidation behaviour of vanillin in dairy products. *Food chemistry*, 60(1), 43-51.
- Apekey, T. A., & Khokhar, S. (2015). Survey on the Consumption of Cinnamon-Containing Foods and Drinks by the UK Population. University of Leeds: Leeds, UK.

- Aristatile B, Al-Numair KS and Al-Assaf AH, Veeramani C and Viswanathan PK (2010) Protective effect of carvacrol on oxidative stress and cellular DNA damage induced by UVB irradiation in human peripheral lymphocytes. *Journal of Biochemical and Molecular Toxicology*.
- Aşkın, B., & Kaynarca, G. B. (2020). Determination of Antioxidant Properties and Composition of Rosemary and Thyme Essential Oils. *Turkish Journal of Agriculture-Food Science and Technology*, 8(10), 2105-2112.
- Attokaran, M. (2017). *Natural food flavors and colorants*. John Wiley & Sons.
- Ayun, A. Q., Faridah, D. N., Yuliana, N. D., & Andriyanto, A. (2021). Pengujian Toksisitas Akut LD50 Infusa Benalu Teh (*Scurrula sp.*) dengan Menggunakan Mencit (*Mus musculus*). *Acta VETERINARIA Indonesiana*, 9(1), 53-63.
- Azizah, N., & Aliviameita, A. (2019). Pengaruh lama penundaan pemeriksaan serum terhadap kadar elektrolit Natrium dan Klorida. *Medicra (Journal of Medical Laboratory Science/Technology)*, 2(1), 28-30.
- Babaeenezhad, E., Nouryazdan, N., Nasri, M., Ahmadvand, H., & Sarabi, M. M. (2021). Cinnamic acid ameliorate gentamicin-induced liver dysfunctions and nephrotoxicity in rats through induction of antioxidant activities. *Heliyon*, 7(7), e07465.
- Badan Pengawas Obat dan Makanan Republik Indonesia: Jakarta.
- Badan POM, 2014. Peraturan Kepala Pengawas Obat dan Makanan Republik Indonesia Nomor 7 Tahun 2014 Tentang Pedoman Uji Toksisitas Nonklinik secara *in vivo*.
- Badie Bostan, H.B., Mehri, S., and Hosseinzadeh, H., 2017. Toxicology effects of saffron and its constituents: a review. *Iranian journal of basic medical sciences*, 20, 110–121.

- Barile F. 2005. Clinical Toxicology: principles and mechanism. Crs press: Washington DC.
- Basch, E., Ulbricht, C., Hammerness, P., Bevins, A., & Sollars, D. (2004). *Thyme (Thymus vulgaris L.)*, *Thymol. Journal Of Herbal Pharmacotherapy*, 4(1), 49–67. doi:10.1300/j157v04n01_07.
- Belay, M. T., & Poole, C. F. (1993). Determination of vanillin and related flavor compounds in natural vanilla extracts and vanilla-flavored foods by thin layer chromatography and automated multiple development. *Chromatographia*, 37(7-8), 365–373. doi:10.1007/bf02272250.
- Bellelli, V., d' Ettore, G., Celani, L., Borrazzo, C., Ceccarelli, G., & Venditti, M. (2019). *Clinical significance of lymphocytopenia in patients hospitalized with pneumonia caused by influenza virus*. *Critical Care*, 23(1). doi:10.1186/s13054-019-2608-1.
- BfR (2006) Verbraucher, die viel Zimt verzehren, sind derzeit zu hoch mit Cumarin belastet. Gesundheitliche Bewertung des BfR Nr. 043/2006 omgardner M.M. 2016. The problem with vanilla. Chemical
- Bjornsson, T.D., Callaghan, J.T., Einolf, H.J., Fischer, V., Gan, L., Grimm, S., Kao, J., King, S.P., Miwa, G., Ni, L., Kumar, G., McLeod, J., Obach, R.S., Roberts, S., Roe, A., Shah, A., Snikeris, F., Sullivan, J.T., Tweedie, D., Vega, J.M., Walsh, J., Wrighton, S.A., 2003. The conduct of *in vitro* and *in vivo* drug–drug interaction studies: a Pharmaceutical Research and Manufacturers of America (PhRMA) perspective. *Drug Metab. Dispos.* 31, 815–832.
- Blakemore W. M. and Thompson H. C. (1983) Trace analysis of cinnamaldehyde in animal feed, human urine and wastewater by electron capture gas chromatography. *Journal of Agricultural and Food Chemistry* 31, 1047-1052.

- Bogaards, J.J., Bertrand, M., Jackson, P., Oudshoorn, M.J., Weaver, R.J., van Bladeren, P.J., Walther, B., 2000. Determining the best animal model for human cytochrome P450 activities: a comparison of mouse, rat, rabbit, dog, micropig, monkey and man. *Xenobiotica* 30, 1131–1152.
- Brown, William H.. "citral". *Encyclopedia Britannica*, 25 Feb. 2018, <https://www.britannica.com/science/citral> Accessed 20 September 2022.
- Buleandra, M., Oprea, E., Popa, D. E., David, I. G., Moldovan, Z., Mihai, I., & Badea, I. A. (2016). Comparative chemical analysis of *Mentha piperita* and *M. spicata* and a fast assessment of commercial peppermint teas. *Natural product communications*, 11(4), 1934578X1601100433.
- Burt, S. (2004). Essential oils: their antibacterial properties and potential applications in foods—a review. *International journal of food microbiology*, 94(3), 223-253.
- Buyukleyla, M., & Rencuzogullari, E. (2009). The effects of thymol on sister chromatid exchange, chromosome aberration and micronucleus in human lymphocytes. *Ecotoxicology and Environmental Safety*, 72(3), 943-947.
- Bythrow, J.D., 2005. Vanillin as a medical plant. *Semin. Integr. Med.* 3, 129–131.
- Carpanini, F. M. B., Gaunt, I. F., Wright, M. G., Grasso, P., & Gangolli, S. D. (1973). Short-term toxicity of amyl cinnamic aldehyde in rats. *Food and Cosmetics Toxicology*, 11(4), 725–734. doi:10.1016/s0015-6264(73)80356-6.
- CDC, A. (1992). Impact of Lead-Contaminated Soil on Public Health US Department of Health and Human Services, Public Health Service, Centers for Disease Control, Agency for Toxic Substances and Disease Registry, Charles Xintaras, Sc. D. Publication date: 05/01/1992.
- Cederbaum, A. I. (2012). Alcohol metabolism. *Clinics in liver disease*, 16(4), 667-685.

- Chambre, D. R., Moisa, C., Lupitu, A., Copolovici, L., Pop, G., & Copolovici, D.-M. (2020). Chemical composition, antioxidant capacity, and thermal behavior of *Satureja hortensis* essential oil. *Scientific Reports*, 10(1).
- Charbonneau, M., Lock, E. A., Strasser, J., Cox, M. G., Turner, M. J., & Bus, J. S. (1987). 2, 2, 4-Trimethylpentane-induced nephrotoxicity: I. Metabolic disposition of TMP in male and female Fischer 344 rats. *Toxicology and applied pharmacology*, 91(2), 171-181.
- Chen, H., Ji, H., Zhou, X., Xu, J., & Wang, L. (2009). Aerobic oxidative cleavage of cinnamaldehyde to benzaldehyde catalyzed by metalloporphyrins under mild conditions. *Catalysis Communications*, 10(6), 828-832.
- Choi, S. J., Decker, E. A., Henson, L., Popplewell, L. M., & McClements, D. J. (2009). Stability of Citral in Oil-in-Water Emulsions Prepared with Medium-Chain Triacylglycerols and Triacetin. *Journal of Agricultural and Food Chemistry*, 57(23), 11349–11353.
- Clark, J. E. (1998). Taste and flavour: their importance in food choice and acceptance. *Proceedings of the nutrition society*, 57(4), 639-643.
- Cohen, S. M., Eisenbrand, G., Fukushima, S., Gooderham, N. J., Guengerich, F. P., Hecht, S. S., ... & Taylor, S. V. (2020). FEMA GRAS assessment of natural flavor complexes: Mint, buchu, dill and caraway derived flavoring ingredients. *Food and Chemical Toxicology*, 135, 110870.
- Council of the European Communities. 1988. Council directive on the approximation of the laws of the member states relating to flavourings for use in foodstuffs and to source materials for their production (88/388/EEC). *Off. J. Eur. Communities: Legis.* 1988, L184, 61–66.
- D'Amicis A, Intorre F, Maccati F, Pettinelli A, Martines S, Forlani F, Battistini N, Tunfio O, Ponziano M, Carbini L, et al. 2002. *Studio sui consumi*

alimentari e ripartizione dei pasti degli scolari dell'obbligo in Italia (SCARPS. Rivista Italiana di Scienza dell'Alimentazione. 31:235–248.

Damtie, D., Mekonnen, Y., & Eyado, A. (2017). Acute oral toxicity study of *Thymus serrulatus* and *Thymus schimperi* from Ethiopia. *Ethiopian Journal of Science and Technology*, 10(3), 181.

Deichmann, W., & Kitzmiller, K. V. (1940). On the Toxicity of Vanillin and Ethyl Vanillin for Rabbits and Rats**Presented at the meeting of the American Society for Pharmacology and Experimental Therapeutics, New Orleans meeting, 1940. *Journal of the American Pharmaceutical Association (Scientific Ed.)*, 29(10), 425–428.

Departemen Kesehatan RI, 2000. Pedoman Pelaksanaan Uji Klinik Obat Tradisional. Direktorat Pengawasan Obat Tradisional: Jakarta.

Devaraj, H., Niranjali, S., Raveendran, M., 1992. Effect of food flavor cinnamaldehyde on liver microsomal cytochrome-p-450 in rats. *Bull. Environ. Contam. Toxicol.* 49, 306–311.

Dick, F. D. (2006). Solvent neurotoxicity. *Occupational and environmental medicine*, 63(3), 221-226.

Dille, Jones and Jessica R. (2009). The importance of flavour in the food and beverage industry. <https://www.thefreelibrary.com/The+importance+of+flavour+in+the+food+and+beverage+industry.-a0207282972> . diakses pada tanggal 7 Juli 2022 pukul 01.53

Donatus I.A., 1998. Toksikologi Dasar. Fakultas Farmasi, Universitas Gadjah Mada: Yogyakarta.

Donatus, I.A., 2005, Toksikologi Dasar Edisi 2. Rasmedia Grafika. Fakultas Farmasi, Universitas Gadjah Mada: Yogyakarta.

Downs, J. W., & Wills, B. K. (2019). Phenol toxicity.

- Doyle, A. A., & Stephens, J. C. (2019). *A review of cinnamaldehyde and its derivatives as antibacterial agents. Fitoterapia, 104405.* doi:10.1016/j.fitote.2019.104405.
- Duerksen-Hughes, P.J., Yang, J., and Ozcan, O., 1999. P53 induction as a genotoxic test for twenty-five chemicals undergoing *in vivo* carcinogenicity testing. *Environmental Health Perspectives, 107* (10), 805–812.
- Dusemund, B., Rietjens, I. M. C. M., Abraham, K., Cartus, A., & Schrenk, D. (2017). *Undesired Plant-Derived Components in Food. Chemical Contaminants and Residues in Food, 379–424.* doi:10.1016/b978-0-08-100674-0.00016-3.
- Eaton, D. L., and Gilbert, S. G., 2013. Principles of toxicology. In: D. Kilassen C, ed. Casarett and Doull's Toxicology the basic science of poisons. 7th ed. New York: McGraw Hill Education.
- EFSA Panel on Additives and Products or Substances used in Animal Feed (FEEDAP). (2016). Safety and efficacy of α , β -unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters belonging to chemical group 3 when used as flavourings for all animal species. *EFSA Journal, 14*(6), e04512.
- Grumezescu, A. M., & Holban, A. M. (Eds.). (2017). *Natural and Artificial Flavoring Agents and Food Dyes* (Vol. 7). Academic Press.
- Eickholt, T.H., and Box, R.H., 1965. Toxicities of peppermint and pycnanthemum albescens oils, fam. Labiateae. *Journal of pharmaceutical sciences, 54* (7), 1071–1072.
- Eipel, C., Abshagen, K., & Vollmar, B. (2010). Regulation of hepatic blood flow: the hepatic arterial buffer response revisited. *World journal of gastroenterology: WJG, 16*(48), 6046.

- El-Wahab, H. M. F. A., & Moram, G. S. E. D. (2013). Toxic effects of some synthetic food colorants and/or flavor additives on male rats. *Toxicology and industrial health*, 29(2), 224-232.
- EMA. (2014). Public statement on the use of herbal medicinal products containing pulegone and menthofuran.
- Engineering News. 94, 38. Diakses pada tanggal 22 Agustus 2022 pukul 12.29. <https://cen.acs.org/articles/94/i36/problem-vanilla.html>
- Environment Canada (2010). Screening Assessment for the Challenge Benzene, 1,2-dimethoxy-4-(2-propenyl)-(Methyl eugenol). Chemical Abstracts Service Registry Number 93-15-2. Environment Canada - Health Canada.
- European Chemicals Agency (ECHA). (2008). Vanillin. <https://echa.europa.eu/registration-dossier/-/registered-dossier/2209/7/3/1> . diakses 7 Juli 2022 pukul 17:11.
- European Food Safety Authority (EFSA). (2004). Opinion of the Scientific Panel on Food Additives, Flavourings, Processing Aids and Materials in Contacts with Food on a request from the Commission related to Coumarin. *EFSA J* 104:1–36.
- Evaluations of the Joint FAO/WHO Expert Committee on Food Additives (JECFA) (2018). Menthol. <https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/1519> . Diakses pada tanggal 18 Oktober 2022.
- Evaluations of the Joint FAO/WHO Expert Committee on Food Additives (JECFA) (2008).Vanillin. <https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/6438> . Diakses pada tanggal 18 Oktober 2022.
- Evaluations of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). (2000). Cinnamaldehyde. <https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/1519>

[contaminants-jecfa-database/Home/Chemical/3510](https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/3510) . Diakses pada tanggal 18 Oktober 2022.

Evaluations of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). (2003). Citral <https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/3486> . Diakses pada tanggal 18 Oktober 2022.

Evaluations of the Joint FAO/WHO Expert Committee on Food Additives (JECFA). (2000). Carvacrol. <https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/2570> . Diakses pada tanggal 18 Oktober 2022. Aa, S., & Mi, T. (2016). Gas chromatograph-mass spectrometer analysis and acute oral toxicity of *Cinnamomum burmannii*, Ness Ex Bl. essential oil. *Asian Journal of Pharmaceutical and Clinical Research*, 240-245.

Fandohan, P., Gnonlonfin, B., Laleye, A., Gbenou, J. D., Darboux, R., & Moudachirou, M. (2008). Toxicity and gastric tolerance of essential oils from *Cymbopogon citratus*, *Ocimum gratissimum* and *Ocimum basilicum* in Wistar rats. *Food and Chemical Toxicology*, 46(7), 2493–2497.

Fargues C, Mathias A, Silva J, Rodrigues A. Kinetics of vanillin oxidation. *Chem Eng Technol* 1996;19:127e36.

Faroon O.; Roney N.; Taylor J. (2008) Acrolein environmental levels and potential for human exposure. *Toxicol. Ind. Health* 24, 543–564.

Friedman, M. (2017). Chemistry, Antimicrobial Mechanisms, and Antibiotic Activities of Cinnamaldehyde against Pathogenic Bacteria in Animal Feeds and Human Foods. *Journal of Agricultural and Food Chemistry*, 65(48), 10406–10423.

Friedman, M. (2017). Chemistry, Antimicrobial Mechanisms, and Antibiotic Activities of Cinnamaldehyde against Pathogenic Bacteria in Animal

Feeds and Human Foods. *Journal of Agricultural and Food Chemistry*, 65(48), 10406–10423.

Fuentes, C., Fuentes, A., Barat, J. M., & Ruiz, M. J. (2021). Relevant essential oil components: a minireview on increasing applications and potential toxicity. *Toxicology Mechanisms and Methods*, (just-accepted), 1-27.

Fujioka K.; Shibamoto T. (2006) Determination of toxic carbonyl compounds in cigarette smoke. *Environ. Toxicol.* 21, 47–54.

Gaur, S., Kuhlenschmidt, T. B., Kuhlenschmidt, M. S., & Andrade, J. E. (2018). Effect of oregano essential oil and carvacrol on *Cryptosporidium parvum* infectivity in HCT-8 cells. *Parasitology International*, 67(2), 170–175.

Gonzalez, F.J., 2005. Role of cytochromes P450 in chemical toxicity and oxidative stress: studies with CYP2E1. *Mutat. Res.* 569, 101–110.

Gowder, S. J. T., & Devaraj, H. (2006). Effect of the Food Flavour Cinnamaldehyde on the Antioxidant Status of Rat Kidney. *Basic Clinical Pharmacology Toxicology*, 99(5), 379–382. doi:10.1111/j.1742-7843.2006.pto_560.x.

Gowder, S. J. T., & Devaraj, H. (2008). *Food flavor cinnamaldehyde-induced biochemical and histological changes in the kidney of male albino wistar rat. Environmental Toxicology and Pharmacology*, 26(1), 68–74. doi:10.1016/j.etap.2008.02.002.

Gowder, S. J., & Halagowder, D. (2010). Cinnamaldehyde induces behavioral and biochemical changes in the male albino wistar rat. *Journal of Medical Sciences*, 3(2), 101-109.

Greaves, P. (2012). Hemopoietic and lymphatic systems In: Greaves P, editor. *Histopathology of preclinical toxicity studies: interpretation and relevance in drug safety evaluation*.

- Grumezescu, A. M., & Holban, A. M. (Eds.). (2017). *Natural and Artificial Flavoring Agents and Food Dyes (Vol. 7)*. Academic Press.
- Guengerich, F.P., 2006. Cytochrome P450s and other enzymes in drug metabolism and toxicity. *AAPS J.* 8, 101–111.
- Hallagan, John B and Joanna Drake. 2018. *Labeling Vanilla Flavoring and Vanilla-Flavored Foods in the U.S.* The Flavor and Extract Manufacturers Association of the United States. Allures Business Media.
- Handayani, W. (2008). *Buku Ajar Asuhan Keperawatan Dgn Gangguan Sistem Hematologi*. Penerbit Salemba.
- Harman, C.L., Murray, I.J., 2018. 2015 Poundage and Technical Effects Survey. Flavor and Extract Manufacturers Association of the United States (FEMA), Washington. DC, USA.
- Hayes, A. J., & Markovic, B. (2002). Toxicity of Australian essential oil *Backhousia citriodora* (Lemon myrtle). Part 1. Antimicrobial activity and *in vitro* cytotoxicity. *Food and Chemical Toxicology*, 40(4), 535-543.
- Hendriani, R. 2007. Uji Toksisitas Subkronis Kombinasi Ekstrak Etanol.
- Hiki, N., Kurosaka, H., Tatsutomi, Y., Shimoyama, S., Tsuji, E., Kojima, J., ... & Kaminishi, M. (2003). Peppermint oil reduces gastric spasm during upper endoscopy: a randomized, double-blind, double-dummy controlled trial. *Gastrointestinal endoscopy*, 57(4), 475-482.
- Ho, K., Yazan, L. S., Ismail, N., & Ismail, M. (2011). Toxicology study of vanillin on rats via oral and intra-peritoneal administration. *Food and Chemical Toxicology*, 49(1), 25–30.
- Hooth, M. J., Sills, R. C., Burka, L. T., Haseman, J. K., Witt, K. L., Orzech, D. P., ... Bucher, J. R. (2004). *Toxicology and carcinogenesis studies of microencapsulated trans-cinnamaldehyde in rats and mice*. *Food and Chemical Toxicology*, 42(11), 1757–1768. doi:10.1016/j.fct.2004.07.002.

Hussain, A., Anwar, F., Nigam, P.S., Ashraf, M., Gilani, N.H., 2010. Seasonal variation in content, chemical composition and antimicrobial and cytotoxic activities of essential oils from four mentha species. *Journal of the Science of Food and Agriculture* 90, 1827–1836.

International Taste Institute. (2022). The Importance of Taste in Product Development. <https://www.taste-institute.com/en/resources/blog/importance-of-taste-in-product-development> . diakses pada tanggal 7 Juli 2022 pukul 02.32.

J T Gowder, S. (2014). *Safety Assessment of Food Flavor - Cinnamaldehyde. Biosafety*, 03(01). doi:10.4172/2167-0331.1000e147.

Jenner P. M., Hagan E. C., Taylor J. M., Cook E. L. and Fitzhugh O. G. (1964) Food flavorings and compounds of related structure. I. Acute oral toxicity. *Food and Cosmetics Toxicology* 2, 327.

Johnson, J. D., Ryan, M. J., Toft, J. D., Graves, S. W., Hejtmancik, M. R., Cunningham, M. L., ... & Abdo, K. M. (2000). Two-year toxicity and carcinogenicity study of methyleugenol in F344/N rats and B6C3F1 mice. *Journal of agricultural and food chemistry*, 48(8), 3620-3632.

Jose, T. P., Nandibewoor, S. T., & Tuwar, S. M. (2006). Kinetics and mechanism of the oxidation of vanillin by hexacyanoferrate (III) in aqueous alkaline medium. *Journal of solution chemistry*, 35(1), 51-62.

Juven, B. J., Kanner, J., Schved, F., & Weisslowicz, H. (1994). Factors that interact with the antibacterial action of thyme essential oil and its active constituents. *Journal of applied bacteriology*, 76(6), 626-631.

Kamatou, G. P., Vermaak, I., Viljoen, A. M., & Lawrence, B. M. (2013). Menthol: a simple monoterpene with remarkable biological properties. *Phytochemistry*, 96, 15-25.

- Kanno, J. (2014). Percellome toxicogenomics project as a source of biomarkers of chemical toxicity. *Biomarkers in Toxicology*, 1019–1032. doi:10.1016/b978-0-12-404630-6.00061-0.
- Kapp, K., Orav, A., Roasto, M., Raal, A., Püssa, T., Vuorela, H., ... Vuorela, P. (2020). Composition and Antibacterial Effect of Mint Flavorings in Candies and Food Supplements. *Planta Medica*. doi:10.1055/a-1158-1699.
- Keman, S. (2020). *Pengantar Toksikologi Lingkungan*. Airlangga University Press.
- Ketli, Ho., Yazan, L.S., Ismail, N., Ismail, M., 2009. Apoptosis and cell cycle arrest of human colorectal cancer cell line HT-29 induced by vanillin. *Cancer Epidemiol.* 33, 155–160.
- Keyhanfar, F., & Caldwell, J. (1996). *Factors affecting the metabolism of carvacrol in the rat and mouse. Food and Chemical Toxicology*, 34(3), 241–249.
- Khaksari, M., Esmaili, S., Abedloo, R., & Khastar, H. (2021). Palmatine ameliorates nephrotoxicity and hepatotoxicity induced by gentamicin in rats. *Archives of physiology and biochemistry*, 127(3), 273-278.
- Kirtikar, K.R., Basu, B.D., 1975. Medicinal plants. In: Blatter, E., Cains, J.F., Mhaskar, K.S. (Eds.), *Indian Medicinal Plants*. Periodic Experts, Delhi, p. 2144.
- Kokkini, S., Karousou, R., & Hanlidou, E. (2003). *HERBS / Herbs of the Labiatae. Encyclopedia of Food Sciences and Nutrition*, 3082–3090. doi:10.1016/b0-12-227055-x/00593-9.
- Krieger, R. (Ed.). (2001). *Handbook of pesticide toxicology: Principles and agents*. Academic press.

- Krüger, S., Winheim, L., & Morlock, G. E. (2018). Planar chromatographic screening and quantification of coumarin in food, confirmed by mass spectrometry. *Food Chemistry*, 239, 1182-1191.
- Kwon, H. K., Hwang, J. S., So, J. S., Lee, C. G., Sahoo, A., Ryu, J. H., ... & Im, S. H. (2010). Cinnamon extract induces tumor cell death through inhibition of NFκB and AP1. *BMC cancer*, 10(1), 1-10.
- Kyselova, Z. (2011). Toxicological aspects of the use of phenolic compounds in disease prevention. *Interdisciplinary Toxicology*, 4(4), 173-183.
- Lahoudak, S., Salghi, R., Zougagh, M., & Ríos, A. (2018). Capillary electrophoresis method for the discrimination between natural and artificial vanilla flavor for controlling food frauds. *ELECTROPHORESIS*, 39(13), 1628–1633.
- Liang, C. P., Wang, M., Simon, J. E., & Ho, C. T. (2004). Antioxidant activity of plant extracts on the inhibition of citral off-odor formation. *Molecular nutrition & food research*, 48(4), 308-317.
- Liao, J. C., Deng, J. S., Chiu, C. S., Hou, W. C., Huang, S. S., Shie, P. H., & Huang, G. J. (2012). Anti-inflammatory activities of *Cinnamomum cassia* constituents *in vitro* and *in vivo*. *Evidence-Based Complementary and Alternative Medicine*, 2012.
- Lin, Y. S., McKelvey, W., Waidyanatha, S., & Rappaport, S. M. (2006). Variability of albumin adducts of 1, 4-benzoquinone, a toxic metabolite of benzene, in human volunteers. *Biomarkers*, 11(1), 14-27.
- Liu, T. Y., Chen, C. C., Chen, C. L., & Chi, C. W. (1999). Saffrole-induced oxidative damage in the liver of Sprague–Dawley rats. *Food and Chemical Toxicology*, 37(7), 697-702.
- Llana-Ruiz-Cabello, M., Maisanaba, S., Puerto, M., Pichardo, S., Jos, A., Moyano, R., & Cameán, A. M. (2017). A subchronic 90-day oral toxicity

study of *Origanum vulgare* essential oil in rats. *Food and Chemical Toxicology*, 101, 36–47.

LoPachin, R. M., & Gavin, T. (2014). Molecular mechanisms of aldehyde toxicity: a chemical perspective. *Chemical research in toxicology*, 27(7), 1081-1091.

Lu, F C., 1995, *Toksikologi Dasar Asas, Organ Sasaran dan Penilaian Risiko*, (Alih bahasa: Edi Nugroho). Edisi kedua. UI Press: Jakarta.

Lude, S., € et al., 2016. Adverse effects of plant food supplements and plants consumed as food: results from the poisons centres-based PlantLIBRA study. *Phytotherapy research*, 30 (6), 988–996.

Lungarini, S., Aureli, F., & Coni, E. (2008). Coumarin and cinnamaldehyde in cinnamon marketed in Italy: A natural chemical hazard? *Food Additives & Contaminants: Part A*, 25(11), 1297–1305.

Luster, M. I., Dean, J. H., & Moore, J. A. (1982). Evaluation of immune functions in toxicology. In *Principles and methods of toxicology* (pp. 561-586). Raven Press New York.

Madsen, C., Würtzen, G., & Carstensen, J. (1986). Short-term toxicity study in rats dosed with menthone. *Toxicology Letters*, 32(1-2), 147–152. doi:10.1016/0378-4274(86)90061-5.

Maisanaba, S., Prieto, A., Puerto, M., Gutiérrez-Praena, D., Demir, E. and Marcos, R. (2015) *in vitro* genotoxicity testing of carvacrol and thymol using the micronucleus and mouse lymphoma assays. *Mutat. Res.*, 784, 37-44.

Malaguarnera, G., Cataudella, E., Giordano, M., Nunnari, G., Chisari, G., & Malaguarnera, M. (2012). Toxic hepatitis in occupational exposure to solvents. *World journal of gastroenterology: WJG*, 18(22), 2756.

- Mansur, 2008. Toksikologi dan Distribusiagent Toksik Edisi 2. UI Press: Jakarta.
- Marles, R. J., Compadre, Cé. M., & Farnsworth, N. R. (1987). Coumarin in vanilla extracts: Its detection and significance. *Economic Botany*, 41(1), 41–47.
- Marques, G. S., Silva, S. I. de O. da, Sousa, J. M. de C. e, Ferreira, P. M. P., & Peron, A. P. (2015). Cytotoxic and genotoxic potential of liquid synthetic food flavorings evaluated alone and in combination. *Food Science and Technology (Campinas)*, 35(1), 183–188.
- Memar, M. Y., Raei, P., Alizadeh, N., Akbari Aghdam, M., & Kafil, H. S. (2017). *Carvacrol and thymol. Reviews in Medical Microbiology*, 28(2), 63–68.
- Menis-Henrique, M. E. C. (2020). Methodologies to Advance the Understanding of Flvaor Chemistry. *Current Opinion in Food Science*, 33, 131-135.
- Mennella, J. A., & Beauchamp, G. K. (1996). The human infants' response to vanilla flavors in mother's milk and formula. *Infant Behavior and Development*, 19(1), 13-19.
- MEUTIA, M. (2018). ZAT ZAT YANG MEMPENGARUHI HISTOPATOLOGI HEPAR.
- Miri, S. (2018). Phytochemistry, Antioxidant, and Lipid Peroxidation Inhibition of the Essential Oils of *Lavandula Officinalis* L. in Iran. *International Journal of Food Properties*, 21(1), 2550-2556.
- Mirza, A. C., & Panchal, S. S. (2020). Safety assessment of vanillic acid: Subacute oral toxicity studies in wistar rats. *Turkish Journal of Pharmaceutical Sciences*, 17(4), 432.

- Modak, T., & Mukhopadhyaya, A. (2011). Effects of citral, a naturally occurring antiadipogenic molecule, on an energy-intense diet model of obesity. *Indian journal of pharmacology*, 43(3), 300.
- Molyneux, P. 2004. The user of the stable free radicals diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *J. Science and Technology*, 26:211-219.
- Mourtzinou, I., Konteles, S., Kalogeropoulos, N., & Karathanos, V. T. (2009). Thermal oxidation of vanillin affects its antioxidant and antimicrobial properties. *Food Chemistry*, 114(3), 791–797.
- Mugisha, M. K., Ndukui, J. G., Namutembi, A., Waako, P., Karlson, A. K. B., & Vudriko, P. (2014). Acute and sub-acute toxicity of ethanolic leaf extracts of *Rumex abyssinica* Jacq.(Polygonaceae) and *Mentha spicata* L.(Lamiaceae). *Pharmacology & Pharmacy*, 2014.
- MUSSET, L., & et Préparations, B. D. S. 2001. SIDS Initial Assessment Report For 13th SIAM.
- Mustapa, M. A., Tuloli, T. S., & Mooduto, A. M. (2018). Uji toksisitas akut yang diukur dengan penentuan Ld50 ekstrak etanol bunga cengkeh (*Syzygium aromaticum* L.) terhadap mencit (*Mus musculus*) menggunakan metode Thompson-Weil. *FRONTIERS: JURNAL SAINS DAN TEKNOLOGI*, 1(1).
- Naghdi Badi, H. A., Abdollahi, M., Mehrafarin, A., Ghorbanpour, M., Tolyat, S. M., Qaderi, A., & Ghiaci Yekta, M. (2017). An overview on two valuable natural and bioactive compounds, thymol and carvacrol, in medicinal plants. *Journal of Medicinal Plants*, 16(63), 1-32.
- Nair, B., 2001. Final report on the safety assessment of *Mentha piperita* (peppermint) oil, *Mentha piperita* (peppermint) leaf extract, *Mentha piperita* (peppermint) leaf, and *Mentha piperita* (peppermint) leaf water. *International journal of toxicology*, 20, 61–73.

- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 1183, Vanillin. Retrieved September 21, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Vanillin>
- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 637511, Cinnamaldehyde. Retrieved September 20, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Cinnamaldehyde>.
- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 1254, Menthol. Retrieved September 20, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Menthol>.
- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 10364, Carvacrol. Retrieved September 20, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Carvacrol>.
- National Toxicology Program. (2003). Toxicology and Carcinogenesis Studies of Citral (Microencapsulated)(CAS No. 5392-40-5) in F344/N Rats and B6C3F1 Mice (Feed Studies). NTP-TR-505. NIH Publication No. 03-4439.
- Nazari, S., Rameshrad, M., and Hosseinzadeh, H., 2017. Toxicological effects of *Glycyrrhiza glabra* (Licorice): a review. *Phytotherapy research*, 31 (11), 1635–1650.
- Nogueira, A. C. M. A., Carvalho, R. R., Souza, C. A. M., Chahoud, I., & Paumgarten, F. J. (1995). Study on the embryofeto-toxicity of citral in the rat. *Toxicology*, 96(2), 105–113.
- O'Brien P. J.; Diraki A. G.; Shangari N. (2005) Aldehyde sources, metabolism, molecular toxicity mechanisms, and possible effects on human health. *Crit. Rev. Toxicol.* 35, 609–662.
- Ohsumi, T., *et al.*, 1984. A study on acute toxicities of essential oils used in endodontic treatment. *The journal of the Kyushu dental society*, 38 (6), 1064–1071.

- Oktanni, M. T., & Budimarwanti, C. (2017). SINTESIS SINAMIL BENZOAT MELALUI REAKSI ESTERIFIKASI ANTARA BENZOIL KLOORIDA DAN SINAMIL ALKOHOL HASIL REDUKSI SINAMALDEHIDA. *Jurnal Kimia Dasar*, 6(3), 67-74.
- Oktaviandari, P. R., Sudira, I. W., & Berata, I. K. (2020). Infiltrasi Sel-sel Radang pada Histopatologi Usus Halus Ayam Kampung yang Diberikan Jamu Daun Ashitaba dan Divaksinasi Tetelo.
- Opdyke D. L. J. (1975) Monographs on fragrance raw materials: carvacrol. *Food and Cosmetics Toxicology* 13, 545-554.
- Opdyke, D. L. J. (1979). Monographs on fragrance raw materials. Citral. *Food Cosmet. Toxicol.* 17, 259 –266.
- Oser, B.L., Hall, R.L., 1977. Criteria employed by the expert panel of FEMA for the GRAS evaluation of flavoring substances. *Food Cosmet. Toxicol.* 15, 457–466.
- Padlilah, R. (2017). KAJIAN RETENSIO URINE PASCA SALIN PERVAGINAM. *Jurnal Borneo Saintek*, 1(1), 44-48.
- Palmatier, R.W., Mark, B.H. & John, H. (2018). *Review* articles: purpose, process, and structure. *J. of the Acad. Mark. Sci.* 46:1–5.
- Panoutsopoulos, G., & Beedham, C. (2005). Enzymatic Oxidation of Vanillin, Isovanillin and Protocatechuic Aldehyde with Freshly Prepared Guinea Pig Liver Slices. *Cellular Physiology and Biochemistry*, 15(1-4), 089–098.
- Pateiro, M., Barba, F. J., Domínguez, R., Sant’Ana, A. S., Mousavi Khaneghah, A., Gavahian, M., ... Lorenzo, J. M. (2018). *Essential oils as natural additives to prevent oxidation reactions in meat and meat products: A review. Food Research International*, 113, 156–166.
- Pawelec, G., Derhovanessian, E., & Larbi, A. (2010). Immunosenescence and cancer. *Critical reviews in oncology/hematology*, 75(2), 165-172.

- Peacock, V. E., & Kuneman, D. W. (1985). Inhibition of the formation of .alpha.-p-dimethylstyrene and p-cymen-8-ol in a carbonated citral-containing beverage system. *Journal of Agricultural and Food Chemistry*, 33(3), 330–335.
- Perez-Cacho, P. R., & Rouseff, R. (2008). Processing and Storage Effects on Orange Juice Aroma: A Review. *Journal of Agricultural and Food Chemistry*, 56(21), 9785–9796.
- Perez-Cacho, P. R., & Rouseff, R. L. (2008). Fresh squeezed orange juice odor: a review. *Critical reviews in food science and nutrition*, 48(7), 681-695.
- Pizzo, F., Gadaleta, D., Lombardo, A., Nicolotti, O., & Benfenati, E. (2015). Identification of structural alerts for liver and kidney toxicity using repeated dose toxicity data. *Chemistry Central Journal*, 9(1), 1-11.
- Pizzorno, J. (2015). The kidney dysfunction epidemic, part 1: causes. *Integrative Medicine: A Clinician's Journal*, 14(6), 8.
- Pound, A. W., & Pound, J. R. (2002). Note on the Oxidation of Cinnamaldehyde. *The Journal of Physical Chemistry*, 38(8), 1045-1049.
- Prakash, B. (Ed.). (2020). *Functional and preservative properties of phytochemicals*. Academic Press.
- Quinto, E. J., Caro, I., Villalobos-Delgado, L. H., Mateo, J., De-Mateo-Silleras, B., & Redondo-Del-Río, M. P. (2019). *Food Safety through Natural Antimicrobials. Antibiotics*, 8(4), 208.
- Rasekh HR, Hosseinzadeh L, Mehri S, Kamli-Nejad M, Aslani M, Tanbakoosazan F. 2012. Safety assessment of *Ocimum basilicum* hydroalcoholic extract in wistar rats: acute and subchronic toxicity studies. *Iranian Journal of Basic Medical Sciences*. 15(1): 645-653.
- Regulation (EC). No. 1334/2008 of the European Parliament and the Council of 16 December 2008 on flavourings and certain food ingredients with

flavouring properties for use in and on foods and amending Regulation (EC) No 1601/91 of the Council, Regulations (EC) No 2232/96 and (EC) No 110/2008 and Directive 2000/13/ EC. Off. J. Eur. Communities: Legis. 1988, L354, 34–50

Ress, N. B. (2003). Toxicology and Carcinogenesis Studies of Microencapsulated Citral in Rats and Mice. *Toxicological Sciences*, 71(2), 198–206.

Rickwood, C. J., & Galloway, T. S. (2004). Acetylcholinesterase inhibition as a biomarker of adverse effect: A study of *Mytilus edulis* exposed to the priority pollutant chlorfenvinphos. *Aquatic Toxicology*, 67(1), 45-56.

Ridwan E. 2013. Etika pemanfaatan hewan percobaan dalam penelitian kesehatan. *Medical Journal of Indonesia* 63(3): 112-116.

Rodriguez-Garcia, I., Silva-Espinoza, B. A., Ortega-Ramirez, L. A., Leyva, J. M., Siddiqui, M. W., Cruz-Valenzuela, M. R., ... Ayala-Zavala, J. F. (2015). Oregano Essential Oil as an Antimicrobial and Antioxidant Additive in Food Products. *Critical Reviews in Food Science and Nutrition*, 56(10), 1717–1727.

Rojas-Armas, J., Arroyo-Acevedo, J., Ortiz-Sanchez, M., Palomino-Pacheco, M., Castro-Luna, A., Ramos-Cevallos, N., ... Herrera-Caldern, O. (2019). Acute and Repeated 28-Day Oral Dose Toxicity Studies of *Thymus vulgaris* L. Essential Oil in Rats. *Toxicological Research*, 35(3), 225–232.

Roth-Walter, F., Moskovskich, A., Gomez-Casado, C., Diaz-Perales, A., Oida, K., Singer, J., ... & Jensen-Jarolim, E. (2014). Immune suppressive effect of cinnamaldehyde due to inhibition of proliferation and induction of apoptosis in immune cells: implications in cancer. *PloS one*, 9(10), e108402.

Saddiq, A.A., and Khayyat, S.A., 2010. Chemical and antimicrobial studies of monoterpene: citral. *Pesticide Biochemistry and Physiology*, 98 (1), 89–93.

- Safwan, S., Mohamad, S., Rida, S., Muhammad, A. Z., Muhanad, A., & Talal, A. (2012). Influence of developmental stage on yield and composition of *Origanum syriacum* L. oil by multivariate analysis. *Journal of Medicinal Plants Research*, 6(15), 2985-2994. Critical Care.
- Sales, I. M. S., Silva, J. M., Moura, E. S. R., Alves, F. D. S., Silva, F. C. C., Sousa, J. M. C., & Peron, A. P. (2017). Toxicity of synthetic flavorings, nature identical and artificial, to hematopoietic tissue cells of rodents. *Brazilian Journal of Biology*, 78, 306-310.
- Sammons, H.G., Williams, R.T., 1941. The metabolism of vanillin and vanillic acid in the rabbit. The identification of glucurovanillin and the structure of glucurovanillic acid. *Biochem. J.* 35, 1175–1189.
- Santos, M. R., Moreira, F. V., Fraga, B. P., Souza, D. P. D., Bonjardim, L. R., & Quintans-Junior, L. J. (2011). Cardiovascular effects of monoterpenes: a review. *Revista Brasileira de Farmacognosia*, 21, 764-771.
- Sembiring, B. B., & Manoi, F. (2011). Identifikasi mutu tanaman Ashitaba.
- Setiawan, B., & Suhartono, E. (2007). Peroksidasi lipid dan penyakit terkait stres oksidatif pada bayi prematur. *Maj Kedokt Indon*, 57(1), 10-4.
- Setiawan, F., Yunita, O., & Kurniawan, A. (2018). Uji aktivitas antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan*) menggunakan metode DPPH, ABTS, dan FRAP. *Media Pharmaceutica Indonesiana*, 2(2), 82-89.
- Shi, C., Song, K., Zhang, X., Sun, Y., Sui, Y., Chen, Y., ... & Xia, X. (2016). Antimicrobial activity and possible mechanism of action of citral against *Cronobacter sakazakii*. *Plos one*, 11(7), e0159006.
- SIANO, F., CATALFAMO, M., CAUTELA, D., SERVILLO, L., & CASTALDO, D. (2005). Analysis of pulegone and its enantiomeric distribution in mint-flavoured food products. *Food Additives and Contaminants*, 22(3), 197–203.

- Sihombing, M. (2010). Status Gizi Dan Fungsi Hati Mencit (Galur CBS-Swiss) Dan Tikus Putih (Galur Wistar) Di Laboratorium Hewan Percobaan Puslitbang Biomedis Dan Farmasi. *Media Penelitian dan Pengembangan Kesehatan*, 20(1).
- Silalahi, M. (2018). Minyak Essensial Pada Kemangi (*Ocimum basilicum* L.). *Jurnal Pro-Life: Jurnal Pendidikan Biologi, Biologi, dan Ilmu Serumpun*, 5(2), 557-566.
- Singh, N. B., Henningsen, T., Metz, E. P. A., Hamacher, R., Cumberledge, E., Hopkins, R. H., & Mazelsky, R. (1991). Solution growth of vanillin single crystals. *Materials Letters*, 12(4), 270-275.
- Sinha, A. K., Sharma, U. K., & Sharma, N. (2008). A comprehensive review on vanilla flavor: extraction, isolation and quantification of vanillin and others constituents. *International journal of food sciences and nutrition*, 59(4), 299-326.
- Sivakumar, J.T., Devaraj, H., 1999. Effect of food flavor cinnamaldehyde on certain hematological profiles of the rat. In: Vohra, S.B., Agarwal, V.P. (Eds.), *Toxicology and Environmental Health*. Asiatech Publ., New Delhi, pp. 189–194.
- Sivropoulou, A., Papanikolaou, E., Nikolaou, C., Kokkini, S., Lanaras, T., & Arsenakis, M. (1996). Antimicrobial and cytotoxic activities of *Origanum* essential oils. *Journal of agricultural and Food Chemistry*, 44(5), 1202-1205.
- Soeksmanto A, Simanjuntak P, Subroto MA. 2010. Uji toksisitas akut ekstrak air tanaman sarang semut (*Myrmecodia pendans*) terhadap histologi organ hati mencit. *Jurnal Natur Indonesia* 12(2): 152-155.
- Solar, K. G., & Mewo, Y. M. (2021). Kadar Gamma Glutamyl Transferase (GGT) pada Peminum Minuman Beralkohol. *e-Biomedik*, 9(2).

- Souza, A. C. S., Silva, L. K., Queiroz, T. B., Marques, E. S., Hiruma-Lima, C. A., Gaivão, I. O. M., & Maistro, E. L. (2019). Citral presents cytotoxic and genotoxic effects in human cultured cells. *Drug and Chemical Toxicology*, 1–6.
- Spalletta, S., Flati, V., Toniato, E., Di Gregorio, J., Marino, A., Pierdomenico, L., ... & Robuffo, I. (2018). Carvacrol reduces adipogenic differentiation by modulating autophagy and ChREBP expression. *PLoS One*, 13(11), e0206894.
- Spindler, P., and Madsen, C., 1992. Subchronic toxicity study of peppermint oil in rats. *Toxicology letters*, 62 (2–3), 215–220.
- Sporn A., Dinu I. and Stanciu V. (1965) Investigation of the toxicity of cinnamic aldehyde, *Igiena XIV*, 339-345.
- Strassburger, K., Startup, W., Levey, V., Mattingly, T., Briggs, J., Harrison, J., & Wilson, T. (2010). Enhanced Stability of Citral in Juice Beverages by Applying Cyclodextrin Micro Emulsion Technology. *Flavors in Noncarbonated Beverages*, 143–158.
- Suryanti, V., Wibowo, F. R., Khotijah, S., & Andalucki, N. (2018, March). Antioxidant activities of cinnamaldehyde derivatives. In *IOP Conference Series: Materials Science and Engineering* (Vol. 333, No. 1, p. 012077). IOP Publishing.
- Tamer, C. E., Suna, S., & Özcan-Sinir, G. (2019). Toxicological Aspects of Ingredients Used in Nonalcoholic Beverages. *Non-Alcoholic Beverages*, 441–481. doi:10.1016/b978-0-12-815270-6.00014-1.
- Tandon, P. K., Purwar, M., Singh, S., Srivastava, N., & Srivastava, M. (2008). Graphical separation of un-catalyzed and catalyzed reactions in iridium (III) catalyzed oxidation of cinnamaldehyde by cerium (IV) in aqueous acidic medium. *Journal of Molecular Catalysis A: Chemical*, 293(1-2), 39-44.

- Teke, G. N., & Kuete, V. (2014). *Acute and Subacute Toxicities of African Medicinal Plants. Toxicological Survey of African Medicinal Plants*, 63–98.
- Thompson, D. C., Perera, K., Fisher, R., & Brendel, K. (1994). Cresol Isomers: Comparison of Toxic Potency in Rat Liver Slices. *Toxicology and Applied Pharmacology*, 125(1), 51–58.
- Thorup, I., Wurtzen, G., Carstensen, J., Olsen, P. (1983a) Short term toxicity study in rats dosed with peppermint oil. *Toxicol. Lett.* 19: 211-215.
- Tisserand, R., & Young, R. (2014). Introduction. *Essential Oil Safety*, 1–3. doi:10.1016/b978-0-443-06241-4.00001-1.
- Tomaska, L. D., & Brooke-Taylor, S. (2014). Food Additives: Food Additives – General. *Encyclopedia of Food Safety*, 449–454.
- Toyoda, T., Matsushita, K., Akane, H., Morikawa, T., & Ogawa, K. (2021). A 13-week subchronic toxicity study of 2-(1-menthoxy) ethanol in F344 rats. *Journal of toxicologic pathology*, 34(4), 309-317.
- Türkez, H., & Aydın, E. (2013). Investigation of cytotoxic, genotoxic and oxidative properties of carvacrol in human blood cells. *Toxicology and Industrial Health*, 32(4), 625–633.
- Turrini A, Saba A, Perrone D, Cialfa E, D'Amicis A. 2001. Food consumption patterns in Italy: The INNCA Study 1994–96. *Eur J Clin Nutr.* 55:571–588
- Ultee, A., Kets, E. P. and Smid, E. J. (1999). Mechanisms of action of carvacrol on the food-borne pathogen *Bacillus cereus*. *Appl. Environ. Microbiol.* 65:4606–4610.
- Ündeğer, Ü., Başaran, A., Degen, G. H., & Başaran, N. (2009). Antioxidant activities of major thyme ingredients and lack of (oxidative) DNA damage in V79 Chinese hamster lung fibroblast cells at low levels of carvacrol and thymol. *Food and Chemical Toxicology*, 47(8), 2037–2043.

- US Food and Drug Administration. (2018). Food additive regulations; synthetic flavoring agents and adjuvants. Published online at www.federalregister.gov/documents/2018/10/09/2018-21807/food-additive-regulations-synthetic-flavoring-agents-and-adjuvants . US Fed. Reg, 83(195), 50490.
- Utari, F. D., Sumirat, S., & Djaeni, M. (2017). Produksi antioksidan dari ekstrak kayu secang (*Caesalpinia sappan* L.) menggunakan pengering berkelembaban rendah. *Jurnal Aplikasi Teknologi Pangan*, 6(3).
- Vijayalakshmi, S., Disalva, X., Srivastava, C., & Arun, A. (2019). Vanilla-natural vs artificial: a review. *Research Journal of Pharmacy and Technology*, 12(6), 3068-3072.
- Vokou, D., Kokkini, S. and Bessiere, J. M. (1993). Geographical variation of Greek oregano (*Origanum vulgare* ssp. *hirtum*) essential oils. *Biochem. Syst. Ecol.* 21:287–295.
- Waddell, W. J. (2002). Thresholds of Carcinogenicity of Flavors. *Toxicological Sciences*, 68(2), 275–279.
- Waisindye, N. (2016). Acute oral toxicity of essential oils of *Cymbopogon citratus* Stapf. In mice. *International Journal of Advanced Information Science and Technology (IJAIST)*, Vol.46, No.46.
- Wallick, S. A., & Sarkanen, K. V. (1983). Effect of pH on the autoxidation kinetics of vanillin. *Wood Science and Technology*, 17(2), 107-116.
- NTP (2000). Toxicology and Carcinogenesis Studies of Methyl Eugenol (CAS No. 93-15-2) in F344/N Rats and B6C3F1 Mice. *Natl Toxicol Program Tech Rep Ser*, 491:1-412. PMID: 12563349.
- Wang, Y. H., Avula, B., Nanayakkara, N. D., Zhao, J., & Khan, I. A. (2013). Cassia cinnamon as a source of coumarin in cinnamon-flavored food and food supplements in the United States. *Journal of agricultural and food chemistry*, 61(18), 4470-4476.

- Watt, B. E., Proudfoot, A. T., & Vale, J. A. (2004). Hydrogen peroxide poisoning. *Toxicological reviews*, 23(1), 51-57.
- Weerawatanakorn, M., Wu, J.-C., Pan, M.-H., & Ho, C.-T. (2015). Reactivity and stability of selected flavor compounds. *Journal of Food and Drug Analysis*, 23(2), 176–190. doi:10.1016/j.jfda.2015.02.001.
- Werley, M. S., Freelin, S. A., Wrenn, S. E., Gerstenberg, B., Roemer, E., Schramke, H., ... & Coggins, C. R. (2008). Smoke chemistry, *in vitro* and *in vivo* toxicology evaluations of the electrically heated cigarette smoking system series K. *Regulatory Toxicology and Pharmacology*, 52(2), 122-139.
- Wibawa, I. K. P. A., & Ekawati, N. P. (2020). KARAKTERISTIK PASIEN LIMFOMA MALIGNA DI RUMAH SAKIT UMUM PUSAT SANGLAH DENPASAR BALI TAHUN 2018. *Jurnal Medika Udayana*, 10(1), 47-52.
- Widowati, W., Fauziah, N., Herdiman, H., Afni, M., Afifah, E., Kusuma, H. S. W., ... & Rihibiha, D. D. (2016). Antioxidant and anti aging assays of *Oryza sativa* extracts, vanillin and coumaric acid. *Journal of Natural Remedies*, 16(3), 88-99.
- Winter, R. (2009). *A consumer's dictionary of food additives: Descriptions in plain English of more than 12,000 ingredients both harmful and desirable found in foods*. Crown Archetype.
- Wright, P., & Abbot, J. (1993). The oxidation of cinnamaldehyde with alkaline hydrogen peroxide. *International journal of chemical kinetics*, 25(11), 901-911.
- Yajima, I., Yanai, T., Nakamura, M., Sakakibara, H., & Hayashi, K. (1984). Volatile flavor components of Kogyoku apples. *Agricultural and Biological Chemistry*, 48(4), 849-855.
- Yang, X., Tian, H., Ho, C.-T., & Huang, Q. (2011). Inhibition of Citral Degradation by Oil-in-Water Nanoemulsions Combined with

- Antioxidants. *Journal of Agricultural and Food Chemistry*, 59(11), 6113–6119.
- Yao, H.T., Lin, P., Chang, Y.W., Chen, C.T., Chiang, M.T., Chang, L., Kuo, Y.C., Tsai, H.T., Yeh, T.K., 2009. Effect of taurine supplementation on cytochrome P450 2E1 and oxidative stress in the liver and kidneys of rats with streptozotocin-induced diabetes. *Food Chem. Toxicol.* 47, 1703–1709.
- You, Q., Li, L., Chen, H., Chen, L., Chen, X., & Liu, Y. (2020). L-Menthol for Gastrointestinal Endoscopy: A Systematic Review and Meta-Analysis. *Clinical and Translational Gastroenterology*, 11(10).
- Yu, C., Li, Y.-L., Liang, M., Dai, S.-Y., Ma, L., Li, W.-G., ... Liu, X.-M. (2020). Characteristics and hazards of the cinnamaldehyde oxidation process. *RSC Advances*, 10(32), 19124–19133.
- Yuan, J. H., Dieter, M. P., Bucher, J. R., & Jameson, C. W. (1992). Toxicokinetics of cinnamaldehyde in F344 rats. *Food and chemical toxicology*, 30(12), 997-1004.
- Yuniastuti, A. (2016). Dasar molekuler glutation dan perannya sebagai antioksidan. FMIPA Unnes.
- Yusmiati, Y., & Muliaty, D. (2014). The Pharmacogenetics of Cytochrome P450 2C19 Enzymes-Effects on Clopidogrel and Proton Pump Inhibitors. *The Indonesian Biomedical Journal*, 6(1), 33-44.
- Zaitsev A. N. and Rakhmanina N. L. (1974) Some data on the toxic properties of phenylethyl and cinnamyl alcohol derivatives. *Voplosy Pitaniia* 5, 48-53.
- Zeller, A., & Rychlik, M. (2007). *Impact of menthol and other odorants on the flavour of anise and tarragon. Flavour and Fragrance Journal*, 22(2), 105–113.

- Zhang, C., Li, X., Lian, L., Chen, G., Abdulmalik, O., Vassilev, V., Lai, C., Asakura, T., 2004. Anti-sickling effect of MX-1520, a prodrug of vanillin: an *in vivo* study using rodent. *Br. J. Haematol.* 125, 788–795.
- Zhang, D., Gan, R. Y., Ge, Y. Y., Yang, Q. Q., Ge, J., Li, H. B., & Corke, H. (2018). Research progress on the antibacterial mechanisms of carvacrol: a mini review. *Bioactive Compounds in Health and Disease*, 1(6), 71-81.
- Zhao, Q., Ho, C.-T., & Huang, Q. (2013). Effect of Ubiquinol-10 on Citral Stability and Off-Flavor Formation in Oil-in-Water (O/W) Nanoemulsions. *Journal of Agricultural and Food Chemistry*, 61(31), 7462–7469.
- Zhu, R., Liu, H., Liu, C., Wang, L., Ma, R., Chen, B., ... Gao, S. (2017). Cinnamaldehyde in diabetes: A review of pharmacology, pharmacokinetics and safety. *Pharmacological Research*, 122, 78–89.
- Ziouzenkova, O., Orasanu, G., Sharlach, M., Akiyama, T. E., Berger, J. P., Viereck, J., ... & Plutzky, J. (2007). Retinaldehyde represses adipogenesis and diet-induced obesity. *Nature medicine*, 13(6), 695-702.
- Ракс, В., Моторикін, Є., Левчик, В., & Зайцев, В. (2013). Визначення ментолу у льодяниках Травісил”. *Вісник Київського національного університету імені Тараса Шевченка. Хімія*, (1), 35-38.