

6. DAFTAR PUSTAKA

- A.A. Kade Harmita., Yahdiana Harahap., Supandi. (2019). Liquid chromatography tandem mass spectrometry (lc-ms/ms). Jakarta : PT. ISFI Penerbitan.
- Abedinia, A., Nafchi, A. M., Sharifi, M., Ghalambor, P., Oladzadabbasabadi, N., Ariffin, F., & Huda, N. (2020). Poultry gelatin: Characteristics, developments, challenges, and future outlooks as a sustainable alternative for mammalian gelatin. *Trends in Food Science & Technology*, 104, 14-26.
- Adenan, M. N. H., Moosa, S., Muhammad, S. A., Abraham, A., Jandric, Z., Islam, M. Ismail, F. (2019). Screening Malaysian Edible Bird's Nests for structural adulterants and geographical origin using mid-Infrared - Attenuated Total Reflectance (IR-ATR) spectroscopy combined with chemometric analysis by Data-Driven - Soft Independent Modelling of Class Analogy (DD-SIMCA). *Forensic Chemistry*, 100197.
- Adhiyanto Chris, Laifa Hendarmin, dan Rini Puspitaningrum. (2020). PENGENALAN DASAR TEKNIK BIO-MOLEKULER. Penerbit deepublish : Sleman.
- BPS, B. P. S., (2021). Impor Gelatin Indonesia, s.l.: BPS
- Budiarto, B. R. (2016). Polymerase Chain Reaction (PCR) Perkembangan dan Perannya Dalam Diagnostik Kesehatan. *BioTrends*, 6(2), 29-38.
- Bureau, S., Cozzolino, D., & Clark, C. J. (2019). Contributions of Fourier-transform mid infrared (FT-MIR) spectroscopy to the study of fruit and vegetables: A review. *Postharvest Biology and Technology*, 148, 1-14.

- Che Man, Y. B., Rohman, A., & Mansor, T. S. T. (2011). Differentiation of lard from other edible fats and oils by means of Fourier transform infrared spectroscopy and chemometrics. *Journal of the American Oil Chemists' Society*, 88(2), 187-192.
- Chua, L. S., & Zukefli, S. N. (2016). A comprehensive review of edible bird nests and swiftlet farming. *Journal of integrative medicine*, 14(6), 415-428.
- Cyplik P., Hadas L. (2011). Production system virus analysis tool (PSVA) - problems identification and analysis framework - case study. *LogForum* 7, 1, 1.
- Dai, Y., Cao, J., Wang, Y., Chen, Y., & Jiang, L. (2020). A comprehensive review of edible bird's nest. *Food Research International*, 109875.
- Darmapatni, K. A. G, Achmad Basori dan Ni Made Suaniti. (2016). Pengembangan Metode GC-MS untuk Penetapan Kadar Acetaminophen pada Spesimen Rambut Manusia. *Jurnal Biosains Pascasarjana*, 18(3), 255–266
- Dedi Sumarno, Dyah Ika Kusumaningtyas. (2018). Penentuan Limit Deteksi Dan Limit Kuantitasi Untuk Analisis Logam Timbal (Pb) Dalam Air Tawar Menggunakan Alat Spektrofotometer Serapan Atom. *Buletin Teknik Litkayasa, BTL Vol. 16 No. 1 Juni 2018* : 7-11.
- Dede Sri Wahyuni, Hadri Latif, Mirnawati B Sudarwanto, Chaerul Basri. (2021). Ulasan: Sarang Burung Walet sebagai Pangan Fungsional. *Acta Veterinaria Indonesiana*. Vol. 9, No. 3: 201-214, November 2021
- Dewi Hastuti., Iriane Sumpe. (2007). pengenalan dan proses pembuatan gelatin. *Medi-agro, VOL. 3. No. 1, 2007: Hal 39-48.*

- Elert, A. M., Becker, R., Duemichen, E., Eisentraut, P., Falkenhagen, J., Sturm, H., & Braun, U. (2017). Comparison of different methods for MP detection : What can we learn from them , and why asking the right question before measurements matters?. *Environmental Pollution*. 231:1256–1264.
- Elisa Andriyan, Nor Lutfi Fais, Siti Muarifah. (2019). *Perkembangan Penelitian Metode Deteksi Kandungan Babi Untuk Menjamin Kehalalan Produk Pangan Olahan*. *Journal of Islamic Studies and Humanities* Vol. 4, No. 1 (2019) 104-126.
- Gauglitz, G., & Moore, D. S. (Eds.). (2014). *Handbook of spectroscopy* (Vol. 1). Weinheim: Wiley-Vch.
- Ghassem, M., Arihara, K., Mohammadi, S., Sani, N. A., & Babji, A. S. (2017). Identification of two novel antioxidant peptides from edible bird's nest (*Aerodramus fuciphagus*) protein hydrolysates. *Food & function*, 8(5), 2046-2052.
- GME, G. M. o. E. (2020). *Gelatine's Uniqueness in the Food Industry*, Germany: Gelatine Manufacturers of Europe.
- Gonzalez, A.G. and Herrador, M.A., 2007. A Practical Guide to Analytical Method Validation, including Measurement Uncertainty and Accuracy Profiles. *Trends in Analytical Chemistry*, 26 (3), 227–238.
- Guifeng Zhang, Tao Liu, Qian Wang, Li chen, Jiandu Lei, Jian Luo, Guanghui Ma & Zhiguo Su. (2009). *Mass Spectrometric Detection of Marker Peptides in*

Tryptic Digest of Gelatin: A new Method to Differentiate Between Bovine and Porcine Gelatin. *Journal of Food Hydrocolloids* 23

Guo, L., Wu, Y., Liu, M., Ge, Y., & Chen, Y. (2018). Rapid authentication of edible bird's nest by FTIR spectroscopy combined with chemometrics. *Journal of the Science of Food and Agriculture*, 98(8), 3057-3065.

Guo, L., Wu, Y., Liu, M., Wang, B., Ge, Y., & Chen, Y. (2017). Determination of edible bird's nests by FTIR and SDS-PAGE coupled with multivariate analysis. *Food Control*, 80, 259-266.

Guo, L., Wu, Y., Liu, M., Wang, B., Ge, Y., & Chen, Y. (2014). Authentication of Edible Bird's nests by TaqMan-based real-time PCR. *Food Control*, 44, 220-226.

Hameed, A. M., Asiyani-H, T., Idris, M., Fadzillah, N., & Mirghani, M. E. S. (2018). A review of gelatin source authentication methods. *Tropical life sciences research*, 29(2), 213.

Hamzah, Z., Jeyaraman, S., Ibrahim, N. H., Hashim, O., Lee, B. B., & Hussin, K. (2013). A rapid technique to determine purity of edible bird nest. *Advances in Environmental Biology*, 7(12 S2), 3758-3766.

Hao Zhang, Haifeng Sun, Ling Wang, Shun Wang, Wei Zhang, Jiandong Hu. (2018). "Near Infrared Spectroscopy Based on Supervised Pattern Recognition Methods for Rapid Identification of Adulterated Edible Gelatin", *Journal of Spectroscopy*, vol. 2018, Article ID 7652592, 9 pages, 2018.

- Hashim, D. M., Man, Y. B. C., Norakasha, R., Shuhaimi, M., Salmah, Y. Syahariza, Z. A. (2010). Potential use of Fourier transform infrared spectroscopy for differentiation of bovine and porcine gelatins. *Food Chem*, 118, 856–860.
- Huang, X., Li, Z., Zou, X., Shi, J., Tahir, H. E., Xu, Y., ... & Hu, X. (2019). A low cost smart system to analyze different types of edible Bird's nest adulteration based on colorimetric sensor array. *journal of food and drug analysis*, 27(4), 876-886.
- Irnawati, I., Riyanto, S., Martono, S., & Rohman, A. (2021). The employment of FTIR spectroscopy and chemometrics for the classification and prediction of antioxidant activities of pumpkin seed oils from different origins. *Journal of Applied Pharmaceutical Science*, 11(5), 100â-107.
- Jamalluddin, N. H., Tukiran, N. A., Fadzillah, N. A., & Fathi, S. (2019). Overview of edible bird's nests and their contemporary issues. *Food control*, 104, 247-255.
- Jannah, Akhyunul. (2008). *Gelatin Tinjauan Kehalalan dan Alternatif Produksi*. UIN Malang PRESS, Malang.
- Jannah, A., Maunatin, A., Windayanti, A., Findianti, Y., & Mufidah, Z. (2013). Isolasi dan karakterisasi gelatin dari tulang ayam dengan metode asam. *ALCHEMY*.
- Jiayun Feng. “ Chinese commercial livestreamer caught selling counterfeit bird’s nest soup, reigniting criticism of delicacy”, 1 Desember 2020, <https://sup-china.com/2020/12/01/chinese-commercial-livestreamer-caught-selling-counterfeit-birds-nest-soup-reigniting-criticism-of-delicacy/> (diakses 4 September 2021).

- John R. Ferraro and K. Krishnan. (1990). *Practical Fourier Transform Infrared Spectroscopy: Industrial and Laboratory Chemical Analysis*. Academic Press, San Diego.
- Karlinasari, L., Sabed, M., Wistara, N. J., Purwanto, A., & Wijayanto, H. (2012). Karakteristik spektra absorbansi nir (near infra red) spektroskopi kayu acacia mangium willd pada 3 umur berbeda. *Jurnal Ilmu Kehutanan*, 6(1), 45-52.
- Lee, M. S., Huang, J. Y., Lien, Y. Y., & Sheu, S. C. (2018). The rapid and sensitive detection of edible bird's nest (*Aerodramus fuciphagus*) in processed food by a loop-mediated isothermal amplification (LAMP) assay. *Journal of Food and Drug Analysis*, 27(1), 154-163
- Lee, T. H., Wani, W. A., Koay, Y. S., Kavita, S., Tan, E. T. T., & Shreaz, S. (2017). Recent advances in the identification and authentication methods of edible bird's nest. *Food Research International*, 100, 14-27.
- Ma, F., & Liu, D. (2012). Sketch of the edible bird's nest and its important bioactivities. *Food Research International*, 48(2), 559-567.
- Marcone, M. F. (2005). Characterization of the edible bird's nest the "Caviar of the East". *Food Research International*, 38(10), 1125-1134.
- Mariod, A. A., & Fadul, H. (2013). Gelatin, source, extraction and industrial applications. *Acta Scientiarum Polonorum Technologia Alimentaria*, 12(2), 135-147.
- Martin Sulistyani dan Nuril Huda. (2018). Perbandingan Metode Transmisi Dan Reflektansi pada Pengukuran Polistirena Menggunakan Instrumentasi

Spektroskopi Fourier Transform Infrared. *Indonesian Journal of Chemical Science*, Vol. 7 (2): 2252- 6951

- Ma, X., Zhang, J., Liang, J., Ma, X., Xing, R., Han, J., & Chen, Y. (2019). Authentication of Edible Bird's Nest (EBN) and its adulterants by integration of shotgun proteomics and scheduled multiple reaction monitoring (MRM) based on tandem mass spectrometry. *Food research international*, 125, 108639.
- Mohamad Rafi., Widia Citra Anggundari., Tun Tedja Irawadi. (2016). potensi spektroskopi ft-ir-atr dan kemometrik untuk membedakan rambut babi, kambing dan sapi. *Indonesian Journal of Chemical Science*. Indo. J. Chem. Sci. 5 (3).
- Moon, B. C., Kim, W. J., Park, I., Sung, G. H., & Noh, P. (2018). Establishment of a PCR assay for the detection and discrimination of authentic Cordyceps and adulterant species in food and herbal medicines. *Molecules*, 23(8), 1932.
- Pasquini, C. (2003). Review: Near infra red spectroscopy: fundamental, practical aspects, and analytical applications. *J. Braz. Chem. Soc.* 15(2): 198-219.
- Paul, R., & Genescà, E. (2013). The use of enzymatic techniques in the finishing of technical textiles. In: *Advances in the Dyeing and Finishing of Technical Textiles*. Woodhead Publishing Series in Textiles. pp. 177–198. Doi: <https://doi.org/10.1533/9780857097613.2.177>.
- Paydar, M., Wong, Y. L., Wong, W. F., Hamdi, O. A. A., Kadir, N. A., & Looi, A. C. Y. (2013). Prevalence of nitrite and nitrate contents and its effect on edible bird nest's color. *Journal of Food Science*, 78(12), T1940eT1947.

- Rafieian, F., Keramat, J., & Kadivar, M. (2011). Optimization of gelatin extraction from chicken deboner residue using RSM method. *Journal of food science and technology*, 50(2), 374-380.
- Rahmawati, A., Kuswandi, B., & Retnaningtyas, Y. (2015). Deteksi Gelatin Babi pada Sampel Permen Lunak Jelly Menggunakan Metode Fourier Transform Infra Red (FTIR) dan Kemometrik (Detection of Porcine Gelatin in Jelly Soft Candy Sample Using Fourier Transform Infra Red and Chemometrics). *Pustaka Kesehatan*, 3(2), 278-283.
- Raja Nhari, R. M.H. Hanish, I. Mokhtar, N. F.Khairil Hamid, M. El Sheikha, A. F. (2019). Authentication approach using enzyme-linked immunosorbent assay for detection of porcine substances. *Quality Assurance and Safety of Crops & Foods*, 2019; 11 (5): 449-457.
- Rizky Wiradinata, I Wayan Budiastara, Slamet Widodo. (2019). Modifikasi Instrumen NIR untuk Penentuan Kandungan Kimia Bahan Organik secara Cepat dan Non Destruktif. *JTEP Jurnal Keteknikan Pertanian*, 2019;Vol. 7 No. 1, p 49-56.
- Rohman Abdul, Windarsih Anjar, Erwanto Yuny, Zakaria Zalina. (2020). Review on analytical methods for analysis of porcine gelatine in food and pharmaceutical products for halal authentication. *Trends in Food Science & Technology*.
- Santosa, B. (2021). Teknik Elisa: Metode Elisa Untuk Pengukuran Protein Metallothionein Pada Daun Padi Ir Bagendit. Semarang : Unimus Press.
- Sasmitaloka, K. S., Miskiyah, M., & Juniawati, J. (2017). Kajian potensi kulit sapi sebagai bahan dasar produksi gelatin halal. *Buletin peternakan*, 41(3), 328-337.

- Saucedo-Hernandez, Y., Lerma-García, M. J., Herrero-Martínez, J. M., Ramis-Ramos, G., Jorge-Rodriguez, E., & Simó-Alfonso, E. F. (2011). Classification of pumpkin seed oils according to their species and genetic variety by attenuated total reflection Fourier-transform infrared spectroscopy. *Journal of agricultural and food chemistry*, 59(8), 4125-4129.
- Schwanninger, M., Rodrigues, J. C., & Fackler, K. (2011). A review of band assignments in near infrared spectra of wood and wood components. *Journal of Near Infrared Spectroscopy*, 19(5), 287-308.
- Shi, J., Zhang, F., Li, Z., Huang, X., Zou, X., Zhang, W., ... & Chen, Y. (2017). Rapid authentication of Indonesian edible bird's nests by near-infrared spectroscopy and chemometrics. *Analytical Methods*, 9(8), 1297-1306.
- Shim, E. K., Chandra, G. F., Pedireddy, S., & Lee, S. Y. (2016). Characterization of swiftlet edible bird nest, a mucin glycoprotein, and its adulterants by Raman microspectroscopy. *Journal of food science and technology*, 53(9), 3602-3608.
- Siregar, H., Ginting, S., & Limbong, L. N. (2015). Pengaruh jenis pelarut dan suhu ekstraksi kaki ayam terhadap karakteristik fisik dan kimia gelatin yang dihasilkan. *Jurnal Rekayasa Pangan dan Pertanian*, 3(2), 171-177.
- Smith, B. C. (2011). *Fundamentals of Fourier transform infrared spectroscopy*. CRC Press.
<http://gen.lib.rus.ec/book/index.php?md5=f0f277e4bacb38681bafaea267d37d>
96.

- Stuart, B. H. (2004). *Infrared spectroscopy: fundamentals and applications*. John Wiley & Sons.
- Surat Keputusan Kepala Badan Karantina Pertanian No. 832/Kpts/OT.140/L/3/2013 tentang Pedoman Persyaratan dan Tindakan Karantina Hewan terhadap Penge-luaran SBW dari Indonesia ke Republik Rakyat Tiongkok. (2013). Badan Karantina Pertanian Republik Indonesia.
- Suryadi, Y., & Manzila, I. (2009). Potensi pemanfaatan perangkat diagnostik ELISA serta variannya untuk deteksi patogen tanaman.
- Thai Agricultural Standard. (2014). TAS 6705-2014. Bird's Nest. National Bureau of Agricultural Commodity and Food Standards Ministry of Agriculture and Cooperatives : Bangkok.
- Teuku Muhammad Valdy Arief. "Awat, Ada Sarang Burung Walet Palsu Berbahan Bihun", 6 Agustus 2020, <https://regional.kompas.com/read/2020/08/06/19205641/awat-ada-sarang-burung-walet-palsu-berbahan-bihun?page=all> (diakses 4 September 2021).
- Tukiran, N. A., & Azarima, N. (2020). Detection of Edible Bird's Nest Using Fourier Transform Infrared Spectroscopy (FTIR) Combined with Principle Component Analysis (PCA). *JOURNAL OF HALAL INDUSTRY & SERVICES*, 3(1).
- Tukiran, N. A., Ismail, A., Mustafa, S., & Hamid, M. (2015). Enzyme immunoassay for the detection of porcine gelatine in edible bird's nests. *Food Additives & Contaminants: Part A*, 32(7), 1023-1028.

- Tukiran, N. A., Ismail, A., Mustafa, S., & Hamid, M. (2016). Determination of porcine gelatin in edible bird's nest by competitive indirect ELISA based on anti-peptide polyclonal antibody. *Food Control*, *59*, 561-566.
- Ul Rehman, W., Majeed, A., Mehra, R., Bhushan, S., Rani, P., Saini, K. C., & Bast, F. (2016). Gelatin: A comprehensive report covering its indispensable aspects. Nova Science Publishers, Inc.
- Valand, R., Tanna, S., Lawson, G., & Bengtström, L. (2019). A review of Fourier Transform Infrared (FTIR) spectroscopy used in food adulteration and authenticity investigations. *Food Additives & Contaminants: Part A*, *37*(1), 19-38.
- Weller, M., Nabors, L. B., Gorlia, T., Leske, H., Rushing, E., Bady, P., & Stupp, R. (2016). Cilengitide in newly diagnosed glioblastoma: biomarker expression and outcome. *Oncotarget*, *7*(12), 15018.
- Wilopo, B. A., Sudigdoadi, S., Sahiratmadja, E., & Dewi, I. M. (2015). Loop-Mediated Isothermal Amplification untuk Mendeteksi Gen blaTEM sebagai Penyandi Extended-Spectrum Beta-Lactamase pada Isolat Enterobacteriaceae. *Majalah Kedokteran Bandung*, *47*(4), 242-249.
- Wu, W. J., Li, L. F., Cheng, H. Y., Fung, H. Y., Kong, H. Y., Wong, T. L., & Han, Q. B. (2022). Qualitative and Quantitative Analysis of Edible Bird's Nest Based on Peptide Markers by LC-QTOF-MS/MS. *Molecules*, *27*(9), 2945.
- Wu, Y., Chen, Y., Wang, B., Bai, L., Ge, Y., & Yuan, F. (2010). Application of SYBR green PCR and 2DGE methods to authenticate edible bird's nest food. *Food research international*, *43*(8), 2020-2026.

- Xiao-wei, H., Xiao-bo, Z., Ji-yong, S., Zhi-hua, L., & Jie-wen, Z. (2018). Colorimetric sensor arrays based on chemo-responsive dyes for food odor visualization. *Trends in Food Science & Technology*, *81*, 90-107.
- Zhang, H., Sun, H., Wang, L., Wang, S., Zhang, W., & Hu, J. (2018). Near infrared spectroscopy based on supervised pattern recognition methods for rapid identification of adulterated edible gelatin. *Journal of Spectroscopy*, 2018.
- Zhang, S., Lai, X., Liu, X., Li, Y., Li, B., Huang, X., & Yang, G. (2013). Development of monoclonal antibodies and quantitative sandwich enzyme linked immunosorbent assay for the characteristic sialoglycoprotein of edible bird's nest. *Journal of immunoassay and immunochemistry*, *34*(1), 49-60.
- Zilhadia, Z., Adhiyanto, C., Gustida, A., & Khairunnisa, N. (2020). Analisis Cemaran Daging Babi pada Bakso Sapi yang Dijual di Tanjung Priok menggunakan Real-Time Polymerase Chain Reaction (RT-PCR). *Jurnal Sains Farmasi & Klinis*, *7*(1), 83-91.
- Zilhadia, Z., Kusumaningrum, F., Betha, O. S., & Supandi, S. (2018). Diferensiasi gelatin sapi dan gelatin babi pada gummy vitamin c menggunakan metode kombinasi spektroskopi fourier transform infrared (FTIR) dan principal component analysis (PCA). *Pharmaceutical Sciences and Research*, *5*(2), 6.