

## DAFTAR PUSTAKA

- [1] A. Y. Anekunu, S. P. Chowdhury, and S. Chowdhury, "A review of research and development on switched reluctance motor for electric vehicles," *IEEE Power Energy Soc. Gen. Meet.*, 2013, doi: 10.1109/PESMG.2013.6672494.  
<https://ieeexplore.ieee.org/document/6672494>
- [2] E. Bostanci, M. Moallem, A. Parsapour, and B. Fahimi, "Opportunities and Challenges of Switched Reluctance Motor Drives for Electric Propulsion: A Comparative Study," *IEEE Trans. Transp. Electrifi.*, vol. 3, no. 1, pp. 58–75, 2017, doi: 10.1109/TTE.2017.2649883.  
<https://ieeexplore.ieee.org/document/7809178>
- [3] N. Kusumaningrum, S. Riyadi, L. H. Pratomo, and F. B. Setyawan, "Optimalisasi Pengereman Regeneratif dengan Perubahan Sudut Eksitasi pada Pulsa Tunggal," *J. Tek. Elektro*, vol. 13, no. 1, pp. 1–9, 2021, doi: 10.15294/jte.v13i1.28600.  
<https://journal.unnes.ac.id/nju/index.php/jte/article/view/28600>
- [4] X. Huang, P. Gao, and J. Gao, "Switched reluctance motor braking strategies under different rotational speed," *Proc. - 2016 IEEE Int. Symp. Comput. Consum. Control. IS3C 2016*, pp. 485–488, 2016, doi: 10.1109/IS3C.2016.127.  
<https://ieeexplore.ieee.org/document/7545237>
- [5] R. AMALIA, S. RIYADI, F. B. SETIAWAN, and L. H. PRATOMO, "Peningkatan Kinerja Switched Reluctance Generator dengan Pergeseran

- Sudut Penyalaan,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 9, no. 3, p. 690, 2021, doi: 10.26760/elkomika.v9i3.690.  
<https://ejournal.itenas.ac.id/index.php/elkomika/article/view/4774>
- [6] T. Husain, A. Elrayyah, and Y. Sozer, “Unified Control for Switched Reluctance Motors for Wide Speed Operation,” *IEEE Trans. Ind. Electron.*, vol. PP, no. c, p. 1, 2018, doi: 10.1109/TIE.2018.2849993.  
<https://ieeexplore.ieee.org/document/8408726>
- [7] A. D. Wardani, S. Riyadi, L. H. Pratomo, and F. B. Setiawan, “Peningkatan Efisiensi Kinerja Switched Reluctance Motor dengan Metode Pergeseran Sudut Fasa,” vol. 42, no. 3, pp. 253–259, 2021, doi: 10.14710/teknik.v42i3.  
<https://ejournal.undip.ac.id/index.php/teknik/article/view/33970%3B/0>
- [8] A. Chiba *et al.*, “Torque density and efficiency improvements of a switched reluctance motor without rare-earth material for hybrid vehicles,” *IEEE Trans. Ind. Appl.*, vol. 47, no. 3, pp. 1240–1246, 2011, doi: 10.1109/TIA.2011.2125770.  
<https://ieeexplore.ieee.org/document/5728864>
- [9] J.-W. Ahn and G. F. Lukman, “Switched reluctance motor: Research trends and overview,” *CES Trans. Electr. Mach. Syst.*, vol. 2, no. 4, pp. 339–347, 2019, doi: 10.30941/cestems.2018.00043.  
<https://ieeexplore.ieee.org/document/8598251>
- [10] J. Ye, B. Bilgin, and A. Emadi, “An extended-speed low-ripple torque control of switched reluctance motor drives,” *IEEE Trans. Power Electron.*, vol. 30, no. 3, pp. 1457–1470, 2015, doi:

10.1109/TPEL.2014.2316272.

<https://ieeexplore.ieee.org/document/6797980>

- [11] S. Riyadi, "Control strategy for switched reluctance motor with rotary encoder based rotor position detection," *Adv. Electr. Electron. Eng.*, vol. 16, no. 3, pp. 261–270, 2018, doi: 10.15598/aeer.v16i3.2545.  
<http://advances.utc.sk/index.php/AEEE/article/view/2545>
- [12] F. B. Duarte, Nelson Roberto; Riyadi, Slamet; Pratomo, Leonardus Heru; Setiawan, "Pulse Injection Method to Increase Precision of Rotary Encoder on Switched Reluctance Motors," *JITE ( J. Informatics Telecommun. Eng. ) Aquascape With SMART Method*, vol. 6, no. July, pp. 71–81, 2022, doi: 10.31289/jite.v4i2.4425.  
<https://ojs.uma.ac.id/index.php/jite/article/view/4425>
- [13] R. A. Nugroho, "Perbandingan Penyalaan Sudut Fasa Pada SRG Guna Meningkatkan Kinerja Untuk Memaksimalkan Keluaran Daya," *Cyclotron*, vol. 4, no. 2, pp. 13–17, 2021, doi: 10.30651/cl.v4i2.7451.  
<http://journal.um-surabaya.ac.id/index.php/cyclotron/article/view/7451>
- [14] C. Moron, A. Garcia, E. Tremps, and J. A. Somolinos, "Torque Control of Switched Reluctance Motors," *IEEE Trans. Magn.*, vol. 48, no. 4, pp. 1661–1664, 2012, doi: 10.1109/TMAG.2011.2173169.  
<https://ieeexplore.ieee.org/document/6172432>
- [15] H. Hannoun, M. Hilairet, and C. Marchand, "Design of an SRM speed control strategy for a wide range of operating speeds," *IEEE Trans. Ind. Electron.*, vol. 57, no. 9, pp. 2911–2921, 2010, doi:

10.1109/TIE.2009.2038396.

<https://ieeexplore.ieee.org/document/5545588>

- [16] P. Kosmatin, D. Miljavec, and D. Vončina, “Increasing efficiency of the switched reluctance generator at low-speed operation,” *Int. Conf. Compat. Power Electron. , CPE*, pp. 197–202, 2013, doi:

10.1109/CPE.2013.6601154.

<https://ieeexplore.ieee.org/document/6601154>

- [17] N. Anurag and S. Nath, “Effect of Optocoupler Gate Drivers on SiC MOSFET,” in *2021 National Power Electronics Conference (NPEC)*, 2021, pp. 1–6, doi: 10.1109/NPEC52100.2021.9672531.

<https://ieeexplore.ieee.org/document/9672531>

- [18] S. Woothipatanapan, A. Jangwanitlert, and P. Chancharoensook, “Efficiency improvement of converter for switched reluctance motor drives by mixed parallel operation of IGBT and MOSFET,” in *TENCON 2010 - 2010 IEEE Region 10 Conference*, 2010, pp. 1841–1846, doi: 10.1109/TENCON.2010.5685964.

<https://ieeexplore.ieee.org/document/5685964>

- [19] Y. Zhu, H. Wu, and J. Zhang, “Regenerative Braking Control Strategy for Electric Vehicles Based on Optimization of Switched Reluctance Generator Drive System,” *IEEE Access*, vol. 8, pp. 76671–76682, 2020, doi:

10.1109/ACCESS.2020.2990349.

<https://ieeexplore.ieee.org/document/9078123>

- [20] G. D. Wahyu and S. Riyadi, “PWM Control Strategy of Regenerative