

5. DAFTAR PUSTAKA

- Abdallah Emad Mohamed, Rauf Abdur, & Sadeek Alaa MM. (2020). Cinnamon bark as antibacterial agent: A mini-review. *GSC Biological and Pharmaceutical Sciences*, 10(1), 103–108. <https://doi.org/10.30574/gscbps.2020.10.1.0012>
- Ahmad B, Rehman MU, Amin I, Arif A, Rasool S, Bhat SA, Afzal I, Hussain I, Bilal S, M. M. (2015). A Review on Pharmacological Properties of Zingerone (4-(4-Hydroxy-3-methoxyphenyl)-2-butanone). *ScientificWorldJournal*, 1–6. <https://pubmed.ncbi.nlm.nih.gov/26106644/>
- aidy, ali, ghaneialvar, H., & Behrooznia, F. (2019). Herbal plant for heart disease. *Plant Biotechnology Persa*, 1(1), 39–41. <https://doi.org/10.29252/pbp.1.1.39>
- Ailer, Š., Valšíková, M., Jedlička, J., Mankovecký, J., & Baroň, M. (2020). Influence of Sugar and Ethanol Content and Color of Wines On the Sensory Evaluation: from Wine Competition “Nemčiňany Wine Days” in Slovak Republic (2013–2016). *Erwerbs-Obstbau*, 62, 9–16. <https://doi.org/10.1007/s10341-020-00486-x>
- Akinyemi, A. J., Ademiluyi, A. O., & Oboh, G. (2014). Inhibition of angiotensin-1-converting enzyme activity by two varieties of ginger (*zingiber officinale*) in rats fed a high cholesterol diet. *Journal of Medicinal Food*, 17(3), 317–323. <https://doi.org/10.1089/jmf.2012.0264>
- Ali, A. M. A., El-Nour, M. E. A. M., & Yagi, S. M. (2018). Total phenolic and flavonoid contents and antioxidant activity of ginger (*Zingiber officinale* Rosc.) rhizome, callus and callus treated with some elicitors. *Journal of Genetic Engineering and Biotechnology*, 16(2), 677–682. <https://doi.org/10.1016/j.jgeb.2018.03.003>
- Alsoodeeri, F. N., Alqabbani, H. M., & Aldossari, N. M. (2020). Effects of Cinnamon (*Cinnamomum cassia*) Consumption on Serum Lipid Profiles in Albino Rats. *Journal of Lipids*, 2020, 1–7. <https://doi.org/10.1155/2020/8469830>
- Amor, S., Châlons, P., Aires, V., & Delmas, D. (2018). Polyphenol Extracts from Red Wine and Grapevine: Potential Effects on Cancers. *Diseases*, 6(4), 106. <https://doi.org/10.3390/diseases6040106>
- Antasionasti, I., & I, J. (2021). Aktivitas Antioksidan Ekstrak Etanol Kayu Manis (*Cinnamomum burmani*) Secara In Vitro / Antioxidant Activities Of Cinnamon (*Cinnamomum burmani*) In Vitro. *Jurnal Farmasi Udayana*, 10(1), 38. <https://doi.org/10.24843/jfu.2021.v10.i01.p05>
- Arif, M., Rehman, A. ur, Naseer, K., Abdel-Hafez, S. H., Alminderej, F. M., El-Saadony, M. T., Abd El-Hack, M. E., Taha, A. E., Elnesr, S. S., Salem, H. M., & Alagawany, M. (2022). Effect of Aloe vera and clove powder supplementation on growth performance, carcass and blood chemistry of Japanese quails. *Poultry Science*, 101(4), 101702. <https://doi.org/10.1016/j.psj.2022.101702>

- Batiha, G. E. S., Alkazmi, L. M., Wasef, L. G., Beshbishy, A. M., Nadwa, E. H., & Rashwan, E. K. (2020). *Syzygium aromaticum* L. (myrtaceae): Traditional uses, bioactive chemical constituents, pharmacological and toxicological activities. *Biomolecules*, *10*(2). <https://doi.org/10.3390/biom10020202>
- Bhise, P., & Morya, S. (2021). The health sustainability of herbal wine bioactives towards different chronic diseases. ~ 512 ~ *The Pharma Innovation Journal*, *10*(5), 512–517. <http://www.thepharmajournal.com>
- Błaszczuk, N., Rosiak, A., & Kałużna-Czaplińska, J. (2021). The potential role of cinnamon in human health. *Forests*, *12*(5), 1–17. <https://doi.org/10.3390/f12050648>
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal for Clinicians*, *68*(6), 394–424. <https://doi.org/10.3322/caac.21492>
- Brodowska, K. M., Brodowska, A. J., Śmigielski, K., & Łodyga-chruścińska, E. (2016). Antioxidant profile of essential oils and extracts of cinnamon bark (*Cinnamomum cassia*). *Journal of Biological Research*, *6*(4), 310–316. <https://doi.org/10.5281/zenodo.197200>
- Chaieb K, Hajlaoui H, Zmantar T, Kahla-Nakbi AB, Rouabhia M, Mahdouani K, B. A. (2007). The chemical composition and biological activity of clove essential oil, *Eugenia caryophyllata* (*Syzygium aromaticum* L. Myrtaceae): a short review. *Phytother Res.*, *21*, 501–506. <https://doi.org/10.1002/ptr.2124>
- Chaieb, K., Hajlaoui, H., Zmantar, T., Kahla-Nakbi, A. Ben, Mahmoud, Rouabhia, Mahdouani, K., & Bakhrouf, and A. (2007). The Chemical Composition and Biological Activity of Clove Essential Oil, *Eugenia caryophyllata* (*Syzygium aromaticum* L. Myrtaceae): A Short Review. *Phytotherapy Research*, *21*, 501–506. <https://doi.org/10.1002/ptr.2124>
- Chauhan, H., Kaul, R. K., Ahmed, N., Gupta, P., & Anjum, A. (2016). Preparation and Evaluation of Bael (*Aegle marmelos*) Vermouth. *International Journal of Food and Fermentation Technology*, *6*(1), 41. <https://doi.org/10.5958/2277-9396.2016.00025.8>
- Chen, P., Sun, J., & Ford, P. (2014). Differentiation of the four major species of cinnamons (*C. burmannii*, *C. verum*, *C. cassia*, and *C. loureiroi*) using a flow injection mass spectrometric (FIMS) fingerprinting method. *Journal of Agricultural and Food Chemistry*, *62*(12), 2516–2521. <https://doi.org/10.1021/jf405580c>
- Chen, S. J., Wang, M. H., & Chen, I. J. (1996). Antiplatelet and calcium inhibitory properties of eugenol and sodium eugenol acetate. *General Pharmacology*, *27*(4), 629–633. [https://doi.org/10.1016/0306-3623\(95\)02089-6](https://doi.org/10.1016/0306-3623(95)02089-6)
- Chen, S., Yi, Y., Xia, T., Hong, Z., Zhang, Y., Shi, G., He, Z., & Zhong, S. (2019). The influences of red wine in phenotypes of human cancer cells. *Gene*, *702*, 194–204.

<https://doi.org/10.1016/j.gene.2018.10.049>

- Chericoni, S., Prieto, J. M., Iacopini, P., Cioni, P., & Morelli, I. (2005). In vitro activity of the essential oil of *Cinnamomum zeylanicum* and eugenol in peroxynitrite-induced oxidative processes. *Journal of Agricultural and Food Chemistry*, *53*(12), 4762–4765. <https://doi.org/10.1021/jf050183e>
- Contreras, A., Hidalgo, C., Henschke, P. A., Chambers, P. J., Curtin, C., & Varela, C. (2014). Evaluation of non-Saccharomyces yeasts for the reduction of alcohol content in wine. *Applied and Environmental Microbiology*, *80*(5), 1670–1678. <https://doi.org/10.1128/AEM.03780-13>
- Cordova, A. C., Jackson, L. S. M., Berke-Schlessel, D. W., & Sumpio, B. E. (2005). The cardiovascular protective effect of red wine. *Journal of the American College of Surgeons*, *200*(3), 428–439. <https://doi.org/10.1016/j.jamcollsurg.2004.10.030>
- Cortés-Rojas, D. F., de Souza, C. R. F., & Oliveira, W. P. (2014). Clove (*Syzygium aromaticum*): A precious spice. *Asian Pacific Journal of Tropical Biomedicine*, *4*(2), 90–96. [https://doi.org/10.1016/S2221-1691\(14\)60215-X](https://doi.org/10.1016/S2221-1691(14)60215-X)
- Cortés, S., Salgado, J. M., Rivas, B., Torrado, A. M., & Domínguez, J. M. (2010). Fermentation kinetics and chemical characterisation of vino tostado, a traditional sweet wine from Galicia (NW Spain). *Journal of the Science of Food and Agriculture*, *90*(1), 121–131. <https://doi.org/10.1002/jsfa.3794>
- Das, S., Santani, D. D., & Dhalla, N. S. (2007). Experimental evidence for the cardioprotective effects of red wine. *Experimental and Clinical Cardiology*, *12*(1), 5–10. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2359620/pdf/ecc12005.pdf>
- Diáñez, F., Santos, M., Parra, C., Navarro, M. J., Blanco, R., & Gea, F. J. (2018). Screening of antifungal activity of 12 essential oils against eight pathogenic fungi of vegetables and mushroom. *Letters in Applied Microbiology*, *67*(4), 400–410. <https://doi.org/10.1111/lam.13053>
- Droste, D. W., Iliescu, C., Vaillant, M., Gantenbein, M., De Bremaeker, N., Lieunard, C., Velez, T., Meyer, M., Guth, T., Kuemmerle, A., Gilson, G., & Chioti, A. (2013). A daily glass of red wine associated with lifestyle changes independently improves blood lipids in patients with carotid arteriosclerosis: Results from a randomized controlled trial. *Nutrition Journal*, *12*(1), 1–9. <https://doi.org/10.1186/1475-2891-12-147>
- Duan, J., Guo, H., Fang, Y., & Zhou, G. (2021). The mechanisms of wine phenolic compounds for preclinical anticancer therapeutics. *Food and Nutrition Research*, *65*, 1–15. <https://doi.org/10.29219/fnr.v65.6507>
- Dwivedil, V., Shrivastaval, R., Hussain, S., Ganguly, C., & Bharadwaj, M. (2011).

- Comparative anticancer potential of clove (*Syzygium aromaticum*) - An Indian spice - Against cancer cell lines of various anatomical origin. *Asian Pacific Journal of Cancer Prevention*, 12(8), 1989–1993. <https://pubmed.ncbi.nlm.nih.gov/22292639/>
- El-Maati, M. F. A., Mahgoub, S. A., Labib, S. M., Al-Gaby, A. M. A., & Ramadan, M. F. (2016). Phenolic extracts of clove (*Syzygium aromaticum*) with novel antioxidant and antibacterial activities. *European Journal of Integrative Medicine*, 8(4), 494–504. <https://doi.org/10.1016/j.eujim.2016.02.006>
- Food and Agriculture Organization, & International Organisation of Vine and Wine. (2016). *Table and Dried Fao-Oiv Focus 2016*. <https://www.fao.org/publications/card/es/c/709ef071-6082-4434-91bf-4bc5b01380c6>
- Food, W. (2020). World Food and Agriculture - Statistical Yearbook 2020. In *World Food and Agriculture - Statistical Yearbook 2020*. <https://doi.org/10.4060/cb1329en>
- Fuhrman B, Lavy A, A. M. (1995). Consumption of red wine with meals reduces the susceptibility of human plasma and low-density lipoprotein to lipid peroxidation. *Am J Clin Nutr*, 61(3). [https://pubmed.ncbi.nlm.nih.gov/7872219/#:~:text=Red wine consumption for 2,reactive substances \(TBARS\) assay.](https://pubmed.ncbi.nlm.nih.gov/7872219/#:~:text=Red wine consumption for 2,reactive substances (TBARS) assay.)
- Genisheva, Z., Macedo, S., Mussatto, S. I., Teixeira, J. A., & Oliveira, J. M. (2012). Production of white wine by *saccharomyces cerevisiae* immobilized on grape pomace. *Journal of the Institute of Brewing*, 118(2), 163–173. <https://doi.org/10.1002/jib.29>
- Guarda, E., Godoy, I., Foncea, R., Pérez, D. D., Romero, C., Venegas, R., & Leighton, F. (2005). Red wine reduces oxidative stress in patients with acute coronary syndrome. *International Journal of Cardiology*, 104(1), 35–38. <https://doi.org/10.1016/j.ijcard.2004.10.013>
- Guilford, J. M., & Pezzuto, J. M. (2011). Wine and health: A review. *American Journal of Enology and Viticulture*, 62(4), 471–486. <https://doi.org/10.5344/ajev.2011.11013>
- Gülçin, I. (2011). Antioxidant activity of eugenol: A structure-activity relationship study. *Journal of Medicinal Food*, 14(9), 975–985. <https://doi.org/10.1089/jmf.2010.0197>
- Hariri, M., & Ghiasvand, R. (2016). Cinnamon and chronic diseases. *Advances in Experimental Medicine and Biology*, 929, 1–24. https://doi.org/10.1007/978-3-319-41342-6_1
- Haseeb, S., Alexander, B., & Baranchuk, A. (2017). Wine and Cardiovascular Health. *Circulation*, 136(15), 1434–1448. <https://doi.org/10.1161/CIRCULATIONAHA.117.030387>

- Hayudanti, D., Kusumastuty, I., & Tritisari, K. P. (2016). Pengaruh Pemberian Jus Jambu Biji Merah (*Psidium guajava*) dan Jeruk Siam (*Citrus nobilis*) terhadap Kadar High Density Lipoprotein (HDL) pada Pasien Dislipidemia. *Indonesian Journal of Human Nutrition*, 3(1), 41–48. <https://doi.org/10.21776/ub.ijhn.2016.003.Suplemen.5>
- Herman, L. (2015). *Herb & Spice Companion*.
- Ho, S. C., & Su, M. S. (2015). Optimized heat treatment enhances the anti-inflammatory capacity of ginger. *International Journal of Food Properties*, 19(8), 1884–1898. <https://doi.org/10.1080/10942912.2015.1084633>
- Iqbal, Z., Ashraf, T., Khan, A. A., Hussain, R., & Mudassar, M. (2016). Antihyperlipidemic efficacy of cinnamon in albino rats. *Asian Journal of Agriculture and Biology*, 4(1), 8–16. https://www.researchgate.net/publication/302897361_Antihyperlipidemic_efficacy_of_cinnamon_in_albino_rats
- Jiang, L. (2011). Comparison of the difference between Chinese and western drinking culture. *Asian Social Science*, 7(5), 251–257. <https://doi.org/10.5539/ass.v7n5p251>
- Jiang, T. A. (2019). Health benefits of culinary herbs and spices. *Journal of AOAC International*, 102(2), 395–411. <https://doi.org/10.5740/jaoacint.18-0418>
- Jin, S., & Cho, K. H. (2011). Water extracts of cinnamon and clove exhibits potent inhibition of protein glycation and anti-atherosclerotic activity in vitro and in vivo hypolipidemic activity in zebrafish. *Food and Chemical Toxicology*, 49(7), 1521–1529. <https://doi.org/10.1016/j.fct.2011.03.043>
- Jirovetz, Leopold, Gerhard Buchbauer, Ivanka Stoilova, Albena Stoyanova, Albert Krastanov, and E. S. (2006). Chemical Composition and Antioxidant Properties of Clove Leaf Essential Oil. *J. Agric. Food Chem*, 54(17), 6303–6307. <https://pubs.acs.org/doi/10.1021/jf060608c>
- Karna, P., Chagani, S., Gundala, S. R., Rida, P. C. G., Asif, G., Sharma, V., Gupta, M. V., & Aneja, R. (2012). Benefits of whole ginger extract in prostate cancer. *British Journal of Nutrition*, 107(4), 473–484. <https://doi.org/10.1017/S0007114511003308>
- Kawatra, P., & Rajagopalan, R. (2015). Cinnamon: Mystic powers of a minute ingredient. *Pharmacognosy Research*, 7, S1–S6. <https://doi.org/10.4103/0974-8490.157990>
- Kim, J. S., Lee, S. I., Park, H. W., Yang, J. H., Shin, T. Y., Kim, Y. C., Baek, N. I., Kim, S. H., Choi, S. U., Kwon, B. M., Leem, K. H., Jung, M. Y., & Kim, D. K. (2008). Cytotoxic components from the dried rhizomes of *Zingiber officinale* Roscoe. *Archives of Pharmacal Research*, 31(4), 415–418. <https://doi.org/10.1007/s12272-001-1172-y>

- Kumar, P. S., Febriyanti, R. M., Sofyan, F. F., Luftimas, D. E., & Abdulah, R. (2014). Anticancer potential of *Syzygium aromaticum* L. in MCF-7 human breast cancer cell lines. *Pharmacognosy Research*, 6(4), 350–354. <https://doi.org/10.4103/0974-8490.138291>
- Kumar, V., Joshi, V. K., Vyas, G., Thakur, N. S., & Sharma, N. (2016). Process optimization for the preparation of apple tea wine with analysis of its sensory and physico-chemical characteristics and antimicrobial activity against food-borne pathogens. *Nutrafoods*, 15(August), 111–121. <https://doi.org/10.17470/NF-016-1030-2>
- Kwon, H. K., Hwang, J. S., So, J. S., Lee, C. G., Sahoo, A., Ryu, J. H., Jeon, W. K., Ko, B. S., Im, C. R., Lee, S. H., Park, Z. Y., & Im, S. H. (2010). Cinnamon extract induces tumor cell death through inhibition of NF κ B and AP1. *BMC Cancer*, 10. <https://doi.org/10.1186/1471-2407-10-392>
- Lai, P., & Roy, J. (2012). Antimicrobial and Chemopreventive Properties of Herbs and Spices. *Current Medicinal Chemistry*, 11(11), 1451–1460. <https://doi.org/10.2174/0929867043365107>
- Lee, C. W., Hong, D. H., Han, S. B., Park, S. H., Kim, H. K., Kwon, B. M., & Kim, H. M. (1999). Inhibition of human tumor growth by 2'-hydroxy- and 2'-benzoyloxycinnamaldehydes. *Planta Medica*, 65(3), 263–266. <https://doi.org/10.1055/s-2006-960772>
- Lee, K. G., & Shibamoto, T. (2001). Inhibition of malonaldehyde formation from blood plasma oxidation by aroma extracts and aroma components isolated from clove and eucalyptus. *Food and Chemical Toxicology*, 39(12), 1199–1204. [https://doi.org/10.1016/S0278-6915\(01\)00078-3](https://doi.org/10.1016/S0278-6915(01)00078-3)
- Li, Y., Hong, Y., Han, Y., Wang, Y., & Xia, L. (2016). Chemical characterization and antioxidant activities comparison in fresh, dried, stir-frying and carbonized ginger. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1011, 223–232. <https://doi.org/10.1016/j.jchromb.2016.01.009>
- Liang, T., He, Y., Chang, Y., & Liu, X. (2019). 6-shogaol a Active Component from Ginger Inhibits Cell Proliferation and Induces Apoptosis through Inhibition of STAT-3 Translocation in Ovarian Cancer Cell Lines (A2780). *Biotechnology and Bioprocess Engineering*, 24(3), 560–567. <https://doi.org/10.1007/s12257-018-0502-3>
- Liang, Z., Zhang, P., Zeng, X. A., & Fang, Z. (2021). The art of flavored wine: Tradition and future. *Trends in Food Science and Technology*, 116(April), 130–145. <https://doi.org/10.1016/j.tifs.2021.07.020>
- Liu, C. M., Kao, C. L., Tseng, Y. T., Lo, Y. C., & Chen, C. Y. (2017). Ginger phytochemicals inhibit cell growth and modulate drug resistance factors in docetaxel

- resistant prostate cancer cell. *Molecules*, 22(9).
<https://doi.org/10.3390/molecules22091477>
- Lohenapessy, S., Gunam, I. B. W., & Arnata, I. W. (2017). Pengaruh (*Saccharomyces* sp.) dan pH awal fermentasi terhadap karakteristik wine salak Bali. *Jurnal Teknologi Industri & Hasil Pertanian*, 22(2), 63–72.
<https://jurnal.fp.unila.ac.id/index.php/JTHP/article/view/1578/1441>
- Ma, R. H., Ni, Z. J., Zhu, Y. Y., Thakur, K., Zhang, F., Zhang, Y. Y., Hu, F., Zhang, J. G., & Wei, Z. J. (2021). A recent update on the multifaceted health benefits associated with ginger and its bioactive components. *Food and Function*, 12(2), 519–542. <https://doi.org/10.1039/d0fo02834g>
- Mao, Q. Q., Xu, X. Y., Cao, S. Y., Gan, R. Y., Corke, H., Beta, T., & Li, H. Bin. (2019). Bioactive compounds and bioactivities of ginger (*zingiber officinale roscoe*). *Foods*, 8(6), 1–21. <https://doi.org/10.3390/foods8060185>
- Markoski, M. M., Garavaglia, J., Oliveira, A., Olivaes, J., & Marcadenti, A. (2016). Molecular properties of red wine compounds and cardiometabolic benefits. *Nutrition and Metabolic Insights*, 9, 51–57. <https://doi.org/10.4137/NMI.S32909>
- Micallef, M., Lexis, L., & Lewandowski, P. (2007). Red wine consumption increases antioxidant status and decreases oxidative stress in the circulation of both young and old humans. *Nutrition Journal*, 6, 1–8. <https://doi.org/10.1186/1475-2891-6-27>
- Milind, P., & Deepa, K. (2011). Clove: A Champion Spice. *International Journal of Research in Ayurveda & Pharmacy*, 2(1), 47–54. www.ijrap.net
- Morata, A., Vaquero, C., Palomero, F., Loira, I., Bañuelos, M. A., & Suárez-Lepe, J. A. (2019). Technology of vermouth wines. In *Alcoholic Beverages: Volume 7: The Science of Beverages*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-815269-0.00002-7>
- Motti, R. (2021). Wild plants used as herbs and spices in Italy: An ethnobotanical review. *Plants*, 10(3), 1–14. <https://doi.org/10.3390/plants10030563>
- Nathaniel Hiwandika, Susana Elya Sudrajat, I. R. (2021). Antibacterial and Antifungal Activity of Clove Extract (*Syzygium aromaticum*): Review. *Eureka Herba Indonesia*, 2(2). <https://doi.org/10.37275/ehi.v2i2.18>
- Noviyanti, F., Decroli, E., & Sastri, S. (2015). Artikel Penelitian Perbedaan Kadar LDL-kolesterol pada Pasien Diabetes Melitus Tipe 2 dengan dan tanpa Hipertensi di RS Dr . M . *Jurnal Kesehatan Andalas*, 4(2), 545–550.
<https://doi.org/10.25077/jka.v4i2.297>
- Oh, S., Lee, M. S., Jung, S., Kim, S., Park, H., Park, S., Kim, S. Y., Kim, C. T., Jo, Y. H., Kim, I. H., & Kim, Y. (2017). Ginger extract increases muscle mitochondrial biogenesis and serum HDL-cholesterol level in high-fat diet-fed rats. *Journal of Functional Foods*, 29, 193–200. <https://doi.org/10.1016/j.jff.2016.12.023>

- Panesar, P. S., Joshi, V. K., Bali, V., & Panesar, R. (2017). Technology for Production of Fortified and Sparkling Fruit Wines. In *Science and Technology of Fruit Wine Production*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800850-8.00009-0>
- Panesar, P. S., Joshi, V. K., Panesar, R., & Abrol, G. S. (2011). Vermouth: Technology of production and quality characteristics. In *Advances in Food and Nutrition Research* (1 ed., Vol. 63). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-384927-4.00008-7>
- Panesar, P. S., Kumar, N., Marwaha, S. S., & Joshi, V. K. (2009). Vermouth production technology –an overview. *Indian Journal of Natural Products and Resources*, 8(4), 334–344.
https://www.researchgate.net/publication/228713290_Vermouth_Production_Technology-An_overview
- Paranagama, P. A., Wimalasena, S., Jayatilake, G. S., Jayawardena, A. L., Senanayake, U. M., & Mubarak, A. M. (2001). A comparison of essential oil constituents of bark, leaf, root and fruit of cinnamon (*cinnamomum zeylanicum blum*) grown in Sri Lanka. *Journal of the National Science Foundation of Sri Lanka*, 29(3–4), 147–153. <https://doi.org/10.4038/jnsfsr.v29i3-4.2613>
- Permatasari, H. K., Kusuma, I. D., & Mayangsari, E. (2019). Minyak Cengkeh (*Syzygium aromaticum*) Menginduksi Apoptosis pada Sel Kanker Servik HeLa melalui Peningkatan Kadar Protein p53. *Jurnal Kedokteran Brawijaya*, 30(3), 185. <https://doi.org/10.21776/ub.jkb.2019.030.03.4>
- Prasad, S., & Tyagi, A. K. (2015). Ginger and its constituents: Role in prevention and treatment of gastrointestinal cancer. *Gastroenterology Research and Practice*, 2015. <https://doi.org/10.1155/2015/142979>
- Rajkowska K, Nowicka-Krawczyk P, K.-S. A. (2019). Effect of Clove and Thyme Essential Oils on Candida Biofilm Formation and the Oil Distribution in Yeast Cells. *Molecules*, 1–12. <https://pubmed.ncbi.nlm.nih.gov/31117281/>
- Rao, P. V., & Gan, S. H. (2014). Cinnamon: A multifaceted medicinal plant. *Evidence-based Complementary and Alternative Medicine*, 2014. <https://doi.org/10.1155/2014/642942>
- Rathi, V. (2018). Herbal Wine: A Review. *Journal of Nutrition & Weight Loss*, 3(2). <https://doi.org/10.4172/2475-3181.1000113>
- Reboredo-Rodríguez, P., González-Barreiro, C., Rial-Otero, R., Cancho-Grande, B., & Simal-Gándara, J. (2015). Effects of Sugar Concentration Processes in Grapes and Wine Aging on Aroma Compounds of Sweet Wines—A Review. *Critical Reviews in Food Science and Nutrition*, 55(8), 1053–1073. <https://doi.org/10.1080/10408398.2012.680524>

- Ribeiro-Santos, R., Andrade, M., Madella, D., Martinazzo, A. P., de Aquino Garcia Moura, L., de Melo, N. R., & Sanches-Silva, A. (2017). Revisiting an ancient spice with medicinal purposes: Cinnamon. *Trends in Food Science and Technology*, *62*, 154–169. <https://doi.org/10.1016/j.tifs.2017.02.011>
- Roudsari, N. M., Lashgari, N. A., Momtaz, S., Roufogalis, B., Abdolghaffari, A. H., & Sahebkar, A. (2021). Ginger: A complementary approach for management of cardiovascular diseases. *BioFactors*, *47*(6), 933–951. <https://doi.org/10.1002/biof.1777>
- Roussel, A. M., Hininger, I., Benaraba, R., Ziegenfuss, T. N., & Anderson, R. A. (2009). Antioxidant effects of a cinnamon extract in people with impaired fasting glucose that are overweight or obese. *Journal of the American College of Nutrition*, *28*(1), 16–21. <https://doi.org/10.1080/07315724.2009.10719756>
- Safarzadeh, E., Shotorbani, S. S., & Baradaran, B. (2014). Herbal medicine as inducers of apoptosis in cancer treatment. *Advanced Pharmaceutical Bulletin*, *4*(SUPPL.1), 421–427. <https://doi.org/10.5681/apb.2014.062>
- Sandhu, D., & Morya, S. (2022). A review on the comparative study of nutraceutically activated fruits and herbs based wines. *Journal of Applied and Natural Science*, *14*(2), 500–511. <https://doi.org/10.31018/jans.v14i2.3429>
- Sang, S., Snook, H. D., Tareq, F. S., & Fasina, Y. (2020). Precision Research on Ginger: The Type of Ginger Matters. *Journal of Agricultural and Food Chemistry*, *68*(32), 8517–8523. <https://doi.org/10.1021/acs.jafc.0c03888>
- Sena-Esteves, M. M., Mota, M., & Malfeito-Ferreira, M. (2018). Patterns of sweetness preference in red wine according to consumer characterisation. *Food Research International*, *106*(December 2017), 38–44. <https://doi.org/10.1016/j.foodres.2017.12.043>
- Shaito, A., Thuan, D. T. B., Phu, H. T., Nguyen, T. H. D., Hasan, H., Halabi, S., Abdelhady, S., Nasrallah, G. K., Eid, A. H., & Pintus, G. (2020). Herbal Medicine for Cardiovascular Diseases: Efficacy, Mechanisms, and Safety. *Frontiers in Pharmacology*, *11*(April), 1–32. <https://doi.org/10.3389/fphar.2020.00422>
- Shakeri, R., Kheirollahi, A., & Davoodi, J. (2017). Apaf-1: Regulation and function in cell death. *Biochimie*, *135*, 111–125. <https://doi.org/10.1016/j.biochi.2017.02.001>
- Shen, Y., Jia, L. N., Honma, N., Hosono, T., Ariga, T., & Seki, T. (2012). Beneficial effects of cinnamon on the metabolic syndrome, inflammation, and pain, and mechanisms underlying these effects—a review. *Journal of Traditional and Complementary Medicine*, *2*(1), 27–32. [https://doi.org/10.1016/S2225-4110\(16\)30067-0](https://doi.org/10.1016/S2225-4110(16)30067-0)

- Shiradhonkar, R., Dukare, A., Jawalekar, K., Magar, P., & Jadhav, H. (2014). Fortification of Wine with Herbal Extracts: Production, Evaluation and Therapeutic applications of such Fortified Wines. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 8(3), 09–14. <https://doi.org/10.9790/2402-08310914>
- Singletary, K. (2014). Clove: Overview of potential health benefits. *Nutrition Today*, 49(4), 207–224. <https://doi.org/10.1097/NT.0000000000000036>
- Snopek, L., Mlcek, J., Sochorova, L., Baron, M., Hlavacova, I., Jurikova, T., Kizek, R., Sedlackova, E., & Sochor, J. (2018). Contribution of red wine consumption to human health protection. *Molecules*, 23(7), 1–16. <https://doi.org/10.3390/molecules23071684>
- Srinivasan, K. (2017). Ginger rhizomes (*Zingiber officinale*): A spice with multiple health beneficial potentials. *PharmaNutrition*, 5(1), 18–28. <https://doi.org/10.1016/j.phanu.2017.01.001>
- Suwarnrizki, G. B., Gunam, I. B. W., & Wijaya, I. M. M. (2019). Pengaruh Penambahan Konsentrasi Gula dan Lama Fermentasi pada Proses Pembuatan Sweet Affect of the addition of Sugar Concentration and Fermentation Time on Process of Sweet Dessert. *Jurnal Ilmiah Teknologi Pertanian*, 4(1), 44–53.
- Swami, S., Thakor, N., & Divate, A. (2014). Fruit Wine Production: A Review. *Journal of Food Research and Technology*, 2(3), 93–100. http://www.jakraya.com/journal/pdf/5-jfirtArticle_1.pdf
- Syafriana, V., Hamida, F., Damayanti, R., & Nanda, E. V. (2020). Aktivitas Antibakteri Ekstrak Biji Anggur (*Vitis vinifera* L.) Terhadap *Streptococcus pyogenes*. *Sainstech Farma (Jurnal Ilmu Kefarmasian)*, 13(1), 40–44. <https://ejournal.istn.ac.id/index.php/saintechfarma/article/view/523>
- Tandrio, K. H., Aprilia, K., Nuzry, P., Ardi, Y. P., Prasetyo, H., & Wine, A. (2018). Classification of Wine Types Based on Composition Using Backpropagation And Particle Swarm Optimization. *Jurnal Ilmiah Teknologi dan Informasi*, 7(1), 16–21. <https://www.semanticscholar.org/paper/Classification-of-Wine-Types-Based-on-Composition-Tandrio-Nuzry/5b062dff73bd3ca8cdba8c4759a8b54aa52fd654>
- Tohma, H., Gülçin, İ., Bursal, E., Gören, A. C., Alwasel, S. H., & Köksal, E. (2017). Antioxidant activity and phenolic compounds of ginger (*Zingiber officinale* Rosc.) determined by HPLC-MS/MS. *Journal of Food Measurement and Characterization*, 11(2), 556–566. <https://doi.org/10.1007/s11694-016-9423-z>
- Toth, A., Sandor, B., Papp, J., Rabai, M., Botor, D., Horvath, Z., Kenyeres, P., Juricskay, I., Toth, K., & Czopf, L. (2014). Moderate red wine consumption improves hemorheological parameters in healthy volunteers. *Clinical Hemorheology and Microcirculation*, 56(1), 13–23. <https://doi.org/10.3233/CH-2012-1640>
- Valdés, A., Mellinas, A. C., Ramos, M., Burgos, N., Jiménez, A., & Garrigós, M. C.

- (2015). Use of herbs, spices and their bioactive compounds in active food packaging. *RSC Advances*, 5(50), 40324–40335. <https://doi.org/10.1039/c4ra17286h>
- Vangalapati, M., Sree Satya, N., Surya Prakash, D. V., & Avanigadda, S. (2012). A review on pharmacological activities and clinical effects of Cinnamon species. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 3(1), 653–663.
- Vasanthi, H. R., Parameswari, R. P., DeLeiris, J., & Das, D. K. (2012). Health benefits of wine and alcohol from neuroprotection to heart health. *Frontiers in Bioscience - Elite*, 4 E(4), 1505–1512. <https://doi.org/10.2741/e476>
- Walter, A., Etienne-Selloum, N., Brasse, D., Khallouf, H., Bronner, C., Rio, M., Beretz, A., & Schini-Kerth, V. B. (2010). Intake of grape-derived polyphenols reduces C26 tumor growth by inhibiting angiogenesis and inducing apoptosis. *The FASEB Journal*, 24(9), 3360–3369. <https://doi.org/10.1096/fj.09-149419>
- Wang, R., Wang, R., & Yang, B. (2009). Extraction of essential oils from five cinnamon leaves and identification of their volatile compound compositions. *Innovative Food Science and Emerging Technologies*, 10(2), 289–292. <https://doi.org/10.1016/j.ifset.2008.12.002>
- WHO. (2021). *Cardiovascular diseases (CVDs) Key facts What are the risk factors for cardiovascular What are common symptoms of Symptoms of heart attacks and strokes.* June, 1–6. [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)#](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)#)
- Widyanti, E. M., Bintang, D., & Moehadi, I. (2016). Proses Pembuatan Etanol Dari Gula Menggunakan Saccharomyces Cerevisiae Amobil. *Metana*, 12(2), 31–38. <https://ejournal.undip.ac.id/index.php/metana/article/view/9751>
- Wu, D., Jin, Y., & Zhao, Z. (2020). Organic acid, volatiles profile and sensory properties of ginger wines fermented by different yeasts. *E3S Web of Conferences*, 165, 1–8. <https://doi.org/10.1051/e3sconf/202016505017>
- Yuwa-Amornpitak, T., Koguchi, M., & Teramoto, Y. (2012). Antioxidant activity of herbal wine made from cassava starch. *World Applied Sciences Journal*, 16(6), 874–878. [http://www.idosi.org/wasj/wasj16\(6\)12/17.pdf](http://www.idosi.org/wasj/wasj16(6)12/17.pdf)
- Zari, A. T., Zari, T. A., & Hakeem, K. R. (2021). Anticancer properties of eugenol: A review. *Molecules*, 26(23). <https://doi.org/10.3390/molecules26237407>
- Zhang, M., Zhao, R., Wang, D., Wang, L., Zhang, Q., Wei, S., Lu, F., Peng, W., & Wu, C. (2021). Ginger (*Zingiber officinale* Rosc.) and its bioactive components are potential resources for health beneficial agents. *Phytotherapy Research*, 35(2), 711–742. <https://doi.org/10.1002/ptr.6858>
- Zhu, Y., Warin, R. F., Soroka, D. N., Chen, H., & Sang, S. (2013). Metabolites of Ginger Component [6]-Shogaol Remain Bioactive in Cancer Cells and Have Low Toxicity in Normal Cells: Chemical Synthesis and Biological Evaluation. *PLoS ONE*, 8(1).

<https://doi.org/10.1371/journal.pone.0054677>

