

## 6. DAFTAR PUSTAKA

- Abass, A. B., Ndunguru, G., Mamiro, P., Alenkhe, B., Mlingi, N., & Bekunda, M. (2014). Post-harvest food losses in a maize-based farming system of semi-arid savannah area of Tanzania. *Journal of stored products research*, 57, 49-57. <https://doi.org/10.1016/j.jspr.2013.12.004>
- Abdulkhani, A., Echresh, Z., & Allahdadi, M. (2020). Effect of nanofibers on the structure and properties of biocomposites. In *Fiber-Reinforced Nanocomposites: Fundamentals and Applications* (pp. 321-357). Elsevier. <https://doi.org/10.1016/B978-0-12-819904-6.00015-3>
- Abral, H., Arikisa, J., Mahardika, M., Handayani, D., Aminah, I., Sandrawati, N., et al. (2019a). Highly transparent and antimicrobial PVA based bionanocomposites reinforced by ginger nanofiber. *Polym. Test.* 81:106186. <https://doi.org/10.1016/j.polymertesting.2019.106186>
- Alasfar, R. H., Ahzi, S., Barth, N., Kochkodan, V., Khraisheh, M., & Koç, M. (2022). A Review on the Modeling of the Elastic Modulus and Yield Stress of Polymers and Polymer Nanocomposites: Effect of Temperature, Loading Rate and Porosity. *Polymers*, 14(3), 360. <https://doi.org/10.3390/polym14030360>
- Álvarez-Castillo, E., Felix, M., Bengoechea, C., & Guerrero, A. (2021). Proteins from agri-food industrial biowastes or co-products and their applications as green materials. *Foods*, 10(5), 981. <https://doi.org/10.3390/foods10050981>
- Anderson, T. J., & Lamsal, B. P. (2011). Zein extraction from corn, corn products, and coproducts and modifications for various applications: a review. *Cereal Chemistry*, 88(2), 159-173. <https://doi.org/10.1094/CCHEM-06-10-0091>

- Amalia, D., Saleh, D., & Djonaedi, E. (2020). Synthesis of biodegradable plastics using corn starch and corn husk as the fillers as well as chitosan and sorbitol. In *Journal of physics: conference series* (Vol. 1442, No. 1, p. 012007). IOP Publishing. [Synthesis of biodegradable plastics using corn starch and corn husk as the fillers as well as chitosan and sorbitol - IOPscience](#)
- Ashori, A., M. Ornelas, S. Sheshmani, and N. Cordeiro. 2012. Influence of mild alkaline treatment on the cellulosic surfaces active sites. *Carbohydrate Polymers* 88 (4):1293–98. <https://doi.org/10.1016/j.carbpol.2012.02.008>
- Aziz S, Ansell M, Clarke S, et al. Modified polyester resins for natural fiber composites. *Composites Sci Technol* 2005; 65: 525–535. <https://doi.org/10.1016/j.compscitech.2004.08.005>
- Azizi Samir, M. A. S., Alloin, F., Sanchez, J. Y., Dufresne, A. (2004). Cellulose nanocrystals reinforced poly (oxyethylene). *Polymers* 45, 4149-4157. <https://doi.org/10.1016/j.polymer.2004.03.094>
- Babu, R.P., O'Connor, K. & Seeram, R. Current progress on bio-based polymers and their future trends. *Prog Biomater* 2, 8 (2013). <https://doi.org/10.1186/2194-0517-2-8>
- Baghaei, B., & Skrifvars, M. (2020). All-cellulose composites: a review of recent studies on structure, properties and applications. *Molecules*, 25(12), 2836. <https://doi.org/10.3390/molecules25122836>
- Becerra-Sanchez, F., & Taylor, G. (2021). Reducing post-harvest losses and improving quality in sweet corn (*Zea mays* L.): challenges and solutions for less food waste and improved food security. *Food and Energy Security*, 10(3), e277. <https://doi.org/10.1002/fes3.277>
- Brinchi, L., Cotana, F., Fortunati, E., and Kenny, J. M. 2013. Production of nanocrystalline cellulose from lignocellulosic biomass: Technology and

- applications. *Carbohydrate Polymers*, 94(1), 154-169.  
<https://doi.org/10.1016/j.carbpol.2013.01.033>
- Cabrera, N., Alcock, B., Loos, J., & Peijs, T. (2004). Processing of all-polypropylene composites for ultimate recyclability. *Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications*, 218(2), 145-155.  
<https://doi.org/10.1177/146442070421800208>
- Cabrera, R.; Meersman, F.; McMillan, P.; Dmitriev, V. Nanomechanical and Structural Properties of Native Cellulose Under Compressive Stress. *Biomacromolecules* 2011, 12, 2178–2183.  
<https://doi.org/10.1021/bm200253h>
- Cairncross, R.A., Becker, J.G., Ramaswamy, S., O'Connor, R., 2006. Moisture sorption, transport, and hydrolytic degradation in polylactide. *Appl. Biochem. Biotechnol.* 31, 774–785.  
<https://doi.org/10.1385/abab:131:1:774>
- Chen, B., Luo, Z., Cai, T., Cai, D., Zhang, C., Qin, P., & Cao, H. (2018). The effect of corn varieties on the production of fiber-reinforced high-density polyethylene composites. *Biomass Conversion and Biorefinery*, 8(4), 953-963. <https://doi.org/10.1007/s13399-018-0337-3>
- Chun, K. S., Maimunah, T., Yeng, C. M., Yeow, T. K., & Kiat, O. T. (2020). Properties of Corn Husk Fibre Reinforced Epoxy Composites Fabricated Using Vacuum-assisted Resin Infusion. *Journal of Physical Science*, 31(3), 17-31. <https://doi.org/10.21315/jps2020.31.3.2>
- Chun, K. S., Yeng, C. M., & Hussain Shah, S. (2018). Green coupling agent for agro-waste based thermoplastic composites. *Polymer Composites*, 39(7), 2441-2450. <https://doi.org/10.1002/pc.24228>
- Coccia, Mario, Fishbone Diagram for Technological Analysis and Foresight (October 26, 2020). *Int. J. Foresight and Innovation Policy*, Vol. 14, Nos.

2/3/4, pp. 225-247, 2020, Available at  
SSRN: <https://ssrn.com/abstract=3719084> or <http://dx.doi.org/10.2139/ssrn.3719084>

- de Andrade, M. R., Nery, T. B. R., de Santana e Santana, T. I., Leal, I. L., Rodrigues, L. A. P., de Oliveira Reis, J. H., ... & Machado, B. A. S. (2019). Effect of cellulose nanocrystals from different lignocellulosic residues to chitosan/glycerol films. *Polymers*, *11*(4), 658. <https://doi.org/10.3390/polym11040658>
- De Carvalho Mendes, C. A., Ferreira, N. M. S., Furtado, C. R. G., & de Sousa, A. M. F. (2014). Isolation and characterization of nanocrystalline cellulose from corn husk. *Materials Letters*, *148*, 26-29. <https://doi.org/10.1016/j.matlet.2015.02.047>
- De la Orden, M. U., Sánchez, C. G., Quesada, M. G., & Urreaga, J. M. (2010). Effect of different coupling agents on the browning of cellulose–polypropylene composites during melt processing. *Polymer Degradation and Stability*, *95*(2), 201-206. <https://doi.org/10.1016/j.polymdegradstab.2009.11.024>
- Delgado-Aguilar, M., Vilaseca, F., Tarrés, Q., Julián, F., Mutjé, P., & Espinach, F. X. (2018). Extending the value chain of corn agriculture by evaluating technical feasibility and the quality of the interphase of chemothermomechanical fiber from corn stover reinforced polypropylene biocomposites. *Composites Part B: Engineering*, *137*, 16-22. <https://doi.org/10.1016/j.compositesb.2017.11.006>
- Dogu, O., Pelucchi, M., Van de Vijver, R., Van Steenberge, P. H., D'hooge, D. R., Cuoci, A., & Van Geem, K. M. (2021). The chemistry of chemical recycling of solid plastic waste via pyrolysis and gasification: State-of-the-art, challenges, and future directions. *Progress in Energy and Combustion Science*, *84*, 100901. <https://doi.org/10.1016/j.pecs.2020.100901>

- Dong, X. M., Revol, J. F., & Gray, D. G. (1998). Effect of microcrystallite preparation conditions on the formation of colloid crystals of cellulose. *Cellulose*, 5(1), 19-32. <https://doi.org/10.1023/A:1009260511939>
- EL-Zayat, M. M., Mohamed, M. A., & Shaltout, N. A. (2020). Effect of maleic anhydride content on physico-mechanical properties of  $\gamma$ -irradiated waste polypropylene/corn husk fibers bio-composites. *Radiochimica Acta*, 108(2), 151-157. <https://doi.org/10.1515/ract-2019-3121>
- Emadian SM, Onay TT & Damirel B (2016), Biodegradation of bioplastics in natural environments. *Waste Management* 59, 526- 536. <https://doi.org/10.1016/j.wasman.2016.10.006>
- Ehman, N., and Area, M. C. (2021). "Bioplastics are revolutionizing the packaging industry," *BioResources* 16(3), 4663-4666. <https://doi.org/10.15376/BIORES.16.3.4663-4666>
- Fagbemi, K. O., Aina, D. A., & Olajuyigbe, O. O. (2021). Soxhlet Extraction versus Hydrodistillation Using the Clevenger Apparatus: A Comparative Study on the Extraction of a Volatile Compound from Tamarindus indica Seeds. *The Scientific World Journal*, 2021. <https://doi.org/10.1155/2021/5961586>
- Faludi, G., Dora, G., Renner, K., Móczó, J., & Pukánszky, B. (2013). Biocomposite from polylactic acid and lignocellulosic fibers: structure–property correlations. *Carbohydrate polymers*, 92(2), 1767-1775. <https://doi.org/10.1016/j.carbpol.2012.11.006>
- FAO. 2011. *Global food losses and food waste – Extend, causes and prevention*. Retrieved from <https://www.fao.org/3/mb060e/mb060e00.pdf>
- FAO. 2016. *Save and Grow in Practice : Maize, Rice, Wheat. A Guide to Sustainable Cereal Production*. <https://www.fao.org/3/a-i4009e.pdf>
- FAO. 2018. *Food Loss Analysis : Causes and Solutions, Maize Supply Chain in Timor-Leste*. <https://www.fao.org/3/BU691EN/bu691en.pdf>.

- FAO. 2021. *Crop Prospects and Food Situation - Quarterly Global Report No. 2*, July 2021. Rome. <https://doi.org/10.4060/cb5603en>
- FAO. 2021. FAOSTAT. *Crops and Livestock Products*. Cited 17 February 2021. <https://www.fao.org/faostat/en/#data/QCL>
- Faruk, O., Bledzki, A. K., Fink, H., and Sain, M. (2012). “Biocomposites reinforced with natural fibers: 2000-2010,” *Prog. Polym. Sci.* 37, 1552-1596. <https://doi.org/10.1016/j.progpolymsci.2012.04.003>
- Flandez, J., González, I., Resplandis, J. B., El Mansouri, N. E., Vilaseca, F., & Mutjé, P. (2012). Management of corn stalk waste as reinforcement for polypropylene injection moulded composites. *BioResources*, 7(2), 1836-1849. [https://ojs.cnr.ncsu.edu/index.php/BioRes/article/view/BioRes\\_07\\_2\\_1836\\_Flandez\\_GREVM\\_Corn\\_Stalk\\_Waste\\_PP\\_Composites/1464](https://ojs.cnr.ncsu.edu/index.php/BioRes/article/view/BioRes_07_2_1836_Flandez_GREVM_Corn_Stalk_Waste_PP_Composites/1464)
- Fortunati, E., Puglia, D., Luzi, F., Santulli, C., Kenny, J. M., & Torre, L. (2013). Binary PVA bio-nanocomposites containing cellulose nanocrystals extracted from different natural sources: Part I. *Carbohydrate polymers*, 97(2), 825-836. <https://doi.org/10.1016/j.carbpol.2013.03.075>
- Goel, V., Luthra, P., Kapur, G.S. *et al.* Biodegradable/Bio-plastics: Myths and Realities. *J Polym Environ* 29, 3079–3104 (2021). <https://doi.org/10.1007/s10924-021-02099-1>
- Grewal, A., Kataria, H., & Dhawan, I. (2016). Literature search for research planning and identification of research problem. *Indian journal of anaesthesia*, 60(9), 635. <https://doi.org/10.4103/0019-5049.190618>
- Grujić, R., Vujadinović, D., & Savanović, D. (2017). Biopolymers as food packaging materials. *Advances in applications of industrial biomaterials*, 139-160. [https://doi.org/10.1007/978-3-319-62767-0\\_8](https://doi.org/10.1007/978-3-319-62767-0_8)
- Guillard, V.; Gaucel, S.; Fornaciari, C.; Angellier-Coussy, H.; Buche, P.; Gontard, N. The next generation of sustainable food packaging to preserve our

- environment in a circular economy context. *Front. Nutr.* 2018, 5, 121. <https://doi.org/10.3389/fnut.2018.00121>
- Habibi, Y., Lucia, L. A., & Rojas, O. J. (2010). Cellulose nanocrystals: chemistry, self-assembly, and applications. *Chemical reviews*, 110(6), 3479-3500. <https://doi.org/10.1021/cr900339w>
- Helbert, W., Cavaille, J. Y., & Dufresne, A. (1996). Thermoplastic nanocomposites filled with wheat straw cellulose whiskers. Part I: processing and mechanical behavior. *Polymer composites*, 17(4), 604-611. <https://doi.org/10.1002/pc.10650>
- Hernawan, Fathianissa & Syamani, Firda & Kurniati, Mersi. (2020). Biodegradable Mulch Based on Cellulose of Cornhusk with Addition Anti UV-Tinuvin. *Journal of Physics: Conference Series*. 1491. 012051. <http://doi.org/10.1088/1742-6596/1491/1/012051>
- Hu, B. (2014). *Biopolymer-Based Lightweight Materials for Packaging Applications*. *Lightweight Materials from Biopolymers and Biofibers*, 239–255. <https://doi.org/10.1021/bk-2014-1175.ch013>
- Huda, S. and Yang, Y. (2008). Chemically extracted corn husk fibers as reinforcement in light- weight polypropylene composites. *Macromol. Mater. Eng.* 293(3) : 235-243. <https://doi.org/10.1002/mame.200700317>
- Imam, S. H., Glenn, G. M., & Chiellini, E. (2012). Utilization of biobased polymers in food packaging: assessment of materials, production and commercialization. *Emerging food packaging technologies*, 435-468. <https://doi.org/10.1533/9780857095664.4.435>
- J. J. Ariel Leong, S. C. Koay, M. Y. Chan, H. L. Choo, K. Y. Tshai & T. K. Ong (2021): Composite Filament Made from Post-used Styrofoam and Corn Husk Fiber for Fuse Deposition Modeling, *Journal of Natural Fibers*, <http://doi.org/10.1080/15440478.2021.1941488>

- Jabeen, N.; Majid, I.; Nayik, G.A. Bioplastics and food packaging: A review. *Cogent Food Agric.* 2015, 1, 1117749. <https://doi.org/10.1080/23311932.2015.1117749>
- Johansson, C., Bras, J., Mondragon, I., Nechita, P., Plackett, D., Simon, P., & Aucejo, S. (2012). Renewable fibers and bio-based materials for packaging applications—a review of recent developments. *BioResources*, 7(2), 2506-2552. <https://doi.org/10.15376/biores.7.2.2506-2552>
- Johar, N., Ahmad, I., & Dufresne, A. (2012). Extraction, preparation and characterization of cellulose fibres and nanocrystals from rice husk. *Industrial Crops and Products*, 37(1), 93-99. <https://doi.org/10.1016/j.indcrop.2011.12.016>
- John, R.P., Nampoothiri, K.M., Pandey, A., 2007. Fermentative production of lactic acid from biomass: an overview on process developments and future perspectives. *Appl. Microbiol. Biotechnol.* 74, 524–534. <https://doi.org/10.1007/s00253-006-0779-6>
- Joseph K. Muiruri, Songlin Liu, Wern Sze Teo, Junhua Kong, Chaobin He, Highly Biodegradable and Tough Polylactic Acid-Cellulose Nanocrystal Composite, *ACS Sustainable Chemistry & Engineering*, 5, 5, (2017) 3929-3937. <https://doi.org/10.1021/acssuschemeng.6b03123>
- Kambli, N.D., Samanta, K.K., Basak, S. *et al.* Characterization of the corn husk fibre and improvement in its thermal stability by banana pseudostem sap. *Cellulose* 25, 5241–5257 (2018). <https://doi.org/10.1007/s10570-018-1931-z>
- Kampeerappun, P. (2015). Extraction and characterization of cellulose nanocrystals produced by acid hydrolysis from corn husk. *Journal of Metals, Materials and Minerals*, 25(1). <https://doi.org/q0.4456/jmmm.2015.3>



- Kargarzadeh, H., Ahmad, L., Dufresne, A., Zainudin, S., and Sheltami, R. (2012). "Effect of hydrolysis conditions on the morphology, crystallinity, and thermal stability of cellulose nanocrystals extracted from kenaf bast fibers," *Cellulose* 19(3), 855-866. <https://doi.org/10.1007/s10570-012-9684-6>
- Karimah, A., Ridho, M. R., Munawar, S. S., Amin, Y., Damayanti, R., Lubis, M. A. R., ... & Siengchin, S. (2021). A Comprehensive Review on Natural Fibers: Technological and Socio-Economical Aspects. *Polymers*, 13(24), 4280. <https://doi.org/10.3390/polym13244280>
- Kim, H. S., Lee, B. H., Choi, S. W., Kim, S., & Kim, H. J. (2007). The effect of types of maleic anhydride-grafted polypropylene (MAPP) on the interfacial adhesion properties of bio-flour-filled polypropylene composites. *Composites Part A: Applied Science and Manufacturing*, 38(6), 1473-1482. <https://doi.org/10.1016/j.compositesa.2007.01.004>
- Kornher, L. "Maize markets in Eastern and Southern Africa (ESA) in the context of climate change." *The State of Agricultural Commodity Markets (SOCO)* (2018). <https://www.fao.org/3/CA2155EN/ca2155en.pdf>
- Lambert, S., & Wagner, M. (2017). Environmental performance of bio-based and biodegradable plastics: the road ahead. *Chemical Society Reviews*, 46(22), 6855-6871. <https://doi.org/10.1039/C7CS00149E>
- Lament, W. J. (1993). Plastic mulches for the production of vegetable crops. *HortTechnology*, 3(1), 35-39. <https://doi.org/10.21273/horttech.3.1.35>
- Łączny, D., Macko, M., Moraczewski, K., Szczepański, Z., & Trafarski, A. (2021). Influence of the Size of the Fiber Filler of Corn Stalks in the Polylactide Matrix Composite on the Mechanical and Thermomechanical Properties. *Materials*, 14(23), 7281. <https://doi.org/10.3390/ma14237281>

- Lazarevic, D., Aoustin, E., Buclet, N., & Brandt, N. (2010). Plastic waste management in the context of a European recycling society: Comparing results and uncertainties in a life cycle perspective. *Resources, Conservation and Recycling*, 55(2), 246-259. <https://doi.org/10.1016/j.resconrec.2010.09.014>
- Lenhani, G.C., dos Santos, D.F., Koester, D.L. *et al.* Application of Corn Fibers from Harvest Residues in Biocomposite Films. *J Polym Environ* 29, 2813–2824 (2021). <https://doi.org/10.1007/s10924-021-02078-6>
- Likittheerakarn, S. U. P. P. A. W. A. T., Kurdpradid, S. U. P. A. W. A. D. E. E., Smittipornpun, N. A. N. T. H. A. P. O. N., & Sritapunya, T. (2017). Comparison of mechanical properties of biocomposites between polybutylene succinate/corn silk and polybutylene succinate/cellulose extracted from corn silk. In *Key Engineering Materials* (Vol. 737, pp. 275-280). Trans Tech Publications Ltd. <https://doi.org/10.4028/www.scientific.net/KEM.737.275>
- Liu, Y., Xie, J., Wu, N., Wang, L., Ma, Y., & Tong, J. (2019). Influence of silane treatment on the mechanical, tribological and morphological properties of corn stalk fiber reinforced polymer composites. *Tribology International*, 131, 398-405. <https://doi.org/10.1016/j.triboint.2018.11.004>
- Luo, Z., Li, P., Cai, D., Chen, Q., Qin, P., Tan, T., & Cao, H. (2017). Comparison of performances of corn fiber plastic composites made from different parts of corn stalk. *Industrial crops and products*, 95, 521-527. <https://doi.org/10.1016/j.indcrop.2016.11.005>
- Luo, H., Yang, Z., Yao, F., Li, W., & Wan, Y. (2019). Improved properties of corn fiber-reinforced polylactide composites by incorporating silica nanoparticles at interfaces. *Polymers and Polymer Composites*, 28(3), 170-179. <https://doi.org/10.1177%2F0967391119867236>

- Malek, N. S. A., Faizuwan, M., Khusaimi, Z., Bonnia, N. N., Rusop, M., & Asli, N. A. (2021, April). Preparation and Characterization of Biodegradable Polylactic Acid (PLA) Film for Food Packaging Application: A Review. In *Journal of Physics: Conference Series* (Vol. 1892, No. 1, p. 012037). IOP Publishing. <https://doi.org/10.1088/1742-6596/1892/1/012037>
- Mangaraj, S., Yadav, A., Bal, L. M., Dash, S. K., & Mahanti, N. K. (2019). Application of biodegradable polymers in the food packaging industry: a comprehensive review. *Journal of Packaging Technology and Research*, 3(1), 77-96. <https://doi.org/10.1007/s41783-018-0049-y>
- Maraveas, C. (2020). Production of sustainable and biodegradable polymers from agricultural waste. *Polymers*, 12(5), 1127. <https://doi.org/10.3390/polym12051127>
- Meereboer, K. W., Misra, M., & Mohanty, A. K. (2020). Review of recent advances in the biodegradability of polyhydroxyalkanoate (PHA) bioplastics and their composites. *Green Chemistry*, 22(17), 5519-5558. <https://doi.org/10.1039/D0GC01647K>
- Mihiretu, G. T., Chimphango, A. F., & Görgens, J. F. (2019). Steam explosion pre-treatment of alkali-impregnated lignocelluloses for hemicelluloses extraction and improved digestibility. *Bioresource technology*, 294, 122121. <https://doi.org/10.1016/j.biortech.2019.122121>
- Mir Md, S. S., Chan, M. Y., & Koay, S. C. (2021). Mechanical properties of polyester/corn husk fibre composite produced using vacuum infusion technique. *Polymers and Polymer Composites*, 29(9\_suppl), S1532-S1540. <https://doi.org/10.1177%2F096739112111056782>
- Mohanty, A.K.; Vivekanandhan, S.; Pin, J.-M.; Misra, M. Composites from renewable and sustainable resources: Challenges and innovations. *Science* 2018, 362, 536–542. <https://doi.org/10.1126/science.aat9072>

- Mokhena, T. C., Sefadi, J. S., Sadiku, E. R., John, M. J., Mochane, M. J., & Mtibe, A. (2018). Thermoplastic processing of PLA/cellulose nanomaterials composites. *Polymers*, 10(12), 1363. <https://doi.org/10.3390/polym10121363>
- Mülhaupt, R. (2013). Green polymer chemistry and bio-based plastics: dreams and reality. *Macromolecular Chemistry and Physics*, 214(2), 159-174. <https://doi.org/10.1002/macp.201200439>
- Mussatto, S.I., J.M.S. Rocha, dan I. Roberto. 2008. "Hydrogen Peroxide Bleaching of Cellulose Pulps Obtained from Brewer ' Spent Grain." *Cellulose*. 15: 641–49. <https://doi.org/10.1007/s10570-008-9198-4>
- Nurul Fazita, M. R., Jayaraman, K., Bhattacharyya, D., Mohamad Haafiz, M. K., Saurabh, C. K., Hussin, M. H., & HPS, A. K. (2016). Green composites made of bamboo fabric and poly (lactic) acid for packaging applications—A review. *Materials*, 9(6), 435. <https://doi.org/10.3390/ma9060435>
- Nyambo, C.; Mohanty, A.K.; Misra, M. Effect of maleated compatibilizer on performance of PLA/wheat Straw-Based green composites. *Macromol. Mater. Eng.* 2011, 296, 710–718. <https://doi.org/10.1002/mame.201000403>
- OECD/FAO (2020), OECD-FAO *Agricultural Outlook 2020-2029*, FAO, Rome/OECD Publishing, Paris. <https://doi.org/10.1787/1112c23b-en>
- Palmatier, R. W., Houston, M. B., & Hulland, J. (2017). Review articles: purpose, process, and structure. *Journal of the Academy of Marketing Science*, Vol. 46(1): 1–5. <http://dx.doi.org/10.1007/s11747-017-0563-4>
- Parfitt, J., Barthel, M. & Macnaughton, S. 2010. Food waste within food supply chains: quantification and potential for change to 2050, *Phil. Trans. R. Soc.*, vol. 365, pp. 3065-3081. <https://doi.org/10.1098/rstb.2010.0126>

- Perez-Puyana, V., Felix, M., Romero, A., & Guerrero, A. (2016). Effect of the injection moulding processing conditions on the development of pea protein-based bioplastics. *Journal of Applied Polymer Science*, 133(20). <https://doi.org/10.1002/app.43306>
- Phanthong, Patchiya, Prasert Reubroycharoen, Xiaogang Hao, Guangwen Xu, Abuliti Abudula, and Guoqing Guan. "Nanocellulose: Extraction and application." *Carbon Resources Conversion* 1, no. 1 (2018): 32-43. <https://doi.org/10.1016/j.crcon.2018.05.004>
- Poletto, M., Ornaghi, Jr., H. L., and Zattera, A. J. (2014). "Native cellulose: Structure, characterization and thermal properties," *Materials* 7(9), 6105-6119. <https://doi/10.3390/ma7096105>
- Rafiq, M. K., Bachmann, R. T., Rafiq, M. T., Shang, Z., Joseph, S., & Long, R. (2016). Influence of pyrolysis temperature on physico-chemical properties of corn stover (*Zea mays* L.) biochar and feasibility for carbon capture and energy balance. *PloS one*, 11(6), e0156894. <https://doi.org/10.1371/journal.pone.0156894>
- Reichert, C. L., Bugnicourt, E., Coltelli, M. B., Cinelli, P., Lazzeri, A., Canesi, I., ... & Schmid, M. (2020). Bio-based packaging: Materials, modifications, industrial applications and sustainability. *Polymers*, 12(7), 1558. <https://doi.org/10.3390/polym12071558>
- Rodrigues, E. F., T. F. Maia, and D. R. Mulinari. 2011. Tensile strength of polyester resin reinforced sugarcane bagasse fibers modified by esterification. *Procedia Engineering* <https://doi.org/10.1016/j.proeng.2011.04.387>
- Rosli, N.A., Ahmad, I., Abdullah, I., (2013), "Isolation and Characterization of Cellulose Nanocrystal from Agave Angustion Fiber, *Bioresources*, 8(2), 1893-1908. <https://doi.org/10.15376/BIORES.8.2.1893-1908>

- Sandhu, K. S., Singh, N., & Kaur, M. (2004). Characteristics of the different corn types and their grain fractions: physicochemical, thermal, morphological, and rheological properties of starches. *Journal of food engineering*, 64(1), 119-127. <https://doi.org/10.1016/j.jfoodeng.2003.09.023>
- Saenghirunwattana, P., Noomhorm, A., & Rungsardthong, V. (2014). Mechanical properties of soy protein based “green” composites reinforced with surface modified cornhusk fiber. *Industrial Crops and Products*, 60, 144-150. <https://doi.org/10.1016/j.indcrop.2014.06.010>
- Sari, N. H., Wardana, I. N. G., Irawan, Y. S., & Siswanto, E. (2016). Physical and acoustical properties of corn husk fiber panels. *Advances in Acoustics and Vibration*, 2016. <http://dx.doi.org/10.1155/2016/5971814>
- Scarfato, P.; Di Maio, L.; Incarnato, L. Recent advances and migration issues in biodegradable polymers from renewable sources for food packaging. *J. Appl. Polym. Sci.* 2015, 132, 13. <https://doi.org/10.1002/app.42597>
- Sciancalepore, C., Togliatti, E., Giubilini, A., Pugliese, D., Moroni, F., Messori, M., & Milanese, D. (2022). Preparation and characterization of innovative poly (butylene adipate terephthalate)-based biocomposites for agri-food packaging application. *Journal of Applied Polymer Science*, 139(24), 52370. <https://doi.org/10.1002/app.52370>
- Shahzad, A. (2012). Effects of alkalization on tensile, impact, and fatigue properties of hemp fiber composites. *Polymer Composites*. 33(7): 1129-1140. <https://doi.org/10.1002/pc.22241>
- Singh, R. P., Pandey, J. K., Rutot, D., Degée, P., & Dubois, P. (2003). Biodegradation of poly ( $\epsilon$ -caprolactone)/starch blends and composites in composting and culture environments: the effect of compatibilization on the inherent biodegradability of the host polymer. *Carbohydrate Research*, 338(17), 1759-1769. [https://doi.org/10.1016/S0008-6215\(03\)00236-2](https://doi.org/10.1016/S0008-6215(03)00236-2)

- Sruamsiri, S. (2007). Agricultural wastes as dairy feed in Chiang Mai. *Animals*. Sci. J. 78(4) : 335-341. <https://doi.org/10.1111/j.1740-0929.2007.00445.x>
- Tan, X., Peng, Q., Yang, K., Yang, T., Saskova, J., Wiener, J., ... & Xu, J. (2022). Preparation and Characterization of corn husk nanocellulose coating on electrospun polyamide 6. *Alexandria Engineering Journal*, 61(6), 4529-4540. <https://doi.org/10.1016/j.aej.2021.10.011>
- Tarrés, Q., Hernández-Díaz, D., & Ardanuy, M. (2021). Interface Strength and Fiber Content Influence on Corn Stover Fibers Reinforced Bio-Polyethylene Composites Stiffness. *Polymers*, 13(5), 768. <https://doi.org/10.3390/polym13050768>
- Tokiwa, Y., Calabia, B. P., Ugwu, C. U., & Aiba, S. (2009). Biodegradability of plastics. *International journal of molecular sciences*, 10(9), 3722-3742. <https://doi.org/10.3390/ijms10093722>
- United States Department of Agriculture, A. R. S., & United States Department of Agriculture. (2019). USDA national nutrient database for standard reference. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/572158/nutrients>
- Wang, J., Hopmann, C., Kahve, C., Hohlweck, T., & Alms, J. (2020). Measurement of specific volume of polymers under simulated injection molding processes. *Materials & Design*, 196, 109136. <https://doi.org/10.1016/j.matdes.2020.109136>
- Wong, J. Y. M., & Chan, M. Y. (2018). Influence of bleaching treatment by hydrogen peroxide on chitosan/durian husk cellulose biocomposite films. *Advances in Polymer Technology*, 37(7), 2462-2469. <https://doi.org/10.1002/adv.21921>
- Xiao, S., Gao, R., Gao, L., & Li, J. (2016). Poly (vinyl alcohol) films reinforced with nanofibrillated cellulose (NFC) isolated from corn husk by high

- intensity ultrasonication. *Carbohydrate polymers*, 136, 1027-1034.  
<https://doi.org/10.1016/j.carbpol.2015.09.115>
- Xiong, R. et al. (2012) 'Comparing microcrystalline with spherical nanocrystalline cellulose from waste cotton fabrics', *Cellulose*. 2012(19), pp. 1189–1198. <https://doi.org/10.1007/s10570-012-9730-4>
- Yan, Z.; Zhang, J.; Zhang, H.; Wang, H. Improvement of mechanical properties of noil hemp fiber reinforced polypropylene composites by resin modification and fiber treatment. *Adv. Mater. Sci. Eng.* 2013, 2013.  
<https://doi.org/10.1155/2013/941617>
- Yang, X., Liu, H., Zhao, Y. et al. Preparation and characterization of polysulfone membrane incorporating cellulose nanocrystals extracted from corn husks. *Fibers Polym* 17, 1820–1828 (2016).  
<https://doi.org/10.1007/s12221-016-6762-7>
- Ye, X., Wang, H., Zheng, K., Wu, Z., Zhou, H., Tian, K., ... & Tian, X. (2016). The interface designing and reinforced features of wood fiber/polypropylene composites: Wood fiber adopting nano-zinc-oxide-coating via ion assembly. *Composites Science and Technology*, 124, 1-9.  
<https://doi.org/10.1016/j.compscitech.2015.12.016>
- Yeng, C. M., Husseinsyah, S., & Ting, S. S. (2013). Chitosan/Corn Cob Biocomposite Films by Cross-linking with Glutaraldehyde. *BioResources*, 8(2).  
<https://bioresources.cnr.ncsu.edu/resources/chitosancorn-cob-biocomposite-films-by-crosslinking-with-glutaraldehyde/>
- Yılmaz, N. D. 2013b. Effects of enzymatic treatments on the mechanical properties of corn husk fibers. *Journal of the Textile Institute* 104: 396–406. <https://doi.org/10.1080/00405000.2012.736707>



- Yilmaz, N. D., E. Çalışkan, and K. Yılmaz. 2014. Effect of Xylanase enzyme on mechanical properties of fibres extracted from undried and dried corn husks. *Indian Journal of Fibre & Textile Research* 39:60–64. <http://acikerisim.pau.edu.tr:8080/xmlui/handle/11499/7398>
- Yilmaz, N. D., Sulak, M., Yilmaz, K., & Kalin, F. (2016). Physical and chemical properties of water-retted fibers extracted from different locations in corn husks. *Journal of Natural Fibers*, 13(4), 397-409. <https://doi.org/10.1080/15440478.2015.1029201>
- Youssef, Ahmed M., Ahmed El-Gendy, and Samir Kamel. "Evaluation of corn husk fibers reinforced recycled low density polyethylene composites." *Materials Chemistry and Physics* 152 (2015): 26-33. <https://doi.org/10.1016/j.matchemphys.2014.12.004>
- Zhang, J., Luo, N., Wan, J., Xia, G., Yu, J., He, J., & Zhang, J. (2017). Directly converting agricultural straw into all-biomass nanocomposite films reinforced with additional in situ-retained cellulose nanocrystals. *ACS Sustainable Chemistry & Engineering*, 5(6), 5127-5133. <https://doi.org/10.1021/acssuschemeng.7b00488>
- Zheng, Y., Pan, Z., & Zhang, R. (2009). Overview of biomass pretreatment for cellulosic ethanol production. *International journal of agricultural and biological engineering*, 2(3), 51-68. <https://doi.org/10.3965/j.issn.1934-6344.2009.03.051-068>
- Zhu, Y., Romain, C., & Williams, C. K. (2016). Sustainable polymers from renewable resources. *Nature*, 540(7633), 354-362. <https://doi.org/10.1038/nature21001>
- Zhou Y, Stuart-Williams H, Farquhar GD, Hocart CH. 2010. The use of natural abundance stable isotopic ratio to indicate the presence of oxygen-containing chemical linkages between cellulose and lignin in plant cell walls. *Phytochemistry* 71:982-993. <https://doi.org/10.1016/j.phytochem.2010.03.001>

Zimmermann, T., Bordeianu, N., & Strub, E. (2010). Properties of nanofibrillated cellulose from different raw materials and its reinforcement potential. *Carbohydrate Polymers*, 79(4), 1086-1093. <https://doi.org/10.1016/j.carbpol.2009.10.045>

Zwawi, M. (2021). A review on natural fiber bio-composites, surface modifications and applications. *Molecules*, 26(2), 404. <https://doi.org/10.3390/molecules26020404>

