

LAMPIRAN

LAMPIRAN A

```
<div class="jumbotron ">
  <div class="row">
    <div class="col-md-7">
      <h1 style="font-size:30px;"><b>Konsultasikan dengan ahlinya</b></h1>
      <p class="lead" style="font-weight: 500;">This is a simple hero unit, a simple jumbotron-
style.</p>
    </div>
    <div class="col-md-5 ml-auto text-right">
      <h1 style="font-size:30px;"><b>Grow <br> and <br> Move!</b></h1>
    </div>
  </div>
</div>
<div class="card shadow-none" id="mentor">
  <div class="card-body">
    <h1 style="font-size:20px;" class="text-center pb-4"><b>Find Your Mentor</b></h1>
    <div class="row pt-4">
      @foreach ($mentors as $mentor)
      <div class="col-md-4">
        <a href="{{ route('mentor.detail', ['mentor_id' => $mentor->id]) }}" class="text-
decoration-none"
        style="text-decoration: none;">
          <div class="card shadow-none text-decoration-none" style="width: 18rem;">
            <iframe class="card-img border-0" src="{{ $mentor-
>mentor_intruduction_url_vidio }}"></iframe>
            <div class="card-body p-0">
              <div class="media text-muted pt-3 align-items-center">
                user->name }}"
                style="height: 50px; border-radius:25px;">
              <p class="media-body mb-0 small lh-125 text-decoration-none"
                style="text-decoration: none;">
                <strong
```

```

        class="d-block text-gray-dark text-decoration-none">{{ $mentor->user-
>name }}</strong>
        {{ $mentor->mentor_keahlian }}
    </p>
</div>
</div>
</div>
</div>
</a>
</div>
@endforeach

```

Gambar A.1 Script Tampilan Homepage MentorKu bagian atas

```

<div class="col-md-3">
    <div class="card shadow-none" style="width: 18rem;">
        
        <div class="card-body">
            <p class="media-body mb-0 small lh-125 text-center">
                Selamat anda telah mendapatkan solusi dan analisa langsung dari expert
            </p>
        </div>
    </div>
</div>
</div>
</div>
</div>

<div id="subscription">
<h1 style="font-size:20px;" class="pb-4 text-center"><b>Subscription</b></h1>
<div class="row px-3 pt-4">
    @foreach ($plans as $plan)
    <div class="col-md-4 pl-md-0">
    <div class="card card-pricing">
        <div class="card-header">
            <h4 class="card-title">{{ $plan->plan_title }}</h4>
            <div class="card-price">
                <span class="price">Rp. {{ number_format($plan->plan_price) }}</span>
                {{ -- <span class="text">/mo</span> -- }}
            </div>

```

```

</div>
<div class="card-body">
  <ul class="specification-list">
    <li>
      <span class="name-specification">Mentor/{{ $plan->plan_max_type }}</span>
      <span class="status-specification">{{ $plan->plan_max_mentor }}</span>
    </li>
    <li>
      <span class="name-specification">Durasi</span>
      <span class="status-specification">{{ $plan->plan_duration }}/Hari</span>
    </li>
  </ul>
</div>
<div class="card-footer">
  <a href="{{ route('subscription', ['plan_id' => $plan->id]) }}">
    <button class="btn btn-danger btn-block"><b>Subscribe</b></button>
  </a>
</div>
</div>
</div>
@endforeach

```

Gambar A.2 Script Tampilan Homepage MentorKu

```

<form method="POST" action="{{ route('admin.login') }}">
  @csrf
  <div class="login-form">
    <div class="form-group">
      <label for="email" class="placeholder"><b>Email</b></label>
      <input id="email" type="text" class="form-control" name="email" :value="old('email')
required>
    </div>
    <div class="form-group">
      <label for="password" class="placeholder"><b>Password</b></label>
      {{-- @if (Route::has('password.request'))
      <a class="link float-right" href="{{ route('password.request') }}">
        {{ __( 'Lupa kata sandi?' ) }}
      </a>
      @endif --}}
    <div class="position-relative">

```

```

        <input id="password" name="password" type="password" class="form-control"
required>
        {{-- <div class="show-password">
            <i class="icon-eye"></i>
        </div> --}}
    </div>
</div>
<div class="form-group form-action-d-flex mb-3">
    <div class="custom-control custom-checkbox">
        <input type="checkbox" class="custom-control-input" name="remember"
id="rememberme">
        <label class="custom-control-label m-0" for="rememberme">Remember Me</label>
    </div>
    <button type="submit"
class="btn btn-danger col-md-5 float-right mt-3 mt-sm-0 fw-bold">Masuk</button>
</div>
</div>
<div class="login-account text-center mt-3">
    <span class="msg">Belum memiliki akun ?</span>
    <a href="{{ route('register') }}" id="show-signup" class="link">Register</a>
</div>
</form>

```

Gambar A.3 Script Tampilan Login untuk semua user

```

<div class="col-md-12">
    <div class="card">
        @if ($formType == 1)
        <div class="card-body">
            <ul class="list-group">
                <li class="list-group-item border-0">
                    <span><strong>Rincian Pembelian</strong></span>
                </li>
                <li class="list-group-item d-flex justify-content-between align-items-center border-0">
                    Nama Package
                    <span>{{ $plans->plan_title }}</span>
                </li>
                <li class="list-group-item d-flex justify-content-between align-items-center border-0">
                    Harga Package
                    <span>Rp. {{ number_format($plans->plan_price) }}</span>
                </li>
            </ul>
        </div>
    </div>

```

```

</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  Durasi Package
  <span>{{ $plans->plan_duration }}/Hari</span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  Jumlah Mentor/{{ $plans->plan_max_type }}
  <span>{{ $plans->plan_max_mentor }}</span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  <strong>Total Bayar</strong>
  <span><strong>Rp. {{ number_format($plans->plan_price) }}</strong></span>
</li>
</ul>
</div>

```

Gambar A.4 Script Tampilan Menu Berlangganan

```

<div class="card-body">
  <ul class="list-group">
    <li class="list-group-item border-0">
      <span><strong>Metode Pembayaran</strong></span>
    </li>
    @foreach ($banks as $bank)
      <div wire:click="selectBank('{{ $bank->id }}'"
        class="list-group-item d-flex justify-content-between align-items-center mx-3 mt-2 cursor-
        pointer"
        style="border: 1px solid {{ $bank->id == $bank_id ? '#2980b9' : '#e4e4e4'}};border-
        radius:5px;">
        bank_name }}"
        height="30">
        <i class="fas fa-chevron-right"></i>
      </div>
    @endforeach
  </ul>
</div>

```

Gambar A.5 Script Tampilan Menu Pilihan Pembayaran

```

<div class="card-body">
  <ul class="list-group">

```

```

<li class="list-group-item border-0">
  <span><strong>Detail Pembayaran</strong></span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  Nama Bank
  <span>{{ $transaction->bank->bank_name }}</span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  Nama Akun Bank
  <span>{{ $transaction->bank->bank_account_name }}</span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  Nomor Rekening
  <span>{{ $transaction->bank->bank_account_number }}</span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  Kode Unik
  <span>{{ $transaction->transaction_unique_id }}</span>
</li>
<li class="list-group-item d-flex justify-content-between align-items-center border-0">
  <span>
    Kami akan memproses transfer Anda lebih cepat jika Anda melakukan pembayaran
    dengan
    jumlah
    yang
    tiga digit terakhirnya <strong>[{{ $transaction->transaction_unique_id }}]</strong>.
    <br>
    <strong>Contoh: Rp. {{ $transaction->transaction_total_price }}</strong>. <br>
    Agar pembayaran Anda terlihat unik, digitnya diambil dari random angka. Dengan
    begitu
    waktu yang dibutuhkan untuk melacak dan memproses transfer semacam ini di antara
    banyaknya
    permintaan akan lebih sedikit
  </span>
</li>
</ul>
</div>

```

Gambar A.6 Script Tampilan Menu Pembayaran

```
<div id="form-modal" wire:ignore.self class="modal fade" tabindex="-1" permission="dialog"
    aria-labelledby="my-modal-title" aria-hidden="true">
    <div class="modal-dialog" permission="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title text-capitalize" id="my-modal-title">
                    Confirm Payment</h5>
            </div>
            <div class="modal-body">
                @if (Auth::user()->role->role_type == 'member')
                <x-text-field type="text" name="confirm_bank_name" label="Bank Name" />
                <x-text-field type="text" name="confirm_bank_account_name" label="Bank
Account Name" />
                <x-text-field type="text" name="confirm_bank_account_number" label="Bank
Account Number" />
                <x-text-field type="number" name="confirm_amount" label="Amount" />
                <x-text-field type="date" name="confirm_date" label="Payment Date" />
                <x-input-photo foto="{{ $confirm_photo }}"
                    path="{{ optional($confirm_photo_path)->temporaryUrl() }}"
name="confirm_photo_path"
                    label="Upload Photo" />
            </div>
        </div>
    </div>
</div>
```

Gambar A.7 Script Tampilan Menu Konfirmasi

```
<div class="card shadow-none">
    <div class="card-body">
        <div class="input-group mb-3">
            <div class="input-group-prepend {{ $show ? 'show' : '' }}">
                <button class="btn btn-outline-secondary search2" type="button" data-
toggle="dropdown"
                    aria-haspopup="true" aria-expanded="false" wire:click="toggle">Category</button>
            </div>
            <div class="dropdown-menu" wire:ignore.self>
                @foreach ($categories as $category)
                <a class="dropdown-item"><strong>{{ $category->category_name }}</strong></a>
                @foreach ($category->subCategories as $key => $item)
                <a class="dropdown-item ml-2"><input type="checkbox"
wire:model="selected.{{ $item->id }}"
                    value="{{ $item->id }}">&nbsp;&nbsp;&nbsp;
```

```

        {{ $item->subcategory_name }}</a>
    @endforeach
    @endforeach

</div>
</div>
<input type="text" wire:model="query" class="form-control" aria-label="Text input with
dropdown button"
    wire:click="toggle">
<div class="input-group-append">
    <button type="button" class="btn btn-outline-secondary search" wire:click="filter"><i
        class="fas fa-search"></i></button>
</div>
</div>
</div>
</div>

```

Gambar A.8 Script Tampilan Menu Pencarian

```

<p class="pt-2">{{ $mentor->mentor_description }}</p>
</div>
</div>
</div>
<div class="col-md-6">
    <x-textarea type="text" name="schedule_topic" label="Topic" />
    <x-text-field type="date" name="schedule_date" label="Date" />
    <x-select name="schedule_duration" label="Duration">
        <option value="">Select Duration</option>
        <option value="1">1 hour</option>
        <option value="2">2 hour</option>
        <option value="3">3 hour</option>
    </x-select>

    @if (Auth::check())
    <div class="form-group">
        <button type="button" wire:click="makeSchedule" class="btn btn-danger btn-
sm">Make Schedule</button>
    </div>
    @else

```



```

<div class="form-group">
    <p>Silahkan login untuk membuat schedule</p>
</div>
@endif

```

Gambar A.9 Script Tampilan Menu Pemesanan

```

public function columns()
{
    $this->hide = HideableColumn::where(['table_name' => $this->table_name, 'user_id' =>
auth()->user()->id])->pluck('column_name')->toArray();
    $user = auth()->user();
    $data = [
        Column::callback('transaction_total_price', function ($transaction_total_price) {
            return 'Rp. ' . number_format($transaction_total_price);
        })->label("Total Price")->width(200),
        Column::name('transaction_unique_id')->label('Payment Unique'),
        Column::name('transaction_date')->label('Transaction Date')->width(350),
        Column::name('transaction_expired_date')->label('Due Date')->width(350),
        Column::name('transaction_note')->label('Note')->width(350),
        Column::callback('transaction_status', function ($transaction_status) {
            switch ($transaction_status) {
                case 0:
                    return '<button type="button" class="btn btn-info btn-sm">Waiting
Payment</button>';
                case 1:
                    return '<button type="button" class="btn btn-warning btn-sm">On
Progress</button>';
                case 2:
                    return '<button type="button" class="btn btn-success btn-sm">Success</button>';
                case 3:
                    return '<button type="button" class="btn btn-danger btn-sm">Decline</button>';
                default:
                    return '<button type="button" class="btn btn-danger btn-sm">Expired</button>';
            }
        })
    ]
}

```

Gambar A.10 Script Tampilan Menu Transaksi Pengguna

```

public function columns()

```

```

{
    $this->hide = HideableColumn::where(['table_name' => $this->table_name, 'user_id' => auth()-
>user()->id])->pluck('column_name')->toArray();
    $user = auth()->user();
    $data = [
        Column::name('plan_start_date')->label('Start date'),
        Column::name('plan_end_date')->label('End Date'),
        Column::callback('plan_status', function ($plan_status) {
            switch ($plan_status) {
                case 0:
                    return '<button type="button" class="btn btn-success btn-sm">ACTIVE</button>';
                case 2:
                    return '<button type="button" class="btn btn-warning btn-sm">SUSPEND</button>';
                case 3:
                    return '<button type="button" class="btn btn-DANGER btn-
sm">INACTIVE</button>';
            }
        })->label('Status'),
        Column::name('plan.plan_title')->label('Plan')->searchable(),
    ];
    if (in_array($user->role->role_type, ['admin', 'superadmin'])) {
        $data[4] = Column::name('user.name')->label('User')->searchable();
    }
    return $data;
}

```

Gambar A.11 Script Tampilan Menu Active Plan

```

public function columns()
{
    $user = auth()->user();
    $this->hide = HideableColumn::where(['table_name' => $this->table_name, 'user_id' =>
auth()->user()->id])->pluck('column_name')->toArray();
    $data = [
        Column::name('schedule_topic')->label('Topik')->searchable(),
        Column::name('schedule_date')->label('Schedule date'),
        Column::callback('schedule_duration', function ($duration) {
            return $duration . ' Hour';
        })->label('Duration'),
    ];
}

```

```

Column::callback('schedule_link_meet', function ($link) {
    return "<a href='\$link'> \$link</a>";
})->label('Link meet'),
Column::name('schedule_note')->label('Note'),
Column::callback('schedule_status', function ($schedule_status) {
    switch ($schedule_status) {
        case 0:
            return '<button type="button" class="btn btn-warning btn-sm">Waiting
Approval</button>;
        case 1:
            return '<button type="button" class="btn btn-success btn-sm">Approve</button>;
        case 2:
            return '<button type="button" class="btn btn-danger btn-sm">Decline</button>;
        case 3:
            return '<button type="button" class="btn btn-danger btn-sm">Canceled</button>;
    }
})->label('Status'),
];

```

Gambar A.12 Script Tampilan Menu Jadwal

```

<div class="col-md-12">
  <div class="card">
    <div class="card-body">
      <x-text-field type="text" name="user_name" label="Nama" />
      <x-text-field type="text" name="user_email" label="Email" />
      <x-text-field type="text" name="phone_number" label="Phone Number" />

      <x-input-photo foto="{{ $user_photo }}" path="{{ optional($user_photo_path)-
>temporaryUrl() }}"
        name="user_photo_path" label="Profile" />

      <div class="form-group">
        <button type="button" wire:click="updateProfile" class="btn btn-danger btn-
sm">Update</button>
      </div>
    </div>
  </div>
</div>

```

```

<div class="col-md-12">
  <div class="card">
    <div class="card-body">
      <x-text-field type="password" name="current_password" label="Password Sekarang" />
      <x-text-field type="password" name="new_password" label="Password Baru" />
      <x-text-field type="password" name="confirm_new_password" label="Konfirmasi
Password" />

      <div class="form-group">
        <button type="button" wire:click="updatePassword" class="btn btn-danger btn-
sm">Update</button>
      </div>
    </div>
  </div>
</div>

```

Gambar A.13 Script Tampilan Menu Pengaturan Profile

```

<div class="modal-header">
  <h5 class="modal-title text-capitalize" id="my-modal-title">
    {{ $update_mode ? 'Update' : 'Tambah' }} schedules</h5>
</div>
<div class="modal-body">
  <x-select name="schedule_status" label="Status">
    <option value="">Select Status</option>
    <option value="1">Approve</option>
    <option value="2">Decline</option>
    <option value="5">Finish</option>
  </x-select>
  @if ($schedule_status == 1)
  <x-text-field type="text" name="schedule_link_meet" label="Link meet" />
  @endif
  @if ($schedule_status == 2)
  <x-textarea type="textarea" name="schedule_note" label="Note" />
  @endif
</div>
<div class="modal-footer">

```

Gambar A.14 Script Tampilan Menu Jadwal

```

<div class="row">

```

```

<div class="col-md-6">
  <x-text-field type="text" name="mentor_name" label="Nama Mentor" />
  <x-text-field type="text" name="mentor_email" label="Email Mentor" />
  <x-text-field type="text" name="phone_number" label="Phone Number" />
  <x-select name="category_id" label="kategori" handleChange="getSubCategory">
    <option value="">Select kategori</option>
    @foreach ($categories as $category)
      <option value="{{ $category->id }}">{{ $category->category_name }}</option>
    @endforeach
  </x-select>
</div>
<div class="col-md-6">
  <x-select name="subcategory_id" label="Sub kategori">
    <option value="">Select Sub kategori</option>
    @foreach ($sub_categories as $sub_category)
      <option value="{{ $sub_category->id }}">{{ $sub_category->
>subcategory_name }}</option>
    @endforeach
  </x-select>
  <x-text-field type="text" name="mentor_keahlian" label="Keahlian" />
  <x-text-field type="number" name="mentor_exp" label="Pengalaman" />
  <x-text-field type="text" name="mentor_intruduction_url_vidio"
label="Url Vidio Perkenalan" />
</div>
</div>
<x-textarea type="textarea" name="mentor_description" label="Deskripsi" />
<x-input-photo foto="{{ $user_photo }}" path="{{ optional($user_photo_path)-
>temporaryUrl() }}"
name="user_photo_path" label="Profile" />
<div class="form-group">
  <button type="button" wire:click="updateProfile" class="btn btn-danger btn-
sm">Update</button>
</div>

```

Gambar A.15 Script Tampilan Menu Pengaturan Profile Mentor

```

<div class="col col-stats ml-3 ml-sm-0">

```

```

<div class="numbers">
  <p class="card-category">Jumlah Mentor</p>
  <h4 class="card-title">{{ $jumlah_anggota }}</h4>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="col-md-6">
<div class="card card-stats card-round">
<div class="card-body ">
<div class="row align-items-center">
<div class="col-icon">
  <div class="icon-big text-center icon-success bubble-shadow-small">
    <i class="fas fa-file"></i>
  </div>
</div>
<div class="col col-stats ml-3 ml-sm-0">
  <div class="numbers">
    <p class="card-category">Jumlah Transaksi</p>
    <h4 class="card-title">{{ $jumlah_transaksi }}</h4>
  </div>
</div>
</div>

```

Gambar A.16 Script Tampilan Dashboard Admin

```

public function columns()
{
  $this->hide = HideableColumn::where(['table_name' => $this->table_name, 'user_id' =>
  auth()->user()->id]->pluck('column_name')->toArray();
  $user = auth()->user();
  $data = [
    Column::callback('transaction_total_price', function ($transaction_total_price) {
      return 'Rp. ' . number_format($transaction_total_price);
    }->label('Total Price')->width(200),
    Column::name('transaction_unique_id')->label('Payment Unique'),
    Column::name('transaction_date')->label('Transaction Date')->width(350),
    Column::name('transaction_expired_date')->label('Due Date')->width(350),
    Column::name('transaction_note')->label('Note')->width(350),

```

```

Column::callback('transaction_status', function ($transaction_status) {
    switch ($transaction_status) {
        case 0:
            return '<button type="button" class="btn btn-info btn-sm">Waiting
Payment</button>';
        case 1:
            return '<button type="button" class="btn btn-warning btn-sm">On
Progress</button>';
        case 2:
            return '<button type="button" class="btn btn-success btn-sm">Success</button>';
        case 3:
            return '<button type="button" class="btn btn-danger btn-sm">Decline</button>';
        default:
            return '<button type="button" class="btn btn-danger btn-sm">Expired</button>';
    }
})->label('Status'),
Column::callback(['bank.bank_logo'], function ($image) {
    return view('livewire.components.photo', [
        'image_url' => asset('storage/' . $image),
    ]);
})->label(__('Payment Type')),
Column::name('plan.plan_title')->label('Plan Name')->searchable()->width(200),
];

if (in_array($user->role->role_type, ['admin', 'superadmin'])) {
    $data[7] = Column::name('user.name')->label('User')->searchable()->width(300);
}

```

Gambar A.17 Script Tampilan Menu Transaksi Admin

```

<span><i class="fas fa-arrow-left mr-3"></i>active plans</span>
</a>
</h4>
</div>
</div>
</div>
<div class="col-md-12">
    @if ($form_active)
    <div class="card">
        <div class="card-body">

```

```

<x-text-field type="date" name="plan_start_date" label="Start date" />
<x-text-field type="date" name="plan_end_date" label="End Date" />
<x-text-field type="text" name="plan_status" label="Status" />
<x-select name="plan_id" label="Plan">
  <option value="">Select Plan</option>
</x-select>
<x-text-field type="text" name="user_id" label="user id" />

<div class="form-group">
  <button class="btn btn-danger pull-right"
    wire:click="{{ $update_mode ? 'update' : 'store' }}">Simpan</button>
</div>
</div>
</div>

```

Gambar A.18 Script Tampilan Menu Active Plan

```

public function getDataById($tbl_schedules_id)
{
  $tbl_schedules = ModelsSchedule::find($tbl_schedules_id);
  $this->tbl_schedules_id = $tbl_schedules->id;
  $this->schedule_topic = $tbl_schedules->schedule_topic;
  $this->schedule_date = $tbl_schedules->schedule_date;
  $this->schedule_duration = $tbl_schedules->schedule_duration;
  $this->schedule_link_meet = $tbl_schedules->schedule_link_meet;
  $this->schedule_note = $tbl_schedules->schedule_note;
  $this->schedule_status = $tbl_schedules->schedule_status;
  $this->mentor_id = $tbl_schedules->mentor_id;
  $this->user_id = $tbl_schedules->user_id;
  if ($this->form) {
    $this->form_active = true;
    $this->emit('loadForm');
  }
  if ($this->modal) {
    $this->emit('showModal');
  }
}

```

Gambar A.19 Script Menu Jadwal Admin

```

<div class="col-md-12">
  <div class="card">

```



```

<div class="card-body">
  <x-text-field type="text" name="user_name" label="Nama" />
  <x-text-field type="text" name="user_email" label="Email" />
  <x-text-field type="text" name="phone_number" label="Phone Number" />

  <x-input-photo foto="{{ $user_photo }}" path="{{ optional($user_photo_path)-
>temporaryUrl() }}"
    name="user_photo_path" label="Profile" />

  <div class="form-group">
    <button type="button" wire:click="updateProfile" class="btn btn-danger btn-
sm">Update</button>
  </div>
</div>
</div>
</div>
</div>
<div class="col-md-12">
  <div class="card">
    <div class="card-body">
      <x-text-field type="password" name="current_password" label="Password Sekarang" />
      <x-text-field type="password" name="new_password" label="Password Baru" />
      <x-text-field type="password" name="confirm_new_password" label="Konfirmasi
Password" />

      <div class="form-group">
        <button type="button" wire:click="updatePassward" class="btn btn-danger btn-
sm">Update</button>
      </div>
    </div>
  </div>
</div>

```

Gambar A.20 Script Tampilan Menu Profile

LAMPIRAN B



Gambar B.1 Dokumentasi Uji Coba Aplikasi MentorKu



Gambar B.2 Dokumentasi Uji Coba Aplikasi MentorKu




Gambar B.3 Dokumentasi Uji Coba Aplikasi MentorKu



Gambar B.4 Dokumentasi Uji Coba Aplikasi MentorKu



Gambar B.5 Dokumentasi Uji Coba Aplikasi MentorKu



Gambar B.6 Dokumentasi Uji Coba Aplikasi MentorKu



Gambar B.7 Dokumentasi Uji Coba Aplikasi MentorKu

PAPER NAME

17.N1.0001.docx

WORD COUNT

5930 Words

CHARACTER COUNT

37955 Characters

PAGE COUNT

30 Pages

FILE SIZE

132.4KB

SUBMISSION DATE

Aug 8, 2022 8:46 AM GMT+7

REPORT DATE

Aug 8, 2022 8:47 AM GMT+7**● 17% Overall Similarity**

The combined total of all matches, including overlapping sources, for each database.

- 14% Internet database
- 3% Publications database
- Crossref database
- Crossref Posted Content database
- 10% Submitted Works database

● Excluded from Similarity Report

- Bibliographic material
- Quoted material
- Cited material
- Small Matches (Less than 10 words)