

BAB 5

KESIMPULAN DAN SARAN

5.1 Kesimpulan

Terdapat perubahan *performance* meskipun tidak signifikan dalam penggunaan plugin *Progressive Web Apps* (PWA) pada website *E-Commerce* untuk PT. Sumber Kurnia Alam. Pertama kali dilakukan uji coba pada website sebesar 132 megabita tanpa menggunakan *Progressive Web Apps* (PWA) mendapatkan *performance* sebesar 65% pada tampilan *mobile* dengan waktu menampilkan gambar terbesar (*largest contentful paint*) 7.4 detik dan 92% pada tampilan desktop dengan waktu menampilkan gambar terbesar (*largest contentful paint*) 1.8 detik.

Pengujian kedua dilakukan dengan menggunakan *Progressive Web Apps* (PWA) mendapatkan *performance* sebesar 71% pada tampilan *mobile* dengan waktu menampilkan gambar terbesar (*largest contentful paint*) 5.1 detik dan 93% pada tampilan desktop dengan waktu menampilkan gambar terbesar (*largest contentful paint*) 1.5 detik.

Pengujian ketiga dilakukan dengan mengompres gambar dan juga membuang baris kode yang tidak diperlukan baik scss maupun js, mendapatkan *performance* sebesar 99% pada tampilan *mobile* dengan waktu menampilkan gambar terbesar (*largest contentful paint*) 3.5 detik dan 100% pada tampilan desktop dengan waktu menampilkan gambar terbesar (*largest contentful paint*) 1.1 detik.

Dengan demikian bisa disimpulkan bahwa ada enam kriteria untuk meningkatkan kecepatan waktu pada aplikasi berbasis *Progressive Web Apps* (PWA) yaitu, *first contentful paint*, *speed index*, *largest contentful paint*, *time to interactive*, *total blocking time*, dan *cumulative layout shift*. Enam kriteria tadi dapat meningkat lebih cepat apabila didukung dengan melakukan kompres gambar yang ukurannya besar dan membuang baris kode yang tidak perlu.

E-Commerce website pada PT. Sumber Kurnia Alam ini menggunakan WordPress sehingga untuk implementasi *Progressive Web Apps* (PWA) menggunakan plugin. Akhirnya diputuskan untuk menggunakan plugin Super Progressive Web Apps, karena jika dibandingkan dengan plugin PWA dan PWA for WP & AMP keduanya tidak didukung untuk *Push Notification*. Maka dari itu plugin Super Progressive Web Apps menjadi pilihan yang tepat untuk diimplementasikan pada website PT. Sumber Kurnia Alam.

5.2 Saran

Beberapa saran yang dapat diperlukan untuk perbaikan dan pengembangan dalam penelitian ini adalah sebagai berikut:

1. Perlunya mengukur kondisi yang sama pada server yang berbeda, sehingga didapatkan *performance* yang lebih akurat.
2. Membandingkan *performance* aplikasi berbasis *Progressive Web Apps* (PWA) pada Android dan iOS.

DAFTAR PUSTAKA

- [1] N. M. Hui, L. B. Chieng, W. Y. Ting, H. H. Mohamed, and M. R. Hj Mohd Arshad, "Cross-platform mobile applications for android and iOS," *Proc. 2013 6th Jt. IFIP Wirel. Mob. Netw. Conf. WMNC 2013*, pp. 2–5, 2013, doi: 10.1109/WMNC.2013.6548969.
- [2] Y. Makki, "A Comparative study of Android and iPhone Operating System main languages A," *Solid State Technol.*, vol. 63, no. 6, pp. 13651–13658, 2020, [Online]. Available: https://www.researchgate.net/profile/Yasmin-Makki-4/publication/346956054_A_Comparative_study_of_Android_and_iPhone_Operating_System_main_languages/links/5fd3d48ea6fdccdb8bafda4/A-Comparative-study-of-Android-and-iPhone-Operating-System-main-languages.pdf.
- [3] M. Kankaala, "Enhancing E-Commerce With Modern Web Technologies," p. 41, 2019, [Online]. Available: https://www.theseus.fi/bitstream/handle/10024/161196/Kankaala_Minna.pdf?sequence=2&isAllowed=y.
- [4] O. C. Novac, M. Novac, C. Gordan, T. Berczes, and G. Bujdoso, "Comparative study of Google Android, Apple iOS and Microsoft Windows Phone mobile operating systems," *2017 14th Int. Conf. Eng. Mod. Electr. Syst. EMES 2017*, pp. 154–159, 2017, doi: 10.1109/EMES.2017.7980403.
- [5] D. Sevel, "Histologic consequences of inferior oblique anastomosis to denervated lateral rectus muscle. by S. Christiansen, M. Madhat, and R.S. Baker. *J Pediatric Ophthalmol Strabismus* 24:132-135, 1987," *Surv. Ophthalmol.*, vol. 32, no. 6, pp. 439–440, 1988, doi: 10.1016/0039-6257(88)90062-8.
- [6] P. Mole and P. V Mole, "Progressive Web Apps: A Novel Way for Cross-Platform Development," no. September, 2020, [Online]. Available: https://www.researchgate.net/profile/Patrick-Mole/publication/344170769_Progressive_Web_Apps_A_Novel_Way_for_Cross-Platform_Development/links/5f58651e92851c250b9fd70d/Progressive-Web-Apps-A-Novel-Way-for-Cross-Platform-Development.pdf.
- [7] A. Gutovets and J. Pustoshilo, "Is PWA the technology of the future?," 2022.
- [8] K. W. Tracy, "Mobile application development experiences on Apples iOS and Android OS," *IEEE Potentials*, vol. 31, no. 4, pp. 30–34, 2012, doi: 10.1109/MPOT.2011.2182571.
- [9] J. L. Rice, V. V. Phoha, P. Cappelaere, and D. Mandl, "Web farm-inspired

- computational cluster in the cloud,” *Proc. - 2011 3rd IEEE Int. Conf. Cloud Comput. Technol. Sci. CloudCom 2011*, pp. 730–737, 2011, doi: 10.1109/CloudCom.2011.113.
- [10] H. Gillbert Miller, “The spark of innovation begins with collaboration,” *Insid. Digit. Ecosyst.*, vol. 11, no. 1, pp. 13–19, 2011.
- [11] M. M. Khan, M. Shams-E-Mofiz, and Z. A. Sharmin, “Development of E-Commerce-Based Online Web Application for COVID-19 Pandemic,” *iBusiness*, vol. 12, no. 04, pp. 113–126, 2020, doi: 10.4236/ib.2020.124008.
- [12] P. Que, X. Guo, and M. Zhu, “A Comprehensive Comparison between Hybrid and Native App Paradigms,” *Proc. - 2016 8th Int. Conf. Comput. Intell. Commun. Networks, CICN 2016*, pp. 611–614, 2017, doi: 10.1109/CICN.2016.125.
- [13] J. Lee, H. Kim, J. Park, I. Shin, and S. Son, “Pride and prejudice in progressive web apps: Abusing native app-like features in Web applications,” *Proc. ACM Conf. Comput. Commun. Secur.*, pp. 1731–1746, 2018, doi: 10.1145/3243734.3243867.
- [14] O. Adetunji, C. Ajaegbu, N. Otuneme, and O. J. Omotosho, “Dawning of Progressive Web Applications (PWA): Edging Out the Pitfalls of Traditional Mobile Development,” *Am. Acad. Sci. Res. J. Eng. Technol. Sci.*, vol. 68, no. 1, pp. 85–99, 2020, [Online]. Available: https://asrjetsjournal.org/index.php/American_Scientific_Journal/article/view/5812.
- [15] N. Pande, A. Somani, S. Prasad Samal, and V. Kakkirala, “Enhanced Web Application and Browsing Performance through Service-Worker Infusion Framework,” *Proc. - 2018 IEEE Int. Conf. Web Serv. ICWS 2018 - Part 2018 IEEE World Congr. Serv.*, pp. 195–202, 2018, doi: 10.1109/ICWS.2018.00032.
- [16] I. Holsby, “The Installation Process of a Progressive Web App Studying the Impact of ‘ Add to Home screen ,’ ” 2021.
- [17] A. Mhaske, A. Bhattad, P. Khamkar, and R. More, “Progressive Web App for Educational System,” *Int. Res. J. Eng. Technol.*, pp. 310–312, 2018, [Online]. Available: <https://arc.applause.com/2015/11/30/application-shell->.
- [18] K. Behl and G. Raj, “Architectural Pattern of Progressive Web and Background Synchronization,” *Proc. 2018 Int. Conf. Adv. Comput. Commun. Eng. ICACCE 2018*, no. June, pp. 366–371, 2018, doi: 10.1109/ICACCE.2018.8441701.
- [19] C. Rojas, *Building Progressive Web Applications with Vue.js*. 2020.
- [20] B. Kim, “Responsive Web Design, Discoverability, and Mobile Challenge.,” *Libr. Technol. Rep.*, vol. 49, no. 6, pp. 29–30, 2013, [Online]. Available: <http://search.ebscohost.com/login.aspx?direct=true&db=a9h&AN=904053>

56&site=eds-live.

- [21] A. Gambhir and G. Raj, "Analysis of Cache in Service Worker and Performance Scoring of Progressive Web Application," *Proc. 2018 Int. Conf. Adv. Comput. Commun. Eng. ICACCE 2018*, no. June, pp. 294–299, 2018, doi: 10.1109/ICACCE.2018.8441715.
- [22] C. C. B. Bahari and Y. Sumaryana, "Penerapan Progressive Web Apps Pada Aplikasi Lowongan Pekerjaan Dosen Universitas Perjuangan," *Informatics Digit. Expert*, vol. 1, no. 1, pp. 25–31, 2019, doi: 10.36423/ide.v1i1.285.
- [23] R. Harminingtyas, "Analisis Layanan Website Sebagai Media Promosi, Media Transaksi dan Media Informasi dan Pengaruhnya Terhadap Brand Image Perusahaan pada Hotel Ciputra di Kota Semarang," *J. STIE Semarang*, vol. 6, no. 3, pp. 37–57, 2014.
- [24] A. Heryandi, "Pembangunan Sistem Informasi Pengisian Survey Evaluasi Perkuliahan Online Di Universitas Komputer Indonesia," *Komputa J. Ilm. Komput. dan Inform.*, vol. 1, no. 2, pp. 85–88, 2012, doi: 10.34010/komputa.v1i2.65.
- [25] R. Wahyudi, "Perancangan Web Dinamis Sebagai Media Promosi dan Sarana Informasi pada Depok Sports Center Yogyakarta," STMIK AMIKOM Yogyakarta, 2010.
- [26] G. Tsurakov, "Refactoring legacy website styles," no. December, 2021.

LAMPIRAN

Lampiran A: Biodata Penulis

Foto



Nama Lengkap : Evangeline Eunike
Tempat, tanggal lahir : Semarang, 30 Maret 2001
Alamat Asal : Permata Puri Jl. Wato-Wato III B 12/16
Telp/HP : 0895364861112
Email : evangelineeunike30@gmail.com
Riwayat Pendidikan : SMA

Lampiran B: Lampiran Kode

header.php

```
1 <?php
2 /**
3  * The header for our theme
4  *
5  * Displays all of the <head> section and everything up till <div id="content">
6  *
7  * @package Understrap
8  */
9
10 // Exit if accessed directly.
11 defined( 'ABSPATH' ) || exit;
12
13 $bootstrap_version = get_theme_mod( 'understrap_bootstrap_version', 'bootstrap4' );
14 $navbar_type       = get_theme_mod( 'understrap_navbar_type', 'collapse' );
15 >>
16 <!DOCTYPE html>
17 <html <?php language_attributes(); ?>>
18 <head>
19 <meta charset="<?php bloginfo( 'charset' ); ?>">
20 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
21 <link rel="profile" href="http://gmpg.org/xfn/11">
22
23 <!-- CDN Google Fonts -->
24 <link rel="preconnect" href="https://fonts.googleapis.com">
25 <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
26 <link href="https://fonts.googleapis.com/css2?family=Montserrat:wght@300;400;500;700&family=Yeseva+One&display=swap" rel="stylesheet">
27
28 <!-- CDN Font Awesome -->
29 <script src="https://kit.fontawesome.com/3d10eafdb8.js" crossorigin="anonymous"></script>
30
31 <!-- Add Class Nav -->
32 <script src="https://code.jquery.com/jquery-3.3.1.js"></script>
33
34 <script>
35 $(window).on("scroll,function(){
36     if($(window).scrollTop()){
37         $('nav').addClass('black');
38     }
39     else{
40         $('nav').removeClass('black');
41     }
42 })
43 </script>
44 <?php wp_head(); ?>
45 </head>
46
47 <body <?php body_class(); ?> <?php understrap_body_attributes(); ?>>
48 <?php do_action( 'wp_body_open' ); ?>
49 <div class="site" id="page">
50
51 <!-- ***** The Navbar Area ***** -->
52 <header id="wrapper-navbar">
53
54 <a class="skip-link sr-only sr-only-focusable" href="#content"><?php esc_html_e( 'Skip to content', 'understrap' ); ?></a>
55
56 <nav id="main-nav" class="navbar navbar-expand-lg navbar-light d-none d-lg-block" aria-labelledby="main-nav-label">
57
58 <div class="container">
59 <div class="row w-100">
60 <div class="col-12">
61 <div class="primary-menu">
62 <div class="row d-flex align-items-center">
63 <div class="col-10">
64 <div class="header-left">
65 <!-- The WordPress Menu goes here -->
66 <?php
67     wp_nav_menu(
68         array(
69             'menu'           => 'Menu 1',
70             'theme_location' => 'primary',
71             'container_class' => 'collapse navbar-collapse',
72             'container_id'   => 'navbarNavDropdown',
73             'menu_class'     => 'navbar-nav ml-auto',
74             'fallback_cb'    => '',
75             'menu_id'        => 'main-menu',
76             'depth'          => 2,
77             'walker'         => new Understrap_WP_Bootstrap_Navwalker(),
78         )
79     );
80 >>
81 </div>
82 </div>
83 <div class="col-2">
84 <div class="header-right">
85 <?php echo do_shortcode( '[bc_cart_icon id=181]' ); ?>
86 </div>
87 </div>
88 </div>
89 </div>
90 </div>
91 </div>
92 </div>
```

header.php

```
93
94     </nav>
95
96     <!-- Mobile Menu -->
97     <div id="mobile-nav" class="d-block d-lg-none">
98         <nav class="sidebar-container">
99             <div class="burger">
100                 <span></span>
101                 <span></span>
102                 <span></span>
103             </div>
104         </nav>
105
106         <div class="red-layer"></div>
107
108         <div class="black-layer">
109             <div class="close-btn">
110                 <span></span>
111                 <span></span>
112             </div>
113
114             <div class="menu-container">
115                 <?php wp_nav_menu(
116                     array(
117                         'menu' => 'Primary Menu',
118                         'theme_location' => 'primary',
119                         'container_class' => '',
120                         'menu_class' => '',
121                         'fallback_cb' => '',
122                         'menu_id' => 'sidebar-menu',
123                         'depth' => 2,
124                         'walker' => new Understrap_WP_Bootstrap_Navwalker(),
125                     )
126                 ); ?>
127             </div>
128         </div>
129
130         <main class="page-container"></main>
131     </div>
132
133 </header><!-- #wrapper-navbar end -->
```


footer.php

```
1 <?php
2 /**
3  * The template for displaying the footer
4  *
5  * Contains the closing of the #content div and all content after
6  *
7  * @package Understrap
8  */
9
10 // Exit if accessed directly.
11 defined( 'ABSPATH' ) || exit;
12
13 $container = get_theme_mod( 'understrap_container_type' );
14 ?>
15
16 <?php get_template_part( 'sidebar-templates/sidebar', 'footerfull' ); ?>
17
18 <div class="wrapper" id="wrapper-footer">
19
20 <footer>
21 <div class="container-fluid px-0">
22 <div class="row">
23 <div class="col-12">
24 <div class="first-column">
25 <div class="img-insta">
26 
27 </div>
28 <div class="img-insta">
29 <a href="https://www.instagram.com/skacommodity/" target=" blank">
30 
31 </a>
32 </div>
33 <div class="img-insta">
34 
35 </div>
36 <div class="img-insta">
37 
38 </div>
39 <div class="img-insta">
40 
41 </div>
42 <!-- <?php dynamic_sidebar( 'new-widget-footer' ); ?> -->
43 </div>
44 </div>
45 </div>
46 <div class="row">
47 <div class="col-12">
48 <div class="container px-0">
49 <div class="col-12 col-md-4 offset-xl-1 col-xl-4">
50 <div class="logo-ska-footer">
51 <a href="#">
52 
53 </a>
54 </div>
55 </div>
56 </div>
57 <div class="col-12 col-md-2 col-xl-2">
58 <div class="menu-footer-1">
59 <h5>
60 Menu
61 </h5>
62 <?php
63 wp_nav_menu(
64 array(
65 'menu' => 'Footer 1',
66 'theme_location' => 'primary',
67 'container_class' => '',
68 'container_id' => '',
69 'menu_class' => '',
70 'fallback_cb' => '',
71 'menu_id' => 'footer-menu',
72 'depth' => 2,
73 'walker' => new Understrap_WP_Bootstrap_Navwalker(),
74 )
75 );
76 ?>
77 </div>
78 </div>
79 <div class="col-12 col-md-3 col-xl-2">
80 <div class="menu-footer-2">
81 <h5>
82 SKA Products
83 </h5>
```

footer.php

```
84 <?php
85     wp_nav_menu(
86         array(
87             'menu'           => 'Footer 2',
88             'theme_location' => 'primary',
89             'container_class' => '',
90             'container_id'   => '',
91             'menu_class'     => '',
92             'fallback_cb'    => '',
93             'menu_id'        => 'footer-menu',
94             'depth'          => 2,
95             'walker'         => new Understrap_WP_Bootstrap_Navwalker(),
96         )
97     );
98 }
99 </div>
100 </div>
101 <div class="col-12 col-md-3 col-xl-2">
102     <div class="contact">
103         <h5>
104             Contact
105         </h5>
106         <a href="tel:+622476438697">
107             <p>
108                 (+62) 24 7643 8697
109             </p>
110         </a>
111         <a href="mailto:info@ska-indonesia.com" target="_blank">
112             <p>
113                 info@ska-indonesia.com
114             </p>
115         </a>
116     </div>
117 </div>
118 </div>
119 </div>
120 </div>
121 <div class="row">
122     <div class="col-12">
123         <div class="container">
124             <div class="copyright">
125                 <p>
126                     Copyright © 2022. SKA - PT Sumber Kurnia Alam | All Rights Reserved
127                 </p>
128             </div>
129         </div>
130     </div>
131 </div>
132 </div>
133 </div>
134 </footer>
135 </div><!-- wrapper end -->
136 </div><!-- #page we need this extra closing tag here -->
137 </div>
138 <?php wp_footer(); ?>
139 </div>
140 <script>
141     jQuery(document).ready(function($) {
142         $('.sidebar-container').on('click', function() {
143             $('.black-layer').addClass('black-open');
144             $('.red-layer').addClass('red-open');
145             $('.red-layer').toggleClass('extend');
146             $('.black-layer').toggleClass('extend');
147             $('.close-btn span').toggleClass('animate-close-btn');
148             $('.menu-container').toggleClass('menu-container-show');
149             setTimeout(function() {
150             }, 1000);
151         });
152         $('.close-btn').on('click', function() {
153             $('.red-layer').toggleClass('extend');
154             $('.black-layer').toggleClass('extend');
155             $('.close-btn span').toggleClass('animate-close-btn');
156             $('.menu-container').toggleClass('menu-container-show');
157         });
158     });
159 </script>
160 </body>
161 </html>
```

functions.php

```
1 <?php
2 /**
3  * Understrap Child Theme functions and definitions
4  *
5  * @package UnderstrapChild
6  */
7
8 // Exit if accessed directly.
9 defined( 'ABSPATH' ) || exit;
10
11
12
13 /**
14  * Removes the parent themes stylesheet and scripts from inc/enqueue.php
15  */
16 function understrap_remove_scripts() {
17     wp_dequeue_style( 'understrap-styles' );
18     wp_deregister_style( 'understrap-styles' );
19
20     wp_dequeue_script( 'understrap-scripts' );
21     wp_deregister_script( 'understrap-scripts' );
22 }
23 add_action( 'wp_enqueue_scripts', 'understrap_remove_scripts', 20 );
24
25
26
27 /**
28  * Enqueue our stylesheet and javascript file
29  */
30 function theme_enqueue_styles() {
31
32     // Get the theme data.
33     $the_theme = wp_get_theme();
34
35     $suffix = defined( 'SCRIPT_DEBUG' ) && SCRIPT_DEBUG ? '' : '.min';
36     // Grab asset URLs.
37     $theme_styles = "/css/child-theme{$suffix}.css";
38     $theme_scripts = "/js/child-theme{$suffix}.js";
39
40     wp_enqueue_style( 'child-understrap-styles', get_stylesheet_directory_uri() . $theme_styles, array(), $the_theme->get( 'Version' ) );
41     wp_enqueue_script( 'jquery' );
42     wp_enqueue_script( 'child-understrap-scripts', get_stylesheet_directory_uri() . $theme_scripts, array(), $the_theme->get( 'Version' ), true );
43     if ( is_singular() && comments_open() && get_option( 'thread_comments' ) ) {
44         wp_enqueue_script( 'comment-reply' );
45     }
46 }
47 add_action( 'wp_enqueue_scripts', 'theme_enqueue_styles' );
48
49
50
51 /**
52  * Load the child theme's text domain
53  */
54 function add_child_theme_textdomain() {
55     load_child_theme_textdomain( 'understrap-child', get_stylesheet_directory() . '/languages' );
56 }
57 add_action( 'after_setup_theme', 'add_child_theme_textdomain' );
58
59
60
61 /**
62  * Overrides the theme_mod to default to Bootstrap 5
63  *
64  * This function uses the `theme_mod_{name}` hook and
65  * can be duplicated to override other theme settings.
66  *
67  * @param string $current_mod The current value of the theme_mod.
68  * @return string
69  */
70 function understrap_default_bootstrap_version( $current_mod ) {
71     return 'bootstrap5';
72 }
73 add_filter( 'theme_mod_understrap_bootstrap_version', 'understrap_default_bootstrap_version', 20 );
74
75
76
77 /**
78  * Loads javascript for showing customizer warning dialog.
79  */
80 function understrap_child_customize_controls_js() {
81     wp_enqueue_script(
82         'understrap_child_customizer',
83         get_stylesheet_directory_uri() . '/js/customizer-controls.js',
84         array( 'customize-preview' ),
85         '20130508',
86         true
87     );
88 }
89 add_action( 'customize_controls_enqueue_scripts', 'understrap_child_customize_controls_js' );
90
91
92
```

functions.php

```
93 /**
94  * Change Login Logo.
95  */
96 function my_login_logo() {
97     ?>
98     <style type="text/css">
99         #Login h1 a, .Login h1 a {
100             background-image: url('/wp-content/uploads/2022/09/profile_pic_ic5t-removebg.png');
101         }
102     </style>
103     <?php
104 }
105
106 add_action ('login_enqueue_scripts', 'my_login_logo');
107
108
109
110 /**
111  * Change Login form.
112  */
113 function my_login_form() {
114     ?>
115     <style type="text/css">
116         .login-action-login {
117             background: #c4a484;
118         }
119
120         #Login {
121             background: #ffeee2;
122             padding: 15px !important;
123             box-shadow: #210904 0px 7px 29px 0px;
124             margin-top: 120px !important;
125         }
126
127         #Login #Loginform {
128             background: transparent;
129             border: none;
130             box-shadow: none;
131             padding: 0;
132         }
133
134         #user_login, #user_pass {
135             background: transparent;
136             border: none;
137             border-bottom: 3px solid #210904;
138             border-radius: 0;
139         }
140
141         #user_login:focus, #user_pass:focus {
142             box-shadow: none;
143         }
144
145         .dashicons-visibility {
146             color: #210904;
147         }
148
149         p.forgetmenot, #wp-submit {
150             width: 100%;
151         }
152
153         #wp-submit {
154             margin-top: 30px;
155             background: #684a21;
156             border: none;
157             font-size: 15px;
158         }
159
160         #wp-submit:focus {
161             box-shadow: 0 0 0 1px #fff, 0 0 0 3px #298a81;
162         }
163
164         #nav, #backtoblog {
165             padding-left: 0 !important;
166             padding-right: 0 !important;
167         }
168     </style>
169 }
```

functions.php

```
169         #nav a:hover, #backtoblog a:hover {
170             color: #298a81 !important;
171         }
172     </style>
173 <?php
174 }
175
176 add_action( 'login_enqueue_scripts', 'my_login_form' );
177
178
179
180 /**
181  * Change link value.
182  */
183 function my_login_logo_url() {
184     return home_url();
185 }
186
187 add_action( 'login_headerurl', 'my_login_logo_url' );
188
189
190
191 /**
192  * Add description.
193  */
194 function wc_add_long_description() {
195     global $product;
196
197     ?>
198     <div class="description" id="desc-featured-products">
199         <?php echo apply_filters( 'the_content', $product->get_description() ) ?>
200     </div>
201 <?php
202 }
203
204 add_action( 'woocommerce_after_shop_loop_item_title', 'wc_add_long_description' );
```

PAPER NAME

TA-19.N4.0001.docx

WORD COUNT

4079 Words

CHARACTER COUNT

24754 Characters

PAGE COUNT

33 Pages

FILE SIZE

6.4MB

SUBMISSION DATE

Oct 24, 2022 8:17 AM GMT+7

REPORT DATE

Oct 24, 2022 8:17 AM GMT+7

● **6% Overall Similarity**

The combined total of all matches, including overlapping sources, for each database.

- 3% Internet database
- 1% Publications database
- Crossref database
- Crossref Posted Content database
- 4% Submitted Works database



Summary