

## DAFTAR PUSTAKA

- [1] P. S. Wibowo and S. Riyadi, "SPWM Volt/Hz Based Speed Control of Induction Motor," *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect. Prospect. Challenges, iSemantic 2019*, pp. 482–486, 2019, doi: 10.1109/ISEMANTIC.2019.8884311.  
<https://ieeexplore.ieee.org/document/8884311>
- [2] A. Abbou, R. Elakhrif, and A. Mousmi, "Vrms control of self-excited induction generators feeding a three-phase AC load used in wind turbine," *2018 9th Int. Renew. Energy Congr. IREC 2018*, no. Irec, pp. 1–6, 2018, doi: 10.1109/IREC.2018.8362476.  
<https://ieeexplore.ieee.org/document/8362476>
- [3] R. Grünbaum, P. Halvarsson, D. Larsson, and P. R. Jones, "Conditioning of power grids serving offshore wind farms based on asynchronous generators," *IEE Conf. Publ.*, vol. 1, pp. 34–39, 2004, doi: 10.1049/cp:20040255.  
<https://ieeexplore.ieee.org/document/1348887>
- [4] R. AMALIA, S. RIYADI, F. B. SETIAWAN, and L. H. PRATOMO, "Peningkatan Kinerja Switched Reluctance Generator dengan Pergeseran Sudut Penyalaan," *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 9, no. 3, p. 690, 2021, doi: 10.26760/elkomika.v9i3.690.  
<https://ejurnal.itenas.ac.id/index.php/elkomika/article/view/4774>
- [5] P. S. B. Sakti and S. Riyadi, "Hardware Implementation of Simplified

VVVF Inverter for Induction Motor Based on SVM,” *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect. Prospect. Challenges, iSemantic 2019*, pp. 487–491, 2019, doi: 10.1109/ISEMANTIC.2019.8884271.

<https://ieeexplore.ieee.org/document/8884271>

- [6] A. D. Hansen, F. Lov, F. Blaabjerg, and L. H. Hansen, “Review of contemporary wind turbine concepts and their market penetration,” *Wind Eng.*, vol. 28, no. 3, pp. 247–263, 2004, doi: 10.1260/0309524041590099.  
<https://journals.sagepub.com/doi/10.1260/0309524041590099>
- [7] F. A. Samad, M. F. Karim, and S. Member, “System for Wearable Electronics,” *IEEE Sens. J.*, vol. 16, no. 7, pp. 1969–1974, 2016.  
<https://journals.sagepub.com/doi/abs/10.1177/09544062211021441?ai=1gvo&mi=3ricys&af=R>
- [8] B. Sawetsakulanond, P. Hothongkham, and V. Kinnares, “Investigation on the performance between standard and high efficiency induction machines operating as grid connected induction generators,” *2008 IEEE Int. Conf. Sustain. Energy Technol. ICSET 2008*, pp. 848–853, 2008, doi: 10.1109/ICSET.2008.4747126.  
<https://ieeexplore.ieee.org/document/4747126/>
- [9] K. S. Sangov, S. R. Chorshanbiev, F. O. Ismoilov, M. A. Balaev, and M. M. Vohidov, “Three-phase Self-excited Induction Generator for Windmills Analytical Techniques and Experimental Results,” *Proc. 2nd 2020 Int.*

*Youth Conf. Radio Electron. Electr. Power Eng. REEPE 2020*, 2020, doi:  
10.1109/REEPE49198.2020.9059122.

<https://ieeexplore.ieee.org/document/9059122>

- [10] P. J. Chauhan and J. K. Chatterjee, "A Novel Speed Adaptive Stator Current Compensator for Voltage and Frequency Control of Standalone SEIG Feeding Three-Phase Four-Wire System," *IEEE Trans. Sustain. Energy*, vol. 10, no. 1, pp. 248–256, 2019, doi: 10.1109/TSTE.2018.2832140.  
<https://ieeexplore.ieee.org/document/8353144>
- [11] S. Kumar and K. Gaur, "Excitation process in three phase squirrel cage induction generator for wind mill application," *2013 Int. Conf. Energy Effic. Technol. Sustain. ICEETS 2013*, pp. 414–419, 2013, doi: 10.1109/ICEETS.2013.6533418.  
<https://ieeexplore.ieee.org/document/6533418>
- [12] B. Sawetsakulanond and V. Kinnares, "Analysis and Investigation of the Islanding Phenomenon Problem for Grid Connected Induction Generators," *ICEMS 2018 - 2018 21st Int. Conf. Electr. Mach. Syst.*, vol. 1, no. 1, pp. 1056–1059, 2018, doi: 10.23919/ICEMS.2018.8549340.  
<https://ieeexplore.ieee.org/document/8549340>
- [13] D. T. Arif and A. Aswardi, "Kendali Kecepatan Motor DC Penguat Terpisah Bebebana Berbasis Arduino," *JTEV (Jurnal Tek. Elektro dan Vokasional)*, vol. 6, no. 2, p. 33, 2020, doi: 10.24036/jtev.v6i2.108395.

<http://ejournal.unp.ac.id/index.php/jtev/article/view/108395>

- [14] J. A. Pomilio, J. P. Bonaldo, H. K. Morales-Paredes, and P. Tenti, "About power factor and THDi in the smart micro-grid scenario," *2015 IEEE 13th Brazilian Power Electron. Conf. 1st South. Power Electron. Conf. COBEP/SPEC 2016*, pp. 1–5, 2015, doi: 10.1109/COBEP.2015.7420183.  
<https://ieeexplore.ieee.org/document/7420183>
- [15] S. A. Khadtare, B. S. Varun Sai, and D. Chatterjee, "A Model Based Control Strategy for Variable Speed Operation of Three Phase Induction Generator," *Int. Conf. Comput. Intell. Smart Power Syst. Sustain. Energy, CISPSSE 2020*, pp. 27–31, 2020, doi: 10.1109/CISPSSE49931.2020.9212283.  
<https://ieeexplore.ieee.org/document/9212283>
- [16] A. M. M. Dos Santos, L. T. P. Medeiros, L. P. S. Silva, I. D. S. Junior, V. S. D. C. Teixeira, and A. Bezerra Moreira, "Wind power system connected to the grid from Squirrel Cage Induction Generator (SCIG)," *2019 IEEE 15th Brazilian Power Electron. Conf. 5th IEEE South. Power Electron. Conf. COBEP/SPEC 2019*, 2019, doi: 10.1109/COBEP/SPEC44138.2019.9065794.  
<https://ieeexplore.ieee.org/abstract/document/9065794>
- [17] H. Santoso, U. Wibawa, R. K. Subroto, and L. Ardhenta, "Impact of load and speed variation to frequency variation on single-phase self-excited induction generator," *2018 Electr. Power, Electron. Commun. Control*.

*Informatics Semin. EECCIS 2018*, pp. 5–8, 2018, doi:

10.1109/EECCIS.2018.8692949.

<https://ieeexplore.ieee.org/document/8692949>

[18] N. Bouchiba, S. Sallem, and M. B. A. Kammoun, “Three-phase self-excited

induction generator analysis in stand-alone mode,” *2015 6th Int. Renew.*

*Energy Congr. IREC 2015*, 2015, doi: 10.1109/IREC.2015.7110925.

<http://ieeexplore.ieee.org/abstract/document/7110925/>

[19] G. D. Wahyu and S. Riyadi, “PWM Control Strategy of Regenerative

Braking to Maximize the Charging Current into the Battery in SRM Drive,”

*Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect.*

*Prospect. Challenges, iSemantic 2019*, pp. 523–527, 2019, doi:

10.1109/ISEMANTIC.2019.8884342.

<https://ieeexplore.ieee.org/document/8884342>

[20] N. Kusumaningrum, S. Riyadi, L. H. Pratomo, and F. B. Setyawan,

“Optimalisasi Pengereman Regeneratif dengan Perubahan Sudut Eksitasi pada Pulsa Tunggal,” *J. Tek. Elektro*, vol. 13, no. 1, pp. 1–9, 2021, doi:

10.15294/jte.v13i1.28600.

<https://journal.unnes.ac.id/nju/index.php/jte/article/download/28600/11753>