

DAFTAR PUSTAKA

- [1] M. H. Haque, "Maximum power delivery capability of a three-phase self-excited induction generator," *8th Int. Conf. Electr. Comput. Eng. Adv. Technol. a Better Tomorrow, ICECE 2014*, pp. 465–468, 2015, doi: 10.1109/ICECE.2014.7026966.
<https://ieeexplore.ieee.org/document/7026966>
- [2] A. I. Ramadhan, E. Diniardi, and S. H. Mukti, "Analisis Desain Sistem Pembangkit Listrik Tenaga Surya Kapasitas 50 WP," *Teknik*, vol. 37, no. 2, p. 59, 2016, doi: 10.14710/teknik.v37i2.9011.
<https://ejournal.undip.ac.id/index.php/teknik/article/view/9011>
- [3] P. S. Wibowo and S. Riyadi, "SPWM Volt/Hz Based Speed Control of Induction Motor," *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect. Prospect. Challenges, iSemantic 2019*, pp. 482–486, 2019, doi: 10.1109/ISEMANTIC.2019.8884311.
<https://ieeexplore.ieee.org/document/8884311>
- [4] P. Nuttapon, B. Sawetsakulanond, and V. Kinnares, "Analysis and investigation on the behavior and performance of single phase grid connected induction generators system," *2017 20th Int. Conf. Electr. Mach. Syst. ICEMS 2017*, no. 1, pp. 8–11, 2017, doi: 10.1109/ICEMS.2017.8056302.
<https://ieeexplore.ieee.org/document/8056302>

- [5] S. M. Alghuwainem, "Transient and islanding performance of grid-connected induction generator feeding induction motor and resistive loads," *2011 IEEE Int. Electr. Mach. Drives Conf. IEMDC 2011*, pp. 844–847, 2011, doi: 10.1109/IEMDC.2011.5994924.
<https://ieeexplore.ieee.org/document/5994924>
- [6] S. N. Mahato, M. P. Sharma, and S. P. Singh, "Analysis of transient behavior of a single-phase self-regulated self-excited induction generator using a three-phase machine," *Proc. IEEE Int. Conf. Ind. Technol.*, pp. 2709–2714, 2006, doi: 10.1109/ICIT.2006.372605.
<https://ieeexplore.ieee.org/document/4237927>
- [7] V. Wijaya and S. Riyadi, "Implementation of Input Capture Method on Switched Reluctance Motor to Obtain Precise Commutation Signals," *CENCON 2019 - 2019 IEEE Conf. Energy Convers.*, vol. 2019-Janua, pp. 110–114, 2019, doi: 10.1109/CENCON47160.2019.8974776.
<https://ieeexplore.ieee.org/document/8974776>
- [8] H. Santoso, U. Wibawa, R. K. Subroto, and L. Ardhenta, "Impact of load and speed variation to frequency variation on single-phase self-excited induction generator," *2018 Electr. Power, Electron. Commun. Control. Informatics Semin. EECCIS 2018*, pp. 5–8, 2018, doi: 10.1109/EECCIS.2018.8692949.
<https://ieeexplore.ieee.org/document/8692949>

- [9] S. M. Alghuwainem, "Steady-state analysis of self-excited induction generator using real and reactive power balances," *Can. Conf. Electr. Comput. Eng.*, pp. 7–10, 2014, doi: 10.1109/CCECE.2014.6900964.
<https://ieeexplore.ieee.org/document/6900964>
- [10] D. A. Goarski and G. Iwanski, "Asynchronous Grid Connection of a Cage Induction Generator Excited by a Power Electronic Converter," *IEEE Trans. Energy Convers.*, vol. 36, no. 1, pp. 63–70, 2021, doi: 10.1109/TEC.2020.3011546.
<https://ieeexplore.ieee.org/document/9146607>
- [11] C. T. Raj, S. P. Srivastava, and P. Agarwal, "Energy Efficient Control of Three-Phase Induction Motor - A Review," *Int. J. Comput. Electr. Eng.*, no. June 2016, pp. 61–70, 2009, doi: 10.7763/ijcee.2009.v1.10.
https://www.researchgate.net/publication/269801140_Energy_Efficient_Control_of_Three-Phase_Induction_Motor_-_A_Review
- [12] Zuriman Anthony, "Studi Pengaruh Perubahan Frekwensi Sumber terhadap Faktor Daya Motor Induksi 3-Fasa," *Tek. Elektro Itp*, vol. 2, no. 2, pp. 49–52, 2013.
https://www.academia.edu/45420696/Studi_Pengaruh_Perubahan_Frekuensi_Sumber_Terdapat_Faktor_Daya_Motor_Induksi_3_FASA

- [13] H. Hafezi and A. Jalilian, "Design and construction of induction motor thermal monitoring system," *41st Int. Univ. Power Eng. Conf. UPEC 2006, Conf. Proceedings*, vol. 2, pp. 674–678, 2006, doi: 10.1109/UPEC.2006.367564.
<https://ieeexplore.ieee.org/document/4218771>
- [14] P. S. B. Sakti and S. Riyadi, "Hardware Implementation of Simplified VVVF Inverter for Induction Motor Based on SVM," *Proc. - 2019 Int. Semin. Appl. Technol. Inf. Commun. Ind. 4.0 Retrospect. Prospect. Challenges, iSemantic 2019*, pp. 487–491, 2019, doi: 10.1109/ISEMANTIC.2019.8884271.
<https://ieeexplore.ieee.org/document/8884271>
- [15] M. H. Haque and S. Member, "Induction Generators in Remote Areas," vol. 00, no. December 2008, pp. 20–22, 2015.
<https://ieeexplore.ieee.org/document/4769169>
- [16] S. Kumar and K. Gaur, "Excitation process in three phase squirrel cage induction generator for wind mill application," *2013 Int. Conf. Energy Effic. Technol. Sustain. ICEETS 2013*, pp. 414–419, 2013, doi: 10.1109/ICEETS.2013.6533418.
<https://ieeexplore.ieee.org/document/6533418>
- [17] L. Wang, Y. F. Yang, and S. C. Kuo, "Analysis of grid-connected induction generators under three-phase balanced conditions," *Proc. IEEE Power Eng. Soc. Transm. Distrib. Conf.*, vol. 1, pp. 413–417, 2002, doi: 10.1109/pesw.2002.985033.
<https://ieeexplore.ieee.org/document/5994924>

- [18] L. Wang, "Analyses of a Three-Phase Induction Generator," no. C, pp. 1398–1402, 2001.
<https://ieeexplore.ieee.org/document/917298>
- [19] Y. Badruzzaman, "Pengasutan Konvensional Motor Induksi Tiga Fasa Rotor Sangkar Tupai," *Jur. Tek. Elektro Terap.*, vol. 1, no. 6, pp. 41–47, 2012.
<https://jurnal.polines.ac.id/index.php/jtet/article/view/7>
- [20] N. Evalina, A. H. Azis, and Zulfikar, "Pengaturan Kecepatan Putaran Motor Induksi 3 Fasa Menggunakan Programmable logic controller," *J. Electr. Technol.*, vol. 3, no. 2, pp. 73–80, 2018.
<https://jurnal.uisu.ac.id/index.php/jet/article/view/545>
- [21] A. Rachmat and A. Ruhama, "Perancangan Dan Pembuatan Alat Uji Motor Listrik Induksi Ac 3 Fasa Menggunakan Dinamometer Tali (Rope Brake Dynamometer)," *J-Ensitec*, vol. 1, no. 01, pp. 7–16, 2014, doi: 10.31949/j-ensitec.v1i01.11.
<https://garuda.kemdikbud.go.id/documents/detail/358658>
- [22] R. Fakhrizal, T. Sukmadi, and M. Facta, "Aplikasi Programmable Logic Controller (Plc) Pada Pengasutan Dan Proteksi Bintang (Y) - Segitiga (Δ) Motor Induksi Tiga Fasa," *Klasifikasi Online Dok. Ber. Dengan Menggunakan Suffix Tree Clust.*, pp. 1–8, 2018.
<http://eprints.undip.ac.id/25477/>

- [23] A. B. Priahutama, T. Sukmadi, and I. Setiawan, "Perancangan Modul Soft Starting Motor Induksi 3 Fasa dengan Atmega 8535," *Transmisi*, vol. 12, no. 4, pp. 160–167, 2010, [Online]. Available: <http://ejournal.undip.ac.id/index.php/transmisi>
<https://ejournal.undip.ac.id/index.php/transmisi/article/view/3617>
- [24] A. Supriyadi, "148-Article Text-160-1-10-20190110," *Forum Teknol.*, vol. 05, no. 2, 2015.
<http://ejurnal.ppsdmmigas.esdm.go.id/sp/index.php/swarapatra/article/view/148>
- [25] A. Warsito and M. Facta, "Pengereman Dinamik Pada Motor Induksi Tiga Fasa," *Transmisi*, vol. 8, no. 1, pp. 1-5–5, 2006.
<http://eprints.undip.ac.id/231/>
- [26] D. Kumi Owusu and C. Kwaku Amuzuvi, "Design and Construction of a 3-Phase Induction Motor Wireless Control System," *J. Electr. Electron. Eng.*, vol. 8, no. 3, p. 92, 2020, doi: 10.11648/j.jeee.20200803.13.
https://www.researchgate.net/publication/345487216_Design_and_Construction_of_a_3-Phase_Induction_Motor_Wireless_Control_System
- [27] I. H. Purnomo, "Analisis Motor Induksi 3 Fasa Dengan Metode Kerangka Referensi," *Tugas Akhir*, pp. 1–9, 2011.
<http://eprints.undip.ac.id/25504/>

- [28] H. Haryanto and R. Munarto, "Analisis Karakteristik Motor Induksi Tiga Fasa XYZ Standar NEMA," *Setrum Sist. Kendali-Tenaga-elektronika-telekomunikasi-komputer*, vol. 3, no. 1, p. 35, 2016, doi: 10.36055/setrum.v3i1.496.
<https://jurnal.untirta.ac.id/index.php/jis/article/view/496>
- [29] R. Berlianti, A. Multi, and B. A. P, "Motor Induksi Fasa Tiga Tipe Rotor Sangkar Sebagai Generator Induksi Dengan Variasi Hubungan Kapasitor Untuk Eksitasi," *Sainstech J. Penelit. dan Pengkaj. Sains dan Teknol.*, vol. 26, no. 2, pp. 33–41, 2020, doi: 10.37277/stch.v26i2.508.
<https://ejournal.istn.ac.id/index.php/sainstech/article/view/508>
- [30] S. Riyadi and Y. B. Dwi Setianto, "Analysis and Design of BLDC Motor Control in Regenerative Braking," *Proc. - 2019 Int. Symp. Electr. Electron. Eng. ISEE 2019*, pp. 211–215, 2019, doi: 10.1109/ISEE2.2019.8920962.
<https://ieeexplore.ieee.org/document/8920962>
- [31] S. M. Alghuwainem, "Steady-state analysis of an induction generator self-excited by a capacitor in parallel with a saturable reactor," *Electr. Mach. Power Syst.*, vol. 26, no. 6, pp. 617–625, 1998, doi: 10.1080/07313569808955845.
<https://www.tandfonline.com/doi/abs/10.1080/07313569808955845>

- [32] C. Suppitaksakul, P. Phanuphol, and S. Dangeam, "Power flow and efficiency analysis of three-phase induction generator for grid connected system," *2015 18th Int. Conf. Electr. Mach. Syst. ICEMS 2015*, pp. 169–172, 2016, doi: 10.1109/ICEMS.2015.7385020.
<https://ieeexplore.ieee.org/document/7385020>
- [33] A. M. Knight, J. Salmon, M. S. Toulabi, and R. Ul Haque, "A cage rotor induction generator capable of supplying reactive power," *IEEE Int. Symp. Ind. Electron.*, 2013, doi: 10.1109/ISIE.2013.6563879.
<https://ieeexplore.ieee.org/document/6563879>
- [34] F. Mansour, "Induction Motors : Construction , Principle of Operation , Power and Torque Calculations , Characteristics and Speed Control Induction Motors : Construction , Principle of Operation , Power and Torque Calculations , Characteristics and Speed Control," *Doi 10.13140/Rg.2.2.15490.71360 Cit.*, vol. 1, no. June, pp. 1–23, 2020, doi: 10.13140/RG.2.2.15490.71360.
https://www.researchgate.net/publication/343546075_Induction_Motors_Construction_Principle_of_Operation_Power_and_Torque_Calculations_Characteristics_and_Speed_Control
- [35] D. T. Arif and A. Aswardi, "Kendali Kecepatan Motor DC Penguat Terpisah Berbeban Berbasis Arduino," *JTEV (Jurnal Tek. Elektro dan Vokasional)*, vol. 6, no. 2, p. 33, 2020, doi: 10.24036/jtev.v6i2.108395.
<http://ejournal.unp.ac.id/index.php/jtev/article/view/108395>

- [36] Stephanus Antonius Ananda and Edhi Tanaka Soewangsa, “Studi Karakteristik Motor DC Penguat Luar Terhadap Posisi Sikat,” *J. Tek. Elektro*, vol. 3, no. 1, pp. 51–56, 2003, [Online]. Available: <http://puslit2.petra.ac.id/ejournal/index.php/elk/article/view/15869>
<https://ojs.petra.ac.id/ojsnew/index.php/elk/article/view/15869>
- [37] L. H. P. Arifin Wibisono, Andhika Wicaksono Dwi Tangguh Klapoviq, “Analisis Kualitas Daya Pada Off-Grid Photovoltaic Solar Power System Terhadap Beban Linier,” *Pros. Semin. Nas. Ris. dan Teknol. Terap. 2021*, vol. 5, no. 3, pp. 1–8, 2021.
<https://journal.unpar.ac.id/index.php/ritektra/article/view/4953>
- [38] R. A. Mulya, “Pemodelan Saluran Udara untuk Menghitung Impedansi Urutan dengan Metode Carson pada Penyulang Katu Gardu Induk Menggala PT. PLN (Persero) Distribusi Lampung,” vol. 10, no. 2, 2016, [Online]. Available: <http://digilib.unila.ac.id/id/eprint/21468>
<https://electrician.unila.ac.id/index.php/ojs/article/view/213>