

DAFTAR PUSTAKA

- Abdel-Mohsen, A. M., Abdel-Rahman, R. M., Kubena, I., Kobera, L., Spatz, Z., Zboncak, M., Prikryl, R., Brus, J., & Jancar, J. (2020). Chitosan-glucan complex hollow fibers reinforced collagen wound dressing embedded with aloe vera. Part I: Preparation and characterization. *Carbohydrate Polymers*, 230, 115708. <https://doi.org/10.1016/j.carbpol.2019.115708>
- Adiningsih, Y., & Tatik, P. (2015). JURNAL RISET TEKNOLOGI INDUSTRI 150 Yuni Adiningsih dan Tatik Purwanti Karakterisasi Mutu Gelatin Ikan Tenggiri (*Scomberomorus Commersonii*) dengan Perendaman Menggunakan Asam Sitrat dan Asam Sulfat. *Jurnal Riset Teknologi Industri*, 9(2), 149–156.
- Ahmed, M., Verma, A. K., & Patel, R. (2020). Collagen extraction and recent biological activities of collagen peptides derived from sea-food waste: A review. *Sustainable Chemistry and Pharmacy*, 18(September), 100315. <https://doi.org/10.1016/j.scp.2020.100315>
- Annisa, S., Darmanto, Y. S., & Amalia, U. (2017). PENGARUH PERBEDAAN SPESIES IKAN TERHADAP HIDROLISAT PROTEIN IKAN DENGAN PENAMBAHAN ENZIM PAPAIN (The Effect of Various Fish Species On Fish Protein Hydrolysate With The Addition of Papain Enzyme). *SAINTEK PERIKANAN: Indonesian Journal of Fisheries Science and Technology*, 13(1), 24. <https://doi.org/10.14710/ijfst.13.1.24-30>
- Ardhani, F. A. K., Safithri, M., Tarman, K., Husnawati, H., Setyaningsih, I., & Meydia, M. (2019). Antioxidant activity of collagen from skin of parang-parang fish (*Chirocentrus dorab*) using DPPH and CUPRAC methods. *IOP Conference Series: Earth and Environmental Science*, 241(1). <https://doi.org/10.1088/1755-1315/241/1/012032>
- Ayati, S., Eun, J.-B., Atoub, N., & Mirzapour-Kouhdasht, A. (2021). *Functional yogurt fortified with fish collagen-derived bioactive peptides: Antioxidant capacity, ACE and DPP-IV inhibitory.*

- Barajan, P., Chen, H.-J., Shiau, C.-Y., Sujithra, S., Kiruthiga, N., Prabhu, M. J., & Kumeresan, R. (2013). *ISOLATION AND DETERMINATION OF TYPE I COLLAGEN FROM TILAPIA (Oreochromis niloticus) WASTE Related papers Isolation and characterization of acid and pepsin-solubilized collagens from the skin of balloo... ISOLATION AND DETERMINATION OF TYPE I COLLAGEN FR.* 2181–2185.
- Benjakul, S., Pisuchpen, S., O'Brien, N., & Karnjanapratum, S. (2019). Effect of antioxidants and packing conditions on storage stability of cereal bar fortified with hydrolyzed collagen from seabass skin. *Italian Journal of Food Science*, 31(2), 347–366. <https://doi.org/10.14674/IJFS-1211>
- Benjakul, Soottawat, Sae-leaw, T., & Simpson, B. K. (2019). Byproducts from shellfish harvesting and processing. In *Byproducts from Agriculture and Fisheries: Adding Value for Food, Feed, Pharma and Fuels*. <https://doi.org/10.1002/9781119383956.ch10>
- Bhagwat, P. K., & Dandge, P. B. (2016). Isolation, characterization and valorizable applications of fish scale collagen in food and agriculture industries. *Biocatalysis and Agricultural Biotechnology*, 7, 234–240. <https://doi.org/10.1016/j.bcab.2016.06.010>
- Bhagwat, P. K., & Dandge, P. B. (2018). Collagen and collagenolytic proteases: A review. *Biocatalysis and Agricultural Biotechnology*, 15, 43–55. <https://doi.org/10.1016/j.bcab.2018.05.005>
- Cao, J., Duan, Q., Liu, X., Shen, X., & Li, C. (2019). Extraction and Physicochemical Characterization of Pepsin Soluble Collagens from Golden Pompano (*Trachinotus blochii*) Skin and Bone. *Journal of Aquatic Food Product Technology*, 28(8), 837–847. <https://doi.org/10.1080/10498850.2019.1652216>
- Caruso G. (2015). Fishery Wastes and By-products: A Resource to Be Valorised. *Journal of Fisheries Sciences*, 9(4), 080–083.

- Cutajar, N., Lia, F., Deidun, A., Galdies, J., Arizza, V., & Zammit Mangion, M. (2022). Turning Waste into A Resource: Isolation and Characterization of High-Quality Collagen and Oils from Atlantic Bluefin Tuna Discards. *Applied Sciences (Switzerland)*, 12(3). <https://doi.org/10.3390/app12031542>
- El-Rashidy, A. A., Gad, A., Abu-Hussein, A. E. H. G., Habib, S. I., Badr, N. A., & Hashem, A. A. (2015). Chemical and biological evaluation of Egyptian Nile Tilapia (*Oreochromis niloticas*) fish scale collagen. *International Journal of Biological Macromolecules*, 79, 618–626. <https://doi.org/10.1016/j.ijbiomac.2015.05.019>
- FAO. (2020). The State of World Fisheries and Aquaculture. In *Inform* (Vol. 32, Nomor 6). Sustainability in action. Rome. <https://doi.org/10.4060/ca9229en>
- Fuller, B. T., Müldner, G., Van Neer, W., Eryvynck, A., & Richards, M. P. (2012). Carbon and nitrogen stable isotope ratio analysis of freshwater, brackish and marine fish from Belgian archaeological sites (1st and 2nd millennium AD). *Journal of Analytical Atomic Spectrometry*, 27(5), 807–820. <https://doi.org/10.1039/c2ja10366d>
- Hadfi, N. H., & Sarbon, N. M. (2019). Physicochemical properties of silver catfish (*Pangasius sp.*) skin collagen as influenced by acetic acid concentration. *Food Research* 3(6), 3(December), 783–790.
- Hafiludin. (2015). Analisis Kandungan Gizi Pada Ikan Bandeng Yang Berasal Dari Habitat Yang Berbeda. *Kelautan*, 8(1), 37–43. <http://journal.trunojoyo.ac.id/jurnalkelautan>
- Hamdan, F. S., & Sarbon, N. M. (2019). Isolation and characterisation of collagen from fringescale sardinella (*Sardinella fimbriata*) waste materials. *International Food Research Journal*, 26(1), 133–140.
- Handayani, D. L., Sumaimi, M. E., Ashari, T. A., & Jumadi. (2020). Preliminary research: Utilization of gourami fish bone flour (*osphronemus gouramy*) in making calcium dumplings. *Jurnal Ilmiah Perikanan dan Kelautan*, 12(2),

302–307. <https://doi.org/10.20473/jipk.v12i2.19572>

Hashim, P., Mohd Ridzwan, M. S., Bakar, J., & Mat Hashim, D. (2015). Collagen in food and beverage industries. *International Food Research Journal*, 22(1), 1–8.

He, G., Yin, Y., Yan, X., & Wang, Y. (2017). Semi-Bionic Extraction of Effective Ingredient from Fishbone by High Intensity Pulsed Electric Fields. *Journal of Food Process Engineering*, 40(2), 1–9. <https://doi.org/10.1111/jfpe.12392>

Hidayat, G., Nurcahya Dewi, E., & Rianingsih, L. (2016). Characteristics of Bone Gelatin Tilapia (*Oreochromis niloticus*) Processed by Using Hydrolysis With Phosphoric Acid and Papain Enzyme. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 19(1), 69–78. <https://doi.org/10.17844/jphpi.2016.19.1.69>

Hukmi, N. M. M., & Sarbon, N. M. (2018). Isolation and characterization of acid soluble collagen (ASC) and pepsin soluble collagen (PSC) extracted from silver catfish (*Pangasius sp.*) skin. *International Food Research Journal*, 25(6), 2601–2607.

Ideia, P., Pinto, J., Ferreira, R., Figueiredo, L., Spínola, V., & Castilho, P. C. (2020). Fish Processing Industry Residues: A Review of Valuable Products Extraction and Characterization Methods. *Waste and Biomass Valorization*, 11(7), 3223–3246. <https://doi.org/10.1007/s12649-019-00739-1>

Igielska-Kalwat, J., Kilian-Pięta, E., & Połoczańska-Godek, S. (2022). The Use of Natural Collagen Obtained from Fish Waste in Hair Styling and Care. *Polymers*, 14(4). <https://doi.org/10.3390/polym14040749>

Jafari, H., Lista, A., Siekapen, M. M., Ghaffari-Bohlouli, P., Nie, L., Alimoradi, H., & Shavandi, A. (2020). Fish collagen: Extraction, characterization, and applications for biomaterials engineering. *Polymers*, 12(10), 1–37. <https://doi.org/10.3390/polym12102230>

Jayathilakan, K., Sultana, K., Radhakrishna, K., & Bawa, A. S. (2012). Utilization of byproducts and waste materials from meat, poultry and fish processing

industries: A review. *Journal of Food Science and Technology*, 49(3), 278–293. <https://doi.org/10.1007/s13197-011-0290-7>

Kaewdang, O., Benjakul, S., Kaewmanee, T., & Kishimura, H. (2014). Characteristics of collagens from the swim bladders of yellowfin tuna (*Thunnus albacares*). *Food Chemistry*, 155, 264–270. <https://doi.org/10.1016/j.foodchem.2014.01.076>

Kumar, A., Elavarasan, K., Hanjabam, M. D., Binsi, P. K., Mohan, C. O., Zynudheen, A. A., & Kumar K, A. (2019). Marine collagen peptide as a fortificant for biscuit: Effects on biscuit attributes. *Lwt*, 109(October 2018), 450–456. <https://doi.org/10.1016/j.lwt.2019.04.052>

Kumar, D. P., Chandra, M. V., Elavarasan, K., & Shamasundar, B. A. (2018). Structural properties of gelatin extracted from croaker fish (*Johnius sp*) skin waste. *International Journal of Food Properties*, 20(3), S2612–S2625. <https://doi.org/10.1080/10942912.2017.1381702>

Le, T. M. T., Nguyen, V. M., Tran, T. T., Takahashi, K., & Osako, K. (2020). Comparison of acid-soluble collagen characteristic from three important freshwater fish skins in Mekong Delta Region, Vietnam. *Journal of Food Biochemistry*, 44(9), 1–8. <https://doi.org/10.1111/jfbc.13397>

Li, P. H., Lu, W. C., Chan, Y. J., Ko, W. C., Jung, C. C., Le Huynh, D. T., & Ji, Y. X. (2020). Extraction and characterization of collagen from sea cucumber (*Holothuria cinerascens*) and its potential application in moisturizing cosmetics. *Aquaculture*, 515, 734590. <https://doi.org/10.1016/j.aquaculture.2019.734590>

Lin, P., Hua, N., Hsu, Y. C., Kan, K. W., Chen, J. H., Lin, Y. H., Lin, Y. H., & Kuan, C. M. (2020). Oral Collagen Drink for Antiaging: Antioxidation, Facilitation of the Increase of Collagen Synthesis, and Improvement of Protein Folding and DNA Repair in Human Skin Fibroblasts. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/8031795>

- Liu, D., Wei, G., Li, T., Hu, J., Lu, N., Regenstein, J. M., & Zhou, P. (2015). Effects of alkaline pretreatments and acid extraction conditions on the acid-soluble collagen from grass carp (*Ctenopharyngodon idella*) skin. *Food Chemistry*, *172*, 836–843. <https://doi.org/10.1016/j.foodchem.2014.09.147>
- Manickam, N., Bhavan, P. S., & Santhanam, P. (2017). Evaluation of Nutritional Profiles of Wild Mixed Zooplankton in Sulur and Ukkadam Lakes of Coimbatore, South India. *Turkish Journal of Fisheries and Aquatic Sciences*, *17*(1), 51–60. <https://doi.org/10.4194/1303-2712-v17>
- Menezes, M. do L. L. R., Ribeiro, H. L., Abreu, F. de O. M. d. S., Feitosa, J. P. de A., & Filho, M. de S. M. de S. (2020). Optimization of the collagen extraction from Nile tilapia skin (*Oreochromis niloticus*) and its hydrogel with hyaluronic acid. *Colloids and Surfaces B: Biointerfaces*, *189*(January), 110852. <https://doi.org/10.1016/j.colsurfb.2020.110852>
- Mirzapour, K. A., Moosavi-Nasab, M., & Aminlari, M. (2018). Gelatin production using fish wastes by extracted alkaline protease from *Bacillus licheniformis*. *Journal of Food Science and Technology*, *55*(12), 5175–5180. <https://doi.org/10.1007/s13197-018-3449-7>
- Moranda, D. P., Handayani, L., & Nazlia, S. (2018). Pemanfaatan limbah kulit ikan tuna sirip kuning (*Thunnus albacares*) sebagai gelatin: Hidrolisis menggunakan pelarut HCl dengan konsentrasi berbeda. *Acta Aquatica: Aquatic Sciences Journal*, *5*(2), 81. <https://doi.org/10.29103/aa.v5i2.850>
- Muralidharan, N., Jeya Shakila, R., Sukumar, D., & Jeyasekaran, G. (2013). Skin, bone and muscle collagen extraction from the trash fish, leather jacket (*Odonus niger*) and their characterization. *Journal of Food Science and Technology*, *50*(6), 1106–1113. <https://doi.org/10.1007/s13197-011-0440-y>
- Muthumari, K., Anand, M., & Maruthupandy, M. (2016). Collagen Extract from Marine Finfish Scales as a Potential Mosquito Larvicide. *Protein Journal*, *35*(6), 391–400. <https://doi.org/10.1007/s10930-016-9685-7>

- Nawaz, A., Li, E., Irshad, S., Xiong, Z., Xiong, H., Shahbaz, H. M., & Siddique, F. (2020). Valorization of fisheries by-products: Challenges and technical concerns to food industry. *Trends in Food Science and Technology*, 99(February), 34–43. <https://doi.org/10.1016/j.tifs.2020.02.022>
- Nemati, M., Huda, N., & Ariffin, F. (2017). Development of calcium supplement from fish bone wastes of yellowfin tuna (*Thunnus albacares*) and characterization of nutritional quality. *International Food Research Journal*, 24(6), 2419–2426.
- Nurhayati, N., Tazwir, T., & Murniyati, M. (2013). Ekstraksi dan Karakterisasi Kolagen Larut Asam dari Kulit Ikan Nila (*Oreochromis niloticus*). *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(1), 84. <https://doi.org/10.15578/jpbkp.v8i1.56>
- Nurilmala, M., Fauzi, S., Mayasari, D., & Batubar, I. (2019). Collagen extraction from yellowfin tuna (*Thunnus albacares*) skin and its antioxidant activity. *Jurnal Teknologi*, 81(2), 141–149. <https://doi.org/10.11113/jt.v81.11614>
- Nurilmala, M., Hizbullah, H. H., Karnia, E., Kusumaningtyas, E., & Ochiai, Y. (2020). Characterization and Antioxidant Activity of Collagen, Gelatin, and the Derived Peptides from Yellowfin Tuna (*Thunnus albacares*) Skin. *Marine Drugs*, 18(2). <https://doi.org/10.3390/md18020098>
- Okmawati, L., & Rosmawati, R. (2013). Karakteristik Hidrolisat Protein Tambelo (*Bactronophorus* sp.) yang Dihidrolisis Menggunakan Enzim Papain. *Biogenesis: Jurnal Ilmiah Biologi*, 1(2), 133–140. <https://doi.org/10.24252/bio.v1i2.459>
- Oledzka, I., Kowalski, P., Baluch, A., Baczek, T., Paradziej-Lukowicz, J., Taciak, M., & Pastuszewska, B. (2014). Quantification of the level of fat-soluble vitamins in feed based on the novel microemulsion electrokinetic chromatography (MEEKC) method. *Journal of the Science of Food and Agriculture*, 94(3), 544–551. <https://doi.org/10.1002/jsfa.6290>

- Pal, G. K., Nidheesh, T., & Suresh, P. V. (2015). Comparative study on characteristics and in vitro fibril formation ability of acid and pepsin soluble collagen from the skin of catla (*Catla catla*) and rohu (*Labeo rohita*). *Food Research International*, 76, 804–812. <https://doi.org/10.1016/j.foodres.2015.07.018>
- Pang, S., Su, F. Y., Green, A., Salim, J., McKittrick, J., & Jasiuk, I. (2021). Comparison of different protocols for demineralization of cortical bone. *Scientific Reports*, 11(1), 1–10. <https://doi.org/10.1038/s41598-021-86257-4>
- Prabjeet, S., & Sootawat, B. (2017). Extraction and characterisation of gelatin from the skin of striped catfish (*Pangasianodon hypophthalmus*) and studies on its colour improvement. *African Journal of Biotechnology*, 16(1), 1–9. <https://doi.org/10.5897/ajb2013.13121>
- Ridhay, A., Musafira, Nurhaeni, Nurakhirawati, & Khasanah, N. B. (2016). PENGARUH VARIASI JENIS ASAM TERHADAP RENDEMEN GELATIN DARI TULANG IKAN CAKALANG (*Katsuwonus pelamis*). *KOVALEN: Jurnal Riset Kimia*, 15(2), 1–23.
- Shyni, K., Hema, G. S., Ninan, G., Mathew, S., Joshy, C. G., & Lakshmanan, P. T. (2014). Isolation and characterization of gelatin from the skins of skipjack tuna (*katsuwonus pelamis*), dog shark (*scoliodon sorrakowah*), and rohu (*labeo rohita*). *Food Hydrocolloids*, 39, 68–76. <https://doi.org/10.1016/j.foodhyd.2013.12.008>
- Slimane, E. Ben, & Sadok, S. (2018). Collagen from cartilaginous fish by-products for a potential application in bioactive film composite. *Marine Drugs*, 16(6). <https://doi.org/10.3390/md16060211>
- Sousa, R. O., Alves, A. L., Carvalho, D. N., Martins, E., Oliveira, C., Silva, T. H., & Reis, R. L. (2020). Acid and enzymatic extraction of collagen from Atlantic cod (*Gadus Morhua*) swim bladders envisaging health-related applications. *Journal of Biomaterials Science, Polymer Edition*, 31(1), 20–37. <https://doi.org/10.1080/09205063.2019.1669313>

- Sousa, R. O., Martins, E., Carvalho, D. N., Alves, A. L., Oliveira, C., Duarte, A. R. C., Silva, T. H., & Reis, R. L. (2020). Collagen from Atlantic cod (*Gadus morhua*) skins extracted using CO₂ acidified water with potential application in healthcare. *Journal of Polymer Research*, 27(3). <https://doi.org/10.1007/s10965-020-02048-x>
- Srinivasan, S., & Durairaj, B. (2021). Collagen isolation and characterization from *Sardinella longiceps*. *Journal of Advanced Veterinary and Animal Research*, 8(4), 679–686. <https://doi.org/10.5455/javar.2021.h560>
- Sulaiman, A. W., & Sarbon, N. M. (2020). Characterization of acid soluble collagen (Asc) and pepsin soluble collagen (psc) extracted from shortfin scad (*decapterus macrosoma*) waste. *Food Research*, 4(6), 2272–2280. [https://doi.org/10.26656/fr.2017.4\(6\).267](https://doi.org/10.26656/fr.2017.4(6).267)
- Suntornsaratoon, P., Charoenphandhu, N., & Krishnamra, N. (2018). Fortified tuna bone powder supplementation increases bone mineral density of lactating rats and their offspring. *Journal of the Science of Food and Agriculture*. <https://doi.org/10.1002/j>
- Truong, T. M. T., Nguyen, V. M., Tran, T. T., & Le, T. M. T. (2021). Characterization of Acid-Soluble Collagen from Food Processing By-Products of Snakehead Fish (*Channa striata*). *Processes*. <https://doi.org/https://doi.org/10.3390/pr9071188>
- Veeruraj, A., Arumugam, M., & Balasubramanian, T. (2013). Isolation and characterization of thermostable collagen from the marine eel-fish (*Evenchelys macrura*). *Process Biochemistry*, 48(10), 1592–1602. <https://doi.org/10.1016/j.procbio.2013.07.011>
- Wu, J., Kong, L., Zhang, J., & Chen, W. (2019). Extraction and properties of acid-soluble collagen and pepsin-soluble collagen from silver carp (*Hypophthalmichthys molitrix*) scales: Prerequisite information for fishery processing waste reuse. *Polish Journal of Environmental Studies*, 28(4), 2923–2930. <https://doi.org/10.15244/pjoes/93742>

- Wulandari, Suptijah, P., & Tarman, K. (2015). Effectiveness of Alkaline Pretreatment and Acetic Acid Hydrolysis on the Characteristics of Collagen from Fish Skin of Snakehead. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(3). <https://doi.org/10.17844/jphpi.v18i3.11309>
- Xu, S., Yang, H., Shen, L., & Li, G. (2017). Purity and yield of collagen extracted from southern catfish (*Silurus meridionalis* Chen) skin through improved pretreatment methods. *International Journal of Food Properties*, 20(1), S141–S153. <https://doi.org/10.1080/10942912.2017.1291677>
- Zhang, D., Wu, X., Chen, J., & Lin, K. (2018). The development of collagen based composite scaffolds for bone regeneration. *Bioactive Materials*, 3(1), 129–138. <https://doi.org/10.1016/j.bioactmat.2017.08.004>
- Zhang, F., Wang, A., Li, Z., He, S., & Shao, L. (2011). Preparation and Characterisation of Collagen from Freshwater Fish Scales. *Food and Nutrition Sciences*, 02(08), 818–823. <https://doi.org/10.4236/fns.2011.28112>