

DAFTAR PUSTAKA

- Abiad, M. G., & Meho, L. I. (2018). Food loss and food waste research in the Arab world: a systematic review. *Food Security*, 10(2), 311–322. <https://doi.org/10.1007/s12571-018-0782-7>
- Adhayanti, I., T. A. dan, & Romantika, R. (2012). Uji kandungan total polifenol dan flavonoid ekstrak etil asetat kulit pisang raja (*Musa paradisiaca* var. *sapientum*). *Media Farmasi*, 1, 146–152.
- Agama-Acevedo, E., Sañudo-Barajas, J. A., Vélez De La Rocha, R., González-Aguilar, G. A., & Bello-Peréz, L. A. (2016). Potential of plantain peels flour (*Musa paradisiaca* L.) as a source of dietary fiber and antioxidant compound. *CYTA - Journal of Food*, 14(1), 117–123. <https://doi.org/10.1080/19476337.2015.1055306>
- Aklilu, E. G. (2021). Modeling and optimization of pectin extraction from banana peel using artificial neural networks (ANNs) and response surface methodology (RSM). *Journal of Food Measurement and Characterization*, 15(3), 2759–2773. <https://doi.org/10.1007/s11694-021-00852-7>
- Alam, M. J., Akter, S., Afroze, S., Islam, M. T., & Sayeem, E. H. (2020). Development of Fiber and Mineral Enriched Cookies By Utilization of Banana and Banana Peel Flour. *Journal of Microbiology, Biotechnology and Food Sciences*, 10(3), 329–334. <https://doi.org/10.15414/jmbfs.2020.10.3.329-334>
- Alara, O. R., Abdurahman, N. H., & Ukaegbu, C. I. (2021). Extraction of phenolic compounds: A review. *Current Research in Food Science*, 4(February), 200–214. <https://doi.org/10.1016/j.crfs.2021.03.011>
- Anal, A. K., Jaisanti, S., & Noomhorm, A. (2014). Enhanced yield of phenolic extracts from banana peels (*Musa acuminata* Colla AAA) and cinnamon barks (*Cinnamomum* varum) and their antioxidative potentials in fish oil. *Journal of Food Science and Technology*, 51(10), 2632–2639. <https://doi.org/10.1007/s13197-012-0793-x>

- Aziz, T., Johan, M. E. G., & Sri, D. (2018). Pengaruh jenis pelarut, temperatur dan waktu terhadap karakterisasi pektin hasil ekstraksi dari kulit buah naga (*Hylocereus polyrhizus*). *Jurnal Teknik Kimia*, 24(1), 17–27.
- Badan Pusat Statistik. (2022). *Produksi Buah Pisang di Indonesia Tahun 2017-2021*. <https://databoks.katadata.co.id/datapublish/2022/06/16/indonesia-hasilkan-jutaan-ton-pisang-tiap-tahun-ini-rinciannya>
- Bakar, S. K. S. A., Ahmad, N., & Jailan, F. (2020). In vitro starch hydrolysis and estimated glycaemic index of biscuits from unripe banana peel flour. *Journal of Nutritional Science and Vitaminology*, 66, S234–S238. <https://doi.org/10.3177/jnsv.66.S234>
- Baskar, R., Shrisakthi, S., Sathyapriya, B., Shyampriya, R., Nithya, R., & Poongodi, P. (2011). Antioxidant Potential of Peel Extracts of Banana Varieties (<i>Musa sapientum</i>). *Food and Nutrition Sciences*, 02(10), 1128–1133. <https://doi.org/10.4236/fns.2011.210151>
- behiry et al, 2019. (2019). Antifungal and Antibacterial Activities of Musa.pdf. *Processes*, 11.
- Chaudhry, F., Ahmad, M. L., Hayat, Z., Ranjha, M. M. A. N., Chaudhry, K., Elboughdiri, N., Asmari, M., & Uddin, J. (2022). Extraction and Evaluation of the Antimicrobial Activity of Polyphenols from Banana Peels Employing Different Extraction Techniques. *Separations*, 9(7). <https://doi.org/10.3390/separations9070165>
- Damián, M. R., Meza-Márquez, O. G., Osorio-Revilla, G., Gallardo-Velázquez, T., Téllez-Medina, D. I., & Ramos-Monroy, O. A. (2022). Microencapsulation of Red Banana Peel Extract and Bioaccessibility Assessment by In Vitro Digestion. *Processes*, 10(4), 1–15. <https://doi.org/10.3390/pr10040768>
- Devatkal, S. K., Kumboj, R., & Paul, D. (2014). Comparative antioxidant effect of BHT and water extracts of banana and sаподилла peels in raw poultry meat. *Journal of Food Science and Technology*, 51(2), 387–391.

- <https://doi.org/10.1007/s13197-011-0508-8>
- Devianti, V. A., Chrisnandari, R. D., & Darmawan, R. (2019). Pengaruh Metode Ekstraksi Terhadap Mutu Pektin Dari Kulit Pisang Raja Nangka. *Jurnal Kimia Riset*, 4(2), 170. <https://doi.org/10.20473/jkr.v4i2.15753>
- Djapili, D., Wolayan, F., Untu, I., & Liwe, H. (2015). PENGARUH PENGGANTIAN SEBAGIAN JAGUNG DENGAN TEPUNG KULIT PISANG RAJA (*Musa paradisiaca*) DALAM RANSUM TERHADAP PERFORMAN BROILER. *Zootec*, 35(2), 158. <https://doi.org/10.35792/zot.36.1.2016.10464>
- FAO 2011. (2013). The methodology of the FAO study : “ Global Food Losses and Food Waste - extent , causes and prevention .” In *SIK report No. 857: Vol. SIK report* (Issue 857). <https://www.diva-portal.org/smash/get/diva2:944159/FULLTEXT01.pdf>
- FAO, F. A. A. O. O. T. U. (2011). *Fishery And Aquaculture Statistics*. <http://www.fao.org/Fishery/Publication/Yearbook/En>
- Fitriah Ardiawijanti Iriani, Rosita Irianti Dehi, & Alpha C. Damar. (2022). Uji Mutu Fisik Emulgel Kulit Kayu Manis (*Cinnamomum Burmanii*) dan Kulit Jeruk Purut (*Citrus Hystrix*). *Jurnal Multidisiplin Madani*, 2(10), 3767–3771. <https://doi.org/10.55927/mudima.v2i10.1449>
- Gomes, S., Vieira, B., Barbosa, C., & Pinheiro, R. (2022). Evaluation of mature banana peel flour on physical, chemical, and texture properties of a gluten-free Rissol. *Journal of Food Processing and Preservation*, 46(8), 1–6. <https://doi.org/10.1111/jfpp.14441>
- Hamid, H. A., Abdollah, M. F. B., Masripan, N. A. B., & Hasan, R. (2016). Characterization of Raw and Ripen of Banana Peel wastes and It’s Oils extraction using Soxhlet Method. *International Journal of Applied Chemistry*, 12(1), 1–5. <http://www.ripulation.com>
- Hanum, F., Tarigan, M. A., & Kaban, I. M. D. (2012). Ekstraksi Pektin dari Kulit

- Buah Pisang Kepok (*Musa sapientum*). *Jurnal Teknik Kimia USU*, 1(1), 49–53.
- Hernández-Carranza, P., Ávila-Sosa, R., Guerrero-Beltrán, J. A., Navarro-Cruz, A. R., Corona-Jiménez, E., & Ochoa-Velasco, C. E. (2016). Optimization of Antioxidant Compounds Extraction from Fruit By-Products: Apple Pomace, Orange and Banana Peel. *Journal of Food Processing and Preservation*, 40(1), 103–115. <https://doi.org/10.1111/jfpp.12588>
- Hernawati, Kartini, T. A., & Priyandoko, D. (2019). Blood sugar conditions in hyperglycemic mice after given the biscuit from banana skin type Kepok. *Journal of Physics: Conference Series*, 1280(2). <https://doi.org/10.1088/1742-6596/1280/2/022007>
- Khamsucharit, P., Laohaphatanalert, K., Gavinlertvatana, P., Sriroth, K., & Sangseethong, K. (2018). Characterization of pectin extracted from banana peels of different varieties. *Food Science and Biotechnology*, 27(3), 623–629. <https://doi.org/10.1007/s10068-017-0302-0>
- Khawas, P., & Deka, S. C. (2016). Comparative Nutritional, Functional, Morphological, and Diffractogram Study on Culinary Banana (*Musa ABB*) Peel at Various Stages of Development. *International Journal of Food Properties*, 19(12), 2832–2853. <https://doi.org/10.1080/10942912.2016.1141296>
- Kumar, P. S., Durgadevi, S., Saravanan, A., & Uma, S. (2019). Antioxidant potential and antitumour activities of Nendran banana peels in breast cancer cell line. *Indian Journal of Pharmaceutical Sciences*, 81(3), 464–473. <https://doi.org/10.36468/pharmaceutical-sciences.531>
- Lou, S. N., Lai, Y. C., Huang, J. De, Ho, C. T., Ferng, L. H. A., & Chang, Y. C. (2015). Drying effect on flavonoid composition and antioxidant activity of immature kumquat. *Food Chemistry*, 171, 356–363. <https://doi.org/10.1016/j.foodchem.2014.08.119>

- Madjaga, B. H., Nurhaeni, N., & Ruslan, R. (2017). OPTIMALISASI EKSTRAKSI PEKTIN DARI KULIT BUAH SUKUN (*Artocarpus altilis*). *Kovalen*, 3(2), 158. <https://doi.org/10.22487/j24775398.2017.v3.i2.8722>
- Maneerat, N., Tangsuphoom, N., & Nitithamyong, A. (2017). Effect of extraction condition on properties of pectin from banana peels and its function as fat replacer in salad cream. *Journal of Food Science and Technology*, 54(2), 386–397. <https://doi.org/10.1007/s13197-016-2475-6>
- Martharini, D., & Indratiningsih, I. (2017). Kualitas Mikrobiologis dan Kimiawi Kefir Susu Kambing dengan Penambahan *Lactobacillus acidophilus* FNCC 0051 dan Tepung Kulit Pisang Kepok (*Musa Paradisiaca*) Microbiological and Chemical Quality of Goat Milk Kefir with the Addition of *Lactobacillus acidoph*. *Agritech*, 37(1), 22–29.
- Megawati, & Machsunah, elfi L. (2016). *Ekstraksi Pektin dari Kulit Pisang Kepok (*Musa paradisiaca*) Menggunakan Pelarut HCl sebagai Edible Film*. <https://doi.org/10.15294/jbat.v4i2.4177>
- Mohd Rasidek, N. A., Mad Nordin, M. F., Yusof, Y. A., Tokuyama, H., & Nagatsu, Y. (2018). Effect of temperature on rheology behaviour of banana peel pectin extracted using hot compressed water. *Jurnal Teknologi*, 80(3), 97–103. <https://doi.org/10.11113/jt.v80.11467>
- Nurhayati, N., Maryanto, M., & Tafrikhah, R. (2016). Ekstraksi Pektin dari Kulit dan Tandan Pisang dengan Variasi Suhu dan Metode (Pectin Extraction from Banana Peels and Bunch with Various Temperatures and Methods). *Jurnal Agritech*, 36(03), 327. <https://doi.org/10.22146/agritech.16605>
- Nurrahma, H. A., Meliala, A., Narwidina, P., & Herwiyanti, S. (2021). Hepatoprotective Effect of Banana Peel Flour on Histological and Liver Function in Diabetic Rats. *Indonesian Journal of Pharmacy*, 32(4), 529–538. <https://doi.org/10.22146/ijp.1917>
- Nurzaman, F., Djajadisastra, J., & Elya, B. (2018). Identifikasi Kandungan Saponin

- dalam Ekstrak Kamboja Merah (*Plumeria rubra L.*) dan Daya Surfaktan dalam Sediaan Kosmetik. *Jurnal Kefarmasian Indonesia*, 8(2), 85–93. <https://doi.org/10.22435/jki.v8i2.325>
- Nyimas Annis, A., & Iindri, W. (2014). The Potency of Ambon Banana(*Musa sapientum*) Fruit Peel As TheChemopreventive and Co-Chemoteraphy Agent in Breast Cancer. *Jurnal Kedokteran Unila*, 123–129. <https://juke.kedokteran.unila.ac.id/index.php/majority/article/download/273/271>
- Pane, E. R. (2013). Uji Aktivitas Senyawa Antioksidan dari Ekstrak Metanol Kulit Pisang Raja (*Musa paradisiaca Sapientum*). *Jurnal Kimia VALENSI*, 3(2), 75–80. <https://doi.org/10.15408/jkv.v3i2.502>
- Pereira, G. A., Molina, G., Arruda, H. S., & Pastore, G. M. (2017). Optimizing the Homogenizer-Assisted Extraction (HAE) of Total Phenolic Compounds from Banana Peel. *Journal of Food Process Engineering*, 40(3). <https://doi.org/10.1111/jfpe.12438>
- Phaiphan, A. (2022). Ultrasound Assisted Extraction of Pectin From Banana Peel Waste As a Potential Source for Pectin Production. *Acta Scientiarum Polonorum, Technologia Alimentaria*, 21(1), 17–30. <https://doi.org/10.17306/J.AFS.2022.0974>
- Picauly, P., & Tetelepta, G. (2020). Karakteristik Pektin Kulit Pisang Tongka Langit (*Musa troglodytarum*) Berdasarkan Variasi Waktu Ekstraksi. *AGRITEKNO: Jurnal Teknologi Pertanian*, 9(1), 28–34. <https://doi.org/10.30598/jagritekno.2020.9.1.28>
- Purwaningsih, D. Y., Zuchrilah, D. R., & Nurmala, I. (2019). Peningkatkan Mutu Minyak Goreng Curah dengan Penambahan Ekstrak Kulit Pisang Raja Sebagai Antioksidan Alami. *Reka Buana : Jurnal Ilmiah Teknik Sipil Dan Teknik Kimia*, 4(1), 22. <https://doi.org/10.33366/rekabuana.v4i1.1058>
- RA, 2015. (2001). Prosiding Seminar Nasional Current Challenges in Drug Use and

- Development Tantangan Terkini Perkembangan Obat dan Aplikasi Klinis Penentuan Aktivitas Antioksidan dan Kadar Fenol Total pada Ekstrak Kulit Buah Pisang (*Musa acuminata Colla*). *Prosiding Seminar Nasional Current Challenges in Drug Use and Development Tantangan*, 26–33.
- Rebelo, L. P. G., Ramos, A. M., Pertuzatti, P. B., Barcia, M. T., Castillo-Muñoz, N., & Hermosín-Gutiérrez, I. (2014). Flour of banana (*Musa AAA*) peel as a source of antioxidant phenolic compounds. *Food Research International*, 55(January 2014), 397–403. <https://doi.org/10.1016/j.foodres.2013.11.039>
- Redha, A. (2010). Flavonoid: Struktur, Sifat Antioksidatif dan Peranannya Dalam Sistem Biologis. *Jurnal Berlin*, 9(2), 196–202. <https://doi.org/10.1186/2110-5820-1-7>
- Ristianingsih, Y., Lestari, I., & Nandari, W. W. (2021). Pengaruh jenis asam dan temperatur ekstraksi terhadap yield dan karakteristik pektin dari kulit pisang kepok The effect of solvent and temperature on yield and pectin characteristics from kepok banana peels. *Eksbergi*, 18(2), 37–42.
- Rivadeneira, J. P., Wu, T., Ybanez, Q., Dorado, A. A., Migo, V. P., Nayve, F. R. P., & Castillo-Israel, K. A. T. (2020). Microwave-assisted extraction of pectin from “Saba” banana peel waste: Optimization, characterization, and rheology study. *International Journal of Food Science*, 2020. <https://doi.org/10.1155/2020/8879425>
- RUNGRAENG, N., & KRAITHONG, S. (2020). Effect of Acid Type and Concentration on Properties of Pectin Extracted from Unripe Cavendish Banana Peel and Its Application in Raspberry Jam. *Engineering in Agriculture, Environment and Food*, 13(1), 1–8. https://doi.org/10.37221/eaef.13.1_1
- Sari, B. L., Triastinurmiatiningsih, T., & Haryani, T. S. (2020). Optimasi Metode Microwave-Assisted Extraction (MAE) untuk Menentukan Kadar Flavonoid Total Alga Coklat *Padina australis*. *ALCHEMY Jurnal Penelitian Kimia*, 16(1), 38. <https://doi.org/10.20961/alchemy.16.1.34186.38-49>

- Šeremet, D., Durgo, K., Jokić, S., Hudek, A., Cebin, A. V., Mandura, A., Jurasović, J., & Komes, D. (2020). Valorization of banana and red beetroot peels: Determination of basic macrocomponent composition, application of novel extraction methodology and assessment of biological activity in vitro. *Sustainability (Switzerland)*, 12(11). <https://doi.org/10.3390/su12114539>
- Sidhu, J. S., & Zafar, T. A. (2018). Bioactive compounds in banana fruits and their health benefits. *Food Quality and Safety*, 2(4), 183–188. <https://doi.org/10.1093/fqsafe/fyy019>
- Singh, B., Singh, J. P., Kaur, A., & Singh, N. (2016). Bioactive compounds in banana and their associated health benefits - A review. *Food Chemistry*, 206, 1–11. <https://doi.org/10.1016/j.foodchem.2016.03.033>
- Sulaiman, S. F., Yusoff, N. A. M., Eldeen, I. M., Seow, E. M., Sajak, A. A. B., Supriatno, & Ooi, K. L. (2011). Correlation between total phenolic and mineral contents with antioxidant activity of eight Malaysian bananas (Musa sp.). *Journal of Food Composition and Analysis*, 24(1), 1–10. <https://doi.org/10.1016/j.jfca.2010.04.005>
- Sulastri, L., Oktavia, I., & Simanjuntak, P. (2020). Aktivitas Antioksidan Kecibeling, Bakau Merah, Dan Katuk Pada Metode Ekstraksi Dan Rasio Ekstrak Yang Berbeda. *Buletin Penelitian Tanaman Rempah Dan Obat*, 31(1), 1. <https://doi.org/10.21082/bullitro.v31n1.2020.1-7>
- Sundaram, S., Anjum, S., Dwivedi, P., & Rai, G. K. (2011). Antioxidant activity and protective effect of banana peel against oxidative hemolysis of human erythrocyte at different stages of ripening. *Applied Biochemistry and Biotechnology*, 164(7), 1192–1206. <https://doi.org/10.1007/s12010-011-9205-3>
- Swamy, G. J., & Muthukumarappan, K. (2017). Optimization of continuous and intermittent microwave extraction of pectin from banana peels. *Food Chemistry*, 220, 108–114. <https://doi.org/10.1016/j.foodchem.2016.09.197>

- Syakri, S. (2019). Uji Farmakologi Sediaan Plester Patch Dari Limbah Kulit Pisang Kepok (Musa Acuminata) Untuk Penyembuhan Luka Bakar. *Jurnal Kesehatan*, 12(1), 58–62. <https://doi.org/10.24252/kesehatan.v12i1.7395>
- Tai, N. Van, Linh, M. N., & Thuy, N. M. (2021). Optimization of extraction conditions of phytochemical compounds in “Xiem” banana peel powder using response surface methodology. *Journal of Applied Biology and Biotechnology*, 9(6), 56–62. <https://doi.org/10.7324/JABB.2021.9607>
- Tanaid, R. A. B., & Lauzon, R. D. (2018). Extraction Optimization of Pectin from Unripe Banana (Musa acuminata × balbisiana var. Cardaba) Peel. *ETP International Journal of Food Engineering*, 4(4), 308–315. <https://doi.org/10.18178/ijfe.4.4.308-315>
- Tuhuloula, A., Budiyarti, L., & Fitriana, E. N. (2013). Karakterisasi Pektin Dengan Memanfaatkan Limbah Kulit Pisang Menggunakan Metode Ekstraksi. *Konversi*, 2(1), 21. <https://doi.org/10.20527/k.v2i1.123>
- Türker, B., Savlak, N., & Kaşikci, M. B. (2016). Effect of green banana peel flour substitution on physical characteristics of gluten-free cakes. *Current Research in Nutrition and Food Science*, 4(SpecialIssue 2), 197–204. <https://doi.org/10.12944/CRNFSJ.4.Special-Issue-October.25>
- Ulfia, A., Ekastuti, D. R., & Wresdiyati, T. (2020). Potensi Ekstrak Kulit Pisang Kepok (Musa paradisiaca forma typica) dan Uli (Musa paradisiaca sapientum) Menaikkan Aktivitas Superoksid Dismutase dan Menurunkan Kadar Malondialdehid Organ Hati Tikus Model Hiperkolesterolemia. *Acta VETERINARIA Indonesiana*, 8(1), 40–46. <https://doi.org/10.29244/avi.8.1.40-46>
- Verdiana, M., Widarta, I. W. R., & Permana, I. D. G. M. (2018). PENGARUH JENIS PELARUT PADA EKSTRAKSI MENGGUNAKAN GELOMBANG ULTRASONIK TERHADAP AKTIVITAS ANTIOKSIDAN EKSTRAK KULIT BUAH LEMON (Citrus limon (Linn.) Burm F.). *Jurnal Ilmu Dan Teknologi Pangan (ITEPA)*, 7(4), 213.

<https://doi.org/10.24843/itepa.2018.v07.i04.p08>

- Vu, H. T., Scarlett, C. J., & Vuong, Q. V. (2017). Optimization of ultrasound-assisted extraction conditions for recovery of phenolic compounds and antioxidant capacity from banana (*Musa cavendish*) peel. *Journal of Food Processing and Preservation*, 41(5), 1–14. <https://doi.org/10.1111/jfpp.13148>
- Vu, H. T., Scarlett, C. J., & Vuong, Q. V. (2019). Maximising recovery of phenolic compounds and antioxidant properties from banana peel using microwave assisted extraction and water. *Journal of Food Science and Technology*, 56(3), 1360–1370. <https://doi.org/10.1007/s13197-019-03610-2>
- Wahyuni, N. K. D. M. S., Rita, W. S., & Asih, I. A. R. A. (2019). AKTIVITAS ANTIBAKTERI EKSTRAK KULIT PISANG KEPOK KUNING (*Musa paradisiaca* L.) TERHADAP BAKTERI *Staphylococcus aureus* DAN *Escherichia coli* SERTA PENENTUAN TOTAL FLAVONOID DAN FENOL DALAM FRAKSI AKTIF. *Jurnal Kimia*, 13(1), 9. <https://doi.org/10.24843/jchem.2019.v13.i01.p02>
- Yuliantari, N. W. A., Widarta, I. W. R., & Permana, I. D. G. M. (2017). Pengaruh Suhu dan Waktu Ekstraksi Terhadap Kandungan Flavonoid dan Aktivitas Antioksidan Daun Sirsak (*Annona muricata* L.) Menggunakan Ultrasonik The Influence of Time and Temperature on Flavonoid Content and Antioxidant Activity of Sirsak Leaf (*Annona mur.* *Media Ilmiah Teknologi Pangan*, 4(1), 35–42.
- Zaini, H. B. M., Sintang, M. D. Bin, & Pindi, W. (2020). The roles of banana peel powders to alter technological functionality, sensory and nutritional quality of chicken sausage. *Food Science and Nutrition*, 8(10), 5497–5507. <https://doi.org/10.1002/fsn3.1847>