

DAFTAR PUSTAKA

- Adenan, M. N. H., Moosa, S., Muhammad, S. A., Abraham, A., Jandric, Z., Islam, M., Rodionova, O., Pomerantsev, A., Perston, B., Cannavan, A., Kelly, S. D., Othman, Z., Abdullah Salim, N. A., Sharif, Z., & Ismail, F. (2020). Screening Malaysian edible bird's nests for structural adulterants and geographical origin using Mid-Infrared – Attenuated Total Reflectance (MIR-ATR) spectroscopy combined with chemometric analysis by Data-Driven – Soft Independent Modelling of Class Ana. *Forensic Chemistry*, *17*, 100197. <https://doi.org/10.1016/j.forc.2019.100197>
- Black, C., Haughey, S. A., Chevallier, O. P., Galvin-King, P., & Elliott, C. T. (2016). A comprehensive strategy to detect the fraudulent adulteration of herbs: The oregano approach. *Food Chemistry*, *210*, 551–557. <https://doi.org/10.1016/j.foodchem.2016.05.004>
- But, P. P. H., Jiang, R. W., & Shaw, P. C. (2013). Edible bird's nests - How do the red ones get red? *Journal of Ethnopharmacology*, *145*(1), 378–380. <https://doi.org/10.1016/j.jep.2012.10.050>
- Chua, L. S., & Zukefli, S. N. (2016). A comprehensive review of edible bird nests and swiftlet farming. *Journal of Integrative Medicine*, *14*(6), 415–428. [https://doi.org/10.1016/S2095-4964\(16\)60282-0](https://doi.org/10.1016/S2095-4964(16)60282-0)
- Chua, Y. G., Bloodworth, B. C., Leong, L. P., & Li, S. F. Y. (2014). Metabolite profiling of edible bird's nest using gas chromatography/mass spectrometry and liquid chromatography/mass spectrometry. *Rapid Communications in Mass Spectrometry*, *28*(12), 1387–1400. <https://doi.org/10.1002/rcm.6914>
- Cordella, C., Moussa, I., Martel, A. C., Sbirrazzouli, N., & Lizzani-Cuvelier, L. (2002). Recent developments in food characterization and adulteration detection: Technique-oriented perspectives. *Journal of Agricultural and Food Chemistry*, *50*(7), 1751–1764. <https://doi.org/10.1021/jf011096z>
- Dai, Y., Cao, J., Wang, Y., Chen, Y., & Jiang, L. (2021). A comprehensive review of edible bird's nest. *Food Research International*, *140*(May), 109875.

<https://doi.org/10.1016/j.foodres.2020.109875>

- Daud, N., 'Aliah, Sarbini, S. R., Babji, A. S., Mohamad Yusop, S., & Lim, S. J. (2019). Characterization of edible swiftlet's nest as a prebiotic ingredient using a simulated colon model. *Annals of Microbiology*, 69(12), 1235–1246. <https://doi.org/10.1007/s13213-019-01507-1>
- Eberhard, J. R. (1998). Breeding Biology of the. *Source: The Wilson Bulletin*, 110(4), 463–473. <https://www.jstor.org/stable/pdf/4163993.pdf?refreqid=excelsior%3A61cdb1b37c9ce85430a918383d6e09b7>
- Gan, J. E., & Lai, W. K. (2019). Automated Grading of Edible Birds Nest Using Hybrid Bat Algorithm Clustering Based on K-Means. *2019 IEEE International Conference on Automatic Control and Intelligent Systems, I2CACIS 2019 - Proceedings, June*, 73–78. <https://doi.org/10.1109/I2CACIS.2019.8825077>
- Gbif. (2020). *Collocalia fuciphaga*. *Global Biodiversity Information Facility, April 1997*, 1. <https://www.gbif.org/species/5788562>
- Guo, L., Wu, Y., Liu, M., Ge, Y., & Chen, Y. (2018). Rapid authentication of edible bird's nest by FTIR spectroscopy combined with chemometrics. *Journal of the Science of Food and Agriculture*, 98(8), 3057–3065. <https://doi.org/10.1002/jsfa.8805>
- Guo, L., Wu, Y., Liu, M., Wang, B., Ge, Y., & Chen, Y. (2014). Authentication of Edible Bird's nests by TaqMan-based real-time PCR. *Food Control*, 44, 220–226. <https://doi.org/10.1016/j.foodcont.2014.04.006>
- Haghani, A., Mehrbod, P., Safi, N., Aminuddin, N. A., Bahadoran, A., Omar, A. R., & Ideris, A. (2016). In vitro and in vivo mechanism of immunomodulatory and antiviral activity of Edible Bird's Nest (EBN) against influenza A virus (IAV) infection. *Journal of Ethnopharmacology*, 185, 327–340. <https://doi.org/10.1016/j.jep.2016.03.020>
- Hamzah, Z., Jeyaraman, S., Ibrahim, N. H., Hashim, O., Lee, B. B., & Hussin, K. (2013). A rapid technique to determine purity of edible bird nest. *Advances in Environmental Biology*, 7(SPEC. ISSUE 12), 3758–3765.
- Hao, Q., & Rahman, A. (2016). Swiftlets and Edible Bird's Nest Industry in Asia. *Pertanika*

Journal of Scholarly Research Reviews, 2(1), 32–48. <http://www.pjsrr.upm.edu.my/>

- Hawker, S., Payne, S., Kerr, C., Hardey, M., & Powell, J. (2002). Appraising the evidence: Reviewing disparate data systematically. *Qualitative Health Research*, 12(9), 1284–1299. <https://doi.org/10.1177/1049732302238251>
- Herbst, R. S. (2004). Review of epidermal growth factor receptor biology. *International Journal of Radiation Oncology Biology Physics*, 59(2 SUPPL.), S21–S26. <https://doi.org/10.1016/j.ijrobp.2003.11.041>
- Hobbs, J. J. (2004). Problems in the harvest of edible birds' nests in Sarawak and Sabah, Malaysian Borneo. *Biodiversity and Conservation*, 13(12), 2209–2226. <https://doi.org/10.1023/B:BIOC.0000047905.79709.7f>
- Huang, X., Li, Z., Zou, X., Shi, J., Elrasheid Tahir, H., Xu, Y., Zhai, X., & Hu, X. (2019). A low cost smart system to analyze different types of edible Bird's nest adulteration based on colorimetric sensor array. *Journal of Food and Drug Analysis*, 27(4), 876–886. <https://doi.org/10.1016/j.jfda.2019.06.004>
- Hun, L. T., Wani, W. A., Poh, H. Y., Baig, U., Ti Tjih, E. T., Nashiruddin, N. I., Ling, Y. E., & Aziz, R. A. (2016a). Gel electrophoretic and liquid chromatographic methods for the identification and authentication of cave and house edible bird's nests from common adulterants. *Analytical Methods*, 8(3), 526–536. <https://doi.org/10.1039/c5ay02170g>
- Hun, L. T., Wani, W. A., Poh, H. Y., Baig, U., Ti Tjih, E. T., Nashiruddin, N. I., Ling, Y. E., & Aziz, R. A. (2016b). Gel electrophoretic and liquid chromatographic methods for the identification and authentication of cave and house edible bird's nests from common adulterants. *Analytical Methods*, 8(3), 526–536. <https://doi.org/10.1039/C5AY02170G>
- Jamalluddin, N. H., Tukiran, N. A., Ahmad Fadzillah, N., & Fathi, S. (2019). Overview of edible bird's nests and their contemporary issues. *Food Control*, 104, 247–255. <https://doi.org/10.1016/j.foodcont.2019.04.042>
- Jamalludin, N. H., & Tukiran, N. A. (2018). Analysis of gelatin adulteration in edible bird's nest using Fourier transform infrared (FTIR) spectroscopy. *International Journal on Advanced Science, Engineering and Information Technology*, 8(6), 2355–2359.

<https://doi.org/10.18517/ijaseit.8.6.7690>

- Kong, Y. C., Keung, W. M., Yip, T. T., Ko, K. M., Tsao, S. W., & Ng, M. H. (1987). Evidence that epidermal growth factor is present in swiftlet's (Collocalia) nest. *Comparative Biochemistry and Physiology -- Part B: Biochemistry And*, 87(2), 221–226.
[https://doi.org/10.1016/0305-0491\(87\)90133-7](https://doi.org/10.1016/0305-0491(87)90133-7)
- Lee, M. S., Huang, J. Y., Lien, Y. Y., & Sheu, S. C. (2019). The rapid and sensitive detection of edible bird's nest (Aerodramus fuciphagus) in processed food by a loop-mediated isothermal amplification (LAMP) assay. *Journal of Food and Drug Analysis*, 27(1), 154–163. <https://doi.org/10.1016/j.jfda.2018.08.003>
- Lee, T. H., Wani, W. A., Koay, Y. S., Kavita, S., Tan, E. T. T., & Shreaz, S. (2017). Recent advances in the identification and authentication methods of edible bird's nest. *Food Research International*, 100, 14–27. <https://doi.org/10.1016/j.foodres.2017.07.036>
- Liu, X., Lai, X., Zhang, S., Huang, X., Lan, Q., Li, Y., Li, B., Chen, W., Zhang, Q., Hong, D., & Yang, G. (2012). Proteomic profile of edible bird's nest proteins. *Journal of Agricultural and Food Chemistry*, 60(51), 12477–12481. <https://doi.org/10.1021/jf303533p>
- Lubis, H. N., Mohd-Naim, N. F., Alizul, N. N., & Ahmed, M. U. (2016). From market to food plate: Current trusted technology and innovations in halal food analysis. *Trends in Food Science and Technology*, 58, 55–68. <https://doi.org/10.1016/j.tifs.2016.10.024>
- Ma, F., & Liu, D. (2012). Sketch of the edible bird's nest and its important bioactivities. *Food Research International*, 48(2), 559–567. <https://doi.org/10.1016/j.foodres.2012.06.001>
- Ma, X., Zhang, J., Liang, J., Ma, X., Xing, R., Han, J., Guo, L., & Chen, Y. (2019). Authentication of Edible Bird's Nest (EBN) and its adulterants by integration of shotgun proteomics and scheduled multiple reaction monitoring (MRM) based on tandem mass spectrometry. *Food Research International*, 125(August), 108639.
<https://doi.org/10.1016/j.foodres.2019.108639>
- Marcone, M. F. (2005). Characterization of the edible bird's nest the “Caviar of the East.” *Food Research International*, 38(10), 1125–1134. <https://doi.org/10.1016/j.foodres.2005.02.008>
- Medicine, T. (2013). *Ph ton*. 120, 620–628.

- Othman, F., Sadeghian, M. S., Ebrahimi, F., & Heydari, M. (2013). A Study on Sedimentation in Sefidroud Dam by Using Depth Evaluation and Comparing the Results with USBR and FAO Methods. *International Proceedings of Chemical, Biological and Environmental Engineering*, 51(9), 6. <https://doi.org/10.7763/IPCBE>
- Paydar, M., Wong, Y. L., Wong, W. F., Hamdi, O. A. A., Kadir, N. A., & Looi, C. Y. (2013). Prevalence of nitrite and nitrate contents and its effect on edible bird nest's color. *Journal of Food Science*, 78(12). <https://doi.org/10.1111/1750-3841.12313>
- Quek, M. C., Chin, N. L., Tan, S. W., Yusof, Y. A., & Law, C. L. (2018). Molecular identification of species and production origins of edible bird's nest using FINS and SYBR green I based real-time PCR. *Food Control*, 84, 118–127. <https://doi.org/10.1016/j.foodcont.2017.07.027>
- Quek, M. C., Chin, N. L., Yusof, Y. A., Tan, S. W., & Law, C. L. (2015). Preliminary nitrite, nitrate and colour analysis of Malaysian edible bird's nest. *Information Processing in Agriculture*, 2(1), 1–5. <https://doi.org/10.1016/j.inpa.2014.12.002>
- S., N. A., Tukiran, N. A., M. A., N. A., G., H. H., & Z., S. N. S. (2020). Detection of Edible Bird's Nest Using Fourier Transform Infrared Spectroscopy (FTIR) Combined with Principle Component Analysis (PCA). *Journal of Halal Industry & Services*, 3(1). <https://doi.org/10.36877/jhis.a0000168>
- Saepudin, R., Peternakan, J., Pertanian, F., & Bengkulu, U. (2007). Pengaruh Konsentrasi Hidrogen Peroksida (H₂O₂) terhadap Derajat Putih dan Nilai Gizi Sarang Burung Walet Hitam (*Collocalia maxima*) (Effect of Hydrogen Peroxide (H₂O₂) on white degree and nutrient value of the black swiftlet nest). *Jurnal Sain Peternakan Indonesia*, 2(1), 41–46.
- Salahudin, A., & Ramli, M. A. (2018). Penggunaan Teknologi Autentikasi Halal Dalam Verifikasi Produk Makanan Berasaskan Daging. *Albasirahjournal*, 8(1), 1–10.
- Sankaran, R. (2001). The status and conservation of the Edible-nest Swiftlet (*Collocalia fuciphaga*) in the Andaman and Nicobar Islands. *Biological Conservation*, 97(3), 283–294. [https://doi.org/10.1016/S0006-3207\(00\)00124-5](https://doi.org/10.1016/S0006-3207(00)00124-5)
- Sari, N. W., & Fajri, M. Y. (2018). Analisis Fitokimia dan Gugus Fungsi Dari Ekstrak Etanol

- Pisang Goroho Merah (*Musa Acuminate* (L)). *Indonesian Journal of Biotechnology and Biodiversity*, 2(1), 30–34.
- Set, J. (2012). Fast , effective evaluation of edible bird nests using the handheld Agilent 4100 ExoScan FTIR Application note. *Agilent Technologies, Inc.*, 1–6.
- Shi, J., Zhang, F., Li, Z., Huang, X., Zou, X., Zhang, W., Holmes, M., & Chen, Y. (2017). Rapid authentication of Indonesian edible bird's nests by near-infrared spectroscopy and chemometrics. *Analytical Methods*, 9(8), 1297–1306. <https://doi.org/10.1039/c6ay03352k>
- Shim, E. K. S., Chandra, G. F., & Lee, S. Y. (2017). Thermal analysis methods for the rapid identification and authentication of swiftlet (*Aerodramus fuciphagus*) edible bird's nest – A mucin glycoprotein. *Food Research International*, 95, 9–18. <https://doi.org/10.1016/j.foodres.2017.02.018>
- Shim, E. K. S., Chandra, G. F., Pedireddy, S., & Lee, S. Y. (2016). Characterization of swiftlet edible bird nest, a mucin glycoprotein, and its adulterants by Raman microspectroscopy. *Journal of Food Science and Technology*, 53(9), 3602–3608. <https://doi.org/10.1007/s13197-016-2344-3>
- Shim, E., & Lee, S.-Y. (2017). Raman microspectroscopy is a rapid technique to authenticate edible bird's nest-a glycoprotein. *Spectroscopy Europe*, 29(2), 10–13.
- Society, C. P. (2013). 楼吉辉 1) 1) (. 62(2), 1–8.
- Spink, J., & Moyer, D. C. (2011). Defining the Public Health Threat of Food Fraud. *Journal of Food Science*, 76(9). <https://doi.org/10.1111/j.1750-3841.2011.02417.x>
- Wong, R. S. Y. (2013). Edible bird's nest: Food or medicine? *Chinese Journal of Integrative Medicine*, 19(9), 643–649. <https://doi.org/10.1007/s11655-013-1563-y>
- Wu, Y., Chen, Y., Wang, B., Bai, L., han, W. ri, Ge, Y., & Yuan, F. (2010). Application of SYBRgreen PCR and 2DGE methods to authenticate edible bird's nest food. *Food Research International*, 43(8), 2020–2026. <https://doi.org/10.1016/j.foodres.2010.05.020>
- Yang, M., Cheung, S. H., Li, S. C., & Cheung, H. Y. (2014). Establishment of a holistic and scientific protocol for the authentication and quality assurance of edible bird's nest. *Food*

Chemistry, 151, 271–278. <https://doi.org/10.1016/j.foodchem.2013.11.007>

Yong, C. H., Muhammad, S. A., Aziz, F. A., Ng, J. S., Nasir, F. I., Adenan, M. N. H., Moosa, S., Othman, Z., Abdullah, S. N. A., Sharif, Z., Ismail, F. F., Kelly, S. D., Cannavan, A., & Seow, E. K. (2022). Detection of adulteration activities in edible bird's nest using untargeted ¹H-NMR metabolomics with chemometrics. *Food Control*, 132, 108542. <https://doi.org/10.1016/j.foodcont.2021.108542>

Yu-Qin, Y., Liang, X., Hua, W., Hui-Xing, Z., Xin-Fang, Z., & Bu-Sen, L. (2000). Determination of edible bird's nest and its products by gas chromatography. *Journal of Chromatographic Science*, 38(1), 27–32. <https://doi.org/10.1093/chromsci/38.1.27>

