

## DAFTAR PUSTAKA

- Al-Bukhaiti, W. Q., Noman, A., Qasim, A. S., & Al-Farga, A. (2017). Gas Chromatography: Principles, Advantages and Applications in Food Analysis. *International Journal of Agriculture Innovations and Research*, 6(1), 2319–1473.
- Ammann, A. A. (2007). Inductively coupled plasma mass spectrometry (ICP MS): A versatile tool. *Journal of Mass Spectrometry*, 42(4), 419–427. <https://doi.org/10.1002/jms.1206>
- Ang, H. H., Lee, E. L., & Cheang, H. S. (2004). Determination of Mercury by Cold Vapor Atomic Absorption Spectrophotometer in Tongkat Ali Preparations Obtained in Malaysia. *International Journal of Toxicology*, 23(1), 65–71. <https://doi.org/10.1080/10915810490269654>
- Berntssen, M. H. G., Hylland, K., Julshamn, K., Lundebye, A. K., & Waagbø, R. (2004). Maximum limits of organic and inorganic mercury in fish feed. *Aquaculture Nutrition*, 10(2), 83–97. <https://doi.org/10.1046/j.1365-2095.2003.00282.x>
- Burbacher, T. M., Shen, D. D., Liberato, N., Grant, K. S., Cernichiari, E., & Clarkson, T. (2005). Comparison of blood and brain mercury levels in infant monkeys exposed to methylmercury or vaccines containing thimerosal. *Environmental Health Perspectives*, 113(8), 1015–1021. <https://doi.org/10.1289/ehp.7712>
- Canham, R., González-Prieto, A. M., & Elliott, J. E. (2021). Mercury Exposure and Toxicological Consequences in Fish and Fish-Eating Wildlife from Anthropogenic Activity in Latin America. *Integrated Environmental Assessment and Management*, 17(1), 13–26. <https://doi.org/10.1002/ieam.4313>
- Cavalheiro, J., Preud'Homme, H., Amouroux, D., Tessier, E., & Monperrus, M. (2014). Comparison between GC-MS and GC-ICPMS using isotope dilution for the simultaneous monitoring of inorganic and methyl mercury, butyl and phenyl tin compounds in biological tissues. *Analytical and Bioanalytical Chemistry*, 406(4), 1253–1258. <https://doi.org/10.1007/s00216-013-7373-4>
- Çaylak, O., Elçi, Ş. G., Höl, A., Akdoğan, A., Divrikli, Ü., & Elçi, L. (2019). Use of an aminated Amberlite XAD-4 column coupled to flow injection cold vapour generation atomic absorption spectrometry for mercury speciation in water and fish tissue samples. *Food Chemistry*, 274(July 2018), 487–493. <https://doi.org/10.1016/j.foodchem.2018.08.107>
- da Silva, C. A., Tessier, E., Kütter, V. T., Wasserman, J. C., Donard, O. F. X., & Silva-Filho, E. V. (2011). Mercury speciation in fish of the Cabo Frio upwelling region, SE - Brazil. *Brazilian Journal of Oceanography*, 59(3), 259–266. <https://doi.org/10.1590/s1679-87592011000300006>
- Dórea, J. G., Farina, M., & Rocha, J. B. T. (2013). Toxicity of ethylmercury (and Thimerosal): A comparison with methylmercury. *Journal of Applied Toxicology*, 33(8), 700–711. <https://doi.org/10.1002/jat.2855>
- Durmuş, M. (2019). Fish oil for human health: Omega-3 fatty acid profiles of marine seafood species. *Food Science and Technology (Brazil)*, 39, 454–461. <https://doi.org/10.1590/fst.21318>

- Edogbo, B., Okolocha, E., Maikai, B., Aluwong, T., & Uchendu, C. (2020). Risk analysis of heavy metal contamination in soil, vegetables and fish around Challawa area in Kano State, Nigeria. *Scientific African*, 7, e00281. <https://doi.org/10.1016/j.sciaf.2020.e00281>
- Faricha, A., Rivai, M., & Suwito. (2014). Sistem Identifikasi Gas Menggunakan Sensor Surface Acoustic Wave dan Metoda Kromatografi. *Jurnal Teknik ITS*, 3(2), 157–162.
- Fernández, Z. H., Valcárcel Rojas, L. A., Álvarez, A. M., Estevez Álvarez, J. R., Araújo dos Santos, J., González, I. P., González, M. R., Macias, N. A., Sánchez, D. L., & Torres, D. H. (2015). Application of Cold Vapor-Atomic Absorption (CVAAS) Spectrophotometry and Inductively Coupled Plasma-Atomic Emission Spectrometry methods for cadmium, mercury and lead analyses of fish samples. Validation of the method of CVAAS. *Food Control*, 48, 37–42. <https://doi.org/10.1016/j.foodcont.2014.05.056>
- Geiger, W. M., & McElmurry, B. A. (2020). Gas chromatography. In *Sample Introduction Systems in ICPMS and ICPOES*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-59482-2.00005-1>
- Gwimbi, P., Kotelo, T., & Selimo, M. J. (2020). Heavy metal concentrations in sediments and Cyprinus carpio from Maqalika Reservoir –Maseru, Lesotho: An analysis of potential health risks to Fish consumers. *Toxicology Reports*, 7(March), 475–479. <https://doi.org/10.1016/j.toxrep.2020.03.005>
- Hananingtyas, I. (2017). Studi Pencemaran Kandungan Logam Berat Timbal (Pb) dan Kadmium (Cd) pada Ikan Tongkol (Euthynnus sp.) di Pantai Utara Jawa. *Biotropic: The Journal of Tropical Biology*, 1(2), 41–50. <https://doi.org/10.29080/biotropic.2017.1.2.41-50>
- Hashim, H. O. (2018). chromatography and HPLC principles Chromatography and HPLC principles By : Dr Hayder Obayes Hashim Chromatography : *Technical Report, January*, 1–15. <https://doi.org/10.13140/RG.2.2.33635.25126>
- Holsbeek, L., Das, H. K., & Joiris, C. R. (1997). Mercury speciation and accumulation in bangladesh freshwater and anadromous fish. *Science of the Total Environment*, 198(3), 201–210. [https://doi.org/10.1016/S0048-9697\(97\)05453-3](https://doi.org/10.1016/S0048-9697(97)05453-3)
- Irianti, T. T., Kuswadi, Nuranto, S., & Budiayatni, A. (2017). Logam Berat Dan Kesehatan. *Grafika Indah ISBN: 979820492-1, January 2017*, 1–131.
- Jureša, D., & Blanuša, M. (2003). Mercury, arsenic, lead and cadmium in fish and shellfish from the Adriatic Sea. *Food Additives and Contaminants*, 20(3), 241–246. <https://doi.org/10.1080/0265203021000055379>
- Kimáková, T., Kuzmová, L., Nevolná, Z., & Bencko, V. (2018). Fish and fish products as risk factors of mercurexposure. *Annals of Agricultural and Environmental Medicine*, 25(3), 488–493. <https://doi.org/10.26444/aaem/84934>
- Masár, M., Hradski, J., Schmid, M. G., & Szucs, R. (2020). Advantages and pitfalls of capillary electrophoresis of pharmaceutical compounds and their enantiomers in complex samples: Comparison of hydrodynamically opened and closed systems. *International Journal of Molecular Sciences*, 21(18), 1–14. <https://doi.org/10.3390/ijms21186852>

- Mille, T., Bisch, A., Caill-Milly, N., Cresson, P., Deborde, J., Gueux, A., Morandeau, G., & Monperrus, M. (2021). Distribution of mercury species in different tissues and trophic levels of commonly consumed fish species from the south Bay of Biscay (France). *Marine Pollution Bulletin*, 166(April 2020), 1–8. <https://doi.org/10.1016/j.marpolbul.2021.112172>
- Muñoz-Nájera, M. A., Barrera-Escorcia, G., Ramírez-Romero, P., Tapia-Silva, F. O., & Rosas-Cedillo, R. (2018). Heavy metal bioaccumulation in *Oreochromis niloticus* from Tenango Dam, Puebla, Mexico. *Environmental Monitoring and Assessment*, 190(5). <https://doi.org/10.1007/s10661-018-6670-y>
- Park, J. D., & Zheng, W. (2012). Human exposure and health effects of inorganic and elemental mercury. *Journal of Preventive Medicine and Public Health*, 45(6), 344–352. <https://doi.org/10.3961/jpmph.2012.45.6.344>
- Polak-Juszczak, L. (2018). Distribution of organic and inorganic mercury in the tissues and organs of fish from the southern Baltic Sea. *Environmental Science and Pollution Research*, 25(34), 34181–34189. <https://doi.org/10.1007/s11356-018-3336-9>
- Puntoriero, M. L., Fernández Cirell, A., & Volpedo, A. V. (2018). Histopathological changes in liver and gills of *Odontesthes bonariensis* inhabiting a lake with high concentrations of arsenic and fluoride (Chasicó Lake, Buenos Aires Province). *Revista Internacional de Contaminacion Ambiental*, 34(1), 69–77. <https://doi.org/10.20937/RICA.2018.34.01.06>
- Rabasco, A. M., Caraballo, I., & Fernández-Arévalo, M. (1993). Formulation factors affecting thimerosal stability. *Drug Development and Industrial Pharmacy*, 19(14), 1673–1691. <https://doi.org/10.3109/03639049309050160>
- Su, P. (2012). *Sorption of Metal Ions to Wood, Pulp and Bark Materials* (Issue 1).
- Suda, I., Suda, M., & Hirayama, K. (1993). Degradation of methyl and ethyl mercury by singlet oxygen generated from sea water exposed to sunlight or ultraviolet light. *Archives of Toxicology*, 67(5), 365–368. <https://doi.org/10.1007/BF01973709>
- Tagliaro, F., Turrina, S., & Smith, F. P. (1996). Capillary electrophoresis: Principles and applications in illicit drug analysis. *Forensic Science International*, 77(3), 211–229. [https://doi.org/10.1016/0379-0738\(95\)01863-8](https://doi.org/10.1016/0379-0738(95)01863-8)
- Takasaki, Y., Sakagawa, S., Inagaki, K., Fujii, S. I., Sabarudin, A., Umemura, T., & Haraguchi, H. (2012). Development of salt-tolerance interface for an high performance liquid chromatography/inductively coupled plasma mass spectrometry system and its application to accurate quantification of DNA samples. *Analytica Chimica Acta*, 713(February 2012), 23–29. <https://doi.org/10.1016/j.aca.2011.11.039>
- Thongsaw, A., Sananmuang, R., Udnan, Y., Ross, G. M., & Chaiyasith, W. C. (2019). Dual-cloud point extraction for speciation of mercury in water and fish samples by electrothermal atomic absorption spectrometry. *Spectrochimica Acta - Part B Atomic Spectroscopy*, 160(April), 105685. <https://doi.org/10.1016/j.sab.2019.105685>
- Trevizani, T. H., Domit, C., Vedolin, M. C., Angeli, J. L. F., & Figueira, R. C. L. (2019). Assessment of metal contamination in fish from estuaries of southern and southeastern Brazil. *Environmental Monitoring and Assessment*, 191(5).

- <https://doi.org/10.1007/s10661-019-7477-1>
- Voegborlo, R. B., & Akagi, H. (2007). Determination of mercury in fish by cold vapour atomic absorption spectrometry using an automatic mercury analyzer. *Food Chemistry*, *100*(2), 853–858. <https://doi.org/10.1016/j.foodchem.2005.09.025>
- Wang, Shuling, Song, X., Hu, J., Zhang, R., Men, L., Wei, M., Xie, T., & Cao, J. (2019). Direct speciation analysis of organic mercury in fish and kelp by on-line complexation and stacking using capillary electrophoresis. *Food Chemistry*, *281*(December 2018), 41–48. <https://doi.org/10.1016/j.foodchem.2018.12.083>
- Wang, Sujing, Dong, D., Li, P., Hua, X., Zheng, N., Sun, S., Hou, S., An, Q., Li, P., Li, Y., Song, X., & Li, X. (2020). Mercury concentration and fatty acid composition in muscle tissue of marine fish species harvested from Liaodong Gulf: An intelligence quotient and coronary heart disease risk assessment. *Science of the Total Environment*, *726*, 138586. <https://doi.org/10.1016/j.scitotenv.2020.138586>
- WHO (2021)
- Xu, C., Yan, H., & Zhang, S. (2021). Heavy metal enrichment and health risk assessment of karst cave fish in Libo, Guizhou, China. *Alexandria Engineering Journal*, *60*(1), 1885–1896. <https://doi.org/10.1016/j.aej.2020.11.036>
- Yanuar, A. (2000). Toksisitas merkuri di sekitar kita. *Departemen Farmasi FMIPA Universitas Indonesia. Jakarta*, 1–6.
- Younis, A. M., Amin, H. F., Alkaladi, A., & Mosleh, Y. Y. I. (2015). Bioaccumulation of Heavy Metals in Fish, Squids and Crustaceans from the Red Sea, Jeddah Coast, Saudi Arabia. *Open Journal of Marine Science*, *05*(04), 369–378. <https://doi.org/10.4236/ojms.2015.54030>
- Younis, E. M., Abdel-Warith, A. W. A., Al-Asgah, N. A., Elthebite, S. A., & Mostafizur Rahman, M. (2021). Nutritional value and bioaccumulation of heavy metals in muscle tissues of five commercially important marine fish species from the Red Sea. *Saudi Journal of Biological Sciences*, *28*(3), 1860–1866. <https://doi.org/10.1016/j.sjbs.2020.12.038>
- Zhu, S., Chen, B., He, M., Huang, T., & Hu, B. (2017). Speciation of mercury in water and fish samples by HPLC-ICP-MS after magnetic solid phase extraction. *Talanta*, *171*, 213–219. <https://doi.org/10.1016/j.talanta.2017.04.068>