

## DAFTAR PUSTAKA

1. WHO/UNICEF joint database on SDG 3.1.2 Skilled Attendance at Birth. World Health Organization.2018
2. Health statistics and information systems: maternal mortality ratio. World Health
3. Profil Kesehatan Indonesia Tahun 2019. Kementerian Kesehatan Republik Indonesia. 2020
4. MDG 5:Improve maternal health. World Health Organization
5. Diana S, Wahyuni CU, Prasetyo B. Maternal complications and risk factors for mortality. *J Public Health Res.* 2020;9(2):1842. Published 2020 Jul 3.
6. Lawrence HC. ACOG Statement on Maternal Mortality. 2015
7. Akaba GO, Nnodu OE, Ryan N, et al. Applying the WHO ICD-MM classification system to maternal deaths in a tertiary hospital in Nigeria: A retrospective analysis from 2014-2018. *PLoS One.* 2021;16(1):e0244984. Published 2021 Jan
8. Lin L, Chen YH, Sun W, et al. Risk factors of obstetric admissions to the intensive care unit: An 8-year retrospective study. *Medicine (Baltimore).* 2019;98(11):e14835.
9. Almutairi WM. Literature Review: Physiological Management for Preventing Postpartum Hemorrhage. *Healthcare (Basel).* 2021;9(6):658. Published 2021 May 31.
10. Niemczyk NA, Ren D, Stapleton SR. Associations between prolonged second stage of labor and maternal and neonatal outcomes in freestanding birth centers: a retrospective analysis. *BMC Pregnancy Childbirth.* 2022;22(1):99. Published 2022 Feb 4.
11. Nystedt A, Hildingsson I. Diverse definitions of prolonged labor and its consequences with sometimes subsequent inappropriate treatment. *BMC Pregnancy Childbirth.* 2014;14:233. Published 2014 Jul 16.
12. Neiger R. Long-Term Effects of Pregnancy Complications on Maternal Health: A Review. *J Clin Med.* 2017;6(8):76. Published 2017 Jul 27.
13. Panggayuh A. Perbedaan estimasi volume perdarahan antara metode tes hemoglobin dengan metode visual estimasi pada ibu postpartum. 2017.
14. Nyfløt LT, Stray-Pedersen B, Forsén L, Vangen S. Duration of labor and the risk of severe postpartum hemorrhage: A case-control study. *PLoS One.* 2017;12(4):e0175306. Published 2017 Apr
15. Lu MC, Muthengi E, Wakeel F, Fridman M, Korst LM, Gregory KD. Prolonged second stage of labor and postpartum hemorrhage. *J Matern Fetal Neonatal Med.* 2009 Mar;22(3):227-32.
16. Ende HB, Lozada MJ, Chestnut DH, et al. Risk Factors for Atonic Postpartum Hemorrhage: A Systematic Review and Meta-analysis. *Obstet Gynecol.* 2021;137(2):305-323.
17. Prawirohardjo S. Ilmu Kebidanan. 4th ed. Yayasan Bina Pustaka Sarwono Prawirohardjo; 2016.
18. Iravani M, Janghorbani M, Zarean E, Bahrami M. An overview of systematic reviews of normal labor and delivery management. *Iran J Nurs Midwifery Res.* 2015;20(3):293-303.
19. Kurniarum Ari. Asuhan Kebidanan Persalinan dan Bayi Baru Lahir. Jakarta: Kementerian Kesehatan Republik Indonesia; 2016.
20. Hong YC, Paek US. Factors prolonging the duration of the second stage of labor. *J Med Soc.*2018;32(2):128-134

21. Reeder, Sharon J. *Keperawatan maternitas : kesehatan wanita, bayi, dan keluarga*. Jakarta: EGC; 2014.
22. World Health Organization. Regional Office for the Western Pacific. *Regional framework for reproductive health in the Western Pacific Region*. Manila: WHO Regional Office for the Western Pacific; 2013
23. *Prevention and Management of Postpartum Hemorrhage: Green-top Guideline No. 52*. BJOG Int J Obstet Gynaecol. 2017.
24. *Clinical Management Guidelines for Obstetrician-Gynecologists*. Number 47, October 2003.
25. Committee on Practice Bulletins-Obstetrics. *Practice Bulletin No. 183: Postpartum Hemorrhage*. Obstet Gynecol. 2017 Oct;130(4):e168-e186.
26. Driessen M, Bouvier-Colle MH, Dupont C, Khoshnood B, Rudigoz RC, Deneux-Tharoux C; Pithagore6 Group. *Postpartum hemorrhage resulting from uterine atony after vaginal delivery: factors associated with severity*. Obstet Gynecol. 2011 Jan;117(1):21-31.
27. Cunningham, F. G. *Obstetri Williams*. Edisi 23. Vol. Volume 1. Jakarta: EGC; 2018.
28. AlJahdali EA, AlSinani NS. *Pregnancy outcomes at advanced maternal age in a tertiary Hospital, Jeddah, Saudi Arabia*. Saudi Med J. 2022;43(5):491-499.
29. Rachman Adi Pradana MA, Febri Asshiddiq MR. *Hubungan Antara Paritas dengan Kejadian Perdarahan Post Partum*. Jurnal Ilmu Kesehatan Sandi Husada. 2021
30. Oberg AS, Hernandez-Diaz S, Palmsten K, Almqvist C, Bateman BT. *Patterns of recurrence of postpartum hemorrhage in a large population-based cohort*. Am J Obstet Gynecol. 2014;210(3):229.e1-229.e2298.
31. von Schmidt auf Altenstadt JF, Hukkelhoven CW, van Roosmalen J, Bloemenkamp KW. *Pre-eclampsia increases the risk of postpartum hemorrhage: a nationwide cohort study in the Netherlands*. PLoS One. 2013;8(12):e81959. Published 2013 Dec 18.
32. Butwick AJ, Abreo A, Bateman BT, et al. *Effect of Maternal Body Mass Index on Postpartum Hemorrhage*. Anesthesiology. 2018;128(4):774-783.
33. Poston L, Caleyachetty R, Cnattingius S, Corvalán C, Uauy R, Herring S, Gillman MW. *Preconceptional and maternal obesity: epidemiology and health consequences*. Lancet Diabetes Endocrinol. 2016 Dec;4(12):1025-1036.
34. Mustari R. *Hubungan Anemia dengan Kejadian Perdarahan Post Partum di RSUD h. Padjongan Dg. Ngalle Kabupaten Takalar Tahun 2017*. 2019.
35. Blitz MJ, Yukhayev A, Pachtman SL, Reisner J, Moses D, Sison CP, Greenberg M, Rochelson B. *Twin pregnancy and risk of postpartum hemorrhage*. J Matern Fetal Neonatal Med. 2020 Nov;33(22):3740-3745.
36. Belghiti J, Kayem G, Dupont C, Rudigoz RC, Bouvier-Colle MH, Deneux-Tharoux C. *Oxytocin during labor and risk of severe postpartum hemorrhage: a population-based, cohort-nested case-control study*. BMJ Open. 2011;1(2):e000514. Published 2011 Dec 21.
37. Chikkamath SB, Katageri GM, Mallapur AA, et al. *Duration of third stage labor and postpartum blood loss: a secondary analysis of the WHO CHAMPION trial data*. Reprod Health. 2021;18(1):230. Published 2021 Nov 14.
38. Alsammani MA, Ahmed SR. *Fetal and maternal outcomes in pregnancies complicated with fetal macrosomia*. N Am J Med Sci. 2012;4(6):283-286.
39. Al-Zirqi I, Vangen S, Forsen L, Stray-Pedersen B. *Prevalence and risk factors of severe obstetric hemorrhage*. BJOG. 2008 Sep;115(10):1265-72.

40. Rogers RG, Leeman LM, Borders N, et al. Contribution of the second stage of labor to pelvic floor dysfunction: a prospective cohort comparison of nulliparous women. *BJOG*. 2014;121(9):1145-1154.
41. Gupta JK, Sood A, Hofmeyr GJ, Vogel JP. Position in the second stage of labor for women without epidural anesthesia. *Cochrane Database Syst Rev*. 2017;5(5):CD002006. Published 2017 May 25.
42. Fitriyani I, Nugraheny E. Perbedaan Lama Persalinan pada Primigravida dan Multigravida. *Jurnal Ilmu Kebidanan*. 2020
43. Wright A, Nassar AH, Visser G, Ramasauskaite D, Theron G, for the FIGO Safe Motherhood and Newborn Health Committee. FIGO good clinical practice paper: management of the second stage of labor. *Int J Gynecol Obstet*. 2021
44. Bagian Obstetri dan Ginekologi Fakultas Kedokteran Universitas Padjadjaran. *Obstetri Patologi*. In: *Obstetri Patologi*. Bandung: Elstar Offset. 2014.
45. Bagian Obstetri dan Ginekologi Fakultas Kedokteran Universitas Padjadjaran. *Obstetri Patologi*. In: *Obstetri Patologi*. Bandung: Elstar Offset; 2014.
46. Fauziah SF, Suryono S, Widyawati MN. Postpartum Blood Loss Measurement Using Digital Image Processing. Hadiyanto, Maryono, Warsito B, editors. *E3S Web Conf*. 2018;73:13023.
47. Ali Algadiem E, Aleisa AA, Alsubaie HI, Buhlaiqah NR, Algadeeb JB, Alsneini HA. Blood Loss Estimation Using Gauze Visual Analogue. *Trauma Mon*. 2016
48. Ardhiyanti Y, Susanti S. Faktor Ibu yang Berhubungan dengan Kejadian Persalinan Lama di RSUD Arifin Achmad Pekanbaru. *J Kesehatan Komunitas*. 2016;3(2).
49. Hasanah U, Anis W, Purwanto B. LAMA KALA II PERSALINAN PADA IBU PRIMIGRAVIDA YANG MENGIKUTI SENAM DAN TIDAK SENAM HAMIL. *Indones Midwifery Health Sci J*. 2021 Jun 23;3(1):70–6.
50. Marwa AR, Maryani T. PERBEDAAN SKALA NYERI KALA I DAN DURASI KALA II PERSALINAN PADA PRIMIGRAVIDA DENGAN SENAM DAN YOGA KEHAMILAN. 2017;11.
51. Almutairi WM. Literature Review: Physiological Management for Preventing Postpartum Hemorrhage. *Healthcare*. 2021 May 31;9(6):658.
52. Myles T. Maternal and neonatal outcomes in patients with a prolonged second stage of labor. *Obstet Gynecol*. 2003 Jul;102(1):52–8.
53. Cheng YW, Hopkins LM, Caughey AB. How long is too long: Does a prolonged second stage of labor in nulliparous women affect maternal and neonatal outcomes? *Am J Obstet Gynecol*. 2004 Sep;191(3):933–8.
54. Allen VM, Baskett TF, O'Connell CM, McKeen D, Allen AC. Maternal and Perinatal Outcomes With Increasing Duration of the Second Stage of Labor. *Obstet Gynecol*. 2009 Jun;113(6):1248–58.
55. Shedmake PV, Wakode SR. A Hospital-Based Randomized Controlled Trial—Comparing the Outcome of Normal Delivery Between Squatting and Lying Down Positions During Labour. *J Obstet Gynecol India*. 2021 Aug;71(4):393–8.
56. Bell SF, Watkins A, John M, Macgillivray E, Kitchen TL, James D, et al. Incidence of postpartum hemorrhage defined by quantitative blood loss measurement: a national cohort. *BMC Pregnancy Childbirth*. 2020 Dec;20(1):271.
57. Brun R, Spoerri E, Schäffer L, Zimmermann R, Haslinger C. Induction of labor and postpartum blood loss. *BMC Pregnancy Childbirth*. 2019 Dec;19(1):265.
58. Prevention and Management of Postpartum Haemorrhage: Green-top Guideline No. 52. *BJOG Int J Obstet Gynaecol*. 2017 Apr;124(5):e106–49.
59. Leduc D, Senikas V, Lalonde AB, Leduc D, Ballerman C, Biringner A, et al.

- Active Management of the Third Stage of Labour: Prevention and Treatment of Postpartum Hemorrhage. *J Obstet Gynaecol Can.* 2009 Oct;31(10):980–93.
60. Miller CM, Cohn S, Akdagli S, Carvalho B, Blumenfeld YJ, Butwick AJ. Postpartum hemorrhage following vaginal delivery: risk factors and maternal outcomes. *J Perinatol.* 2017 Mar;37(3):243–8.
  61. Muñoz M, Stensballe J, Ducloy-Bouthors AS, et al. Patient blood management in obstetrics: prevention and treatment of postpartum haemorrhage. A NATA consensus statement. *Blood Transfus.* 2019;17(2):112-136. doi:10.2450/2019.0245-18
  62. Pascawati R, Shahib N, Husin F. Pengaruh Pemberian Minuman Mix Juice terhadap Kadar Glukosa Darah dan Kebugaran Ibu Bersalin. *J Kesehat.* 2019 May 11;10(1):1.
  63. Rademaker D, Hukkelhoven CWPM, van Pampus MG. Adverse maternal and perinatal pregnancy outcomes related to very advanced maternal age in primigravida and multigravida in the Netherlands: A population-based cohort. *Acta Obstet Gynecol Scand.* 2021 May;100(5):941-948. doi: 10.1111/aogs.14064. Epub 2021 Feb 27. PMID: 33314021.

