

## DAFTAR PUSTAKA

1. World Health Organization. *Addressing The Rising Prevalence Of Hearing Loss*. Geneva: World Health Organization; 2018. 28 Hlm. <https://apps.who.int/iris/bitstream/handle/10665/260336/9789241550260-eng.pdf?sequence=1&isAllowed=y>
2. Cunningham LL, Tucci DL. *Hearing Loss In Adults*. Ropper AH, Editor. N Engl J Med. 21 Desember 2017;377(25):2465–73. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6457651/pdf/nihms-1017320.pdf>
3. Nieman CL, Oh ES. *Hearing Loss*. *Ann Intern Med*. 1 Desember 2020;173(11):ITC81–96. <https://www.acpjournals.org/doi/pdf/10.7326/AITC202012010>
4. Mutawakkil AF, Ridwan A, Taufik NH. *The Effects Of Earphone Use On The Incidence Of Noise-Induced Hearing Loss: An Empirical Study Of Senior High School Students In Banda Aceh*. 2021;6(12):8. <https://ijisrt.com/assets/upload/files/IJISRT21DEC417.pdf>
5. World Health Organization. *World Report On Hearing*. Geneva: World Health Organization; 2021. <https://www.who.int/publications/i/item/9789240020481>
6. Alqahtani AS, Alshammari AN, Khalifah EM, Alnabri AA, Aldarwish HA, Alshammari KF, Dkk. *Awareness About The Relation Of Noise Induced Hearing Loss And Use Of Headphones At Hail Region*. *Ann Med Surg*. Januari 2022;73:103113. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8685984/pdf/main.pdf>
7. Soepardi E, Iskandar N, Et Al. *Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala Leher*. 6 Ed. Jakarta: FK UI; 2007.
8. Nurrokhmawati Y, Herlina L, Ichlas I, Buana SEV. *Influence On The NIHL Of Miners With Age, Sex, And Work Period: Dalam Bandung, Indonesia; 2021*. <https://www.atlantispress.com/proceedings/asmc-21/125959081>
9. Mohammadpoorasl A, Hajizadeh M, Marin S, Heydari P, Ghalenoei M. *Prevalence And Pattern Of Using Headphones And Its Relationship With Hearing Loss Among Students*. *Health Scope*. 1 September 2018;7(4). [https://www.researchgate.net/publication/327381300\\_Prevalence\\_and\\_Pattern\\_of\\_Using\\_Headphones\\_and\\_Its\\_Relationship\\_with\\_Hearing\\_Loss\\_Among\\_Students#fullTextFileContent](https://www.researchgate.net/publication/327381300_Prevalence_and_Pattern_of_Using_Headphones_and_Its_Relationship_with_Hearing_Loss_Among_Students#fullTextFileContent)
10. Poushter J. *Smartphone Ownership And Internet Usage Continues To Climb In Emerging Economies*. :45. Pew Researcher Center. 2016.

<https://www.pewresearch.org/global/2016/02/22/smartphone-ownership-and-internet-usage-continues-to-climb-in-emerging-economies/>

11. Laberta V. *Address Youth Risky Listening Habits To Prevent A 'Deaf Generation'*: Hear J. The Hearing Journal. Oktober 2016;69(10):20–2. [https://journals.lww.com/thehearingjournal/Fulltext/2016/10000/Address\\_Youth\\_Risky\\_Listening\\_Habits\\_to\\_Prevent\\_a.1.aspx](https://journals.lww.com/thehearingjournal/Fulltext/2016/10000/Address_Youth_Risky_Listening_Habits_to_Prevent_a.1.aspx)
12. Pathak VK. *Prevalence Of Hearing Loss Among Medical Students Due To Online Classes During Covid-19 Pandemic: A Questionnaire Based Study*. Journal of dental Medical sciences. 2021. <https://www.iosrjournals.org/iosr-jdms/papers/Vol20-issue1/Series-3/I2001034648.pdf>
13. Setiani L, Syakila N. *Hubungan Lama Paparan Penggunaan Earphone Musik Terhadap Terjadinya Gangguan Pendengaran Akibat Bising Pada Mahasiswa Fakultas Kedokteran Universitas Syiah Kuala*. Jurnal Kedokteran Nanggroe Medika. Aceh. 2018;1(2):10. <https://www.jknamed.com/jknamed/article/view/51/19>
14. Adnyani AL. *Prevalensi Gangguan Fungsi Pendengaran Akibat Kebisingan Lingkungan Kerja pada Pekerja Kayu di Desa Mas Kecamatan Ubud Kabupaten Gianyar*. Jurnal Medika Udayana. <https://ojs.unud.ac.id/index.php/eum/article/view/36438/22004>
15. Mangunkusumo E, Et Al. *Buku Teks Komprehensif Ilmu THT - KL*. EGC. Jakarta. 2019.
16. Drake RL, Vogl WA, Mitchell AWM. *Gray's Basic Anatomy: Study Smart With Student Consult*. Philadelphia, PA: Elsevier, Churchill Livingstone; 2012. 610 Hlm.
17. Ding T, Yan A, Liu K. *What Is Noise-Induced Hearing Loss?*. Br J Hosp Med. 2 September 2019;80(9):525–9. <https://www.magonlinelibrary.com/doi/pdf/10.12968/hmed.2019.80.9.525>
18. World Health Organization, International Telecommunication Union. *Safe Listening Devices And Systems: A WHO-ITU Standard*. Geneva: World Health Organization; 2019. 28 Hlm. <https://www.who.int/publications/i/item/9789241515276>
19. Krug E, Et Al. *Make Listening Safe*. Geneva: World Health Organization; 2015. [https://apps.who.int/iris/bitstream/handle/10665/177884/WHO\\_NMH\\_NV\\_I\\_15.2\\_eng.pdf](https://apps.who.int/iris/bitstream/handle/10665/177884/WHO_NMH_NV_I_15.2_eng.pdf)
20. Swanepoel DW, Laurent C. *Classification Of Hearing Loss*. Guide To Audiology And Hearing Aids For Otolaryngologists. University of Petroia

- South Afirka. 2019. :5.  
[https://www.researchgate.net/publication/336306315\\_Classification\\_of\\_hearing\\_loss](https://www.researchgate.net/publication/336306315_Classification_of_hearing_loss)
21. Ravina T, Lin J, Jesus O. *Sensorineural Hearing Loss*. Statpearls Publishing, Treasure Island (FL); 2022.  
<https://www.ncbi.nlm.nih.gov/books/NBK565860/?report=reader>
22. Park S, Han SH, Kim BG, Suh MW, Lee JH, Oh SH, Dkk. *Changes In Microrna Expression In The Cochlear Nucleus And Inferior Colliculus After Acute Noise-Induced Hearing Loss*. *Int J Mol Sci*. 20 November 2020;21(22):8792.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7709026/pdf/ijms-21-08792.pdf>
23. Yadav MK, Yadav KS. *Etiology Of Noise-Induced Hearing Loss (NIHL) And Its Symptomatic Correlation With Audiometry Observations In Type II Diabetes*. *Indian J Otolaryngol Head Neck Surg*. Maret 2018;70(1):137–44.  
[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5807289/pdf/12070\\_2017\\_Article\\_1188.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5807289/pdf/12070_2017_Article_1188.pdf)
24. Chadha S, Kamenov K, Cieza A. *The World Report On Hearing*, 2021. *Bull World Health Organ*. 1 April 2021;99(4):242-242A.  
<https://apps.who.int/iris/bitstream/handle/10665/341229/PMC8085630.pdf?sequence=1&isAllowed=y>
25. Basner M, Clarck C. *Aviation Noise Impacts: State Of The Science*. *Noise Health*. 2017;19.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5437751/?report=reader>
26. WHO. *Environmental Noise Guidlines For The European Region*. Copenhagen, Denmark; 2018.  
<https://www.who.int/europe/publications/i/item/9789289053563>
27. Carter L, Williams W, Black D, Bundy A. *The Leisure-Noise Dilemma: Hearing Loss Or Hearsay? What Does The Literature Tell Us?*. *Ear Hear*. September 2014;35(5):491–505. [https://journals.lww.com/ear-hearing/Abstract/2014/09000/The\\_Leisure\\_Noise\\_Dilemma\\_\\_Hearing\\_Loss\\_or.1.aspx](https://journals.lww.com/ear-hearing/Abstract/2014/09000/The_Leisure_Noise_Dilemma__Hearing_Loss_or.1.aspx)
28. Degeest S, Keppler H, Vinck B. *Leisure Noise Exposure And Associated Health-Risk Behavior In Adolescents: An Explanatory Study Among Two Different Educational Programs In Flanders*. *Int J Environ Res Public Health*. 29 Juli 2021;18(15):8033. <https://www.mdpi.com/1660-4601/18/15/8033>

29. Swaroop D, Ahmad K, Singh R. *Road Traffic Noise Level Assessment At An Institutional Area*. New Delhi. India. 2014;4(9):10. [https://www.academia.edu/9004825/Road\\_Traffic\\_Noise\\_Level\\_Assessment\\_at\\_an\\_Institutional\\_Area](https://www.academia.edu/9004825/Road_Traffic_Noise_Level_Assessment_at_an_Institutional_Area)
30. Sudipta M, Et Al. *Buku Panduan Belajar Koass Ilmu THT-KL*. Bali: Udayana University Press; 2017. [https://simdos.unud.ac.id/uploads/file\\_penelitian\\_1\\_dir/d2a051b877d83f808c444ac6122302aa.pdf](https://simdos.unud.ac.id/uploads/file_penelitian_1_dir/d2a051b877d83f808c444ac6122302aa.pdf)
31. Sastroasmoro S, Ismael S. *Dasar - Dasar Metode Penelitian Klinis*. 4 Ed. Sagung Seto; 2011.
32. Rachmawati W. *Promosi Kesehatan Dan Ilmu Perilaku*. Malang: Wineka Media; 2019. <https://fik.um.ac.id/wp-content/uploads/2020/10/2.-PROMOSI-KESEHATAN-DAN-ILMU-PERILAKU.pdf>
33. Dahlan S. *Statistik Untuk Kedokteran Dan Kesehatan*. 6 Ed. Jakarta: Epidemiologi Indonesia; 2020. (1).
34. Rifqi M, Suherlan E, Yunus A. *First Year College Students Knowledge About The Impact Of Using Earphone On Noise Induce Hearing Loss (NIHL) In Faculty Of Medicine Islamic Bandung University*. 2019;5(1). <https://karyailmiah.unisba.ac.id/index.php/dokter/article/view/14713/pdf>
35. Warner-Czyz AD, Cain S. *Age And Gender Differences In Children And Adolescents' Attitudes Toward Noise*. Int J Audiol. Februari 2016;55(2):83–92. <http://www.tandfonline.com/doi/full/10.3109/14992027.2015.1098784>
36. Pratama INS, Wiranadha M. *Karakteristik Penderita Tuli Sensorineural Di Bagian/KSM THT-KL RSUP Sanglah Periode Januari 2017-Desember 2018*. Medicina (Mex). 6 Juli 2020;51(1). <https://www.medicinaudayana.org/index.php/medicina/article/view/832>
37. Rizal IW, Masliana S, Utami RY. *Hubungan Lama Dan Frekuensi Menelpon Menggunakan Headset Dengan Gangguan Pendengaran Padaoperator Pt. Infomedia Nusantara Medan Tahun 2016*. Universitas Muhammadiyah. Sumatera. 2017;1. <https://jurnal.umsu.ac.id/index.php/biomedika/article/view/1118/1109>
38. Tanna RJ, Lin JW, Jesus OD. *Sensorineural Hearing Loss*. Statpearls. Statpearls Publishing; 2022 <https://www.ncbi.nlm.nih.gov/books/NBK565860/>
39. Eryani YM, Wibowo CA, Saftarina F. *Faktor Risiko Terjadinya Gangguan Pendengaran Akibat Bising*. Medula. Universitas Lampung. Lampung.

2017. :6.  
<https://juke.kedokteran.unila.ac.id/index.php/medula/article/view/1699/pdf>
40. Sarah NA, Lintong F, Rumampuk JF. *Hubungan Penggunaan Earphone Dengan Gangguan Pendengaran Pada Siswa Sma Negeri 9 Manado*. Jurnal Kedokteran Klinik. Manado. 2016;1(1):7.  
<https://docplayer.info/204999798-Efek-penggunaan-earphone-sebagai-faktor-resiko-kejadian-noise-induced-hearing-loss-eka-susiyanti-1-mukhlis-imanto-2-1.html>
41. Sasidharan S, Rai S, Somayaji G. *Tinnitus Among Medical Students Using Personal Sound System*. Bengal J Otolaryngol Head Neck Surg. 30 April 2017;25(1):27–33.  
[https://www.researchgate.net/publication/343553614\\_Tinnitus\\_Among\\_Medical\\_Students\\_Using\\_Personal\\_Sound\\_System](https://www.researchgate.net/publication/343553614_Tinnitus_Among_Medical_Students_Using_Personal_Sound_System)
42. Patni PRD, Kadryan H, Cholidah R. *Pengaruh Kebiasaan Penggunaan Headset Terhadap Gangguan Telinga Yang Terjadi Pada Mahasiswa Fakultas Kedokteran Universitas Mataram*. Universitas Mataram. Nusa Tenggara Barat. 2015. :13.  
<http://eprints.unram.ac.id/4353/1/artikel%20ilmiah.pdf>
43. Manisha DN, Mohammed DNA, Somayaji DG, Kallikkadan H, Mubeena D. *Effects Of Personal Music Players And Mobiles With Ear Phones On Hearing In Students*. Journal of Dental Medical Sciences. 2015.  
<https://www.iosrjournals.org/iosr-jdms/papers/Vol14-issue2/Version-6/G014263135.pdf>
44. Susiyanti E, Imanto M. *Efek Penggunaan Earphone Sebagai Faktor Resiko Kejadian Noise Induced Hearing Loss*. Majority. Universitas Lampung. 2020:5.  
<https://juke.kedokteran.unila.ac.id/index.php/majority/article/view/2848/2781>
45. Muyassaroh M, Dimas D, Citra C. *Hubungan Pengetahuan Dengan Perilaku Pelajar Pengguna Personal Listening Devices (Plds)*. Medica Hosp J Clin Med. 16 September 2017;3(1).  
<http://medicahospitalia.rskariadi.co.id/medicahospitalia/index.php/mh/article/view/202/109>
46. Rahma Zain T, Wanto N, Masri M. *Gambaran Perilaku Remaja Terhadap Penggunaan Earphone Pada Siswa SMA Negeri Kota Padang*. J Kesehatan Andalas. 1 September 2016;5(3).  
<http://jurnal.fk.unand.ac.id/index.php/jka/article/view/610/496>
47. You S, Kwak C, Han W. *Use Of Personal Listening Devices And Knowledge/Attitude For Greater Hearing Conservation In College*

- Students: Data Analysis And Regression Model Based On 1009 Respondents*. Int J Environ Res Public Health. 23 April 2020;17(8):2934. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7216199/pdf/ijerph-17-02934.pdf>
48. Alzhrani F, Al-Saleh S, Asrar S, Al-Dhafeeri A, Al-Baqami B, Al-Harbi M, Dkk. *Community Awareness Of Noise-Induced Hearing Loss From Portable Listening Devices And Possible Preventive Measures*. J Nat Sci Med. 2020;0(0):0. [https://www.jnsmonline.org/temp/JNatSciMed32107-2101734\\_055017.pdf](https://www.jnsmonline.org/temp/JNatSciMed32107-2101734_055017.pdf)
49. Byeon H. *Associations Between Adolescents' Earphone Usage In Noisy Environments, Hearing Loss, And Self-Reported Hearing Problems In A Nationally Representative Sample Of South Korean Middle And High School Students*. Medicine (Baltimore). 22 Januari 2021;100(3):E24056. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7837842/pdf/medi-100-e24056.pdf>
50. Widén SE, Båsjö S, Möller C, Kähäri K. *Headphone Listening Habits And Hearing Thresholds In Swedish Adolescents*. Noise Health. Juni 2017;19(88):125. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5501022/>
51. Zia S, Akram U, Ali SA, Bokhari H, Naim M, Oza F, Dkk. *Relationship Of Ear Phone Usage And Recreational Noise Induced Hearing Loss Based On Audiogram Assessment*. Linaquat Uni Health Science. 2016. 15(04):8. <https://www.lumhs.edu.pk/jlumhs/Vol15No04/pdfs/07.pdf>
52. Gilliver M, Nguyen J, Beach EF, Barr C. *Personal Listening Devices In Australia: Patterns Of Use And Levels Of Risk*. Semin Hear. November 2017;38(4):282–97. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5634814/>
53. Kd AM, Iriani D, Ruspita DA, Antono D, Marliyawati D. *Kesehatan Telinga, Hidung Dan Tenggorok*. RSUP Dr. Kariadi. Semarang. 2019. <https://123dok.com/document/yev4vw1r-bunga-rampai-kesehatan-telingahidung-dan-tenggorok.html>