

5. DAFTAR PUSTAKA

- Altuntas, S., & Korukluoglu, M. (2019). Growth and effect of garlic (*Allium sativum*) on selected beneficial bacteria. *Food Science and Technology*, 39(4), 897–904. <https://doi.org/10.1590/fst.10618>
- American Cancer Society. (2016). *Cancer Facts and Figures 2016*. Atlanta, Ga: American Cancer Society.
- An, S., Lee, M. S., Jeon, J. Y., Ha, E. S., Kim, T. H., Yoon, J. Y., Ok, C., Lee, H., Hwang, W., Choe, S. J., Han, S. J., Kim, H. J., Kim, D. J., & Lee, K. (2013). Beneficial effects of fresh and fermented kimchi in Prediabetic individuals. *Annals of Nutrition and Metabolism*, 63(1-2), 111-119. <https://doi.org/10.1159/000353583>
- Azka, A. B., Santriadi, M. T., & Kholis, M. N. (2018). Pengaruh Konsentrasi garam Dan lama Fermentasi Terhadap Sifat Kimia Dan Organoleptik kimchi. *Agroindustrial Technology Journal*, 2(1), 91. <https://doi.org/10.21111/atj.v2i1.2818>
- Baek, S., Maruthupandy, M., Lee, K., Kim, D., & Seo, J. (2020). Freshness indicator for monitoring changes in quality of packaged kimchi during storage. *Food Packaging and Shelf Life*, 25, 100528. <https://doi.org/10.1016/j.fpsl.2020.100528>
- Caro, J. F., Kolaczynski, J. W., Nyce, M. R., Ohannesian, J. P., Opentanova, I., Goldman, W. H., Lynn, R. B., Zhang, P. L., Sinha, M. K., & Considine, R. V. (1996). Decreased cerebrospinal-fluid/serum leptin ratio in obesity: a possible mechanism for leptin resistance. *Lancet*, 348(9021), 159–161. [https://doi.org/10.1016/s0140-6736\(96\)03173-x](https://doi.org/10.1016/s0140-6736(96)03173-x)
- Chang, C.-H., Chen, Y.-S., & Yanagida, F. (2011). Isolation and characterisation of lactic acid bacteria from yan-jiang (fermented ginger), a traditional fermented food in Taiwan: Lactic acid bacteria from Yan-jiang. *Journal of the Science of Food and Agriculture*, 91(10), 1746–1750. <https://doi.org/10.1002/jsfa.4364>
- Chang, J.-H., Shim, Y. Y., Cha, S.-K., & Chee, K. M. (2010). Probiotic characteristics of lactic acid bacteria isolated from kimchi. *Journal of Applied Microbiology*, 109(1), 220–230. <https://doi.org/10.1111/j.1365-2672.2009.04648.x>
- Cheigh, H., Park, K., & Lee, C. Y. (1994). Biochemical, microbiological, and nutritional aspects of kimchi (Korean fermented vegetable products). *Critical Reviews in Food Science and Nutrition*, 34(2), 175-203. <https://doi.org/10.1080/10408399409527656>

- Cho, J., Lee, D., Yang, C., Jeon, J., Kim, J., & Han, H. (2006). Microbial population dynamics of kimchi, a fermented cabbage product. *FEMS Microbiology Letters*, 257(2), 262–267. <https://doi.org/10.1111/j.1574-6968.2006.00186.x>
- Cho, S. Y., Park, M. J., Kim, K. M., Ryu, J.-H., & Park, H. J. (2011). Production of high γ -aminobutyric acid (GABA) sour kimchi using lactic acid bacteria isolated from mukeunjee kimchi. *Food Science and Biotechnology*, 20(2), 403–408. <https://doi.org/10.1007/s10068-011-0057-y>
- Choi, I. H., Noh, J. S., Han, J., Kim, H. J., Han, E., & Song, Y. O. (2013). Kimchi, a fermented vegetable, improves serum lipid profiles in healthy young adults: Randomized clinical trial. *Journal of Medicinal Food*, 16(3), 223–229. <https://doi.org/10.1089/jmf.2012.2563>
- Choi, S., Beuchat, L. R., Perkins, L. M., & Nakayama, T. (1994). Fermentation and sensory characteristics of kimchi containing potassium chloride as a partial replacement for sodium chloride. *International Journal of Food Microbiology*, 21(4), 335–340. [https://doi.org/10.1016/0168-1605\(94\)90063-9](https://doi.org/10.1016/0168-1605(94)90063-9)
- Choi, Y., Yong, S., Lee, M. J., Park, S. J., Yun, Y., Park, S., & Lee, M. (2019). Changes in volatile and non-volatile compounds of model kimchi through fermentation by lactic acid bacteria. *LWT*, 105, 118–126. <https://doi.org/10.1016/j.lwt.2019.02.001>
- Codex Alimentarius Commission. Codex Standard for Kimchi, Codex Stan 223-2001. (2001). Food and Agriculture Organization of the United Nations: Rome, Italy.
- Cui, M., Kim, H.-Y., Lee, K. H., Jeong, J.-K., Hwang, J.-H., Yeo, K.-Y., Ryu, B.-H., Choi, J.-H., & Park, K.-Y. (2015). Antiobesity effects of kimchi in diet-induced obese mice. *Journal of Ethnic Foods*, 2(3), 137–144. <https://doi.org/10.1016/j.jef.2015.08.001>
- De Vuyst, L., & Leroy, F. (2007). Bacteriocins from lactic acid bacteria: Production, purification, and food applications. *Journal of Molecular Microbiology and Biotechnology*, 13(4), 194–199. <https://doi.org/10.1159/000104752>
- Dimidi, E., Cox, S. R., Rossi, M., & Whelan, K. (2019). Fermented foods: Definitions and characteristics, impact on the gut microbiota and effects on gastrointestinal health and disease. *Nutrients*, 11(8), 1806. <https://doi.org/10.3390/nu11081806>
- Han, Y., A Kang, E., Min Park, J., Young Oh, J., Yoon Lee, D., Hye Choi, S., & Baik Hahm, K. (2020). Dietary intake of fermented kimchi prevented colitis-associated cancer. *Journal of Clinical Biochemistry and Nutrition*, 67(3), 263–273. <https://doi.org/10.3164/jcbn.20-77>

- He, G.-Q., Liu, T.-J., Sadiq, F. A., Gu, J.-S., & Zhang, G.-H. (2017). Insights into the microbial diversity and community dynamics of Chinese traditional fermented foods from using high-throughput sequencing approaches. *Journal of Zhejiang University. Science. B*, 18(4), 289–302. <https://doi.org/10.1631/jzus.B1600148>
- Hernani, H., & Dewandari, K. T. (2018). ANTIMICROBIAL PROPERTIES OF NANO-EMULSION FORMULATED FROM GARLIC, GINGER AND CINNAMON EXTRACTS AGAINST *Escherichia coli* AND *Salmonella typhi*. *Indonesian Journal of Agricultural Science*, 19(2), 75. <https://doi.org/10.21082/ijas.v19n2.2018.p75-82>
- Hong, S. P., Lee, E. J., Kim, Y. H., & Ahn, D. U. (2016). Effect of fermentation temperature on the volatile composition of Kimchi: Volatiles of Kimchi.... *Journal of Food Science*, 81(11), C2623–C2629. <https://doi.org/10.1111/1750-3841.13517>
- Hongu, N., Kim, A. S., Suzuki, A., Wilson, H., Tsui, K. C., & Park, S. (2017). Korean kimchi: Promoting healthy meals through cultural tradition. *Journal of Ethnic Foods*, 4(3), 172-180. <https://doi.org/10.1016/j.jef.2017.08.005>
- Hwang, H., & Lee, J.-H. (2018). Characterization of arginine catabolism by lactic acid bacteria isolated from Kimchi. *Molecules (Basel, Switzerland)*, 23(11), 3049. <https://doi.org/10.3390/molecules23113049>
- Jacxsens, L., Uyttendaele, M., Devlieghere, F., Rovira, J., Gomez, S. O., & Luning, P. A. (2010). Food safety performance indicators to benchmark food safety output of food safety management systems. *International Journal of Food Microbiology*, 141 Suppl 1, S180-7. <https://doi.org/10.1016/j.ijfoodmicro.2010.05.003>
- Song, W.-J., Chung, H.-Y., Kang, D.-H., & Ha, J.-W. (2019). Microbial quality of reduced-sodium napa cabbage kimchi and its processing. *Food Science & Nutrition*, 7(2), 628–635. <https://doi.org/10.1002/fsn3.898>
- James, A., & Wang, Y. (2019). Characterization, health benefits and applications of fruits and vegetable probiotics. *CyTA - Journal of Food*, 17(1), 770–780. <https://doi.org/10.1080/19476337.2019.1652693>
- Jang, D.-J., Chung, K. R., Yang, H. J., Kim, K.-S., & Kwon, D. Y. (2015). Discussion on the origin of kimchi, representative of Korean unique fermented vegetables. *Journal of Ethnic Foods*, 2(3), 126–136. <https://doi.org/10.1016/j.jef.2015.08.005>
- Jeong, M., Park, J.-M., Han, Y.-M., Park, K. Y., Lee, D. H., Yoo, J.-H., Cho, J. Y., & Hahm, K.-B. (2015). Dietary prevention of *Helicobacter pylori*-associated gastric cancer with kimchi. *Oncotarget*, 6(30), 29513–29526. <https://doi.org/10.18632/oncotarget.4897>

- Jeong, S. H., Jung, J. Y., Lee, S. H., Jin, H. M., & Jeon, C. O. (2013). Microbial succession and metabolite changes during fermentation of dongchimi, traditional Korean watery kimchi. *International Journal of Food Microbiology*, 164(1), 46–53. <https://doi.org/10.1016/j.ijfoodmicro.2013.03.016>
- Jeong, S. H., Lee, H. J., Jung, J. Y., Lee, S. H., Seo, H., Park, W., & Jeon, C. O. (2013). Effects of red pepper powder on microbial communities and metabolites during kimchi fermentation. *International Journal of Food Microbiology*, 160(3), 252–259. <https://doi.org/10.1016/j.ijfoodmicro.2012.10.015>
- Jung, J. Y., Lee, S. H., & Jeon, C. O. (2014). Kimchi microflora: History, current status, and perspectives for industrial kimchi production. *Applied Microbiology and Biotechnology*, 98(6), 2385–2393. <https://doi.org/10.1007/s00253-014-5513-1>
- Jung, J. Y., Lee, S. H., Jin, H. M., Hahn, Y., Madsen, E. L., & Jeon, C. O. (2013). Metatranscriptomic analysis of lactic acid bacterial gene expression during kimchi fermentation. *International Journal of Food Microbiology*, 163(2–3), 171–179. <https://doi.org/10.1016/j.ijfoodmicro.2013.02.022>
- Jung, J. Y., Lee, S. H., Kim, J. M., Park, M. S., Bae, J.-W., Hahn, Y., Madsen, E. L., & Jeon, C. O. (2011). Metagenomic analysis of kimchi, a traditional Korean fermented food. *Applied and Environmental Microbiology*, 77(7), 2264–2274. <https://doi.org/10.1128/AEM.02157-10>
- Jung, J. Y., Lee, S. H., Lee, H. J., Seo, H.-Y., Park, W.-S., & Jeon, C. O. (2012). Effects of *Leuconostoc mesenteroides* starter cultures on microbial communities and metabolites during kimchi fermentation. *International Journal of Food Microbiology*, 153(3), 378–387. <https://doi.org/10.1016/j.ijfoodmicro.2011.11.030>
- Jung, M. Y., Kim, T., Lee, C., Kim, J. Y., Song, H. S., Kim, Y. B., Ahn, S. W., Kim, J. S., Roh, S. W., & Lee, S. H. (2018). Role of jeotgal, a Korean traditional fermented fish sauce, in microbial dynamics and metabolite profiles during kimchi fermentation. *Food Chemistry*, 265, 135–143. <https://doi.org/10.1016/j.foodchem.2018.05.093>
- Jung, S. J., Kim, M. J., & Chae, S. W. (2016). Quality and functional characteristics of kimchi made with organically cultivated young Chinese cabbage (*olgari-baechu*). *Journal of Ethnic Foods*, 3(2), 150–158. <https://doi.org/10.1016/j.jef.2016.05.003>
- Jung, S., An, H., & Lee, J. (2020). Red pepper powder is an essential factor for ornithine production in kimchi fermentation. *LWT*, 110434. <https://doi.org/10.1016/j.lwt.2020.110434>
- Kang, B. K., Cho, M. S., & Park, D. S. (2016). Red pepper powder is a crucial factor that influences the ontogeny of *Weissella cibaria* during kimchi fermentation. *Scientific Reports*, 6(1). <https://doi.org/10.1038/srep28232>

- Kang, B. K., Cho, M. S., Ahn, T.-Y., Lee, E. S., & Park, D. S. (2015). The influence of red pepper powder on the density of *Weissella koreensis* during kimchi fermentation. *Scientific Reports*, 5(1), 15445. <https://doi.org/10.1038/srep15445>
- Kang, M., Park, J., & Yoo, S. (2019). Effect of clove powder on quality characteristics and shelf life of kimchi paste. *Food Science & Nutrition*, 7(2), 537-546. <https://doi.org/10.1002/fsn3.833>
- Kemenkes RI. (2015). Komite Penanggulangan Kanker Nasional. Panduan Penatalaksanaan Kanker Serviks. Jakarta.
- Kemenkes RI. (2019). Cerdik Tanggulangi Kanker. Komite Penanggulangan Kanker Nasional Jakarta.
- Khristnaviera, B. Y., & Meitiniarti, V. I. (2017). Isolasi bakteri asam laktat Dari kimchi Dan kemampuannya menghasilkan zat anti bakteri. *Scripta Biologica*, 4(3), 165. <https://doi.org/10.20884/1.sb.2017.4.3.447>
- Kikuzaki, H., & Nakatani, N. (1993). Antioxidant effects of some ginger constituents. *Journal of Food Science*, 58(6), 1407–1410. <https://doi.org/10.1111/j.1365-2621.1993.tb06194.x>
- Kim DL, Kim NH, Shin DH, Kim SG, Choi KM, Kim JK. (2002). Plasma leptin concentration, obesity, and insulin resistance in healthy Korean population. *Korean Diabetes Journal*. 26:100-11
- Kim, B., Park, K. Y., Kim, H. Y., Ahn, S. C., & Cho, E. J. (2011). Anti-aging effects and mechanisms of kimchi during fermentation under stress-induced premature senescence cellular system. *Food Science and Biotechnology*, 20(3), 643–649. <https://doi.org/10.1007/s10068-011-0091-9>
- Kim, B., Song, J.-L., Ju, J.-H., Kang, S.-A., & Park, K.-Y. (2015). Anticancer effects of kimchi fermented for different times and with added ingredients in human HT-29 colon cancer cells. *Food Science and Biotechnology*, 24(2), 629–633. <https://doi.org/10.1007/s10068-015-0082-3>
- Kim, E. (2013). World Institute of kimchi as a leading global Institute of fermented foods. *Biotechnology Journal*, 8(7), 759-760. <https://doi.org/10.1002/biot.201300184>
- Kim, E. K., An, S., Lee, M., Kim, T. H., Lee, H., Hwang, W. S., Choe, S. J., Kim, T., Han, S. J., Kim, H. J., Kim, D. J., & Lee, K. (2011). Fermented kimchi reduces body weight and improves metabolic parameters in overweight and obese patients. *Nutrition Research*, 31(6), 436-443. <https://doi.org/10.1016/j.nutres.2011.05.011>

- Kim, H.-Y., Song, J.-L., Chang, H.-K., Kang, S.-A., & Park, K.-Y. (2014). Kimchi protects against azoxymethane/dextran sulfate sodium-induced colorectal carcinogenesis in mice. *Journal of Medicinal Food*, 17(8), 833–841. <https://doi.org/10.1089/jmf.2013.2986>
- Kim, J., Bang, J., Beuchat, L. R., Kim, H., & Ryu, J. (2012). Controlled fermentation of kimchi using naturally occurring antimicrobial agents. *Food Microbiology*, 32(1), 20-31. <https://doi.org/10.1016/j.fm.2012.05.007>
- Kim, J., Chun, J., & Han, H. U. (2000). *Leuconostoc kimchii* Sp. Nov., a new species from kimchi. *International Journal of Systematic and Evolutionary Microbiology*, 50(5), 1915-1919. <https://doi.org/10.1099/00207713-50-5-1915>
- Kim, M., Yang, H. J., Kim, S., Lee, H. W., & Lee, M. S. (2018). Effects of kimchi on human health. *Medicine*, 97(13), e0163. <https://doi.org/10.1097/md.00000000000010163>
- Kim, M.-J., Lee, H.-W., Kim, J. Y., Kang, S. E., Roh, S. W., Hong, S. W., Yoo, S. R., & Kim, T.-W. (2020). Impact of fermentation conditions on the diversity of white colony-forming yeast and analysis of metabolite changes by white colony-forming yeast in kimchi. *Food Research International* (Ottawa, Ont.), 136(109315), 109315. <https://doi.org/10.1016/j.foodres.2020.109315>
- Kim, S. Y., Freeland-Graves, J. H., & Kim, H. J. (2019). Nineteen-year trends in fermented food consumption and sodium intake from fermented foods for Korean adults from 1998 to 2016. *Public Health Nutrition*, 23(3), 515-524. <https://doi.org/10.1017/s1368980019002994>
- Kim, Y. S., Baek, H. H., Chung, M. M., Kwon, B., Ji, G. G. (2009). Garlic Fermentation by Lactic Acid Bacteria. *Food Science and Biotechnology*. 18(5): 1279-1283.
- Koo, O. K., Lee, S. J., Chung, K. R., Jang, D. J., Yang, H. J., & Kwon, D. Y. (2016). Korean traditional fermented fish products: jeotgal. *Journal of Ethnic Foods*, 3(2), 107–116. <https://doi.org/10.1016/j.jef.2016.06.004>
- Kook, S.-Y., Lee, Y., Jeong, E.-C., & Kim, S. (2019). Immunomodulatory effects of exopolysaccharides produced by *Bacillus licheniformis* and *Leuconostoc mesenteroides* isolated from Korean kimchi. *Journal of Functional Foods*, 54, 211–219. <https://doi.org/10.1016/j.jff.2019.01.003>
- Kwak, S. H., Cho, Y. M., Noh, G. M., Om, A. S. (2014). Cancer Preventive Potential of Kimchi Lactic Acid Bacteria (*Weissella cibaria*, *Lactobacillus plantarum*). *Journal of Cancer Prevention*. 19(4): 253–258. <https://doi.org/10.15430/JCP.2014.19.4.253>

- Kyung, K. H., Medina Pradas, E., Kim, S. G., Lee, Y. J., Kim, K. H., Choi, J. J., Cho, J. H., Chung, C. H., Barrangou, R., & Breidt, F. (2015). Microbial ecology of watery kimchi: Watery kimchi (NabakandDongchimi) ecology.... *Journal of Food Science*, 80(5), M1031-8. <https://doi.org/10.1111/1750-3841.12848>
- Lanzotti, V. (2006). The analysis of onion and garlic. *Journal of Chromatography A*, 1112(1–2), 3–22. <https://doi.org/10.1016/j.chroma.2005.12.016>
- Lee, J. H., Sung, T. H., Lee, K. T., & Kim, M. R. (2004). Effect of gamma-irradiation on color, pungency, and volatiles of Korean red pepper powder. *Journal of Food Science*, 69(8), C585–C592. <https://doi.org/10.1111/j.1365-2621.2004.tb09904.x>
- Lee, J.-H., Jin, Y. H., Park, Y. K., Yun, S. J., & Mah, J.-H. (2019). Formation of biogenic amines in Pa (green onion) Kimchi and Gat (mustard leaf) Kimchi. *Foods* (Basel, Switzerland), 8(3), 109. <https://doi.org/10.3390/foods8030109>
- Lee, S. H., Jung, J. Y., & Jeon, C. O. (2015). Source tracking and succession of kimchi lactic acid bacteria during fermentation. *Journal of Food Science*, 80(8), M1871-M1877. <https://doi.org/10.1111/1750-3841.12948>
- Lee, S. H., Whon, T. W., Roh, S. W., & Jeon, C. O. (2020). Unraveling microbial fermentation features in kimchi: from classical to meta-omics approaches. *Applied Microbiology and Biotechnology*, 104(18), 7731–7744. <https://doi.org/10.1007/s00253-020-10804-8>
- Lee, S.-J., Jeon, H.-S., Yoo, J.-Y., & Kim, J.-H. (2021). Some important metabolites produced by lactic acid bacteria originated from Kimchi. *Foods* (Basel, Switzerland), 10(9), 2148. <https://doi.org/10.3390/foods10092148>
- Leroy, F., & De Vuyst, L. (2004). Lactic acid bacteria as functional starter cultures for the food fermentation industry. *Trends in Food Science & Technology*, 15(2), 67–78. <https://doi.org/10.1016/j.tifs.2003.09.004>
- Lim, S. B., Shin, S.-Y., Moon, J. S., Otgonbayar, G.-E., Joo, W., Lee, S. J., Jeon, C. O., & Han, N. S. (2015). Garlic is a source of major lactic acid bacteria for early-stage fermentation of cabbage-kimchi. *Food Science and Biotechnology*, 24(4), 1437–1441. <https://doi.org/10.1007/s10068-015-0184-y>
- Lin, Y., Lin, H., Wang, H., Lin, M., Chen, Y., Fan, Z., Hung, Y.-C., & Lin, Y. (2020). Effects of hydrogen peroxide treatment on pulp breakdown, softening, and cell wall polysaccharide metabolism in fresh longan fruit. *Carbohydrate Polymers*, 242(116427), 116427. <https://doi.org/10.1016/j.carbpol.2020.116427>

- Lu, Q.-Y., Summanen, P. H., Lee, R.-P., Huang, J., Henning, S. M., Heber, D., Finegold, S. M., & Li, Z. (2017). Prebiotic potential and chemical composition of seven culinary spice extracts: Prebiotic potential of spice extracts.... *Journal of Food Science*, 82(8), 1807–1813. <https://doi.org/10.1111/1750-3841.13792>
- Lye, H.-S., Rusul, G., & Liong, M.-T. (2010). Removal of cholesterol by lactobacilli via incorporation and conversion to coprostanol. *Journal of Dairy Science*, 93(4), 1383–1392. <https://doi.org/10.3168/jds.2009-2574>
- Mantzoros, C. S., Magkos, F., Brinkoetter, M., Sienkiewicz, E., Dardeno, T. A., Kim, S.-Y., Hamnvik, O.-P. R., & Koniaris, A. (2011). Leptin in human physiology and pathophysiology. *American Journal of Physiology. Endocrinology and Metabolism*, 301(4), E567-84. <https://doi.org/10.1152/ajpendo.00315.2011>
- Marco, M. L., Heeney, D., Binda, S., Cifelli, C. J., Cotter, P. D., Foligné, B., Gänzle, M., Kort, R., Pasin, G., Pihlanto, A., Smid, E. J., & Hutkins, R. (2017). Health benefits of fermented foods: microbiota and beyond. *Current Opinion in Biotechnology*, 44, 94–102. <https://doi.org/10.1016/j.copbio.2016.11.010>
- Minguez-Mosquera, M. I., & Hornero-Mendez, D. (1994). Comparative study of the effect of paprika processing on the carotenoids in peppers (*capsicum annum*) of the bola and agridulce varieties. *Journal of Agricultural and Food Chemistry*, 42(7), 1555–1560. <https://doi.org/10.1021/jf00043a031>
- Misra, A., Singhal, N., & Khurana, L. (2010). Obesity, the metabolic syndrome, and type 2 diabetes in developing countries: role of dietary fats and oils. *Journal of the American College of Nutrition*, 29(3 Suppl), 289S-301S. <https://doi.org/10.1080/07315724.2010.10719844>
- Novary, E. W. (1997). *Penanganan dan Pengolahan Sayuran Segar*. Jakarta: Penebar Swadaya.
- Pan, H., Guo, J., & Su, Z. (2014). Advances in understanding the interrelations between leptin resistance and obesity. *Physiology & Behavior*, 130, 157–169. <https://doi.org/10.1016/j.physbeh.2014.04.003>
- Park, E.-J., Chun, J., Cha, C.-J., Park, W.-S., Jeon, C. O., & Bae, J.-W. (2012). Bacterial community analysis during fermentation of ten representative kinds of kimchi with barcoded pyrosequencing. *Food Microbiology*, 30(1), 197–204. <https://doi.org/10.1016/j.fm.2011.10.011>
- Park, J.-E., Oh, S.-H., & Cha, Y.-S. (2014). *Lactobacillus brevis* OPK-3 isolated from kimchi inhibits adipogenesis and exerts anti-inflammation in 3T3-L1 adipocyte: *L. brevis* OPK-3 isolated from Kimchi inhibits adipogenesis. *Journal of the Science of Food and Agriculture*, 94(12), 2514–2520. <https://doi.org/10.1002/jsfa.6588>

- Park, K., & Jeong, J. (2016). Kimchi (Korean fermented vegetables) as a probiotic food. *Probiotics, Prebiotics, and Synbiotics*, 391-408. <https://doi.org/10.1016/b978-0-12-802189-7.00026-5>
- Park, K., Jeong, J., Lee, Y., & Daily, J. W. (2014). Health benefits of kimchi (Korean fermented vegetables) as a probiotic food. *Journal of Medicinal Food*, 17(1), 6-20. <https://doi.org/10.1089/jmf.2013.3083>
- Park, K.Y. & Kim, B.K., (2012). Lactic acid bacteria in vegetable fermentation. In: Lahtnen, S., Ouwehand, A.C., Salminen, S., von Wright, A. (Eds.), *Lactic Acid Bacteria*. CRC Press, Boca Raton, FL, USA, pp. 187–211.
- Park, S.-Y., Lee, J.-W., & Lim, S.-D. (2014). The probiotic characteristics and GABA production of *Lactobacillus plantarum* K154 isolated from kimchi. *Food Science and Biotechnology*, 23(6), 1951–1957. <https://doi.org/10.1007/s10068-014-0266-2>
- Patra, J. K., Das, G., Paramithiotis, S., & Shin, H. (2016). Kimchi and other widely consumed traditional fermented foods of Korea: A review. *Frontiers in Microbiology*, 7. <https://doi.org/10.3389/fmicb.2016.01493>
- Peng, S., Xu, J., Xu, J., Wang, J., Zhang, Y., Liao, X., & Zhao, L. (2023). Microbial community and volatile metabolites related to the fermentation degree of salted fermented chili peppers. *Lebensmittel-Wissenschaft Und Technologie [Food Science and Technology]*, 181(114752), 114752. <https://doi.org/10.1016/j.lwt.2023.114752>
- Peterson, C. T., Rodionov, D. A., Iablokov, S. N., Pung, M. A., Chopra, D., Mills, P. J., & Peterson, S. N. (2019). Prebiotic potential of culinary spices used to support digestion and bioabsorption. *Evidence-Based Complementary and Alternative Medicine: ECAM*, 2019, 8973704. <https://doi.org/10.1155/2019/8973704>
- Piao, Y.-Z., Zhao, C.-C., & Eun, J.-B. (2020). Influence of different temperatures on brining kinetics, salt concentration and texture properties of Chinese cabbage (*Brassica rapa* L. ssp. *pekinensis*) during brining with ultrasonic treatment. *Journal of Food Science*, 85(12), 4161–4169. <https://doi.org/10.1111/1750-3841.15509>
- Prasonto, D., Riyanti, E., & Gartika, M. (2017). Uji Aktivitas Antioksidan Ekstrak Bawang Putih (*Allium sativum*). *ODONTO Dental Journal*, 4(2), 122. <https://doi.org/10.30659/odj.4.2.122-128>
- Rhee, S. J., Lee, J.-E., & Lee, C.-H. (2011). Importance of lactic acid bacteria in Asian fermented foods. *Microbial Cell Factories*, 10 Suppl 1(Suppl 1), S5. <https://doi.org/10.1186/1475-2859-10-S1-S5>

- Rice, T., Sahin, A. W., Lynch, K. M., Arendt, E. K., & Coffey, A. (2020). Isolation, characterisation and exploitation of lactic acid bacteria capable of efficient conversion of sugars to mannitol. *International Journal of Food Microbiology*, 321(108546), 108546. <https://doi.org/10.1016/j.ijfoodmicro.2020.108546>
- Riset Kesehatan Dasar (Riskesdas) (2018). Laporan Prevalensi Kanker Berdasarkan Diagnosis Dokter Per 2013-2018. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI.
- Ruige, J. B., Dekker, J. M., Blum, W. F., Stehouwer, C. D., Nijpels, G., Mooy, J., Kostense, P. J., Bouter, L. M., & Heine, R. J. (1999). Leptin and variables of body adiposity, energy balance, and insulin resistance in a population-based study. The Hoorn Study. *Diabetes Care*, 22(7), 1097–1104. <https://doi.org/10.2337/diacare.22.7.1097>
- Sáinz, N., Barrenetxe, J., Moreno-Aliaga, M. J., & Martínez, J. A. (2015). Leptin resistance and diet-induced obesity: central and peripheral actions of leptin. *Metabolism: Clinical and Experimental*, 64(1), 35–46. <https://doi.org/10.1016/j.metabol.2014.10.015>
- Salama, A. A., AbouLaila, M., Terkawi, M. A., Mousa, A., El-Sify, A., Allaam, M., Zaghawa, A., Yokoyama, N., & Igarashi, I. (2014). Inhibitory effect of allicin on the growth of *Babesia* and *Theileria equi* parasites. *Parasitology Research*, 113(1), 275–283. <https://doi.org/10.1007/s00436-013-3654-2>
- Shim, S.-M., Kim, J. Y., Lee, S. M., Park, J.-B., Oh, S.-K., & Kim, Y.-S. (2012). Profiling of fermentative metabolites in kimchi: Volatile and non-volatile organic acids. *Journal of the Korean Society for Applied Biological Chemistry*, 55(4), 463–469. <https://doi.org/10.1007/s13765-012-2014-8>
- Singracha, P., Niamsiri, N., Visessanguan, W., Lertsiri, S., & Assavanig, A. (2017). Application of lactic acid bacteria and yeasts as starter cultures for reduced-salt soy sauce (moromi) fermentation. *Lebensmittel-Wissenschaft Und Technologie [Food Science and Technology]*, 78, 181–188. <https://doi.org/10.1016/j.lwt.2016.12.019>
- Song, H. S., Lee, S. H., Ahn, S. W., Kim, J. Y., Rhee, J.-K., & Roh, S. W. (2021). Effects of the main ingredients of the fermented food, kimchi, on bacterial composition and metabolite profile. *Food Research International (Ottawa, Ont.)*, 149(110668), 110668. <https://doi.org/10.1016/j.foodres.2021.110668>
- Song, H. S., Whon, T. W., Kim, J., Lee, S. H., Kim, J. Y., Kim, Y. B., Choi, H., Rhee, J., & Roh, S. W. (2020). Microbial niches in raw ingredients determine microbial community assembly during kimchi fermentation. *Food Chemistry*, 318, 126481. <https://doi.org/10.1016/j.foodchem.2020.126481>

- Song, H., Kim, D., Yook, H., Kim, M., Kim, K., & Byun, M. (2004). Nutritional, physiological, physicochemical and sensory stability of gamma irradiated kimchi (Korean fermented vegetables). *Radiation Physics and Chemistry*, 69(1), 85-90. [https://doi.org/10.1016/s0969-806x\(03\)00329-3](https://doi.org/10.1016/s0969-806x(03)00329-3)
- Song, H., Moon, E.-W., & Ha, J.-H. (2021). Application of response surface methodology based on a Box-Behnken design to determine optimal parameters to produce brined cabbage used in Kimchi. *Foods (Basel, Switzerland)*, 10(8), 1935. <https://doi.org/10.3390/foods10081935>
- Sung, Y.-Y., Yoon, T., Kim, S. J., Yang, W.-K., & Kim, H. K. (2011). Anti-obesity activity of *Allium fistulosum* L. extract by down-regulation of the expression of lipogenic genes in high-fat diet-induced obese mice. *Molecular Medicine Reports*, 4(3), 431–435. <https://doi.org/10.3892/mmr.2011.451>
- Sunu, P., Sunarti, D., Mahfudz, L. D., & Yuniarto, V. D. (2019). Prebiotic activity of garlic (*Allium sativum*) extract on *Lactobacillus acidophilus*. *Veterinary World*, 12(12), 2046–2051. <https://doi.org/10.14202/vetworld.2019.2046-2051>
- Surya, R., & Lee, A. G.-Y. (2022). Exploring the philosophical values of kimchi and kimjang culture. *Journal of Ethnic Foods*, 9(1). <https://doi.org/10.1186/s42779-022-00136-5>
- Takeda, K., & Takemasa, T. (2019). An overview of ornithine, arginine, and citrulline in exercise and sports nutrition. In *Nutrition and Enhanced Sports Performance* (pp. 627–636). Elsevier.
- Susilowati, S., Laia, S., & Purnomo, H. (2018). The effect of salt concentration and fermentation time on pH value, total acidity and microbial characteristic of pickled ginger. (*Zingiber officinale* Rosc.). *International Food Research Journal* 25(6): 2301-2306.
- U.S. Department of Agriculture. Kimchi. (2020). <https://fdc.nal.usda.gov/fdc-app.html#/food-details/1103667/nutrients>.
- White, B. (2007). Ginger: an overview. *American Family Physician*, 75(11), 1689–1691.
- World Health Organization. (2013). *World Cancer Report 2013*. International Agency for Research on Cancer. Geneva: WHO Press.
- Wouters, D., Bernaert, N., Conjaerts, W., Van Droogenbroeck, B., De Loose, M., & De Vuyst, L. (2013). Species diversity, community dynamics, and metabolite kinetics of spontaneous leek fermentations. *Food Microbiology*, 33(2), 185–196. <https://doi.org/10.1016/j.fm.2012.09.016>
- Yogeswara, I. B. A., Maneerat, S., & Haltrich, D. (2020). Glutamate decarboxylase from lactic acid bacteria-A key enzyme in GABA synthesis. *Microorganisms*, 8(12), 1923. <https://doi.org/10.3390/microorganisms8121923>

- You, S., Yang, J., Kim, S. H., & Hwang, I. M. (2017). Changes in the physicochemical quality characteristics of cabbage kimchi with respect to storage conditions. *Journal of Food Quality*, 2017, 1-7. <https://doi.org/10.1155/2017/9562981>
- Yusmarini, Pato, U., Johan, V. S., Fitriani, S., R., & Zelviani, P. F. (2019). Karakteristik asinan kubis yang dibuat dengan penambahan isolat *Lactobacillus plantarum* 1. *Jurnal Teknologi Pangan*, 13(1). <https://doi.org/10.33005/jtp.v13i1.1542>
- Zhang, Y., Chen, Z., Wang, X., Li, Q., Gao, X., Yi, X., & Ma, Y. (2021). High-throughput sequencing method to study the dynamic changes of microbial communities in second-generation fermented lettuce. *IOP Conference Series. Earth and Environmental Science*, 680(1), 012064. <https://doi.org/10.1088/1755-1315/680/1/012064>
- Zhao, C.-C., & Eun, J.-B. (2018). Influence of ultrasound application and NaCl concentrations on brining kinetics and textural properties of Chinese cabbage. *Ultrasonics Sonochemistry*, 49, 137–144. <https://doi.org/10.1016/j.ultsonch.2018.07.039>

