

## DAFTAR PUSTAKA

- Agyemang, E. O., Awuah, E., Darkwah, L., Arthur, R., & Osei, G. (2013). Water Quality Assessment of a Wastewater Treatment Plant in a Ghanaian Beverage Industry. *International Journal of Water Resources and Environmental Engineering*, 5(5), 272–279. <https://doi.org/10.2166/washdev.2013.030>
- Amperawati, S., Hastuti, P., Pranoto, Y., & Santoso, U. (2019). Efektifitas Frekuensi Ekstraksi Serta Pengaruh Suhu dan Cahaya Terhadap Antosianin dan Daya Antioksidan Ekstrak Kelopak Rosella (*Hibiscus sabdariffa* L.). *Jurnal Aplikasi Teknologi Pangan*, 8(1), 38–45. <https://doi.org/10.17728/jatp.3527>
- Arief, L. M. (2016). *Pengolahan Limbah Industri: Dasar-dasar pengetahuan dan aplikasi di tempat kerja* (E. Risanto (ed.)). CV Andi Offset. [https://books.google.co.id/books?hl=en&lr=&id=mFM5DgAAQBAJ&oi=fnd&pg=PR3&dq=tinjauan+pustaka+limbah+cair+industri&ots=IzqqrJK988&sig=ApOKtssdQT2qx0B6tGnsnJI9hfE&redir\\_esc=y#v=onepage&q&f=false](https://books.google.co.id/books?hl=en&lr=&id=mFM5DgAAQBAJ&oi=fnd&pg=PR3&dq=tinjauan+pustaka+limbah+cair+industri&ots=IzqqrJK988&sig=ApOKtssdQT2qx0B6tGnsnJI9hfE&redir_esc=y#v=onepage&q&f=false)
- Aryal, M., & Muriana, P. M. (2019). Efficacy of Commercial Sanitizers Used in Food Processing Facilities for Inactivation of *Listeria monocytogenes*, *E. Coli* O157:H7, and *Salmonella* biofilms. *Foods*, 8(12), 639. <https://doi.org/10.3390/foods8120639>
- Atima, W. A. (2015). BOD dan COD sebagai Parameter Pencemaran Air dan Baku Mutu Air Limbah. *Jurnal Biologi Science & Education*, 4(1), 83–98. <https://doi.org/http://dx.doi.org/10.33477/bs.v4i1.532>
- Boas, A. C. V., Henrique, P. de C., Lima, L. C. de O., & Neto, A. D. (2014). Antioxidant Activity, Anthocyanins and Organic Acids Content of Grape Juices Produced In Southwest of Minas Gerais, Brazil. *Ciência e Agrotecnologia Lavras*, 38(5), 480–486. <https://doi.org/https://doi.org/10.1590/S1413-70542014000500007>
- BPOM. (2012). *Peraturan Kepala Badan Pengawas Obat dan Makanan RI Nomor HK.03.1.23.04.12.2206 Tahun 2012 tentang Cara Produksi Pangan yang Baik untuk Industri Rumah Tangga*. Badan Pengawas Obat dan Makanan. <https://sppirt.pom.go.id/uploads/regulasi/0c446ac671dda56f92636bbadaecf425.pdf>
- Calvache, A. S. C. (2019). *Syrup Process Optimization* [Lee Honors College at ScholarWorks at Western Michigan University]. [https://scholarworks.wmich.edu/honors\\_theses/3195](https://scholarworks.wmich.edu/honors_theses/3195)
- Cavallini, G. S., De Campos, S. X., De Souza, J. B., & De Sousa Vidal, C. M. (2013). Evaluation of the Physical-Chemical Characteristics of Wastewater After Disinfection with Peracetic Acid. *Water Air Soil Pollut*, 224(1752), 1–11. <https://doi.org/10.1007/s11270-013-1752-5>
- Devi, L. P. W. K., Putra, K. G. D., & Putra, A. A. B. (2013). Efektifitas Pengolahan Air Effluent Menjadi Air Reklamasi Di Instalasi Pengolahan Air Limbah Suwung Denpasar Ditinjau Dari Kandungan Kekeruhan, Total Zat Terlarut (TDS), dan Total Zat Tersuspensi (TSS). *Jurnal Kimia*, 7(1), 64–74. <file:///C:/Users/windows/Downloads/6043-1-9862-1-10-20130722.pdf>
- Faisal, M., Mulana, F., Alam, P. N., & Daimon, H. (2014). Wastewater

- Characteristics from Tofu Processing Facilities in Banda Aceh. *The Proceedings of The 4th Annual International Conference Syiah Kuala University (AIC Unsyiah)*, 18–21. <https://jurnal.usk.ac.id/AICS-SciEng/article/view/2437/0>
- Frisón, L. N., Chiericatti, C. A., Aríngoli, E. E., Basílico, J. C., & Basílico, M. Z. (2015). Effect of different sanitizers against *Zygosaccharomyces rouxii*. *Journal of Food Science and Technology*, 52(7), 4619–4624. <https://doi.org/10.1007/s13197-014-1471-y>
- Gaulin, C., Lê, M., Shum, M., & Fong, D. (2011). Disinfectants and sanitizers for use on food contact surfaces. *National Collaborative Centre for Environment Health*, 1–15. [http://www.nceeh.ca/sites/default/files/Food\\_Contact\\_Surface\\_Sanitizers\\_Aug\\_2011.pdf](http://www.nceeh.ca/sites/default/files/Food_Contact_Surface_Sanitizers_Aug_2011.pdf)
- Hasanah, U., Mulyati, A. H., . S., Widiastuti, D., Warnasih, S., Syahputri, Y., & Panji, T. (2020). Development of COD (Chemical Oxygen Demand) Analysis Method in Waste Water Using Uv-Vis Spectrophotometer. *Journal of Science Innovare*, 3(2), 35–38. <https://doi.org/10.33751/jsi.v3i2.3007>
- Holah, J. T. (2014). Cleaning and Disinfection Practices in Food Processing. In *Hygiene in Food Processing* (Vol. 259). Woodhead Publishing Limited. <https://doi.org/10.1533/9780857098634.3.259>
- Indriyati. (2011). Pengolahan Limbah Cair Industri Minuman. *Jurnal Teknologi Lingkungan*, 9(1), 25–30. <https://doi.org/10.29122/jtl.v9i1.440>
- Jouanneau, S., Recoules, L., Durand, M. J., Boukabache, A., Picot, V., Primault, Y., Lakel, A., Sengelin, M., Barillon, B., & Thouand, G. (2014). Methods for Assessing Biochemical Oxygen Demand (BOD): A Review. *Water Research*, 49(1), 62–82. <https://doi.org/10.1016/j.watres.2013.10.066>
- Kakurinov, V. (2014). Food Safety Assurance Systems: Cleaning and Disinfection. In *Encyclopedia of Food Safety* (Vol. 4). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-378612-8.00356-5>
- Kamal, N. (2010). Pengaruh Bahan Aditif CMC (*Carboxyl Methyl Cellulose*) terhadap Beberapa Parameter pada Larutan Sukrosa. *Jurnal Teknologi*, 1(17), 78–84. <http://lib.itenas.ac.id/kti/wp-content/uploads/2014/04/JURNAL-Netty-Kamal-ED-17.pdf>
- Khofifah, & Utami, M. (2022). Analysis of Total Dissolved Solid (TDS) and Total Suspended Solid (TSS) Levels in Liquid Waste from Sugar Cane Industry. *Indonesian Journal of Chemical Research*, 7(1), 43–49. <https://doi.org/https://doi.org/10.20885/ijcr.vol7.iss1.art6>
- Kim, J., & Huang, C. H. (2020). Reactivity of Peracetic Acid with Organic Compounds: A Critical Review. *ACS Environmental Science and Technology Water*, 1(1), 15–33. <https://doi.org/10.1021/acsestwater.0c00029>
- Kustiyaningsih, E., & Irawanto, R. (2020). Pengukuran *Total Dissolved Solid* (TDS) dalam Fitoremediasi Deterjen dengan Tumbuhan *Sagittaria lancifolia*. *Jurnal Tanah dan Sumberdaya Lahan*, 7(1), 143–148. <https://doi.org/10.21776/ub.jtstl.2020.007.1.18>
- Laksmiana, G. A., Santoso, P., & Pasila, F. (2017). Aplikasi untuk Memonitor PLC pada Mesin *Filling* dan *Capping*. *J. Teknik Elektro*, 10(2), 48–53.

- <https://doi.org/10.9744/jte.10.2.48-53>
- Lewan, M., & Partington, E. (2014). Food Processing Equipment Construction Materials. In *Hygiene in Food Processing: Principles and Practice: Second Edition*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857098634.2.142>
- Lumaela, A. K., Otok, B. W., & Sutikno. (2013). Pemodelan *Chemical Oxygen Demand* (COD) Sungai di Surabaya Dengan Metode *Mixed Geographically Weighted Regression*. *Jurnal Sains dan Seni Pomits*, 2(1), D100–D105. <https://doi.org/10.12962/j23373520.v2i1.3204>
- Luukkonen, T., Teeriniemi, J., Prokkola, H., Rämö, J., & Lassi, U. (2014). Chemical Aspects of Peracetic Acid Based Wastewater Disinfection. *Water SA*, 40(1), 73–80. <https://doi.org/10.4314/wsa.v40i1.9>
- Mandal, H. K. (2014). Influence of Wastewater pH on Turbidity. *International Journal of Environmental Research and Development*, 4(2), 105–114. <http://www.ripublication.com/ijerd.htm>
- Mohammed, S. S. (2015). Effect of pH on the Turbidity Removal of Wastewater. *Open Access Library Journal*, 2(12), 1–9. <https://doi.org/10.4236/oalib.1102283>
- Monica, D., & Rahmawati. (2021). Pengukuran Nilai Kekeruhan Air PDAM Tirta Keumueing Kota Langsa. *Jurnal Hadron*, 3(1), 19–22. <https://doi.org/https://doi.org/10.33059/jh.v3i1.3744>
- Mudatsir. (2007). Faktor-faktor yang Mempengaruhi Kehidupan Mikroba dalam Air. *Jurnal Kedokteran Syiah Kuala*, 7(1), 23–29. <http://jurnal.unsyiah.ac.id/JKS/article/viewFile/9465/7457>
- Nuri, H. L. (2016). Desain Awal *Pilot Plant* Pengolahan Tailing Monasit Menjadi ThO<sub>2</sub> Kapasitas 100 kg/Hari. *PRIMA-Aplikasi dan Rekayasa dalam Bidang Iptek Nuklir*, 13(1), 18–25. <http://jurnal.batan.go.id/index.php/prima/article/view/3856>
- Omar, A. F. Bin, & MatJafri, M. Z. Bin. (2009). Turbidimeter Design and Analysis: A Review on Optical Fiber Sensors for The Measurement of Water Turbidity. *Sensors*, 9(10), 8311–8335. <https://doi.org/10.3390/s91008311>
- Padmaningrum, R. T. (2008). Titrasi Iodometri. *Jurnal pendidikan kimia*, 1–6. <http://staff.uny.ac.id/sites/default/files/pengabdian/regina-tutik-padmaningrum-dra-msi/c8titrasiiodometrireginatutikuny.pdf>
- Palupi, K. (1997). Limbah Cair Industri Kecil dan Pencemaran. *Media Litbangkes*, 7(02), 21–28. <http://ejournal.litbang.kemkes.go.id/index.php/MPK/article/view/996/1604>
- Patel, S. (2014). *Hibiscus sabdariffa*: An ideal yet under-exploited candidate for nutraceutical applications. *Biomedicine and Preventive Nutrition*, 4(1), 23–27. <https://doi.org/10.1016/j.bionut.2013.10.004>
- Peraturan Daerah Provinsi Jawa Tengah Nomor 5 Tahun 2012. (n.d.). *Peraturan Daerah Provinsi Jawa Tengah Nomor 5 Tahun 2012 tentang Perubahan atas Peraturan Daerah Provinsi Jawa Tengah Nomor 10 Tahun 2004 tentang Baku Mutu Air Limbah*.
- Poddar, P. K., & Sahu, O. (2017). Quality and management of wastewater in sugar industry. *Applied Water Science*, 7(1), 461–468.

- <https://doi.org/10.1007/s13201-015-0264-4>
- Prayitno, H. T. (2008). Pemisahan Padatan Tersuspensi Limbah Cair Tapioka dengan Teknologi Membran Sebagai Upaya Pemanfaatan dan Pengendalian Pencemaran Lingkungan. In *Jurnal Universitas Diponegoro Semarang*. <https://core.ac.uk/download/pdf/11723586.pdf>
- Rahmaningtyas, E., Yusa, N. M., & Puspawati<sup>2</sup>, N. N. (2013). *Pengaruh Penambahan CMC (Carboxyl Methyl Cellulose) terhadap Karakteristik Sirup Salak Bali (Salacca zalacca var. Amboinensis) Selama Penyimpanan* [Universitas Udayana]. <https://ojs.unud.ac.id/index.php/itepa/article/download/27494/17403/>.
- Ramayanti, D., & Amna, U. (2019). Analisis parameter COD (*Chemical Oxygen Demand*) dan pH (*potential Hydrogen*) limbah cair di PT. Pupuk Iskandar Muda (PT. PIM) Lhokseumawe. *Quimica: Jurnal Kimia Sains dan Terapan*, 1(1), 16–21. <https://ejurnalunsam.id/index.php/JQ/article/view/1689>
- Rohmah, N., & Sugiarto, A. T. (2008). Penurunan TS (*Total Solid*) pada Limbah Cair Industri Perminyakan dengan Teknologi AOP. *Prosiding Seminar Nasional eknoin Bidang Teknik Kimia dan Tekstil*, 21, 44–48. <file:///C:/Users/nuri/AppData/Local/Temp/2073-1982-2-PB.pdf>
- Sani, E. Y. (2006). *Pengolahan Air Limbah Tahu menggunakan Reaktor Anaerob Bersekat dan Aerob* [Universitas Diponegoro]. [https://d1wqtxts1xzle7.cloudfront.net/50797693/Elly\\_Yuniarti\\_Sani-libre.pdf?1481273789=&response-content-disposition=inline%3B+filename%3Dpengolahan\\_limbah\\_pabrik\\_tahu.pdf&Expires=1675772210&Signature=NUGkTEzQHG6DZmmDP-cpX6w1VIihuEjYyxXP-qVmU0FCNIXFSVvVky](https://d1wqtxts1xzle7.cloudfront.net/50797693/Elly_Yuniarti_Sani-libre.pdf?1481273789=&response-content-disposition=inline%3B+filename%3Dpengolahan_limbah_pabrik_tahu.pdf&Expires=1675772210&Signature=NUGkTEzQHG6DZmmDP-cpX6w1VIihuEjYyxXP-qVmU0FCNIXFSVvVky)
- Santoso, A. D. (2018). Keragaan Nilai DO, BOD dan COD di Danau Bekas Tambang Batubara Studi Kasus pada Danau Sangatta North PT. KPC di Kalimantan Timur. *Jurnal Teknologi Lingkungan*, 19(1), 89–96. <https://doi.org/10.29122/jtl.v19i1.2511>
- Sari, Y. W., Mustofa, A., & Kurniawati, L. (2016). Karakteristik sirup herbal fungsional “Sijala” (Sirih Merah-Jahe-Rosela) Sebagai Sumber antioksidan. *Teknologi dan Industri Pangan*, 1(2), 79–87. <file:///C:/Users/asus/Downloads/1520-5377-2-PB.pdf>
- Sayuti, N. A. (2015). Optimasi Konsentrasi CMC Na dan Sucrosa Pada Formulasi Sirup dari Bahan Temulawak. *Jurnal Terpadu Ilmu Kesehatan*, 4(1), 6–10.
- Schmidt, R. H. (2012). Basic Elements of Equipment Cleaning and Sanitizing in Food Processing and Handling Operations. In *IFAS Extension*. <https://edis.ifas.ufl.edu/publication/FS077?downloadOpen=true>
- Sholichin, M. (2012). *Pengolahan Air limbah : Teknologi Pengolahan Air Limbah* (hal. 1–16). Jurusan Teknik Pengairan, Universitas Brawijaya. [http://water.lecture.ub.ac.id/files/2012/03/Limbah-modul\\_2.pdf](http://water.lecture.ub.ac.id/files/2012/03/Limbah-modul_2.pdf)
- Siskawardani, D. D., Komar, N., & Hermanto, M. B. (2013). Pengaruh Konsentrasi Na-CMC (*Natrium-Carboxymethyle Cellulose*) dan Lama Sentrifugasi terhadap Sifat Fisik Kimia Minuman Asam Sari Tebu (*Saccharum officinarum L.*). *Bioproses Komoditas Tropis*, 1(1), 54–61. <https://jbkt.ub.ac.id/index.php/jbkt/article/view/103>

- SNI 06-6989.25:2005. (2005). *Air dan air limbah – Bagian 25: Cara uji kekeruhan dengan nefelometer*. Badan Standarisasi Nasional. [http://lib.atk.ac.id/index.php?p=show\\_detail&id=7770](http://lib.atk.ac.id/index.php?p=show_detail&id=7770)
- SNI 3544:2013. (2013). *Sirup*. Badan Standarisasi Nasional. <https://doi.org/10.1145/3025171.3025185>
- SNI 6968.72:2009. (2009). *Air dan Air Limbah : Cara Uji Kebutuhan Oksigen Biokimia (Biochemical Oxygen Demand/BOD)*. Badan Standarisasi Nasional. <https://fdocuments.net/document/sni-698972-2009-uji-bod.html>
- SNI 6989.11:2019. (2019). *Air dan air limbah – Bagian 11: Cara uji derajat keasaman (pH) dengan menggunakan pH meter*. Badan Standarisasi Nasional. [http://lib.atk.ac.id/index.php?p=show\\_detail&id=7446](http://lib.atk.ac.id/index.php?p=show_detail&id=7446)
- SNI 6989.26-2019. (2019). *Air dan air limbah – Bagian 26 : Cara uji padatan total (Total Solids, TS) secara gravimetri*. Badan Standarisasi Nasional. [http://lib.atk.ac.id/index.php?p=show\\_detail&id=7481](http://lib.atk.ac.id/index.php?p=show_detail&id=7481)
- SNI 6989.27-2019. (2019). *Air dan air limbah – Bagian 27: Cara uji padatan terlarut total (Total Dissolved Solids, TDS) secara gravimetri*. Badan Standarisasi Nasional. [http://lib.atk.ac.id/index.php?p=show\\_detail&id=7463](http://lib.atk.ac.id/index.php?p=show_detail&id=7463)
- SNI 6989.3:2019. (2019). *Air dan air limbah – Bagian 3: Cara uji padatan tersuspensi total (Total Suspended Solids, TSS) secara gravimetri*. Badan Standarisasi Nasional. [http://lib.atk.ac.id/index.php?p=show\\_detail&id=7467&keywords=](http://lib.atk.ac.id/index.php?p=show_detail&id=7467&keywords=)
- SNI 6989.73:2019. (2019). *Air dan air limbah – Bagian 73: Cara uji kebutuhan oksigen kimiawi (chemical oxygen demand/COD) dengan refluks tertutup secara titrimetri*. Badan Standarisasi Nasional. [http://lib.atk.ac.id/index.php?p=show\\_detail&id=7811](http://lib.atk.ac.id/index.php?p=show_detail&id=7811)
- Sukarminah, E., Sukri, N., & Deswanti, G. F. (2018). Pengaruh Konsentrasi Penstabil CMC (*Carboxymethyl Cellulose*) Terhadap Karakteristik Yoghurt Sinbiotik Puree Pisang Kepok. *Universitas Padjadjaran*, 1–19. [https://d1wqtxts1xzle7.cloudfront.net/58532132/Artikel\\_Ilmiyah\\_-\\_Gina\\_Fauziah\\_-\\_240210140091-libre.pdf?1551560708=&response-content-disposition=inline%3B+filename%3DArtikel\\_Ilmiyah\\_Gina\\_Fauziah\\_Deswanti\\_pdf.pdf&Expires=1679237706&Signature=C3lWHwKds233Uwxfw](https://d1wqtxts1xzle7.cloudfront.net/58532132/Artikel_Ilmiyah_-_Gina_Fauziah_-_240210140091-libre.pdf?1551560708=&response-content-disposition=inline%3B+filename%3DArtikel_Ilmiyah_Gina_Fauziah_Deswanti_pdf.pdf&Expires=1679237706&Signature=C3lWHwKds233Uwxfw)
- Surbakti, S. (2017). Kajian kinerja Instalasi Pengolahan Air Limbah (IPAL) industri minuman Pqr di Pandaan Kabupaten Pasuruan. *Jurnal Spectra*, 15(30), 31–44. <https://ejournal.itn.ac.id/index.php/spectra/article/view/594/556>
- US Chemical. (2016). *Sanitizers vs Disinfectants A Closer Look at Sanitizers and Disinfectants*. 1–4. [http://www.uschemical.com/wp-content/uploads/2016/04/L000207\\_SANITATION\\_VS\\_DIS.pdf](http://www.uschemical.com/wp-content/uploads/2016/04/L000207_SANITATION_VS_DIS.pdf)
- USDA. (2000). *Peracetic Acid*. <https://www.ams.usda.gov/sites/default/files/media/Peracetic Acid Technical Report Handling.pdf>
- Verma, A., Wei, X., & Kusiak, A. (2013). Predicting The Total Suspended Solids in Wastewater: A Data-mining Approach. *Engineering Applications of Artificial Intelligence*, 26(4), 1366–1372. <https://doi.org/10.1016/j.engappai.2012.08.015>

- Verma, N., & Singh, A. K. (2013). Development of Biological Oxygen Demand Biosensor for Monitoring the Fermentation Industry Effluent. *ISRN Biotechnology*, 2013, 1–6. <https://doi.org/10.5402/2013/236062>
- Yhulandari, A., Puspitorini, P. S., Putra, A. C., & Ernel, A. (2019). Wisata Edukasi Mini Plant Rumah Pengolahan Chips Porang Sebagai Konsep Pengembangan Tata Ruang Wilayah Desa Jembul .... *Prosiding SNP2M (Seminar Nasional Penelitian dan Pengabdian Masyarakat) UNIM*, 1, 41–48. <http://snp2m.unim.ac.id/index.php/snp2m/article/view/314%0Ahttp://snp2m.unim.ac.id/index.php/snp2m/article/download/314/171>
- Yunita, V. A. (2020). *Sintesis Karboksimetil Selulosa (CMC) dari Selulosa Pelepah Nipah (Nypa fruticans) Sebagai Flokulan* [Universitas Islam Negeri Alauddin Makassar]. [repositori.uin-alauddin.ac.id](https://repositori.uin-alauddin.ac.id)
- Zakaria, A., Sauri, S., Fadela, D. M., & Wardhani, P. S. A. (2021). Efisiensi Penurunan Kadar COD, TSS, dan TDS pada Air Limbah Industri Pangan menggunakan Koagulan *Poly Aluminium Chloride* dengan metode *Jar Test*. *Warta Akab*, 45(2), 98–104. <https://doi.org/10.55075/wa.v45i2.60>
- Zall, R. R. (2008). *Managing Food Industry Waste: Common Sense Methods for Food Processors*. John Wiley & Sons. [https://books.google.co.id/books?hl=en&lr=&id=1DzGo3nC1J0C&oi=fnd&pg=PR7&dq=Managing+Food+Industry+Waste:+Common+Sense+Methods+for+Food+Processors&ots=U2NP6sr-Vz&sig=pwkvUwGrhGklQwLeQubWSyEvsWE&redir\\_esc=y#v=onepage&q=Managing+Food+Industry+Waste%3A+Commo](https://books.google.co.id/books?hl=en&lr=&id=1DzGo3nC1J0C&oi=fnd&pg=PR7&dq=Managing+Food+Industry+Waste:+Common+Sense+Methods+for+Food+Processors&ots=U2NP6sr-Vz&sig=pwkvUwGrhGklQwLeQubWSyEvsWE&redir_esc=y#v=onepage&q=Managing+Food+Industry+Waste%3A+Commo)
- Zoellner, C., Aguayo-Acosta, A., Siddiqui, M. W., & Dávila-Aviña, J. E. (2018). Peracetic Acid in Disinfection of Fruits and Vegetables. In *Postharvest Disinfection of Fruits and Vegetables*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-812698-1.00002-9>